

Local Notice to Mariners for District 7 03/18/2025

Alafia River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Alafia River Light 15	23315	LT EXT	FD

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Alafia River Light 6	23270	RELIGHTED	FD	2025-03-17
Alafia River Light 8	23280	RELIGHTED	FD	2025-03-11
Alafia River Daybeacon 9	23285	WATCHING PROPERLY	FD	2025-03-11

Altamaha Sound

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Altamaha Sound Daybeacon 197	36887	STRUCT DEST/TRUB	FD
Altamaha Sound Light 201	36905	STRUCT DEST/TRLB	FD
Altamaha Sound Light 202	36910	STRUCT DEST/TRLB	FD
Altamaha Sound Light 209	36930	STRUCT DEST/TRLB	FD
Altamaha Sound Range Front Light C	36935	STRUCT DEST	FD

Amelia River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Amelia River Lighted Buoy 4	37940	ADRIFT	FD

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Amelia River Lighted Buoy 10	7085	RELIGHTED	FD	2025-03-13

Anclote Anchorage North Entrance

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Anclote Anchorage North Entrance Light 7	26130	STRUCT DEST/HAZ NAV/TRLB	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Gulf Harbors South Channel Light 1	26410	LT EXT	PA
Sea Forest Cut Channel Daybeacon 9	26451.8	STRUCT DEST/HAZ NAV	PA
Upper Cross Bayou Daybeacon 1	26453	STRUCT DEST	PA
Gulf Harbors North Channel Light 2	26460	STRUCT DEST	PA
Gulf Harbors North Channel Daybeacon 10	26500	STRUCT DEST	PA

Anclote River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Anclote River Daybeacon 11	26190	STRUCT DEST/TRLB/HAZ NAV	FD
Anclote River Daybeacon 12	26190.5	HAZ NAV/STRUCT DEST/TRLB	FD
Anclote River Turning Basin Shoal Daybeacon A	26360	STRUCT MISSING	FD
Anclote River Turning Basin Shoal Daybeacon B	26365	STRUCT MISSING	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Anclote Village Marina Daybeacon 7	26233.7	DAYMK MISSING	PA

Angelfish Creek

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Angelfish Creek Daybeacon 1	11185	STRUCT DEST/HAZ NAV/TRLB	FD
Angelfish Creek Daybeacon 4	11205	STRUCT DEST/TRUB	FD
Angelfish Creek Light 6	11215	STRUCT DEST/TRLB	FD

Ashley River

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Charleston Harbor South Channel - Ashley River/General/Bridges/Construction	Bridges	General/Bridges/Construction From: 2025-02-12 To: 2026-01-30 Location: 32.78257° N / 79.96052° W Bridge Name: Ashley River Pedestrian Bridge On or about February 14, 2025, construction of the Ashley River Crossing Pedestrian Bridge will begin on the Ashley River, in Charleston, SC. Between the T. Allen Legare span of the Ashley River Memorial/17 Bridge and the Robert B. Scarborough Bridge (James Island Expressway), construction barges will be in the vicinity of the channel and will be limited in their ability to maneuver. Throughout the duration of the project operations may extend into the channel. Vessels should use caution and maintain safe speeds while transiting the area.	Lat: 32° 46' 57" Lon: -079° 57' 38"

Atlantic IWW

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Sebastian Inlet North Jetty Light	655	LT EXT	PA
Sailfish Point Marina Channel Daybeacon 2	10010	STRUCT DEST	PA
Sailfish Point Marina Channel Daybeacon 5	10025	STRUCT DEST/HAZ NAV	PA
Sailfish Point Marina Channel Daybeacon 7	10035	STRUCT DEST	PA

Bahia De Boqueron

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Bajo Enmedio South Lighted Buoy 1	32325	SINKING/TRLB	FD

Bahia De Guayanilla

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Bahia De Guayanilla Entrance Range Rear Light	32075	LT EXT	FD

Bahia De Jobos

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Aguirre Power Plant Lighted Buoy 1	31890	OFF STA	PA
Aguirre Power Plant Lighted Buoy 2	31895	OFF STA	PA
Aguirre Power Plant Lighted Buoy 3	31900	OFF STA	PA
Aguirre Power Plant Lighted Buoy 4	31905	OFF STA	PA
Aguirre Power Plant Lighted Buoy 5	31910	OFF STA	PA
Aguirre Power Plant Lighted Buoy 6	31915	OFF STA	PA
Aguirre Power Plant Lighted Buoy 8	31920	OFF STA	PA

Bahia De Ponce

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Isla De Cardona Light	31950	STRUCT DEST	FD
Bahia De Ponce Range Rear Light	31965	REDUCED INT	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Ponce Harbor Pier Obstruction Lights (4)	31985	STRUCT DMGD	PA

Bahia De Ponce And Approaches

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
------	------	--------	----------

Isla Caja De Muertos Light	31925	LT EXT	FD
----------------------------	-------	--------	----

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Ponce Yacht & Fishing Club Special Purpose Buoy A	31927	MISSING	PA
Rio Bucana East Jetty Light	31940	STRUCT DEST	PA

Bahia De San Juan

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Bahia De San Juan Lighted Buoy 2	30760	BUOY DMGD/OFF STATION	FD

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Bahia De San Juan Lighted Buoy 11	30805	RESET ON STATION	FD	2025-03-06

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Bahia De San Juan FAD Lighted Buoy E	30736.4	MISSING	PA
Bahia De San Juan FAD Lighted Buoy F	30736.5	OFF STA	PA

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Army Terminal Channel Lighted Buoy 7	30885	RELOCATED FOR DREDGING	FD
Army Terminal Channel Temporary Buoy 7A	null	ESTABLISHED	FD

Temporary Changes Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Bahia De San Juan Lighted Buoy 9	30795.100000000002	Returned to Assigned Position	FD	2025-03-05

Banana River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Banana River Daybeacon 7A	42490	STRUCT DEST/TRUB	FD
Banana River Daybeacon 15	42555	STRUCT DEST/TRUB	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Tortoise Island Ctr Channel Daybeacon 2	42450	DAYMK IMCH	PA
Tortoise Island Center Channel Daybeacon 4	42460	DAYMK IMCH	PA
Tortoise Island Center Channel Daybeacon 5	42460.1	DAYMK IMCH	PA
Tortoise Island Center Channel Daybeacon 6	42460.200000000004	DAYMK MISSING	PA
Tortoise Island Center Channel Daybeacon 7	42460.3	DAYMK IMCH	PA
Tortoise Island Center Channel Daybeacon 8	42460.4	DAYMK IMCH	PA
Tortoise Island Channel Daybeacon 1	42463	STRUCT DEST/HAZ NAV	PA
Manatee Cove Marina Daybeacon 1	42490.1	STRUCT DEST/HAZ NAV	PA
Manatee Cove Marina Daybeacon 4	42490.4	STRUCT DMGD	PA
Hospital Cut Daybeacon 6	42611.5	DAYMK MISSING	PA
Pelican Creek Light 2	42615	STRUCT DEST	PA
Central Avenue Entrance Channel Light 2	42830	LT EXT	PA
Kelly Park Channel Daybeacon 3	43040	STRUCT DEST/HAZ NAV	PA
Kelly Park Channel Daybeacon 4	43045	STRUCT DEST	PA
Kelly Park Channel Daybeacon 5	43050	STRUCT DEST/HAZ NAV	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Canaveral Barge Canal - Banana River/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2024-10-20 To: 2025-04-18 Location: 28.2669° N / 80.6097° W 28.17191° N / 80.61245° W 28.25602° N / 80.6612° W 28.2669° N / 80.6097° W Gator Dredging will continue muck removal operations within the Grand Canal and adjacent canals within a subdivision, north of Samson Island Park and south of Patrick Air Force Base. Operations will begin on or about March 15, 2022 until approximately November 30, 2025 - Monday through Saturday, 30 minutes after sunrise until 30 minutes before sunset. The dredge DANI L will monitor VHF-FM channels 16 and 68. Mariners are urged to use extreme caution in the area, transit at their slowest safe speed to minimize wake, and proceed with caution after passing arrangements have been made. Floating and submerged high density polyethylene pipeline associated with the hydraulic dredging operations of the canals will be utilized. Pipeline, work vessels, dredge barge, booster pump barges and buoys will be visibly lighted and will be in the area until all work is complete. The configuration will change daily and Vessels and/or equipment will be in multiple locations at the same time. For further information, contact: Charlie Gertz (727) 902-6055.	

Banana River North

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Banana River North Daybeacon 34	41920	STRUCT DEST/TRUB	FD
Banana River North Light 35	41925	STRUCT DEST/TRLB	FD

Barnes Sound

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Manatee Creek Daybeacon 5	50255	STRUCT DEST	PA
Manatee Creek Daybeacon 6	50260	STRUCT DEST	PA
Manatee Creek Daybeacon 7	50265	STRUCT DEST	PA
Manatee Creek Daybeacon 8	50270	STRUCT DEST	PA
Manatee Creek Daybeacon 8A	50275	STRUCT DEST	PA
Manatee Creek Daybeacon 9	50280	STRUCT DEST	PA
Manatee Creek Daybeacon 10	50285	STRUCT DEST	PA
Manatee Bay Daybeacon 2	50310	STRUCT DEST	PA
Manatee Bay Daybeacon 3	50315	STRUCT DEST	PA

Barron River Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Barron River Channel Daybeacon 37	16180	STRUCT DEST/TRUB	FD

Beaufort River

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Broad Creek Daybeacon 13	4490	STRUCT DEST	PA
Broad Creek Daybeacon 19	4510	DAYMK IMCH	PA
Broad Creek Daybeacon 21	4515	DAYMK IMCH	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Port Royal Sound - Beaufort River/General/Bridges/Temp Deviation	Bridges	General/Bridges/Temp Deviation From: 2024-10-29 To: 2024-11-29 Location: 32.42753° N / 80.66921° W Bridge Name: Lady's Island Woods Memorial Bridge The Coast Guard has authorized a temporary deviation to the operating schedule to the Lady's Island Bridge across the Atlantic Intracoastal Waterway mile 536.0, Beaufort, South Carolina. The bridge need not open for navigation, including tugs with tows during the following: July 4, 2025, from 7:45 a.m. to 9:30 a.m. to facilitate the Help of Beaufort 5k. Public Vessels, vessels in emergency situations, and vessels that may pass through the bridge without an opening should be passed at any time.	Lat: 32° 25' 39" Lon: -080° 40' 09"
Port Royal Sound - Beaufort River/General/Bridges/Temp Deviation	Bridges	General/Bridges/Temp Deviation From: 2024-11-05 To: 2024-11-30 Location: 32.42753° N / 80.66921° W Bridge Name: Lady's Island Woods Memorial Bridge This temporary deviation to the drawbridge operating schedule is effective from 2 p.m. on February 27, 2025, through 11:59 p.m. on May 23, 2025. Under this temporary deviation, the Lady's Island (Woods Memorial) Bridge shall open on signal; except that the draw need not open from 6 a.m. to 9:29 a.m. and 3:31 p.m. to 7 p.m., Monday through Friday, except Federal holidays. Between 9:30 a.m. and 3:30 p.m., Monday through Friday, except Federal holidays, the draw need open only once an hour on the half hour. Public vessels of the United States and tugs with tows, will be passed through anytime.	Lat: 32° 25' 39" Lon: -080° 40' 09"
Port Royal Sound - Beaufort River/General/Bridges/Closure (Scheduled Or Emergency)	Bridges	General/Bridges/Closure (Scheduled Or Emergency) From: 2025-03-11 To: 2025-09-07 Location: 32.42753° N / 80.66921° W Bridge Name: Lady's Island Woods Memorial Bridge - AICW The southern channel is closed to navigation until further notice. All vessels are advised to transit through the swing bridge using the northern channel only. The northeastern section of the fender system is damaged and missing. There is no pier lighting identifying the northeastern fender. All mariners are advised to use extreme caution when transiting.	Lat: 32° 25' 39" Lon: -080° 40' 09"

Big Bend Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Big Bend Pilot Channel Range Front Light	23028	LT IMCH	FD
Big Bend Channel Lighted Buoy 9	23080	OFF STATION	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
North Apollo Beach Daybeacon 4	24675	STRUCT DEST	PA

Big Marco Pass Gordon Pass

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Big Marco Pass-Gordon Pass Daybeacon 2	17095	STRUCT DEST/TRUB/OFF STATION	FD
Big Marco Pass-Gordon Pass Daybeacon 1A	17100	STRUCT DEST/TRUB	FD
Big Marco Pass-Gordon Pass Daybeacon 2A	17160	STRUCT MISSING/TRUB	FD
Big Marco Pass-Gordon Pass Daybeacon 2A	17160	STRUCT DEST	FD
Big Marco Pass-Gordon Pass Daybeacon 3	17165	STRUCT MISSING/TRUB/OFF STATION	FD
Big Marco Pass-Gordon Pass Daybeacon 17	17210	STRUCT DEST/TRUB	FD
Big Marco Pass-Gordon Pass Daybeacon 18A	17220	STRUCT DEST/TRUB	FD
Big Marco Pass-Gordon Pass Daybeacon 26	17255	STRUCT DEST/TRUB	FD
Big Marco Pass-Gordon Pass Daybeacon 28A	17275	STRUCT DEST/TRUB	FD
Big Marco Pass-Gordon Pass Daybeacon 33	17300	STRUCT DEST/TRUB	FD
Big Marco Pass-Gordon Pass Daybeacon 36	17310	STRUCT DEST/TRUB	FD
Big Marco Pass-Gordan Pass Daybeacon 40	17320	STRUCT DEST/TRUB	FD
Big Marco Pass-Gordon Pass Daybeacon 46	17335	STRUCT DEST/TRUB	FD
Big Marco Pass-Gordon Pass Daybeacon 53	17370	STRUCT DEST/TRUB	FD
Big Marco Pass-Gordon Pass Daybeacon 54	17375	STRUCT DMGD	FD
Big Marco Pass-Gordon Pass Daybeacon 56	17385	STRUCT MISSING/TRUB	FD
Big Marco Pass-Gordon Pass Daybeacon 60	17400	STRUCT DEST/TRUB	FD
Big Marco Pass-Gordon Pass Daybeacon 65	17415	STRUCT DEST/TRUB	FD
Big Marco Pass-Gordon Pass Daybeacon 66	17420	STRUCT DEST/TRUB	FD
Big Marco Pass-Gordon Pass Daybeacon 67	17420.5	STRUCT MISSING/TRUB	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Big Marco Pass Obstruction Daybeacon A	17087	STRUCT DEST	PA
Big Marco Pass Obstruction Daybeacon B	17087.1	STRUCT DEST	PA
Big Marco Pass Obstruction Daybeacon C	17087.2	STRUCT DEST	PA
Big Marco Pass Obstruction Light E	17087.4	STRUCT DEST	PA
Isles Of Capri Daybeacon 2	17105	STRUCT DEST	PA
Isles Of Capri Daybeacon 4	17115	STRUCT DEST	PA
Isles Of Capri Daybeacon 5	17120	STRUCT DEST	PA
Isles Of Capri Daybeacon 8	17135	STRUCT DEST	PA
Isles Of Capri Daybeacon 11	17150	STRUCT DEST	PA

Biscayne Bay

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Biscayne Bay Daybeacon 57	48490	STRUCT DEST/TRUB	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Bakers Haulover Smallboat Channel Daybeacon 2	47795	STRUCT DEST	PA
Coral Gables Waterway Light 1	49285	STRUCT DEST	PA
Coral Gables Waterway Daybeacon 3	49295	STRUCT DEST	PA
Coral Gables Waterway Daybeacon 4	49300	STRUCT DEST	PA
Coral Gables Waterway Daybeacon 6	49310	DAYMK IMCH	PA
Matheson Hammock South Channel Range Front Light	49445	DAYMK MISSING/STRUCT DMGD	PA
Matheson Hammock South Channel Range Rear Light	49450	DAYMK MISSING	PA
Matheson Hammock South Channel Light 2	49455	LT EXT	PA
Matheson Hammock South Channel Daybeacon 9	49485	DAYMK MISSING	PA
Black Point Channel Daybeacon 1	49735	STRUCT DEST	PA
Black Point Channel Daybeacon 6	49760	STRUCT DEST	PA
Black Point Channel Daybeacon 12	49790	STRUCT DEST	PA
Adams Key Light	50105	LT EXT/DAYMK MISSING	PA
Miami Seaquarium Inlet Pipe Obstruction Light	48600	STRUCT DEST/HAZ NAV	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION

Biscayne Bay/General/Bridges/Temp Deviation	Bridges	General/Bridges/Temp Deviation From: 2025-02-20 To: 2025-03-28 Location: 25.78394° N / 80.21841° W Bridge Name: Northwest 12th Avenue Bridge - Miami River The bridge need not open to navigation including tugs and tugs with tow from 2 p.m. until 4 p.m. and 6:15 p.m. until 8:15 p.m. on Thursday, March 27, 2025, in support of Opening Day for the Miami Marlins.	Lat: 25° 46' 57" Lon: -080° 12' 53"
Biscayne Bay/General/Bridges/Repairs, Painting, Or Fender Replacement	Bridges	General/Bridges/Repairs, Painting, Or Fender Replacement From: 2025-02-25 To: 2025-03-20 Location: 25.78882° N / 80.23137° W Bridge Name: Northwest 22nd Avenue Bridge - Miami River Emergency repairs are being completed with the bridge in the open to navigation position. There may be periodic lowering of the bridge however the contractor will coordinate with the tug/tow companies on a daily basis.	Lat: 25° 47' 20" Lon: -080° 13' 53"
Biscayne Bay/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2024-10-20 To: 2025-04-18 Location: 25.6632° N / 80.24784° W Fincantieri Infrastructure Florida & GLF USA will be conducting pile driving, dredging and water sampling in the vicinity of Biscayne Bay Aquatic Preserve and Government Cut at future MSC berths 8 and 9 (25-46-21.1332N/080-9-25.5348W to 25-46-9.1848N/080-8-57.0084W). The estimated completion date is December 15, 2025, hours of operation are 6:30 a.m. to 6:30 p.m., 7 days a week. GLF Construction Corporation will be mobilizing a Crane Barge (54 feet x 150 feet), Service Barge (30 feet X 150 feet), and a Push Boat (15 feet x 25 feet) to the project site on or around June 16, 2022. The equipment is being mobilized to install and maintain the turbidity control system required to perform both land and water-based dredging works. During the installation of the system the above equipment will be operating in the area south of the north navigation channel adjacent to Port Miami. If and when necessary, the equipment will be moved along the southern edge of the north navigation channel to perform any maintenance. Upon arrival at the site the GLF equipment will be positioned inside the Turbidity Control System south of the Navigation Channel and will not move out until completion of the work. GLF will continuously monitor VHF-FM channel 16 and use Channel 9 to maneuver barge and vessels. For further information contact:Alejandro Brito (786) 821-4587 or Alejandro.brito@fl.fcinfrastructure.com.	Lat: 25° 39' 48" Lon: -080° 14' 52"

Biscayne Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Biscayne Channel Light 3	10820	STRUCT DEST/TRLB	FD
Biscayne Channel Daybeacon 4	10825	HAZ NAV/STRUCT DEST/TRLB	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Miami Springs Boat Club Shoal Buoy West	10886	MSLD SIG	PA
Miami Springs Boat Club Shoal Buoy North	10887	MISSING	PA
Miami Springs Boat Club Shoal Buoy South	10889	MISSING	PA

Blackwater Sound

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Blackwater Sound Light 38	50365	LT EXT	FD

Bloody Point Range

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Bloody Point Range Lighted Bell Buoy 8	4580	RELOCATED FOR DREDGING	FD
Bloody Point Range Lighted Buoy 13	4615	RELOCATED FOR DREDGING	FD

Blount Island

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Blount Island Turning Basin Lighted Buoy 45	7395	RELOCATED FOR DREDGING	FD
Blount Island Turning Basin Buoy A	7396	RELOCATED FOR DREDGING	FD
Blount Island Turning Basin Buoy B	7397	RELOCATED FOR DREDGING	FD
Blount Island Turning Basin Buoy C	7398	RELOCATED FOR DREDGING	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Fulton Cutoff - Blount Island/ATON/Advanced Notice of Change	Advanced Notice of Change	Blount Island Turning Basin LB 45 (LLNR 7395) will be permanently relocated to 30-23-08.280N/081-32-35.920W. The flash characteristic will remain a FL G 4s, but the nominal range will be reduced from 5NM to 4NM.	Lat: 30° 23' 08" Lon: -081° 32' 36"

Fulton Cutoff - Blount Island/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2024-10-20 To: 2025-04-18 Location: 30.4182° N / 81.5341° W 30.40857° N / 81.51367° W 30.39184° N / 81.50131° W 30.38325° N / 81.55607° W 30.39984° N / 81.55161° W 30.41331° N / 81.54474° W 30.4182° N / 81.5341° W Gator Dredging will be dredging in the Blount Island Support Facility Port. Dredging is expected to begin on or about September 19, 2004, with an estimated completion date of December 31, 2024. Operations will be conducted 24 hours per day, 7 days per week basis. Mariners are urged to use extreme caution in the area, transit at their slowest safe speed to minimize wake, and proceed with caution after passing arrangements have been made. Dredge BRITTYN B will be monitoring VHF-FM channel 16. Floating and submerged high density polyethylene (HDPE) and steel pipeline associated with the hydraulic dredging operations of the channel will be utilized. Pipeline, work vessels, dredge barge, booster pump barge(s) and buoys will be visibly lighted and marked according to coast guard regulations and will be in the area until all work is complete and can change configuration daily. Vessels and/or equipment will be in multiple locations at the same time. For further information contact: Keith Ayers (815) 315- 3255.
--	---	--

Boca Chita Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Sands Key Light 3	49695	DAYMK MISSING	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
East Featherbeds Obstruction Daybeacon A	49703	DAYMK MISSING	PA
East Featherbed North Obstruction Daybeacon	49703.1	DAYMK MISSING	PA
East Featherbed West Obstruction Daybeacon	49703.3	STRUCT DEST	PA
East Featherbed Northeast Obstruction Daybeacon	49703.5	STRUCT DEST	PA
East Featherbed Southeast Obstruction Daybeacon	49703.6	DAYMK IMCH	PA
East Featherbed NNE Obstruction Daybeacon	49703.700000000000	STRUCT DEST	PA
Middle Featherbeds North Obstruction Daybeacon	49704	DAYMK MISSING	PA
Middle Featherbed NNE Obstruction Daybeacon	49704.3	DAYMK MISSING	PA
Featherbed Bank Shoal Daybeacon X	49725	STRUCT DEST/HAZ NAV	PA

Boca Ciega Bay.

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Boca Ciega Bay Daybeacon 35	60915	STRUCT DEST	FD

Boca Ciega Bay To Anclote Anchorage

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
The Narrows Daybeacon 14	61535	STRUCT MISSING/TRUB	FD
The Narrows Daybeacon 25	61580	TRUB/STRUCT MISSING	FD
The Narrows Light 27B	61600	STRUCT MISSING/TRLB	FD
The Narrows Daybeacon 38	61660	STRUCT DEST/TRUB	FD

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
The Narrows Daybeacon 4	61490	WATCHING PROPERLY	FD	2025-03-14
The Narrows Daybeacon 7	61505	WATCHING PROPERLY	FD	2025-03-14

Boca Ciega Key.

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Boca Ciega Bay Daybeacon 39	61040	STRUCT DEST/TRUB	FD

Boca Grande Yacht Basin Channel

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Gasparilla Sound Channel - Boca Grande Yacht Basin Channel/General/Bridges/Maintenance	Bridges	General/Bridges/Maintenance From: 2025-01-07 To: 2025-11-03 Location: 26.75371° N / 82.2584° W Bridge Name: Boca Grande Bayou Temporary Bridge Temporary Construction Bridge (TCB) across the Boca Grande Bayou is authorized to remain in place through November 1, 2025, to allow for the completion of work at the Gasparilla Island Water Association Wastewater Treatment Plant. Remaining work includes final site work, demolition of existing structures and removal of the TCB. The center span shall be removed to allow for unrestricted boating traffic from January 1, 2025, through May 1, 2025. The TCB shall be removed in its entirety by November 1, 2025.	Lat: 26° 45' 13" Lon: -082° 15' 30"

Bohicket Creek

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Bohicket Creek Daybeacon 5	3905	STRUCT MISSING	FD

Bowlegs Cut

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Bay Harbour Light	12378	LT EXT	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Florida Bay - Bowlegs Cut/General/Bridges/Rehabilitation	Bridges	General/Bridges/Rehabilitation From: 2024-11-19 To: 2025-05-18 Location: 24.83801° N / 80.77337° W Bridge Name: United States 1 Highway Bridge - Channel Five Freyssinet, Inc on behalf of the bridge owner, Florida Department of Transportation (FDOT) will be performing rehab/repair work on the Channel Five Bridge between Lower Matecumbe Key and Long Key Bight from April 19, 2021, through May 2025. There will be barges, floating work platforms and work boats in the area behind the fender systems, but no obstructions to navigation are expected. All mariners are advised to proceed with caution and transit the area at a minimum wake speed. For waterways related questions, contact, Coast Guard Sector Key West Waterways, 305-292-8768 or email: SKWWaterways@uscg.mil.	Lat: 24° 50' 17" Lon: -080° 46' 24"

Braden River

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Braden River Daybeacon 9	22097.8	STRUCT DEST/HAZ NAV	PA
Braden River Daybeacon 11	22098	STRUCT DEST	PA

Brills Cut

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
St Johns River - Brills Cut/General/Marine Construction (Excluding Bridges)/Boring and Core Samples	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Boring and Core Samples From: 2025-03-18 To: 2025-04-25 Location: 30.41553° N / 81.59641° W 30.40902° N / 81.58251° W 30.39999° N / 81.57169° W 30.38696° N / 81.55864° W 30.3951° N / 81.5044° W 30.3877° N / 81.502° W 30.38977° N / 81.50938° W 30.38266° N / 81.56036° W 30.40783° N / 81.58954° W 30.39525° N / 81.61873° W 30.38429° N / 81.62302° W 30.37955° N / 81.62267° W 30.37318° N / 81.61632° W 30.35985° N / 81.61152° W 30.33941° N / 81.60963° W 30.33378° N / 81.61255° W 30.32° N / 81.61272° W 30.31185° N / 81.62491° W 30.31793° N / 81.6292° W 30.35882° N / 81.61976° W 30.36844° N / 81.62576° W 30.37155° N / 81.63229° W 30.3948° N / 81.63418° W 30.41553° N / 81.59641° W Starting on or about March 24, 2025, Athena Technologies will be conducting sampling operations in the St Johns River within the navigation channel at Jacksonville, Florida. Sampling operations will be conducted from Blount Island to the Hart Bridge near downtown Jacksonville. Athena will be using the RV ARTEMIS, a 35-foot pontoon vessel. We will be operating during daylight hours and will be available on VHF-FM channels 13 and 16 and at (843) 670-6246 for communications. Sampling is expected to three weeks to complete.	

Brunswick River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Brunswick Point Cut Range Front Light 2	6230	REDUCED INT	FD
Brandy Point Jetty Daybeacon	6290	STRUCT DEST/HAZ NAV/TRUB	FD

Butchers Bend

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Butchers Bend Light 109	9200	STRUCT DEST/TRLB	FD

Buttermilk Sound

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Buttermilk Sound Daybeacon 217	36967	STRUCT DEST/TRUB	FD
Buttermilk Sound Daybeacon 218	36975	DBD DEST	FD

Caesar Creek

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Caesar Creek Buoy 29	11125	MISSING	FD
Caesar Creek Buoy 30	11130	MISSING	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Elliott Key - Caesar Creek/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-02-06 To: 2025-04-04 Location: 25.40402° N / 80.24117° W Aid Name: Caesar Creek Buoy 29 LLNR: 11125 Action: DISCONTINUE The following change is being proposed to the aids to navigation system in Caesar Creek. Caesar Creek B 29 (LLNR 11125) and Caesar Creek B 30 (LLNR 11130) will be permanently discontinued. The immediate area surrounding these buoys has significant shoaling which reduces the effectiveness in desired navigational safety. Due to strong currents these buoys are constantly being drug off station. Due to the limitations of CG assets that can service this area, buoy mooring configuration is limited. Mariners have been observed entering or departing the channel in other areas due to the shoaling experienced. All comments should be emailed to: D07-SMB-DPWPublicComments@uscg.mil or andrew.m.ingle@uscg.mil with Caesar Creek as the subject line and be received by March 29, 2025. Comments can also be mailed to Commander (DPW), Seventh Coast Guard District 909 SE 1st Avenue (STE 406) Brickell Federal Plaza Bldg Miami FL 33131	Lat: 25° 24' 14" Lon: -080° 14' 28"
Elliott Key - Caesar Creek/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-02-06 To: 2025-04-04 Location: 25.40427° N / 80.24105° W Aid Name: Caesar Creek Buoy 30 LLNR: 11130 Action: DISCONTINUE The following change is being proposed to the aids to navigation system in Caesar Creek. Caesar Creek B 29 (LLNR 11125) and Caesar Creek B 30 (LLNR 11130) will be permanently discontinued. The immediate area surrounding these buoys has significant shoaling which reduces the effectiveness in desired navigational safety. Due to strong currents these buoys are constantly being drug off station. Due to the limitations of CG assets that can service this area, buoy mooring configuration is limited. Mariners have been observed entering or departing the channel in other areas due to the shoaling experienced. All comments should be emailed to: D07-SMB-DPWPublicComments@uscg.mil or andrew.m.ingle@uscg.mil with Caesar Creek as the subject line and be received by March 29, 2025. Comments can also be mailed to Commander (DPW), Seventh Coast Guard District 909 SE 1st Avenue (STE 406) Brickell Federal Plaza Bldg Miami FL 33131	Lat: 25° 24' 15" Lon: -080° 14' 28"

Calibogue Sound

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Calibogue Sound Entrance - Calibogue Sound/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2024-11-25 To: 2025-05-24 Location: 32.1499° N / 80.83043° W Aid Name: Calibogue Sound Light 32 LLNR: 35800 Action: CHANGE Action Type Change Light Characteristic The following change has been approved to the Aid to Navigation system in the Intracoastal Waterway Calibogue Sound, part of the Intracoastal Waterway (ICW). The nominal range permanently reduced from 5NM to 4NM. The current nominal range of 5NM is not necessary. Based on the design of the Short-Range Aids System (SRA), mariners should be able to see two lighted aids to navigation forward of the aid from which they are alongside. Based on this data, a nominal range of 4NM is more than adequate.	Lat: 32° 08' 60" Lon: -080° 49' 50"

Calibogue Sound Entrance

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Calibogue Sound Entrance Lighted Buoy 5	4695	MISSING	FD

Caloosahatchee River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Caloosahatchee River Daybeacon 19	52210	STRUCT MISSING	FD
Caloosahatchee River Light 72	53790	STRUCT DEST/TRLB/HAZ NAV	FD
Caloosahatchee River Daybeacon 94	54760	STRUCT MISSING/TRUB	FD
Caloosahatchee River Daybeacon 99	54785	TRUB/STRUCT MISSING	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Ft Myers Yacht Basin Breakwater Light	52640	STRUCT DEST	PA
Caloosahatchee River Mooring Channel Daybeacon 1	52641	STRUCT DEST	PA
Caloosahatchee River Mooring Channel Daybeacon 2	52642	DAYMK MISSING	PA
Caloosahatchee River Mooring Channel Daybeacon 3	52643	DBD DEST	PA
Caloosahatchee River Mooring Channel Daybeacon 4	52644	DAYMK MISSING	PA
Caloosahatchee River Mooring Channel Daybeacon 5	52644.1	DBD DEST	PA
Caloosahatchee River Mooring Channel Daybeacon 6	52644.200000000004	DAYMK MISSING	PA
Ft Myers Yacht Basin Breakwater West Light	52645	STRUCT DEST	PA
Marinatown Daybeacon 1	52655	DBD DEST	PA
Marinatown Daybeacon 3	52665	STRUCT DEST	PA
Marinatown Daybeacon 4	52670	STRUCT DEST	PA
Marinatown Daybeacon 5	52675	DBD DEST	PA
Marinatown Daybeacon 7	52685	DAYMK MISSING	PA
Marinatown Daybeacon 8	52690	DBD DEST	PA
Marinatown Daybeacon 12	52710	STRUCT DMGD	PA
Marinatown Daybeacon 13	52715	DBD DMGD	PA
Marinatown Daybeacon 22	52760	STRUCT DEST	PA

Marinatown Daybeacon 23	52765	DAYMK MISSING	PA
Marinatown Daybeacon 24	52770	DAYMK MISSING	PA
Marinatown Daybeacon 26	52780	STRUCT DEST	PA
Gulf Acres Channel Daybeacon 1	52825	STRUCT DEST	PA
Gulf Acres Channel Daybeacon 4	52840	STRUCT DEST	PA
Gulf Acres Channel Daybeacon 5	52845	STRUCT DEST	PA
Gulf Acres Channel Daybeacon 9	52870	STRUCT DEST	PA
Cape Coral Rim Channel Daybeacon 23	53070	HAZ NAV/DAYMK MISSING	PA
Cape Coral Rim Channel Daybeacon 39	53110	STRUCT DEST	PA
Van Riper Channel Daybeacon 2	54296	DAYMK MISSING	PA
Van Riper Channel Daybeacon 4	54296.5	DAYMK MISSING	PA
Van Riper Channel Daybeacon 6	54297	DAYMK MISSING	PA
Van Riper Channel Daybeacon 8	54297.5	DAYMK MISSING	PA
Van Riper Channel Daybeacon 10	54298	DAYMK MISSING	PA
Van Riper Channel Daybeacon 12	54298.5	DAYMK MISSING	PA
Bimini Entrance Channel Daybeacon 2	54305	STRUCT DMGD	PA
Redfish Cove Channel Daybeacon 18	54445	STRUCT DEST	PA
Redfish Cove Channel Daybeacon 20	54455	STRUCT DEST	PA
Shell Point Obstruction Daybeacon A	54763	STRUCT DEST	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Pine Island Sound - Caloosahatchee River/General/Bridges/Lighting and Other Signals	Bridges	General/Bridges/Lighting and Other Signals From: 2025-02-28 To: 2025-03-31 Location: 26.56082° N / 81.92799° W Bridge Name: Cape Coral Bridges The following navigation lights extinguished: - The center channel light (green) on the north side (westbound span) of the bridge - The pier light (red) on the east fender (eastbound span) of the bridge All mariners are advised to use caution when transiting through the bridge.	Lat: 26° 33' 39" Lon: -081° 55' 41"

Canaveral Barge Canal

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Sykes Creek Daybeacon 19	41620	STRUCT DEST	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Canaveral Harbor - Canaveral Barge Canal/General/Bridges/Construction	Bridges	General/Bridges/Construction From: 2024-11-12 To: 2025-10-31 Location: 28.40575° N / 80.69424° W Bridge Name: Sea Ray Drive Bridge SEMA Construction, on behalf of the bridge owner, Brevard County, has commenced the demolition, removal, and replacement of Sea Ray Drive Bridge over Sykes Creek on Merritt Island. The contractor will have a small boat on-site, which will be removed from the water at end-of-day. Temporary work platforms may be utilized at future stages of the project. There are no proposed channel restrictions for the early part of this project but can be expected starting approximately early April 2025. For waterways related questions, contact Coast Guard Sector Jacksonville Waterways Management Division at (904) 714-7631 or via email at D07-DG-SECJAX-WATERWAYS@uscg.mil.	Lat: 28° 24' 21" Lon: -080° 41' 39"
Canaveral Harbor - Canaveral Barge Canal/General/Bridges/Temp Deviation	Bridges	General/Bridges/Temp Deviation From: 2024-11-22 To: 2025-03-31 Location: 28.40924° N / 80.63202° W Bridge Name: 401 State Route Bridges From November 29, 2024, through March 30, 2025, the SR 401 Bridges will open on signal except that: 1. Monday through Friday, except Federal holidays, the drawbridges need not open from 6:30 a.m. to 8 a.m. and 3:30 p.m. to 5:15 p.m. 2. Saturday and Sunday the drawbridges need not open from 10 a.m. to 2 p.m. 3. On December 9, 2024, January 20, 2025, and February 10, 2025, from 10 a.m. to 2 p.m. the drawbridges need only open on the hour at the top of the hour. 4. From 10 p.m. to 6 a.m., daily, the drawbridges must open on signal if at least three hours' notice is given. Public vessels of the United States and tugs with tows shall be passed at any time.	Lat: 28° 24' 33" Lon: -080° 37' 55"
Canaveral Harbor - Canaveral Barge Canal/General/Bridges/Temp Deviation	Bridges	General/Bridges/Temp Deviation From: 2025-03-12 To: 2025-09-29 Location: 28.40925° N / 80.63224° W Bridge Name: 401 State Route Bridges From 7 a.m. on April 2, 2025, through 7 p.m. on September 28, 2025, the drawbridges will provide single-leaf openings with a 4-hour notice for a full opening, per its specific requirements 33 CFR 117.273(b). During this time, the channel will be partially obstructed under the spans painting is occurring. A one-hour advanced notice is required for vessels needing more than 45 feet of horizontal clearance but can safely pass with the spans in the down (closed) position.	Lat: 28° 24' 33" Lon: -080° 37' 56"
Canaveral Harbor - Canaveral Barge Canal/General/Bridges/Repairs, Painting, Or Fender Replacement	Bridges	General/Bridges/Repairs, Painting, Or Fender Replacement From: 2025-03-12 To: 2025-10-18 Location: 28.40925° N / 80.63224° W Bridge Name: 401 State Route Bridges A painting/repair project begins on April 1, 2025, and will be completed on or around October 18, 2025. During the time the bridges will be operating under a temporary deviation to drawbridges operations. The contractor will be on-site 24 hours a day. All in-water equipment should be lighted in accordance with Inland Navigation Rules. Mariners are advised to use caution when transiting through the bridges.	Lat: 28° 24' 33" Lon: -080° 37' 56"

Cape Haze Shoal

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Cape Haze Shoal Light 5	19990	HAZ NAV/STRUCT DEST/TRLB	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
------	------	--------	----------

Burnt Store Marina Light 2	20000	LT EXT	PA
Burnt Store Marina Daybeacon 5	20015	STRUCT DEST	PA
Alligator Creek Daybeacon 23	20305	STRUCT DMGD	PA
Alligator Creek Daybeacon 24	20310	STRUCT DEST	PA
Pine Island West Channel Daybeacon 5	56510.1	STRUCT DEST/HAZ NAV	PA

Capri Pass

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Capri Pass Light 1	16945	DBD DEST/LT EXT	FD
Capri Pass Light 3	16955	STRUCT DEST/TRUB	FD
Capri Pass Light 4	16960	STRUCT MISSING/TRLB	FD
Capri Pass Light 4	16960	STRUCT MISSING/TRLB/MISSING	FD
Capri Pass Daybeacon C	16980	OFF STATION	FD
Capri Pass Shoal Daybeacon B	17050	STRUCT DEST/TRUB	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Addison Bay Daybeacon 1	16901.1	STRUCT DEST	PA
Addison Bay Daybeacon 2	16901.2	STRUCT DEST	PA
Addison Bay Daybeacon 4	16901.4	STRUCT DEST/HAZ NAV	PA
Addison Bay Daybeacon 5	16901.5	STRUCT DEST	PA
South Point North Obstruction Daybeacon	16961	STRUCT DEST/HAZ NAV	PA
South Point S. Obstruction Daybeacon	16962	STRUCT DEST/HAZ NAV	PA
Royal Marco Point North Obstruction Daybeacon	16986	STRUCT DEST	PA
Royal Marco Point S. Obst. Daybeacon	16987	STRUCT DEST	PA
Collier Bay Daybeacon 2	17010	DAYMK DMGD	PA
Collier Bay Daybeacon 6	17014	STRUCT DEST/HAZ NAV	PA
Factory Bay E Channel Daybeacon 2	17070	DBD DMGD	PA
Factory Bay E Channel Daybeacon 4	17075	DBD DEST	PA

Captiva Channel

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Captiva Channel Daybeacon 5	55620	STRUCT DEST	PA

Caxambas Bay

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Blackwater River Daybeacon 10	16505	DAYMK MISSING	PA
Blackwater River Daybeacon 11	16510	STRUCT DEST/HAZ NAV	PA
Blackwater River Daybeacon 13	16520	STRUCT DEST	PA
Blackwater River Daybeacon 15	16530	STRUCT DEST	PA
Blackwater River Daybeacon 22	16555	STRUCT DEST	PA
Blackwater River Daybeacon 24	16565	STRUCT DEST/HAZ NAV	PA
Caxambas Bay South Approach Daybeacon 2	16675	STRUCT DEST	PA
Caxambas Bay Daybeacon 11	16715	DAYMK MISSING	PA
Horrh Island North Channel Daybeacon 8	16790	STRUCT DEST/HAZ NAV	PA
Snook Hole Channel Daybeacon 1	16790.010000000002	STRUCT DEST	PA
Snook Hole Channel Daybeacon 4	16790.04	STRUCT DEST/HAZ NAV	PA
Big Marco River Daybeacon 3	16800	STRUCT DEST	PA
Moran's Marina Channel Daybeacon 1	16835	DAYMK MISSING	PA
Moran's Marina Channel Daybeacon 2	16840	DAYMK MISSING	PA
Moran's Marina Channel Daybeacon 3	16845	DAYMK MISSING	PA
Big Marco River Daybeacon 16	16860	STRUCT DEST	PA
Big Marco River Daybeacon 26	16900	STRUCT DEST/HAZ NAV	PA

Cedar Keys Main Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
------	------	--------	----------

Cedar Keys Main Channel Daybeacon 8	29770	STRUCT MISSING/TRUB	FD
Cedar Keys Main Channel Light 14	29790	STRUCT MISSING/TRLB	FD
Cedar Keys Main Channel Light 18	29800	STRUCT MISSING/TRLB	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Cedar Keys Main Channel/General/Hazards To Navigation/Hazards	Hazards To Navigation	General/Hazards To Navigation/Hazards From: 2024-12-06 To: 2025-06-04 Location: 29.11403° N / 83.04028° W Cedar Key Main Channel 19A has been temporarily established to guide vessel traffic channel ward and away from submerged wreckage between Cedar Keys Main Channel Daybeacon 19 (LLNR 29805) and Cedar Keys Main Channel Light 21 (LLNR 29810). All mariners are advised to transit the area with caution.	Lat: 29° 06' 51" Lon: -083° 02' 25"

Cedar Keys Northwest Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Cedar Keys Northwest Channel Daybeacon 14	29965	STRUCT MISSING/TRUB	FD
Cedar Keys Northwest Channel Daybeacon 17	29980	STRUCT MISSING/TRUB	FD
Cedar Keys Northwest Channel Light 19	29995	STRUCT DEST/HAZ NAV/TRLB	FD
Cedar Keys Northwest Channel Daybeacon 21	30005	TRLB/STRUCT DEST/HAZ NAV	FD
Cedar Key Northwest Channel Daybeacon 22	30010	TRLB/HAZ NAV/STRUCT DEST	FD

Cedar Keys South Bar Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Cedar Keys South Bar Channel Daybeacon 4	29900	STRUCT MISSING/TRUB	FD

Charleston Harbor

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Charleston Entrance Lighted Buoy C	200	RAC INOP	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Charleston Harbor/ATON/Advanced Notice of Change	Advanced Notice of Change	Charleston Harbor Channel LB 18 (LLNR 2420) will have the bell permanently removed.	Lat: 32° 43' 27" Lon: -079° 48' 37"
Charleston Harbor/ATON/Advanced Notice of Change	Advanced Notice of Change	Charleston Harbor Channel LB 22 (LLNR 2440) will have the bell permanently removed.	Lat: 32° 44' 26" Lon: -079° 50' 41"
Sector Charleston, Submerged Land Act (SLA) - Charleston Harbor/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2025-02-20 To: 2025-04-23 Location: 32.71828° N / 79.79276° W 32.70261° N / 79.76075° W 32.69647° N / 79.76577° W 32.71207° N / 79.79989° W 32.71828° N / 79.79276° W Great Lakes Dredge and Dock Company will conduct maintenance dredging within the Charleston Entrance Channel in Fort Sumter Reach. Operations are expected to begin March 1, 2025, with an estimated completion date of April 15th, 2025. Dredging operations with the ATB DOUGLAS B MACKIE and ELLIS ISLAND will occur 24 hours a day, 7 days per week. Survey Operations by the COLUMBIA RIVER will occur during daylight hours, 7 days per week. Commercial Anchorages A and B may be used as a staging area during the project. Vessels will be monitoring VHF-FM channels 5,13, and 16.	
Sector Charleston, Submerged Land Act (SLA) - Charleston Harbor/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2025-02-25 To: 2026-11-13 Location: 32.75328° N / 79.87473° W 32.75232° N / 79.87355° W 32.75075° N / 79.87546° W 32.75198° N / 79.87705° W 32.75328° N / 79.87473° W Cape Romain Contractors will be replacing Fort Sumter and Fort Moultrie Docks and rehabilitate Liberty Square Pier. They will have a crane barge starting March 3, 2025, until May 31, 2026, at Fort Moultrie and crane barges at Fort Sumter and Liberty Square Pier as the project progresses. Estimated completion date of the entire project is 31October 31, 2026. All Vessels should use caution when transiting the work area. The crew at Fort Moultrie will monitor VHF-FM channels 13 and 16.	
Sector Charleston, Submerged Land Act (SLA) - Charleston Harbor/General/Naval Activity/Naval Testing (Surface/Underwater)	Naval Activity	General/Naval Activity/Naval Testing (Surface/Underwater)13529 From: 2025-03-14 To: 2025-03-21 Location: 32.76455° N / 79.8228° W 32.69726° N / 79.76753° W 32.65449° N / 79.84546° W 32.75358° N / 79.84855° W 32.76455° N / 79.8228° W From March 18th through March 20th, the U.S. Navy will be conducting an exercise southeast of Sullivan's Island from areas near shore to approximately 4 miles off the coast. The tests will involve two (2) low profile, gray vessels, each measuring between 12-16 feet in length. The vessels will be moving in concert with a 35' safety vessel. Vessels should use caution and maintain safe speeds while transiting the area.	

Charleston Harbor North Channel

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Charleston Harbor - Charleston Harbor North Channel/ATON/Advanced Notice of Change	Advanced Notice of Change	Bennis Reach RFL (LLNR 2505.5) will be relocated to approximate position 32-47-15.433N/079-55-25.965W with an approximate focal height of 29'. The flash characteristics of the optic will remain a Q R. Two passing lights displaying a Fl W 2.5s will be mounted on opposite corners of the platform with both lights synchronized.	Lat: 32° 47' 18" Lon: -079° 55' 29"
Charleston Harbor - Charleston Harbor North Channel/ATON/Advanced Notice of Change	Advanced Notice of Change	Bennis Reach RRL (LLNR 2506) will be relocated to approximate position 32-47-22.658N/079-55-42.841W with an approximate focal height of 71 feet. The new position will keep the RRL on land, located on the top level of a parking garage in downtown Charleston. The flash characteristics of the optic will remain a R Iso 6s.	Lat: 32° 47' 24" Lon: -079° 55' 43"
Charleston Harbor - Charleston Harbor North Channel/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2025-02-25 To: 2026-11-13 Location: 32.78003° N / 79.92337° W 32.77867° N / 79.9233° W 32.77871° N / 79.92452° W 32.77997° N / 79.92455° W 32.78003° N / 79.92337° W Cape Romain Contractors will be replacing Fort Sumter and Fort Moultrie Docks and rehabilitate Liberty Square Pier. They will have a crane barge starting March 3, 2025, until May 31, 2026, at Fort Moultrie and crane barges at Fort Sumter and Liberty Square Pier as the project progresses. Estimated completion date of the entire project is 31 October 31, 2026. All Vessels should use caution when transiting the work area. The crew at Fort Moultrie will monitor VHF-FM channels 13 and 16.	

Charleston Harbor Savannah River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Ramshorn Creek Light 39	35825	STRUCT DEST/TRLB	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Parris Island Fish Haven Buoy	35600	MISSING	PA
Braddock Cove Creek Jetty Light	35815.5	LT IMCH	PA

Charleston Harbor South Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Battery Point Light BP	2650	STRUCT DEST/TRLB/HAZ NAV	FD
Charleston Harbor South Channel Daybeacon 6	2685	STRUCT DEST/TRUB	FD

Chokoloskee Bay Channel

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
National Park Service Boat Basin South Channel Daybeacon 1	16105	STRUCT DEST	PA
National Park Service Boat Basin South Channel Daybeacon 5	16125	STRUCT DEST	PA
National Park Service Boat Basin West Channel Daybeacon 1	16135	STRUCT DEST	PA
National Park Service Boat Basin West Channel Daybeacon 2	16140	STRUCT DEST	PA
National Park Service Boat Basin West Channel Daybeacon 5	16150	STRUCT DEST	PA
National Park Service Boat Basin West Channel Daybeacon 6	16155	STRUCT DEST	PA
National Park Service Boat Basin West Channel Daybeacon 7	16160	STRUCT DEST	PA

Christiansted Harbor Channel

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Christiansted Schooner Channel Lighted Buoy 5	32950	OFF STA/LT EXT	PA
Christiansted Schooner Channel Lighted Buoy 6	32955	LT EXT	PA
Christiansted Schooner Channel Lighted Buoy 7	32965	BUOY DMGD	PA
Christiansted Schooner Channel Lighted Buoy 10	32980	LT EXT	PA
Christiansted Schooner Lighted Buoy 11	32985	LT EXT	PA

Clarks Creek

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Clarks Creek Lighted Buoy 6	2247	MISSING	FD

Clearwater Harbor

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Clearwater Harbor Light 4	61725	STRUCT MISSING/TRLB	FD
Clearwater Wreck Light WR14A	61805	STRUCT MISSING/TRLB	FD
Clearwater Harbor Daybeacon 20	61847	STRUCT DEST/TRUB	FD

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Clearwater Harbor Daybeacon 19	61845	WATCHING PROPERLY	FD	2025-03-11

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Clearwater Pass Channel - Clearwater Harbor/General/Miscellaneous	Miscellaneous	General/Miscellaneous From: 2025-02-26 To: 2025-04-07 Location: 28.51577° N / 82.66689° W 28.42403° N / 82.68062° W 28.25299° N / 82.74929° W 28.18281° N / 82.79735° W 28.11197° N / 82.77607° W 28.04291° N / 82.78637° W 27.96591° N / 82.80902° W 27.9004° N / 82.84953° W 27.83666° N / 82.84336° W 27.7662° N / 82.77263° W 27.68476° N / 82.7383° W 27.61907° N / 82.85297° W 27.85427° N / 82.9182° W 28.20823° N / 82.90104° W 28.51577° N / 82.76783° W 28.51577° N / 82.66689° W FLORIDA –Mullet Key to Rock Islands: Waterway Analysis and Management System Review. The U.S. Coast Guard is conducting a Waterway Analysis and Management System (WAMS) review from Mullet Key to Rock Islands, Florida. The study focuses on the area's aids to navigation, waterborne commerce, marine casualty information, port/harbor resources, emergency response plans, routing and emergency communication capabilities, and future development projects. Input regarding the waterway and aids to navigation system must be received by March 30, 2025. Input may be provided using the survey link below or directly to the point of contact listed. https://www.surveymonkey.com/r/2629GFQ Send comments to: U.S. Coast Guard Sector St. Petersburg Waterways Management Division Attn: ATON Officer 600 8th Avenue SE St. Petersburg, FL 33701 Email: D07-DG-SSP-WWM@uscg.mil	

Clewiston Channel Route 1B

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Clewiston Channel (Rt 1B) Daybeacon 5	51275	STRUCT DEST/TRLB	FD
Clewiston Channel (Rt 1B) Daybeacon 9	51295	STRUCT DEST	FD
Clewiston Channel (Rt 1b) Light 12	51340	STRUCT DMGD	FD
Clewiston Channel (Rt 1B) Daybeacon 14	51350	STRUCT DEST/TRUB	FD

Cooper River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Cooper River Daybeacon 114	3243	STRUCT DMGD	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
U.S. South Navy Pier P Light (1)	2815	LT EXT	PA
U.S. South Navy Pier North Light (1)	2825	LT EXT	PA
U.S. South Navy Pier M Light	2830	LT EXT	PA
Don Holt I-526 Bridge Racon	2905.5	RAC INOP	PA
Cooper River Ammunition Pier Light	3015	LT EXT	PA
South Carolina Gas & Elec North Pier Light	3260	LT EXT	PA
South Carolina Gas & Elec South Pier Light	3265	LT EXT	PA
Upper Cooper River Daybeacon 12	3287.8	STRUCT DEST	PA
Upper Cooper River Daybeacon 22	3288.5	DAYMK DMGD	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Charleston Harbor - Cooper River/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2024-10-20 To: 2025-04-18 Location: 32.85289° N / 79.94381° W The USCG will be demolishing, rebuilding and dredging pier november in approximate position 32-51-09.7N/079-56-48.8W. Operations are expected to commence January 15, 2024, with an estimated completion date of December 31, 2026. During the construction phase operations will be conducted Monday-Friday 7 a.m. to 7 p.m., during dredging operations may be continuous 24 hours a day/ 7 days a week. For further information contact: LCDR John Houk at John.R.Houk@uscg.mil.	Lat: 32° 51' 12" Lon: -079° 56' 45"
Charleston Harbor - Cooper River/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2025-01-21 To: 2026-11-16 Location: 32.8512° N / 79.94134° W Demolition is now in progress and there are cut piles that may be difficult to see at higher tide within the footprint of the old Pier Romeo. The Manson Construction Team has posted (2) Norwegian Buoys and an amber Light for demarcation on the outermost piles. Beginning October 30, 2024, and ending October 30, 2026, Manson Construction will be performing demolition of the existing pier and construction of a new pier, bulkhead, and shoreline at the Romeo Pier NOAA Facility on the Cooper River. There will be a crane barge, material barges, and support vessels in the area assisting construction operations from 7a.m. to 7p.m., 7 days a week. These activities could pose a hazard to vessels traveling within 900 feet from the bulkhead to the center of the river. Mariners need to take caution when transiting the area. Please watch for dive flags, stay clear of the construction area, and away from any working equipment. Crews will be monitoring VHF-FM channel 61. For more information, please contact Doug Lowe at (904) 465-1762.	Lat: 32° 51' 04" Lon: -079° 56' 29"

Charleston Harbor - Cooper River/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2025-03-12 To: 2025-04-29 Location: 32.89589° N / 79.9652° W 32.89351° N / 79.95661° W 32.88046° N / 79.96108° W 32.87434° N / 79.95928° W 32.87253° N / 79.96709° W 32.88392° N / 79.96803° W 32.89589° N / 79.9652° W SOUTHERN DREDGING CO. INC. will be conducting maintenance dredging. DREDGE BRUNSWICK will be working in the North Charleston and Filbin Creek Reaches of the Cooper River at the Amalie and Buckeye Terminals between Cooper River Lighted Buoy 54A and 56B commencing on or about April 1, 2025. The Dredge will operate on a 24 hour per day, 7 day per week basis until approximately April 15, 2023. To ensure safe passage in the vicinity of the operation, boaters should establish contact with the dredge on VHF-FM channels 13 and 16.	
Charleston Harbor - Cooper River/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-03-06 To: 2025-05-16 Location: 32.9403° N / 79.92368° W Aid Name: Cooper River Range D Rear Light LLNR: 3045 Action: RELOCATE The U.S. Coast Guard is proposing the following changes to the Aids to Navigation System in the Cooper River: Cooper River Range D Rear Light (LLNR 3045) will be permanently relocated to approximate position 32-56-27.083N / 079-55-21.194W. Cooper River Range D/F Front Light (LLNR 3040) will have the flash characteristic changed from a Q W to a FL W 2.5s. The light will continue to be an all-around light. Due to the current location of Cooper River Range D Rear Light (LLNR 30465) being inaccessible for a Coast Guard asset to effectively repair the structure, it was determined by relocating the rear range approximately 400 feet further from its current location will offer a much improved range quality and allow CG personnel to service at any tidal state. All comments should be emailed to: d07-smb-dpwpubliccomments@uscg.mil or andrew.m.ingle@uscg.mil with Cooper River Range D/F as the subject line. Comments can also be mailed to Commander (dpw), Seventh Coast Guard District, 909 SE 1st Ave (STE 406) Brickell Plaza Federal Building, Miami, FL. 33131-3050 to be received by May 6, 2025.	Lat: 32° 56' 25" Lon: -079° 55' 25"
Charleston Harbor - Cooper River/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-03-06 To: 2025-05-16 Location: 32.93982° N / 79.92463° W Aid Name: Cooper River Range D/F Front Light LLNR: 3040 Action: CHANGE Action Type Change Light Signals The U.S. Coast Guard is proposing the following changes to the Aids to Navigation System in the Cooper River: Cooper River Range D Rear Light (LLNR 3045) will be permanently relocated to approximate position 32-56-27.083N / 079-55-21.194W. Cooper River Range D/F Front Light (LLNR 3040) will have the flash characteristic changed from a Q W to a FL W 2.5s. The light will continue to be an all-around light. Due to the current location of Cooper River Range D Rear Light (LLNR 30465) being inaccessible for a Coast Guard asset to effectively repair the structure, it was determined by relocating the rear range approximately 400 feet further from its current location will offer a much improved range quality and allow CG personnel to service at any tidal state. All comments should be emailed to: d07-smb-dpwpubliccomments@uscg.mil or andrew.m.ingle@uscg.mil with Cooper River Range D/F as the subject line. Comments can also be mailed to Commander (dpw), Seventh Coast Guard District, 909 SE 1st Ave (STE 406) Brickell Plaza Federal Building, Miami, FL. 33131-3050 to be received by May 6, 2025.	Lat: 32° 56' 23" Lon: -079° 55' 29"

Coosaw River

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Parrot Creek Daybeacon 3	35235	STRUCT DEST	PA

Cowpens

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Cowpens Daybeacon 73A	50605	STRUCT DEST/HAZ NAV/TRLB	FD

Cranes Bayou

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Dock On The Bay Daybeacon 7	59015	DAYMK MISSING	PA

Cross Florida Greenway

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Cross Florida Greenway Daybeacon 27	29265	STRUCT DEST/TRUB	FD
Cross Florida Greenway Daybeacon 33	29295	STRUCT MISSING	FD
Cross Florida Greenway Daybeacon 36	29310	STRUCT DEST	FD

Cruz Bay.

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Cruz Bay Light	32775	LT EXT/DAYMK MISSING	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Cruz Bay Buoy 2	32785	OFF STA	PA

Crystal River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Crystal River Entrance Daybeacon 12	28845	DAYMK MISSING	FD

Crystal River Entrance Daybeacon 14	28855	STRUCT MISSING/TRUB	FD
-------------------------------------	-------	---------------------	----

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Crystal River Daybeacon 25	28952.600000000002	STRUCT DEST	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Crystal River/General/Bridges/Rehabilitation	Bridges	General/Bridges/Rehabilitation From: 2025-03-11 To: 2025-07-01 Location: 28.91606° N / 82.62775° W Bridge Name: North Museum Point Road Bridge The bridge is under repairs and a rehabilitation. The project is expected to be completed by June 30, 2025. The waterway may be obstructed to navigation; however, the contractor will move to allow for the passage of vessel traffic. All in-water equipment will be lighted. Mariners are advised to use caution when transiting the waterway.	Lat: 28° 54' 58" Lon: -082° 37' 40"

Cumberland River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Cumberland River Light 33	37390	STRUCT DEST/TRLB	FD
Cumberland River Light 35	37405	STRUCT MISSING/TRLB	FD
Cumberland River Light 46	37540	STRUCT MISSING	FD
Cumberland River Daybeacon 51	37560	STRUCT DEST/TRUB	FD
Cumberland River Daybeacon 58A	37603	STRUCT DEST/HAZ NAV/TRLB	FD
Cumberland River Daybeacon 59A	37607	STRUCT DEST/TRUB	FD
Cumberland River Light 60	37610	STRUCT DEST/TRLB	FD
Cumberland River Daybeacon 63	37623	STRUCT DEST/TRUB	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
St Andrew Sound - Cumberland River/ATON/Advanced Notice of Change	Advanced Notice of Change	Cumberland River LT 35 (LLNR 37405) will be relocated due to the water depth at current location being too deep for CG assets to effect repairs. The aid will be relocated approximately 453 yards south of its current location in a depth of 15 feet. This change will ensure safe navigation and keep the same alignment with the surrounding aids in the Cumberland River. Cumberland River LT 35 (LLNR 37405) will be relocated to approximate position 30-57-14.700N/081-25-44.460W.	Lat: 30° 57' 15" Lon: -081° 25' 44"

Cumberland Sound

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Cumberland Sound Upper Range A Rear Light	6695	STRUCT DEST	FD
Cumberland Sound Shoal Light A	6773	STRUCT DEST	FD
Cumberland Sound Shoal Light B	6837	STRUCT DEST	FD
Cumberland Sound Shoal Light D	6867	STRUCT DEST	FD
Cumberland Sound Shoal Light G	6892	STRUCT DEST	FD
Cumberland Sound Shoal Light H	6894	STRUCT DEST/TRLB/MISSING	FD
Cumberland Sound Shoal Light I	6927	STRUCT DEST	FD
Cumberland Sound Range F Front Light	37645	LT EXT	FD
Cumberland Sound Daybeacon 71	37665	DBD DEST	FD

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Cumberland Sound Lighted Buoy 37	6915	RELOCATED FOR DREDGING	FD
Cumberland Sound Lighted Buoy 39	6920	RELOCATED FOR DREDGING	FD
Cumberland Sound Lighted Buoy 41	6930	RELOCATED FOR DREDGING	FD
Cumberland Sound Lighted Buoy 40	6925	RELOCATED FOR DREDGING	FD
Cumberland Sound Lighted Buoy 35	6875	RELOCATED FOR DREDGING	FD
Cumberland Sound Lighted Buoy 33	6865	RELOCATED FOR DREDGING	FD
Cumberland Sound Lighted Buoy 30	6775	RELOCATED FOR DREDGING	FD
Cumberland Sound Lighted Buoy 28	6755	RELOCATED FOR DREDGING	FD
Cumberland Sound Lighted Buoy 27	6730	RELOCATED FOR DREDGING	FD
Cumberland Sound Lighted Buoy 32	6845	RELOCATED FOR DREDGING	FD
Cumberland Sound Lighted Buoy 26	6725	RELOCATED FOR DREDGING	FD

Temporary Changes Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Cumberland Sound Lighted Buoy 26	6725	Returned to Assigned Position	FD	2025-03-14
Cumberland Sound Lighted Buoy 27	6730	Returned to Assigned Position	FD	2025-03-14

Cumberland Sound Lighted Buoy 28	6755	Returned to Assigned Position	FD	2025-03-14
Cumberland Sound Lighted Buoy 32	6845	Returned to Assigned Position	FD	2025-03-14
Cumberland Sound Lighted Buoy 33	6865	Returned to Assigned Position	FD	2025-03-14
Cumberland Sound Lighted Buoy 35	6875	Returned to Assigned Position	FD	2025-03-14
Cumberland Sound Lighted Buoy 37	6915	Returned to Assigned Position	FD	2025-03-14
Cumberland Sound Lighted Buoy 39	6920	Returned to Assigned Position	FD	2025-03-14
Cumberland Sound Lighted Buoy 40	6925	Returned to Assigned Position	FD	2025-03-14
Cumberland Sound Lighted Buoy 41	6930	Returned to Assigned Position	FD	2025-03-14

Cut A Channel

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Tampa Bay Skyway Pier Southeast Light	22425	LT EXT	PA
Tampa Bay Skyway Pier Northeast Light	22430	LT EXT	PA

Cut G Channel

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Smacks Bayou Daybeacon 1	25025	STRUCT DEST	PA
Smacks Bayou Daybeacon 3	25025.2	STRUCT DEST	PA
Smacks Bayou Daybeacon 6	25025.5	DAYMK MISSING	PA
Smacks Bayou Daybeacon 8	25025.600000000002	STRUCT DEST	PA
Smacks Bayou Daybeacon 10	25025.7	STRUCT DEST/HAZ NAV	PA
Smacks Bayou Daybeacon 13	25025.9	STRUCT DEST	PA
Smacks Bayou Daybeacon 14	25026	HAZ NAV/DAYMK MISSING	PA
Smacks Bayou Daybeacon 15	25026.100000000002	DAYMK MISSING	PA
Smacks Bayou Daybeacon 16	25026.2	DAYMK MISSING	PA

Cut K Channel

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Tampa Bay Cut K Channel Upper Range Front Light	23780	WATCHING PROPERLY	FD	2025-03-17

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Rattlesnake Channel Daybeacon A	23814	DAYMK IMCH	PA
Westshore Yacht Club Light 2	23814.100000000002	STRUCT DEST	PA
Westshore Yacht Club Daybeacon 4	23814.2	STRUCT DEST	PA
Old Tampa Bay Pipeline West Light	23950.5	STRUCT DEST/HAZ NAV	PA
Culbreath Bayou North Daybeacon 3	24070	DAYMK MISSING	PA
Bay Crest Daybeacon 5	24275	DAYMK MISSING	PA
Bayou Grande Channel Daybeacon 2	25040	STRUCT DEST	PA
Bayou Grande Channel Daybeacon 3	25045	DAYMK DMGD	PA
Bayou Grande Channel Daybeacon 9	25065	STRUCT DEST	PA
Bayou Grande Channel Daybeacon 21	25105	DAYMK MISSING	PA
Bayou Grande Channel Daybeacon 30	25150	STRUCT DEST	PA
Bayou Grande Channel Daybeacon 31	25155	DAYMK MISSING	PA
Bayou Grande Channel Daybeacon 41	25200	STRUCT DEST	PA
Mobel Americana Channel Daybeacon 3	25260.2	DAYMK MISSING	PA
Tanglewood Channel Daybeacon 1	25265	STRUCT DEST	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Tampa Bay Cut J Channel - Cut K Channel/General/Bridges/Construction	Bridges	General/Bridges/Construction From: 2024-11-19 To: 2025-09-30 Location: 27.92889° N / 82.58725° W Bridge Name: Howard Frankland I-275 Bridges Archer Western/Taylor Bros. JV is continuing construction of the new I-275 Howard Frankland Bridge crossing Old Tampa Bay. Bridge work will be performed 24 hours per day through January 31, 2025, Monday through Saturday. 1/31/2025 THROUGH 03/31/2025 CHANNEL TRAFFIC WILL BE OBSTRUCTED NORTH OF THE EXISTING FENDER FOR INSTALLATION OF THE FENDER SYSTEM ON THE NEW HOWARD FRANKLAND BRIDGE. WE WILL HAVE TUGBOATS ACTIVELY WORKING EVERY SHIFT WHILE THE CHANNEL IS OBSTRUCTED AND BARGES CAN BE MOVED OUT OF THE CHANNEL WITHIN 30 MINUTES TO AN HOUR. DURING CONSTRUCTION THE CHANNEL WILL BE IMPEDED BY ~5'-0" ON BOTH SIDES OF THE CHANNEL FOR INSTALLATION OF A PILE TEMPLATE. THIS IMPEDENCE IS ON THE EAST AND WEST SIDE OF THE FENDER SYSTEM. TEMPLATES MAY BE INSTALLED UP TO 24 HOURS A DAY UNTIL CONSTRUCTION IS COMPLETE. VHF-FM radio channels 13, 22A and 16 are being monitored.	Lat: 27° 55' 44" Lon: -082° 35' 14"

Darien River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Darien River Daybeacon 17	36826.700000000004	STRUCT DEST/TRUB	FD

Derrick Key Gap Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Derrick Key Gap Channel Daybeacon 2	30055	STRUCT DEST	FD
Derrick Key Gap Channel Daybeacon 3	30060	TRLB/STRUCT MISSING	FD

District 7, Oceanic boundary to EEZ

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
St Nicolas Point Channel Light 4	33400	STRUCT DEST/HAZ NAV/TRLB	FD
St Nicolas Point Channel Light 7	33415	STRUCT DEST/TRLB	FD
Radio Point Light 1	33490	LT EXT	FD
Evans Point Light 8	33530	DBD DEST	FD

Doboy Sound

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Doboy Sound Buoy 2	5920	OFF STA	FD
Doboy Sound Buoy 3	5925	MISSING	FD
Doboy Sound Buoy 4	5930	OFF STA	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Sapelo Island LT	5946	LT EXT	PA

Drummond Creek

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Drummond Creek Range Front Light	7515	STRUCT DEST/TRLB	FD

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Drummond Creek Lighted Buoy 61	7525	RELOCATED FOR DREDGING	FD
Drummond Creek Lighted Buoy 58	7505	RELOCATED FOR DREDGING	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
St Johns River - Drummond Creek/ATON/Advanced Notice of Change	Advanced Notice of Change	Drummond Creek RFL (LLNR 7515) will be permanently relocated to approximate position 30-24-45.104N / 081-35-35.319W. The RFL will remain a nighttime optic only and flash characteristic will remain as a Q R. The RFL will continue to display daymarks for the day-time signal. Both Drummond Creek RFL and RRL will be upgraded with LED light signals to provide a much more reliable signal when using this channel. An additional light will be established and mounted on top of the Drummond Creek RFL optic and synchronized with the RFL to display a Q R flash characteristics during nighttime hours only, with a nominal range of 3NM.	Lat: 30° 24' 44" Lon: -081° 35' 38"

East Basin

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
East Basin Range Front Light	9660	LT EXT	FD

East Cape

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
East Cape Daybeacon 1A	15655	STRUCT DEST/HAZ NAV/TRUB	FD

Elba Island Cut

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Lower Flats Range - Elba Island Cut/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2024-11-25 To: 2025-05-24 Location: 32.06387° N / 80.99495° W Aid Name: Elba Island Cut Light 10 LLNR: 35900 Action: CHANGE Action Type Change Light Characteristic The following change has been approved to the Aid to Navigation system in the Intracoastal Waterway Elba Island Cut Channel, part of the Intracoastal Waterway (ICW). The nominal range permanently reduced from 5NM to 4NM. The current nominal range of 5NM is not necessary. Based on the design of the Short-Range Aids System (SRA), mariners should be able to see two lighted aids to navigation forward of the aid from which they are alongside. Based on this data, a nominal range of 4NM is more than adequate.	Lat: 32° 03' 50" Lon: -080° 59' 42"

Elliott Key.

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Elliott Key Light 16	10940	DAYMK MISSING/STRUCT DMGD/TRLB	FD
Elliott Key Daybeacon 19	10955	STRUCT DEST/HAZ NAV/TRLB	FD

Entrada Channel

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Entrada Channel Daybeacon 1	49240	STRUCT DEST/HAZ NAV	PA
Entrada Channel Daybeacon 3	49245	STRUCT DEST/HAZ NAV	PA
Entrada Channel Daybeacon 5	49250	DAYMK MISSING	PA
Entrada Channel Daybeacon 7	49255	DAYMK MISSING	PA
Entrada Channel Daybeacon 9	49260	DAYMK MISSING	PA
Entrada Channel Daybeacon 11	49265	DAYMK MISSING	PA
Entrada Channel Daybeacon 13	49270	DAYMK MISSING	PA

Fishermans Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Fishermans Channel Light 11	10685	STRUCT DEST/TRLB	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Dodge Island Mooring Obstruction Light	10692	STRUCT DEST	PA

Florida Bay.

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Long Key Light 44	13495	STRUCT DEST/HAZ NAV/TRLB	FD
East Turtle Shoal Light 45	13610	STRUCT DEST/HAZ NAV/TRLB	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Flamingo Channel Light 9	15680	DAYMK MISSING	PA
Flamingo Channel Light 15	15710	DAYMK MISSING	PA
Flamingo Channel Daybeacon 16	15715	DAYMK MISSING	PA
Coot Bay Daybeacon 2	15730	STRUCT DEST	PA
Coot Bay Daybeacon 8	15755	DAYMK MISSING	PA

Floyd Creek

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Floyd Creek Daybeacon A27	37496	STRUCT DEST/TRUB	FD

Fort Gates

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
------	------	--------	----------

Fort Gates Light 67	8525	STRUCT DEST/TRLB	FD
---------------------	------	------------------	----

Fort Jackson

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Fort Jackson Inbound Range Front Light	4955	STRUCT MISSING	FD

Fort Pierce Inlet

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Miami, Submerged Land Act (SLA) - Fort Pierce Inlet/General/MSIB	MSIB	General/MSIB From: 2024-10-20 To: 2025-04-18 Location: 27.47158° N / 80.29093° W The Port of Fort Pierce is open with restrictions by order of the Captain of the Port (COTP) effective immediately: All transiting vessel draft is limited to 20 feet or less. These requirements will remain in effect until further notice. This notice applies to the Port of Fort Pierce only. Questions regarding this notice or required actions should be directed to the Maritime Transportation System Recovery Unit at (786) 295-9051. Marine Safety Information Bulletin updates are available on Homeport at http://homeport.uscg.mil/miami under "Port Conditions". The COTP may be reached at telephone (833) 642-7271 or via VHF-FM channel 16 through Coast Guard Sector Miami.	Lat: 27° 28' 18" Lon: -080° 17' 27"

Fort Pierce Inlet Inner Harbor

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Fort Pierce Inlet Inner Harbor Lighted Buoy 9	9840	TRLB/MISSING	FD

Frederica River

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Fredericka Yacht Club Obstruction Light	6170	LT EXT	PA

Fulton Cutoff

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Fulton Cutoff Light 36	7360	STRUCT DEST/TRLB	FD

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Blount Island Turning Basin Lighted Buoy 43	7385	RELOCATED FOR DREDGING	FD
Fulton Cutoff Lighted Buoy 37	7365	RELOCATED FOR DREDGING	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
St Johns River - Fulton Cutoff/ATON/Advanced Notice of Change	Advanced Notice of Change	Fulton Cutoff LB 35 (LLNR 7345) will be permanently relocated to 30-23-24.090N/081-30-22.230W. This change calls to relocate (6) lighted buoys in the White Shells, St. Johns Bluff, Fulton Cutoff, and Blount Island Turning Basin channels of the St. Johns River. These relocations are needed as a result of channel deepening and widening, as part of the JaxPort expansion project. The position changes will allow safe navigation for vessels transiting the St. Johns River. The following aids to navigation are being proposed to be relocated to facilitate this change. All positions listed are approximate. Permanent positions will be advertised when the work is completed.	Lat: 30° 23' 24" Lon: -081° 30' 22"
St Johns River - Fulton Cutoff/ATON/Advanced Notice of Change	Advanced Notice of Change	Blount Island Turning Basin LB 43 (LLNR 7385) will be permanently relocated to 30-23-13.450N/081-32-05.380W. The flash characteristic will remain a FI G 6s, but the nominal range will be reduced from 5NM to 4NM.	Lat: 30° 23' 13" Lon: -081° 32' 05"

Gables Estates

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Gables Estates Daybeacon 2A	49345	STRUCT DEST/HAZ NAV	PA

Gadsden Point Cut

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Gadsden Point Cut Lighted Buoy 2	22865	WATCHING PROPERLY	FD	2025-03-11

Garden Cove

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Garden Cove Daybeacon 3	11550	DAYMK MISSING	PA
Garden Cove Daybeacon 4	11555	DBD DEST	PA
Garden Cove Daybeacon 4	11555	DAYMK IMCH/STRUCT DMGD	PA
Garden Cove Daybeacon 6	11565	STRUCT DEST/HAZ NAV	PA
Garden Cove Daybeacon 8	11575	DAYMK IMCH	PA
Garden Cove Daybeacon 9	11580	DAYMK MISSING	PA
Garden Cove Daybeacon 11	11590	RBN IMCH	PA

Gasparilla Sound Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Gasparilla Sound Channel Daybeacon 21	56650	STRUCT MISSING/TRUB	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Gasparilla Island South Obstruction Light	1305.2	LT EXT	PA
Gasparilla Island West Obstruction Light	1305.4	LT EXT	PA
Gasparilla Island North Obstruction Light	1305.60000000000001	LT EXT	PA
Gasparilla Marina Channel Daybeacon 6	56715	STRUCT DEST	PA

Gordon Pass Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Gordon Pass Channel Buoy 1	17453	MISSING	FD
Gordon Pass Channel Light 3	17460	STRUCT MISSING/TRLB	FD
Gordon Pass Channel Light 4	17465	DBD DEST	FD

Great Pocket

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Great Pocket Daybeacon 10	45970	STRUCT DEST/TRUB	FD

Halifax Creek

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Halifax River - Halifax Creek/General/Bridges/Maintenance	Bridges	General/Bridges/Maintenance From: 2025-03-04 To: 2025-05-16 Location: 29.40862° N / 81.10097° W Bridge Name: High Bridge Road (Knox) Bridge - AICW The bridge is undergoing maintenance and repairs to the concrete roadway. The project will begin 3/17/2025 and end approximately 5/13/2025. Work hours will be daily from 8 a.m. to 7 p.m. The channel will be partially obstructed providing for a horizontal clearance of 45 feet. There will be in-water equipment that will be removed from the channel during non-work hours.	Lat: 29° 24' 31" Lon: -081° 06' 03"
Halifax River - Halifax Creek/General/Bridges/Temp Deviation	Bridges	General/Bridges/Temp Deviation From: 2025-03-04 To: 2025-05-02 Location: 29.40862° N / 81.10097° W Bridge Name: High Bridge Road (Knox) Bridge - AICW The bridge is authorized single-leaf openings only from 8 a.m. on March 17, 2025, through 7 p.m. on May 1, 2025. A full opening will not be provided during this time.	Lat: 29° 24' 31" Lon: -081° 06' 03"

Halifax River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Halifax River Daybeacon 48	40215	STRUCT DEST/TRUB	FD
Halifax River Daybeacon 53	40235	STRUCT MISSING/TRUB	FD
Halifax River Daybeacon 57	40335	STRUCT DEST/TRUB	FD
Halifax River Daybeacon 60	40435	STRUCT DEST/TRUB	FD
Halifax River Daybeacon 72	40490	STRUCT DEST/TRUB	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
------	------	--------	----------

Halifax Harbor Daybeacon 1	40055	DAYMK MISSING	PA
Adventure Yacht Harbor Daybeacon 4	40365	DAYMK MISSING	PA
Adventure Yacht Harbor Daybeacon 6	40375	STRUCT DEST	PA
Adventure Yacht Harbor Daybeacon 7	40380	STRUCT DEST	PA
Adventure Yacht Harbor Daybeacon 8	40385	DAYMK MISSING	PA
Adventure Yacht Harbor Daybeacon 9	40390	DAYMK MISSING	PA
Adventure Yacht Harbor Junction Daybeacon	40410	DAYMK IMCH	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Ponce De Leon Cut - Halifax River/General/Bridges/Rehabilitation	Bridges	General/Bridges/Rehabilitation From: 2025-01-31 To: 2025-06-16 Location: 29.22316° N / 81.0176° W Bridge Name: Main Street Bridge - AICW The bridge will undergo a rehabilitation beginning 2/11/2025 and end approximately 6/15/2025. Work hours are scheduled 7am - 6pm Monday through Friday; No work on Holidays/weekends- equipment to be removed from channel daily. The channel will be partially obstructed beneath the closed leaf, leaving approximately 45 feet of horizontal clearance. The bridge will operate under a temporary deviation to the drawbridge operating regulation as follows: - From 7 a.m. on February 17, 2025, through 6 p.m. on April 4, 2025, single-leaf only openings will be provided upon request. - From 7 a.m. on April 21, 2025, through 6 p.m. on May 23, 2025, single-leaf only openings will be provided upon request. - During the single-leaf only times, a full channel passing will be accommodated with a 1-hour notice to move equipment from the waterway. This is only for vessels that need more than 45 feet of horizontal clearance but can pass without an opening.	Lat: 29° 13' 23" Lon: -081° 01' 03"

Hampton River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Hampton River Daybeacon 12	5975	STRUCT DEST/TRUB	FD

Hillsboro Inlet

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Hillsboro Inlet Entrance Light 2	10293	DBD DEST	FD

Hillsboro River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Pompano Beach Light 76	47235	STRUCT DEST/HAZ NAV/TRLB	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Moran Dock North Light	47175	LT IMCH	PA
Moran Dock Center Light	47180	LT IMCH	PA
Moran Dock South Light	47185	LT EXT	PA

Hillsborough Cut C Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Hillsborough Cut C Channel Inbound Range Front Light	23435	LT EXT	FD
Hillsborough Cut C Channel Lighted Buoy 26	23450	LT EXT	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Tampa Yacht & Country Club Daybeacon 4	23454	STRUCT DEST	PA
Hookers Point North Warning Daybeacon	23515	STRUCT DEST/HAZ NAV	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Big Bend Channel - Hillsborough Cut C Channel/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2024-11-15 To: 2025-05-14 Location: 27.90797° N / 82.43823° W Aid Name: Hillsborough Cut C Channel Inbound Range Front Light LLNR: 23435 Action: CHANGE Action Type Change Light Characteristic Hillsborough Cut C Channel Inbound Range Front Light (LLNR 23435) characteristic will change to Iso W 2s (NIGHT) and Iso W 2s (Day).	Lat: 27° 54' 29" Lon: -082° 26' 18"
Big Bend Channel - Hillsborough Cut C Channel/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2024-12-06 To: 2025-06-04 Location: 27.92022° N / 82.43696° W Aid Name: Hillsborough Cut C Channel Inbound Range Rear Light LLNR: 23440 Action: CHANGE Action Type Change Light Characteristic Hillsborough Cut C Channel Inbound Range Rear Light (LLNR 23440) characteristic will change to Iso W 6s (NIGHT) and Iso W 6s (Day).	Lat: 27° 55' 13" Lon: -082° 26' 13"

Hillsborough Cut D Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Hillsborough Cut D Channel Outbound Range Rear Light	23505	LT EXT	FD

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Hillsborough Cut D Channel Outbound Range Front Light	23500	WATCHING PROPERLY	FD	2025-03-17

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Bulk Liquid Cargo Dolphin 4 Obstruction Light	23530	STRUCT DEST	PA

Hillsborough River

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Hillsborough Cut C Channel - Hillsborough River/General/Bridges/Temp Deviation	Bridges	General/Bridges/Temp Deviation From: 2025-02-12 To: 2025-04-13 Location: 27.95452° N / 82.46492° W Bridge Name: Laurel Street Bridge The bridge need not open to navigation from 8 a.m. through 12 p.m. on Saturday, April 12, 2025, in support of the 2025 Hillsborough Education Foundation 5k.	Lat: 27° 57' 16" Lon: -082° 27' 54"

Hollywood Beach

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Port Everglades - Hollywood Beach/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2024-10-20 To: 2025-04-18 Location: 26.07538° N / 80.11411° W Continental Heavy Civil Corp. will be conducting marine construction, dredging, barge operations and pile driving in the ICW from 1,300 feet south of the Dania Beach Cutoff Channel to Sheridan Street west of the ICW. From 26-03-37.17N/080-06-53.74W to 26-03-37.17N/080-06-53.74W. Operations are expected to commence July 3, 2023 with an estimated completion date of July 3, 2025. Operations will be conducted Monday through Saturday 6 a.m. to 7 p.m. Navigation will not be impeded. Mariners are urged to proceed with caution while operating in the vicinity of the vessels. There will be multiple vessels onscene and they will be monitoring VHF-FM channel 69. For further information contact: Jose Galicia, project manager jgalicia@chcivil.com	Lat: 26° 04' 31" Lon: -080° 06' 51"
Port Everglades - Hollywood Beach/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2024-10-20 To: 2025-04-18 Location: 26.03767° N / 80.1166° W Ahntna Marine and Construction Company will be mechanically dredging approximately 12,000 cy of material from the North Cove area near Loggerhead Park at the Hollywood North Beach Park Mooring Fields. The material will be transported by barge approximately 2 nautical miles and offloaded at Berth 33 at Port Everglades. Operations are expected to begin on or around June 17, 2024, with an estimated completion date of October 31, 2024. Barges will be marked with flashing lights at night. Boaters are urged to maintain a safe distance from the barges to avoid potential interference with the hauling operations. Dredging will only take place on the North side of Sheridan Street. Mariners are urged to transit at their slowest safe speed to minimize wake and proceed with caution after arrangements have been made. Barges will be monitoring VHF-FM channels 16 and 79. For further information contact: Ahntna Marine and Construction Company at (954) 568-0007.	Lat: 26° 02' 16" Lon: -080° 06' 60"
Port Everglades - Hollywood Beach/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2024-10-20 To: 2025-04-18 Location: 26.05735° N / 80.11538° W Continental Heavy Civil Corp. will be installing wood piles and rip-rap stone to protect mangroves and the shoreline from erosion. Land clearing and removal of invasive trees of the islands. Work is scheduled to commence February 5, 2024, Monday to Friday from 6 a.m. to 6 p.m. with an estimated completion date of July 1, 2025. Work will be done approximately 1,300 feet South of Dania Boulevard Bridge on the West side of the ICWW limits, adjacent to the West Lake Park Islands. Northern point of work: 26-03-08.73N/80-06-56.33W Southern point of work: 26-02-55.31N/80-06-57.51W For further information contact the project manager: Jose Galicia at Jgalicia@chcivil.com.	Lat: 26° 03' 26" Lon: -080° 06' 55"
Port Everglades - Hollywood Beach/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2024-10-20 To: 2025-04-18 Location: 26.03806° N / 80.11733° W Continental Heavy Civil Corp. will be conducting dredging in the vicinity of West Lake Park Segment 4 along the FL ICW, approximately 1,600 feet South of Dania Boulevard Bridge. Dredging is anticipated to begin September 15, 2023, to July 15, 2025. There will be a 30 foot by 90 foot barge spud down and a 100 foot by 30 foot wide material barge moored on each side anchor lights will be marking the 4 corners. Four Buoys with Danger Keep out labels to be installed outlining the four corners of the mooring area. Buoy 1: 26-02-54.44N/080-07-02.33W Buoy 2: 26-02-55.15N/080-06-58.49W Buoy 3: 26-02-56.78N/080-06-59.21W Buoy 4: 26-02-56.31N/080-07-02.62W For further information contact: Jose Galicia, project manager jgalicia@chcivil.com.	Lat: 26° 02' 17" Lon: -080° 07' 02"

Homosassa River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Homosassa River Buoy 47A	28527	MISSING	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Homosassa River Daybeacon 2	28715	STRUCT DEST/HAZ NAV	PA

Horseshoe Beach

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Horseshoe Beach Approach Daybeacon 4	30365	STRUCT MISSING/TRUB	FD
Horseshoe Beach Approach Light 7	30375	STRUCT MISSING/TRLB	FD
Horseshoe Beach Approach Light 9	30380	STRUCT MISSING/TRLB	FD
Horseshoe Beach Channel Light 10	30385	TRLB/MISSING/STRUCT DEST/HAZ NAV	FD
Horseshoe Beach Channel Daybeacon 12	30395	STRUCT MISSING/TRUB/MISSING	FD
Horseshoe Beach Channel Daybeacon 13	30400	STRUCT MISSING	FD
Horseshoe Beach Channel Daybeacon 14	30410	HAZ NAV/STRUCT DEST/TRUB	FD
Horseshoe Beach Channel Daybeacon 15	30420	STRUCT MISSING/TRLB	FD
Horseshoe Beach Channel Light 16A	30425	STRUCT MISSING/TRLB	FD
Horseshoe Beach Channel Daybeacon 21	30445	STRUCT MISSING	FD
Horseshoe Beach Channel Daybeacon 23	30450	STRUCT MISSING	FD

Indian Key Pass

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Indian Key Pass Light 4	15980	STRUCT DEST	FD
Indian Key Pass Daybeacon 13	16020	STRUCT DEST/TRUB	FD

Indian River North Section

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Indian River (North Section) Light 1	41100	STRUCT DEST/TRLB	FD
Indian River (North Section) Light 7	41130	STRUCT MISSING/TRUB	FD
Indian River (North Section) Daybeacon 34	41315	STRUCT MISSING/TRUB	FD
Indian River (North Section) Daybeacon 44	41415	STRUCT DEST/TRUB	FD
Indian River (North Section) Daybeacon 49	41430	DAYMK MISSING	FD
Indian River (North Section) Daybeacon 71	42090	STRUCT DEST/TRUB	FD
Indian River (North Section) Daybeacon 79	42175	STRUCT DMGD	FD
Indian River (North Section) Daybeacon 81	42185	STRUCT DEST/TRUB	FD
Indian River (North Section) Light 83	42190	LT EXT	FD
Indian River (North Section) Light 90	42265	DBD DEST	FD
Indian River (North Section) Daybeacon 91	42270	STRUCT DEST/TRUB	FD
Indian River (North Section) Daybeacon 94	42280	STRUCT DEST/TRUB	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Jones Point Channel Buoy 1	41495	MISSING	PA
Jones Point Channel Buoy 2	41500	MISSING	PA
POW-MIA Channel Danger Daybeacon A	42254	DAYMK MISSING	PA
POW-MIA Channel Danger Daybeacon D	42254.3	DAYMK MISSING	PA
POW-MIA Channel Danger Daybeacon E	42254.4	DAYMK MISSING	PA
Grills Riverside Marina Daybeacon 1	42286	DAYMK DMGD	PA
Grills Riverside Marina Daybeacon 3	42286.200000000004	DAYMK MISSING	PA
Grills Riverside Marina Daybeacon 4	42286.3	DAYMK MISSING	PA
Grills Riverside Marina Daybeacon 5	42286.4	HAZ NAV/DAYMK MISSING	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Banana River - Indian River North Section/General/Bridges/Construction	Bridges	General/Bridges/Construction From: 2024-11-12 To: 2026-04-30 Location: 28.527349° N / 80.765526° W Bridge Name: NASA Causeway Bridges Construction continues on the new high-level bridges which is expected to be completed April 2026. The fixed navigational clearances provide a vertical clearance of 66 feet at MHW and 125 feet between the new fender system. UPDATE 3/12/2025: The installation of the fender system requires a partial blockage of the channel resulting in approximately 60-70 feet of horizontal clearance available for the passage of vessels. A 2-hour advance notice will be needed to clear channel. Orion has advised that it is preferred that any vessels requesting full navigation channel access during normal operation hours do so between the hours of 7 a.m. and 8 a.m. if practical. The construction vessels on the project will monitor channels 13, 16 and Working Channel 1. Mariners are urged to use extreme caution in the area, transit at their slowest safe speed to minimize wake, and proceed with caution after passing arrangements have been made.	Lat: 28° 31' 38" Lon: -080° 45' 56"

Indian River South Section

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Indian River (South Section) Daybeacon 10	43265	STRUCT DEST/TRUB	FD
Indian River (South Section) Daybeacon 17	43290	DAYMK MISSING	FD
Indian River (South Section) Daybeacon 32	43415	STRUCT DEST/TRUB	FD
Indian River (South Section) Light 96	43860	DBD DEST	FD
Indian River (South Section) Light 112	43920	DAYMK DMGD	FD
Indian River (South Section) Daybeacon 132	44150	STRUCT DEST	FD
Indian River (South Section) Daybeacon 144	44385	STRUCT DEST	FD
Indian River (South Section) Daybeacon 160	44595	DBD DEST	FD
Indian River (South Section) Daybeacon 170	44830	STRUCT DMGD	FD
Indian River (South Section) Daybeacon 170	44830	STRUCT DEST/TRUB	FD
Indian River (South Section) Light 187	45115	STRUCT DEST	FD
Indian River (South Section) Light 192	45270	LT EXT/DAYMK MISSING/STRUCT DMGD/TRLB	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Turkey Creek Daybeacon 22	43272.200000000004	STRUCT DEST	PA
River Run Daybeacon 5	43720	DAYMK MISSING	PA
Tidewater Island Club Channel Daybeacon 3	44390.3	STRUCT MISSING	PA
Queens Cove Daybeacon 10	44945	STRUCT DEST/HAZ NAV	PA
Rigels Cove Channel Daybeacon 7	45615	DAYMK IMCH	PA
Outrigger Harbour Daybeacon 1	45710	STRUCT DEST	PA
Indian River Plantation Marina Channel Daybeacon 1	45820	STRUCT DEST/HAZ NAV	PA
Ind River Plantation Marina Channel Daybeacon 2	45825	STRUCT DMGD	PA
Breakwater Danger Daybeacon A	45863	DAYMK MISSING	PA
Breakwater Danger Daybeacon B	45863.1	DAYMK MISSING	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Fort Pierce Inlet Inner Harbor - Indian River South Section/General/Bridges/Repairs, Painting, Or Fender Replacement	Bridges	General/Bridges/Repairs, Painting, Or Fender Replacement From: 2024-10-29 To: 2028-01-31 Location: 27.632319° N / 80.371113° W Bridge Name: 17th St Bridge Vecellio Grogan, on behalf of the bridge owner, Florida Department of Transportation, will be conducting bridge repairs on the 17th street (SR 656) Bridge over the AICW (Indian River) mile marker 952.9 at Vero Beach, FL beginning November 13, 2023, with an estimated completion during January 2028. The project will remove and replace 400 feet of the eastern portion of the bridge beginning with the north section before continuing with the south section. The contractor will utilize in water equipment which will remain on site, all vessels are advised to transit the area with caution. For further information, contact: Kyle Tatum at (407) 361- 6506. For waterways questions, please contact USCG Sector Miami Waterways Division at (305) 535-4317, email SectorMiamiWaterways@uscg.mil.	Lat: 27° 37' 56" Lon: -080° 22' 16"
Fort Pierce Inlet Inner Harbor - Indian River South Section/General/Bridges/Conversion	Bridges	General/Bridges/Conversion From: 2024-10-29 To: 2025-04-27 Location: 27.47199° N / 80.32452° W Bridge Name: A1A State Route Bridge Vecellio & Grogan, Inc. ("V&G"), on behalf of the bridge owner, FDOT, are conducting construction operations for the replacement of the A1A North Causeway Drawbridge across the AICW, mile 964.8, at Ft. Pierce, FL. A temporary work trestle (platform) has been installed on the northeast side of the existing A1A North Causeway Bridge. In water work continues directly adjacent to and across the navigable waterway with barge(s) in order to perform other associated construction activities. In April 2025, new bridge beams will be installed over the channel which will permanently limit the vertical clearance to 85 ft. at mean high water. The existing drawbridge will remain in use until sometime in late 2026. During bridge beam setting operations in April and May 2025, there will be intermittent closures of the channel for 3-4 hours at a time for safety. Vessels needing a full channel passage are required to provide the bridge tender with a 2-hour advance notice to allow for the barges to clear the channel. During the evening/overnight hours the channel will be unobstructed. All in-water equipment will be properly lighted. All mariners are requested to use caution and transit the area at a slow speed. For waterways questions or drawbridge operating issues, please contact USCG Sector Miami Waterways Division at (305) 535-4317, email SectorMiamiWaterways@uscg.mil	Lat: 27° 28' 19" Lon: -080° 19' 28"
Fort Pierce Inlet Inner Harbor - Indian River South Section/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2024-12-06 To: 2025-05-19 Location: 27.87748° N / 80.45263° W 27.86838° N / 80.44851° W 27.86277° N / 80.46756° W 27.87566° N / 80.47151° W 27.87748° N / 80.45263° W ATL Diversified, Inc. will be dredging for a beach renourishment project. Operations are expected to begin December 23, 2024, with an estimated completion date of April 30, 2025. Dredge hours will be from dawn to dusk but dredge equipment will always be in place. All local boat traffic will need to take extreme caution. 215,000 CY of material will be hydraulically dredged from within the Sebastian Inlet. Material will be dredged and pumped by dredge pipeline out of the inlet and onto the beach. Material will be placed on the South side of the inlet for beach restoration. Piping within the inlet channel will be submerged and held by anchors, floating pipe will travel the length of the South side of inlet to the beach. Staged and stored piping, barges and work vessels will be staged on the South Side of the inlet. All boat traffic needs to take caution of floating dredge pipelines.	

Intracoastal Waterway Florida Seventh District

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Lake Okeechobee (Rt 2) Daybeacon 13	51445	STRUCT MISSING	FD

Isla De Vieques

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Isla De Vieques/General/Hazards To Navigation/Hazards	Hazards To Navigation	The U.S. NAVY is advising all mariners to refrain from entering the following areas in Vieques, Puerto Rico: Northeast from Puerto Diablo to Punta Este and on the Southeast on Bahia Salinas Del Sur. Mariners are advised to stay away from this danger zone until further notice, as it contains (UXO) Unexploded Ordnance. The U.S. Coast Guard may be contacted via VHF-FM Channel 16 or via landline at (787) 289-2041. For more information, contact Mrs. Maria Danois at: (757) 412-7843 or email: maria.m.danois.civ@us.navy.mil.	

Isla Magueyes

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Isla De Mona Light	32295	LT EXT/STRUCT DMGD	FD

Jekyll Creek

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Jekyll Creek Jetty Warning Daybeacon 8	37305	DAYMK MISSING	FD
Jekyll Creek Light 20A	37346	STRUCT DEST/TRLB	FD
Jekyll Creek Light 29	37370	STRUCT DEST/TRLB	FD

Johns Pass Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Johns Pass Channel Daybeacon 1	25580	STRUCT DEST/TRUB	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Treasure Island North Terminal Groin Obstruction Light	25600.010000000002	STRUCT DEST	PA

Jones Island Range

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Jones Island Range Front Light	4625	WATCHING PROPERLY	FD	2025-03-13

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Jones Island Range Lighted Bell Buoy 17	4640	RELOCATED FOR DREDGING	FD

Jug Creek Shoal

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Jug Creek Shoal Daybeacon 9	56375	STRUCT MISSING	FD

Jupiter Inlet

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Miami, Submerged Land Act (SLA) - Jupiter Inlet/General/Bridges/Construction	Bridges	General/Bridges/Construction From: 2024-11-15 To: 2025-09-30 Location: 26.94755° N / 80.08495° W Bridge Name: Jupiter Federal Northbound Bridge CDR Maguire Engineering, on behalf of Florida Department of Transportation (FDOT) has been contracted to replace the US1 Jupiter Federal Bridge across the Atlantic Intracoastal Waterway mile 1004.8, Jupiter. The old bascule bridge has been removed from the waterway and the new northbound bascule bridge has been constructed along the same alignment. The new navigational clearances will be 42ft of vertical clearance at the center and 125ft of horizontal clearance between the fenders when the project is complete. In-water equipment will continue to be present in the vicinity of construction of the new bridge through the end of 2024. All vessels are advised to transit the area with caution. For waterways questions or issues, call or e-mail Coast Guard Sector Miami, FL, Waterways Management Division, telephone 305-535-4317, email SectorMiamiWaterways@uscg.mil.	Lat: 26° 56' 51" Lon: -080° 05' 06"
Sector Miami, Submerged Land Act (SLA) - Jupiter Inlet/General/Bridges/Temp Deviation	Bridges	General/Bridges/Temp Deviation From: 2024-11-21 To: 2025-04-01 Location: 26.94755° N / 80.08495° W Bridge Name: US1 Jupiter Federal Bridge From 6 p.m. on Monday, December 9, 2024, through 8 a.m. on Monday, March 31, 2025, the US1 Jupiter Federal Bridge will provide single-leaf openings on signal/demand. A full opening will not be provided. During this temporary deviation, new horizontal clearance through the structure is 125ft. The main channel will be partially obstructed, approximately 60ft of horizontal clearance will be available for marine traffic. The vertical clearance through the unobstructed span will be 38ft at low steel and 42ft at the center in the closed/down position and 100ft in the open/up position.	Lat: 26° 56' 51" Lon: -080° 05' 06"

Sector Miami, Submerged Land Act (SLA) - Jupiter Inlet/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2025-02-19 To: 2025-08-18 Location: 26.94754° N / 80.07894° W 26.94603° N / 80.07814° W 26.94603° N / 80.07991° W 26.94752° N / 80.08029° W 26.94754° N / 80.07894° W The U.S. Coast Guard received a report of shoaling within the Intracoastal Waterway near Jupiter Lighthouse Park extending from the southeast corner toward Jupiter Inlet Buoy 2 (LLNR 46240) and extending south-southeast towards Jupiter Inlet Light 1 (LLNR 46235). Depth of water has been reported as low as 4 feet throughout the channel. The deepest water is located on the south side of the channel near Jupiter Inlet Light 1. Mariners are advised to reduce speed to bare steerageway and transit the area with extreme caution.	
--	-----------------------	---	--

Keaton Beach

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Keaton Beach Daybeacon 2	30600	HAZ NAV/STRUCT DEST/TRLB	FD
Keaton Beach Light 5	30620	STRUCT MISSING/TRLB	FD
Keaton Beach Light 11	30640	STRUCT DEST/TRLB	FD
Keaton Beach Daybeacon 18	30675	STRUCT DEST/HAZ NAV/TRLB	FD

Key Biscayne Yacht Club

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Key Biscayne Yacht Club Light 4	49085	DAYMK MISSING	PA

Kings Bay

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Kings Bay Light 48	7000	STRUCT DEST/TRLB	FD
Kings Bay Light 50	7005	STRUCT DEST	FD
Kings Bay Light 52	7010	STRUCT DEST	FD
Kings Bay Light 53	7015	STRUCT DMGD	FD
Kings Bay Light 54	7020	STRUCT DEST	FD
Kings Bay Light 56	7025	STRUCT DEST	FD

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Kings Bay Lighted Buoy 43	6955	RELOCATED FOR DREDGING	FD

Temporary Changes Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Kings Bay Lighted Buoy 43	6955	Returned to Assigned Position	FD	2025-03-14

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Kings Bay/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2025-03-06 To: 2026-04-10 Location: 30.7818° N / 81.49075° W 30.77592° N / 81.49028° W 30.77585° N / 81.49391° W 30.78155° N / 81.4947° W 30.7818° N / 81.49075° W UMX Crew will be starting dredging and underwater diving repairs work at MSF Facility (East River), Kings Bay Base, GA (30-46-45.5N / 81-29-29.5W). The crew will have a 120' x 45' Crane barge and 60' x 70' ton crane barge on-site. No wake is allowed near the job location. The project is scheduled to start on March 17, 2025, and is estimated to finish on March 17, 2026.	
Kings Bay/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2025-03-12 To: 2025-04-07 Location: 30.81308° N / 81.51805° W 30.80556° N / 81.51796° W 30.79465° N / 81.5014° W 30.79436° N / 81.4977° W 30.80084° N / 81.49487° W 30.80084° N / 81.48517° W 30.7757° N / 81.4856° W 30.76331° N / 81.48303° W 30.76375° N / 81.48904° W 30.77253° N / 81.49436° W 30.78492° N / 81.49616° W 30.79303° N / 81.50474° W 30.79377° N / 81.50912° W 30.80962° N / 81.52534° W 30.81308° N / 81.51805° W SOUTHERN DREDGING CO. INC. is conducting maintenance dredging near U.S. Navy Submarine Base, Kings Bay, Georgia. DREDGE BRUNSWICK will be working in the Kings Bay Inner Channel in the Cumberland Sound between Range D (Buoy 40) to Range G (the security fence at Crab Island) commencing on or about November 30, 2024. The Dredge will operate on a 24 hour per day, 7 day per week basis until approximately April 1, 2025. To ensure safe passage in the vicinity of the operation, boaters should establish contact with the dredge on VHF-FM channels 13 and 16.	

Kings Island Turning Basin

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Kings Island Turning Basin Light 16	5065	STRUCT MISSING/TRLB	FD

Kingsley Creek

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE

Kingsley Creek Daybeacon 13	38010	STRUCT DEST/TRUB	FD
-----------------------------	-------	------------------	----

Lake Boca Raton

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Hillsboro Mile Daybeacon 1	47151	STRUCT DEST	PA
Hillsboro Mile Daybeacon 3	47152	STRUCT DEST	PA
Hillsboro Mile Daybeacon 7	47153	STRUCT DEST	PA

Lake Dexter

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
St Johns River - Lake Dexter/General/Miscellaneous	Miscellaneous	General/Miscellaneous From: 2025-02-11 To: 2025-08-10 Location: 32.27263° N / 80.53829° W 30.4907° N / 80.25264° W 24.57149° N / 78.80245° W 23.97058° N / 83.32882° N / 29.25227° N / 84.25167° N / 32.24011° N / 81.43367° W 32.27263° N / 80.53829° W PUBLICATION– National Oceanic and Atmospheric Administration (NOAA) – U.S. Coast Pilot 5, Gulf Coast, Puerto Rico, and Virgin Islands, 53rd Edition, 2025, has been issued and is ready for free download and weekly updates at nauticalcharts.noaa.gov/publications/coast-pilot/index.html . Only Print-on-Demand (POD) bound copies are available for purchase; visit nauticalcharts.noaa.gov/publications/print-agents.html#coast-pilot . The 2025 Edition cancels the preceding 2024 Edition, and incorporates all previous corrections.	

Lake George

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Silver Glen Springs Run Buoy 1	8595	MISSING	PA
Silver Glen Springs Run Buoy 24	8695	MISSING	PA
Silver Glen Springs Run Buoy 25	8700	OFF STA	PA
Silver Glen Springs Run Buoy 2A	8715	SINKING/BUOY DMGD	PA
Silver Glen Springs Run Buoy 9A	8740	MISSING	PA
Silver Glen Springs Run Pref Buoy A	8750	MISSING	PA

Lake Monroe

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Lake Monroe Bar Light 1	9240	STRUCT DEST/HAZ NAV/TRLB	FD

Lake Okeechobee Route 1

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Lake Okeechobee (Rt 1) Daybeacon 3	51195	DBD DEST	FD

Lake Worth Creek

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Lake Worth Creek Daybeacon 7	46375	STRUCT DEST/TRUB	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Jupiter Inlet - Lake Worth Creek/General/Bridges/Temp Deviation	Bridges	General/Bridges/Temp Deviation From: 2024-11-05 To: 2025-09-01 Location: 26.93383° N / 80.08399° W Bridge Name: Indiantown Road Eastbound and Westbound Bridges The TIR is identified by docket number USCG-2023-0652 at https://www.regulations.gov . Additional information is provided in the online document, please read. The U.S. Coast Guard has issued a TIR which amends drawbridge operation regulation, 33 CFR 117.261(p) which will govern Indiantown Road Bridge, mile 1006.2, at Jupiter, Florida. The TIR is effective from 12:01 a.m. on October 25, 2024, through 11:59 p.m. on August 31, 2025. You may submit comments identified by docket number USCG-2023-0652 using Federal Decision Making Portal at https://www.regulations.gov . The comment period ends November 25, 2024. If you have questions on this rulemaking, call or e-mail Ms. Jennifer Zercher, Bridge Management Specialist, Seventh Coast Guard District, telephone (305) 415-6740, email Jennifer.N.Zercher@uscg.mil	Lat: 26° 56' 02" Lon: -080° 05' 02"

Lake Worth Inlet

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Lake Worth Entrance Range Front Light	10185	RELIGHTED	FD	2025-03-12

Lake Worth Inlet Hillsboro Inlet

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Delray Beach Shoal Buoy	47113	MISSING	FD

Lake Worth North

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Lake Worth North Light 36	46600	STRUCT DEST	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Lake Worth North/General/Bridges/Construction	Bridges	General/Bridges/Construction From: 2025-01-14 To: 2027-01-31 Location: 26.808528° N / 80.056123° W Bridge Name: US Hwy 1/SR 5 Bridge - Earman River The waterway at the bridge will be obstructed and closed to navigation from 2/10/2025 through 1/7/2027 for the replacement of the US Hwy 1/SR 5 Bridge. Mariners are advised to utilize the northern canal to access the Atlantic Intracoastal Waterway. The Lighthouse Drive Bridge across the northern canal provides a vertical clearance of 14.5 feet and a horizontal clearance of 22.5 feet. For waterways questions, please contact USCG Sector Miami Waterways Division at (305) 535-4317, email SectorMiamiWaterways@uscg.mil	Lat: 26° 48' 31" Lon: -080° 03' 22"

Lake Worth South

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Lake Worth South Daybeacon 4	46740	STRUCT DEST/TRLB	FD
Lake Worth South Daybeacon 34	46965	STRUCT DEST/HAZ NAV/TRLB	FD
Lake Worth South Daybeacon 40	46985	STRUCT DEST	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Lake Worth Inlet - Lake Worth South/General/Bridges/Temp Deviation	Bridges	General/Bridges/Temp Deviation From: 2024-12-03 To: 2025-04-01 Location: 26.71807° N / 80.04704° W Bridge Name: Flagler Memorial Bridge Under this temporary deviation, the Flagler Memorial Bridge will operate as follows: (1) The draw will open on the quarter and three-quarter hour, except that Monday through Friday (except Federal holidays) from 7:30 a.m. to 9 a.m. and from 4 p.m. to 6 p.m., the draw need only open on the quarter hour. (2) When the security zone is enforced, the draw shall operate as follows: (i) Monday through Friday (except on Federal holidays) (A) 7:30 a.m. to 9 a.m., the draw need only open on the quarter hour. (B) 9 a.m. to 2:15 p.m., the draw need only open on the quarter and three-quarter hour. (C) 2:15 p.m. to 6 p.m., the draw need only open on the quarter hour. (D) 6 p.m. to 7:30 a.m., the draw need only open on the quarter and three-quarter hour. (ii) Saturday, Sunday, and Federal holidays the draw need only open on the quarter and three-quarter hour. This temporary deviation is effective from 6 a.m. on December 1, 2024, through 11:59 p.m. on March 31, 2025.	Lat: 26° 43' 05" Lon: -080° 02' 49"
Lake Worth Inlet - Lake Worth South/General/Bridges/Temp Deviation	Bridges	General/Bridges/Temp Deviation From: 2024-12-03 To: 2025-04-01 Location: 26.70595° N / 80.04641° W Bridge Name: Royal Park Bridge Under this temporary deviation, the Royal Park Bridge will operate as follows: (1) The draw will open on the hour and half hour, except that Monday through Friday (except Federal holidays) from 7:30 a.m. to 9 a.m. and from 4 p.m. to 6 p.m., the draw need only open on the half-hour. (2) When the security zone is enforced, the draw shall operate as follows: (i) Monday through Friday (except on Federal holidays) (A) 7:30 a.m. to 9 a.m., the draw need only open on the half-hour. (B) 9 a.m. to 2:15 p.m., the draw need only open on the hour and half-hour. (C) 2:15 p.m. to 6 p.m., the draw need only open on the half-hour. (D) 6 p.m. to 7:30 a.m., the draw need only open on the hour and half-hour. (ii) Saturday, Sunday, and Federal holidays the draw need only open on the hour and half-hour. This temporary deviation is effective from 6 a.m. on December 1, 2024, through 11:59 p.m. on March 31, 2025.	Lat: 26° 42' 21" Lon: -080° 02' 47"
Lake Worth Inlet - Lake Worth South/General/Bridges/Temp Deviation	Bridges	General/Bridges/Temp Deviation From: 2024-12-03 To: 2025-04-01 Location: 26.67542° N / 80.04684° W Bridge Name: Southern Boulevard Bridge Under this temporary deviation, the Southern Boulevard Bridge will operate as follows: (1) The draw will open on the quarter and three-quarter hour, except that Monday through Friday (except Federal holidays) from 7:30 a.m. to 9 a.m. and from 4 p.m. to 6 p.m., the draw need only open on the quarter hour. (2) When the security zone is enforced, the draw may be closed without advance notice to permit uninterrupted transit of dignitaries across the bridge. At all other times the bridge shall open on the quarter and three-quarter hour, or as directed by the on-scene designated representative. This temporary deviation is effective from 6 a.m. on December 1, 2024, through 11:59 p.m. on March 31, 2025.	Lat: 26° 40' 32" Lon: -080° 02' 49"
Lake Worth Inlet - Lake Worth South/General/Bridges/Temp Deviation	Bridges	General/Bridges/Temp Deviation From: 2025-03-07 To: 2025-04-11 Location: 26.61539° N / 80.04368° W Bridge Name: Lake Avenue Eastbound Bridge The eastbound span has been locked in the open to navigation position until emergency repairs are complete. Bridge continues to operate on demand.	Lat: 26° 36' 55" Lon: -080° 02' 37"

Lake Worth Inlet - Lake Worth South/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2025-02-10 To: 2025-05-23 Location: 26.55226° N / 80.04977° W 26.55214° N / 80.04889° W 26.54673° N / 80.04987° W 26.54554° N / 80.04245° W 26.53986° N / 80.04426° W 26.5342° N / 80.04596° W 26.52976° N / 80.04646° W 26.52623° N / 80.04689° W 26.52625° N / 80.04741° W 26.53435° N / 80.04638° W 26.54516° N / 80.04281° W 26.54539° N / 80.04475° W 26.54406° N / 80.04509° W 26.54472° N / 80.0511° W 26.54562° N / 80.05256° W 26.54683° N / 80.05253° W 26.54683° N / 80.05103° W 26.55226° N / 80.04977° W Atlantic and Gulf Dredging and Marine, LLC (AGD) will be dredging and placing beach fill for the South Lake Worth Inlet maintenance dredging project. DREDGE COMMODORE, DREDGE COMMANDER, TUG LIEUTENANT, TUG KYLE C, SURVEY/CREW VESSEL BAYOU BUFF, SURVEY/CREW VESSEL LIL JOHN, SURVEY/CREW VESSEL MR. SHOAL and various barges will begin dredging on or about March 25, 2025, after four weeks of waterside mobilization that will commence on March 1, 2025. Full waterside demobilization is scheduled to complete by May 15, 2025. AGD will establish a waterside staging area to secure the submerged pipeline barge within the permitted Sand Trap limits, on the southern edge of the dig template. Rafted pipeline and equipment will be staged in this location during the mobilization and demobilization phases of the work. AGD will also secure a heavy lift barge into the waters adjacent to the Ocean Inlet Park western shore for mobilization/demobilization of equipment and pipeline onto shore. The Cutter Suction Dredge Commodore is scheduled to commence dredging/beach fill operations on. Dredging operations will commence on or about March 25, 2025 in the ICW P-50 Cut borrow area located west of South Lake Worth Inlet to remove material and hydraulically place the material via submerged/floating/shoreline along Ocean Ridge Hammock Park, south of the inlet between Florida Department of Environmental Protection (FDEP) reference monuments R-154 and R-158. Operations in the ICW P-50 Cut will complete on or around April 5. The Dredge Commodore will then move to the eastern portion of the Oyer Park Boat Channel and work for approximately 3 days to complete on April 9, 2025. The Dredge Commodore will then move to dredge the Sand Trap for approximately 6 days. The Dredge Commander will commence dredging the western portion of the Oyer Park Boat Channel on April 10 and complete on or around April 25. All dredging/beach fill operations are scheduled to complete no later than April 31, 2025 All pipeline will be lit per USCG regulations. Periodic hydrographic surveys will be conducted within the dredge area and along the beach fill area. Dredging operations will occur 24hrs a day at 7 days a week. Survey operations will occur during daylight hours at 7 days a week. AGD requests vessels avoid the active dredge area during construction and proceed at slow speed in the area surrounding the dredge, pipeline and other support equipment and proceed with utmost caution in the dredging area. Please contact DREDGE COMMODORE and the DREDGE COMMANDER on VHF-FM channel 01 for passing arrangements, they will also be monitoring VHF-FM channels 13 and 16.
Lake Worth Inlet - Lake Worth South/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2025-02-17 To: 2025-04-04 Location: 26.77643° N / 80.03112° W 26.77635° N / 80.02665° W 26.77076° N / 80.02682° W 26.77137° N / 80.03875° W 26.76976° N / 80.0427° W 26.76555° N / 80.04193° W 26.76455° N / 80.04867° W 26.76639° N / 80.04905° W 26.77133° N / 80.04399° W 26.77344° N / 80.0385° W 26.77337° N / 80.03124° W 26.77643° N / 80.03112° W Starting approximately February 20, 2025, and continuing until approximately March 10, 2025, Weeks Marine, Inc. will be mobilizing equipment and laying a submerged pipeline crossing in the vicinity of the Lake Worth Inlet, for the above referenced project. An Open Water Staging Area for pipeline and equipment will be bound by the following approximate positions: 26-45-55.62N / 80-02-54.90W 26-45-55.78N / 80-02-47.38W 26-45-53.92N / 80-02-47.66W 26-45-53.17N / 80-02-54.47W The staging area will be used for the duration of the project. Starting approximately March 10, 2025, and continuing until approximately March 31, 2025, the hydraulic DREDGE E.W. ELLEFSEN and ATTENDANT PLANT will be operating in the Entrance Channel and Settling Basin Areas between the following approximate positions: Work limits for borrow areas in the Entrance Channel and Settling Basin will be bound by the following approximate positions: 26-46-24.81N / 80-02-19.76W 26-46-17.17N / 80-02-19.81W 26-46-16.27N / 80-01-38.99W 26-46-32.62N / 80-01-38.66W 26-46-32.82N / 80-01-51.58W The dredged material will be transported through a combination of floating and submerged pipeline to the Palm Beach Placement Site per contract plans and specifications. The submerged pipeline will be removed at the completion of dredging operations. Once underway, operations will continue on a 24 hours per day, 7 days per week basis. Vessels, pipeline and equipment will have all required Coast Guard lighting for night operations. On-scene vessels will monitor marine VHF-FM channels 13, 16 and 67. Mariners are urged to use extreme caution and transit the area at their slowest safe speed to create minimum wake after passing arrangements have been made.

Lake Wyman

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Lake Boca Raton - Lake Wyman/General/Bridges/Rehabilitation	Bridges	General/Bridges/Rehabilitation From: 2024-11-08 To: 2025-03-31 Location: 26.38632° N / 80.07076° W Bridge Name: Spanish River Boulevard Eastbound and Westbound Bridge - AICW Oceanik.us on behalf of the bridge owner, Florida Department of Transportation, will conduct maintenance and repairs to Spanish River Blvd (NE 40th St) Bridge across the AICW, mile 1044.9, Boca Raton, FL. The bridge project will consist of scour countermeasures, earthwork, channel excavation, cable removal, articulated block revetment installation. There will be in-water equipment with work hours of Monday – Friday 7am-6pm. Half of the channel may close to vessels and or may be obstructed up to 20 feet when work is being performed between the fenders. All in-water equipment is expected to be properly marked in accordance with Inland Navigation Rules. Mariners are advised to use caution when transiting the area. For further information, contact: Christian Villegas, Oceanik.us at (321) 604-1371. For waterways questions, call or e-mail Coast Guard Sector Miami, FL, Waterways Management Division, telephone 305-535-4317, email SectorMiamiWaterways@uscg.mil.	Lat: 26° 23' 11" Lon: -080° 04' 15"

Largo Sound Channel

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Newport Bay Daybeacon 7	11851.6	HAZ NAV/STRUCT DMGD	PA

Lemon Bay Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Lemon Bay Channel Daybeacon 2	57140	STRUCT MISSING	FD
Lemon Bay Channel Daybeacon 16	57275.5	STRUCT MISSING/TRUB	FD
Lemon Bay Channel Daybeacon 26	57420	STRUCT MISSING/TRUB	FD
Lemon Bay Channel Daybeacon 40	57625	STRUCT MISSING/TRUB	FD
Lemon Bay Channel Light 47	57655	STRUCT DEST/HAZ NAV/TRLB	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
------	------	--------	----------

Gottfried Creek Daybeacon 5	57357.4	DAYMK DMGD	PA
Forked Creek Daybeacon 1	57617	STRUCT DEST/HAZ NAV	PA
Forked Creek West Obstruction Daybeacon	57618.9	STRUCT DEST	PA
Forked Creek North Obstruction Daybeacon	57619	STRUCT DEST	PA
Forked Creek East Obstruction Daybeacon	57619.3	STRUCT DEST	PA

Little Lake George

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Little Lake George Light 53	8435	LT EXT	FD
Little Lake George Daybeacon 54	8450	STRUCT DEST/TRLB	FD

Little Manatee River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Little Manatee River Approach Light LM	24481	STRUCT MISSING	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Shell Point Daybeacon 3	22698.2	STRUCT DEST	PA
Shell Point Daybeacon 7	22698.600000000002	STRUCT DEST	PA

Little Mud River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Little Mud River Daybeacon 189	36855	STRUCT DEST/TRUB	FD
Little Mud River Light 190	36865	STRUCT DEST/TRLB	FD
Little Mud River Light 196	36880	STRUCT DEST/TRLB	FD

Little River Winyah Bay

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Little River-Winyah Bay Obstruction Daybeacon B	33647	STRUCT MISSING/TRUB	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Winyah Bay Channel - Little River Winyah Bay/General/Bridges/Maintenance	Bridges	General/Bridges/Maintenance From: 2024-12-13 To: 2025-04-02 Location: 33.80294° N / 78.74138° W Bridge Name: Barefoot Landing Resort Bridge - AICW Barefoot Landing Resort Bridge need not open to navigation from 12:01 a.m. on December 16, 2024, through 8 a.m. on April 1, 2025, except that the bridge will provide openings at 9 a.m., 11 a.m., 2 p.m., 4 p.m., and 6 p.m. daily. From 6 p.m. to 9 a.m., daily, the bridge need not open to navigation, except an opening will be provided with a 2-hour advanced notice. Vessels able to safely pass without an opening may do so at any time.	Lat: 33° 48' 11" Lon: -078° 44' 29"
Winyah Bay Channel - Little River Winyah Bay/General/Bridges/Repairs, Painting, Or Fender Replacement	Bridges	General/Bridges/Repairs, Painting, Or Fender Replacement From: 2025-02-28 To: 2025-06-01 Location: 33.36565° N / 79.25309° W Bridge Name: 17 Highway Bridge - AICW Waccamaw River Bridge is undergoing repairs. These repairs will necessitate the presence of construction equipment within a portion of the navigable channel resulting in a reduction of up to half the channel equaling from 60 to 120 feet of horizontal clearance. Mariners are advised to exercise due caution while transiting in the vicinity of construction equipment and vessels in operation. In the event of an emergency during this period that requires, every effort will be made to move the construction equipment out of the way as soon as possible. Vessels may contact on site personnel on VHF Ch. 16/9 Vessels can contact on site personnel on VHF Ch. 16/9 or call: • Justin Timmons (803) 899-5938 • Eric Pham (803) 899-1158	Lat: 33° 21' 56" Lon: -079° 15' 11"
Winyah Bay Channel - Little River Winyah Bay/General/Hazards To Navigation/Hazards	Hazards To Navigation	General/Hazards To Navigation/Hazards From: 2025-01-29 To: 2025-07-28 Location: 33.7849° N / 78.7861° W 33.78451° N / 78.78545° W 33.77003° N / 78.80923° W 33.77049° N / 78.80979° W 33.7849° N / 78.7861° W Obstacle was reported about 1.5 miles north of mile 357 on the west bank of the waterway. There are 2 large trees that were knocked over from the bank and the trees are in the channel.	
Winyah Bay Channel - Little River Winyah Bay/General/Miscellaneous	Miscellaneous	General/Miscellaneous From: 2025-03-13 To: 2025-05-20 Location: 33.82754° N / 78.70574° W The U.S. Coast Guard is proposing to make the following change in the Little River-Winyah Bay Channel, Intracoastal Waterway, to improve navigational safety and reliability. Little River-Winyah Bay Buoy 15B (LLNR 33660.1) will be permanently established in approximate position 33-49-39.137N, 078-42-20.648W. All comments should be emailed to: D07-SMB-DPWPPublicComments@uscg.mil or Andrew.m.ingle@uscg.mil with Little River-Winyah Bay Buoy 15B as the subject line. Comments can also be mailed to: Commander (dpw), Seventh Coast Guard District, 909 SE 1st Ave (STE 406) Brickell Plaza Federal Bldg, Miami, FL. 33131-3050 to be received by May 12, 2025.	Lat: 33° 49' 39" Lon: -078° 42' 21"

Winyah Bay Channel - Little River Winyah Bay/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-03-11 To: 2025-05-19 Location: 33.76374° N / 78.81957° W Aid Name: Little River-Winyah Bay Daybeacon 21B LLNR: 33705.5 Action: RENAME The U.S. Coast Guard is proposing to make the following change in the Little River-Winyah Bay Channel, Intracoastal Waterway, to improve navigational safety and reliability. Little River-Winyah Bay DBN 21B (LLNR 33705.5) will be renamed Little River-Winyah Bay DBN 21C (LLNR 33705.5). Establish Little River-Winyah Bay LT 21B (LLNR 33705.3) in approximate position 33-46-56.075N, 078-47-21.582W. The light will display a flash characteristic of Q G, with a nominal range of 4 nautical miles. All comments should be emailed to: D07-SMB-DPWPublicComments@uscg.mil or Andrew.m.enge@uscg.mil with Little River-Winyah Bay LT 21C as the subject line. Comments can also be mailed to: Commander (dpw), Seventh Coast Guard District, 909 SE 1st Ave (STE 406) Brickell Plaza Federal Bldg, Miami, FL. 33131-3050 to be received by May 11, 2025.	Lat: 33° 45' 49" Lon: -078° 49' 10"
---	---------------------------	---	--

Little Shark River Entrance

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Cormorant Pass Daybeacon 48	15870	DAYMK IMCH	PA
Oyster Bay Daybeacon 53	15885	DAYMK MISSING	PA
Oyster Bay Daybeacon 63	15915	DAYMK MISSING	PA
Little Shark River Daybeacon 69	15940	DAYMK IMCH	PA

Long Branch

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Long Branch Lighted Buoy 71	7590	RELOCATED FOR DREDGING	FD
Long Branch Lighted Buoy 69	7575	RELOCATED FOR DREDGING	FD

Long Island Crossing

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Tybee Knoll Cut Range - Long Island Crossing/ATON/Advanced Notice of Change	Advanced Notice of Change	Long Island Crossing LB 28 (LLNR 4785) will be renamed Long Island Crossing LB 26A (LLNR 4785) and the nominal range of the light characteristics will be reduced from 5 NM to a nominal range of 4 NM. The renumbering of the aid to navigation will ensure the entire channel aligns in numerical order.	Lat: 32° 02' 31" Lon: -080° 55' 30"
Tybee Knoll Cut Range - Long Island Crossing/ATON/Advanced Notice of Change	Advanced Notice of Change	Long Island Crossing LB 30 (LLNR 4810) will be renamed Long Island Crossing LB 28 (LLNR 4810) and the nominal range of the light characteristics will be reduced from 5 NM to a nominal range of 4 NM. The renumbering of the aid to navigation will ensure the entire channel aligns in numerical order.	Lat: 32° 03' 02" Lon: -080° 56' 01"
Tybee Knoll Cut Range - Long Island Crossing/ATON/Advanced Notice of Change	Advanced Notice of Change	Long Island Crossing LB 32 (LLNR 4815) will be renamed Long Island Crossing LB 30 (LLNR 4815) and the nominal range of the light characteristics will be reduced from 5 NM to a nominal range of 4 NM. The renumbering of the aid to navigation will ensure the entire channel aligns in numerical order.	Lat: 32° 03' 39" Lon: -080° 56' 39"

Long Key

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Long Key Daybeacon 1X	12385	STRUCT DEST/TRUB	FD

Long Key Cape Sable

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Sprigger Bank Light 5	15605	HAZ NAV/STRUCT DEST/TRLB	FD

Lower Flats Range

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Elba Island Light 39	4850	STRUCT DEST	FD

Loxahatchee River

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Loxahatchee River Daybeacon 7	46280	DAYMK IMCH	PA
Loxahatchee River Daybeacon 15	46320	DAYMK IMCH	PA
Loxahatchee River South Channel Daybeacon 7	46373.5	STRUCT DMGD	PA

Mackay River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Mackay River Cutoff Light 229	37090	STRUCT DEST/TRLB	FD
Mackay River Cutoff Light 231	37095	STRUCT DEST/TRLB	FD
Mackay River Light 239	37160	STRUCT DEST/HAZ NAV/TRLB	FD
Mackay River Light 241	37170	STRUCT DEST/TRLB	FD
Mackay River Light 244	37190	STRUCT DEST/TRLB	FD

Manatee River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Manatee River Daybeacon 21	22050	STRUCT MISSING	FD
Manatee River Daybeacon 28	22095	STRUCT DEST/TRUB	FD

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Manatee River Light 24A	22080	WATCHING PROPERLY	FD	2025-03-12

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Tidewater Preserve Marina Daybeacon 2	22105.2	STRUCT DEST	PA
Colony Cove Daybeacon 2	22110	STRUCT DEST/TRUB	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Paradise Bay Estates Channel - Manatee River/General/Bridges/Modification	Bridges	General/Bridges/Modification From: 2024-11-19 To: 2025-03-31 Location: 27.52535° N / 82.50655° W Bridge Name: Interstate 75 Bridges The Florida Department of Transportation (FDOT) is reconstructing the interchange at I-75 and US 301. New bridges will be constructed over the Manatee River for a northbound exit ramp and a southbound entrance ramp which are expected to be completed during March of 2025. They will be compatible with the ultimate section for future mainline traffic. All vessels and tie-off moorings are required to be lighted at night for the safety of navigation. At this time no false work or cofferdams are anticipated. The existing navigational channel will remain open to boaters. If you have questions regarding this project, call or e-mail U.S. Coast Guard, Sector Saint Petersburg Waterways Management Division; telephone 727-824-7506, e-mail D07-SMB-Tampa-WWM@uscg.mil	Lat: 27° 31' 31" Lon: -082° 30' 24"

Matanzas Pass Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Matanzas Pass Channel Daybeacon 24	18290	STRUCT MISSING/TRUB	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Hurricane Bay Marina West Channel Daybeacon 7	18160	STRUCT DEST/HAZ NAV	PA
Siesta Isles Daybeacon 4	18215	STRUCT DEST	PA
Matanzas Harbor Channel Daybeacon 3	18296.100000000002	STRUCT DEST/HAZ NAV	PA
Matanzas Harbor Channel Daybeacon 5	18296.3	STRUCT DEST	PA
Bayside Estates Channel Daybeacon 2	18405	STRUCT DEST	PA
Bayside Estates Channel Daybeacon 4	18415	HAZ NAV/STRUCT DEST	PA
North Estero Bay Daybeacon 19	18565	STRUCT DMGD	PA
North Estero Bay Daybeacon 35	18605	STRUCT DEST	PA
North Estero Bay Daybeacon 63	18725	STRUCT DEST/TRUB	PA
Mullock Creek Daybeacon 2A	18760	STRUCT DEST	PA
Mullock Creek Daybeacon 13	18835	STRUCT DEST/HAZ NAV	PA
Mullock Creek Daybeacon 45	18920	STRUCT DEST	PA

Matanzas River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
------	------	--------	----------

Matanzas River Light 1	39035	STRUCT DEST/TRLB	FD
Matanzas River Buoy 2	39040	OFF STA	FD
Matanzas River Daybeacon 6A	39060.1	STRUCT DEST/TRUB	FD
Matanzas River Light 79	39520	STRUCT MISSING/TRLB	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Salt Run Daybeacon 1	38915	STRUCT DEST	PA
Salt Run Daybeacon 3	38925	STRUCT DEST	PA
Salt Run Daybeacon 4	38930	STRUCT DEST	PA
Salt Run Daybeacon 6	38940	STRUCT MISSING	PA
Salt Run Daybeacon 7	38945	STRUCT DMGD	PA
Salt Run Daybeacon 11	38965	STRUCT DEST/HAZ NAV	PA
Fish Island Marina Daybeacon 1	39080	DAYMK MISSING	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
St Augustine Inlet - Matanzas River/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2024-11-18 To: 2025-05-17 Location: 29.90535° N / 81.29553° W Aid Name: Matanzas River Light 1 LLNR: 39035 Action: CHANGE Action Type Change Aid Subtype The following change has been approved to the Aid to Navigation system in the Matanzas River. Matanzas River Light 1 (LLNR 39035) will permanently be changed to Matanzas River Lighted Buoy 1 (LLNR 39035). Matanzas River Light 1 has been destroyed on a few occasions over the last 10 years and it is currently being advertised as destroyed since 2020. In addition, the water depth at its assigned position is 21 feet making it more difficult for a CG asset to spud and maintain position to rebuild the aid safely. Converting the light to a floating aid will allow for a timelier response and consistent maintenance in the event the aid becomes discrepant. Therefore, this change will provide mariners a more reliable signal while approaching the Matanzas River Channel entrance from the St. Augustine Inlet and while exiting the channel.	Lat: 29° 54' 19" Lon: -081° 17' 44"

Matheny Creek

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Venice Inlet-Siesta Key Daybeacon 49	58225	STRUCT DEST/TRUB	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Snake Island Daybeacon A	57834	STRUCT DEST	PA
Snake Island Daybeacon B	57834.1	STRUCT DEST	PA
Snake Island Daybeacon C	57834.200000000004	STRUCT DEST	PA
Midnight Pass Lagoon Daybeacon 4	58185	STRUCT DEST	PA
Midnight Pass Lagoon Daybeacon 5	58190	STRUCT DEST	PA
Midnight Pass Lagoon Daybeacon 7	58200	STRUCT DEST	PA
Midnight Pass Daybeacon 13	58205.3	STRUCT DMGD	PA
Midnight Pass Daybeacon 17	58205.5	STRUCT DEST	PA
Matheny Creek Daybeacon 1	58292	STRUCT DMGD	PA
Phillippi Creek Daybeacon 2	58365.200000000004	DAYMK MISSING	PA
Phillippi Creek Daybeacon 7	58365.6	DAYMK MISSING	PA
Phillippi Creek Daybeacon 11	58365.9	STRUCT DEST/HAZ NAV	PA
Phillippi Creek Daybeacon 13	58366	STRUCT DEST	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Venice Inlet - Matheny Creek/General/Bridges/Temp Deviation	Bridges	General/Bridges/Temp Deviation From: 2024-10-29 To: 2025-04-27 Location: 27.17991° N / 82.49435° W Bridge Name: Blackburn Point Bridge - GICW From 7 a.m. on February 10, 2025, through 7 p.m. on April 30, 2025, the Blackburn Point Bridge shall open on signal; except that from 7 a.m. to 7 p.m., Monday through Friday, except Federal holidays, the draw need only open on the hour, twenty minutes after the hour, and forty minutes after the hour. Public vessels of the United States and tugs with tows, upon proper signal, will be passed through any time. Vessels able to pass without an opening may do so at any time.	Lat: 27° 10' 48" Lon: -082° 29' 40"

Mayport Basin

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Mayport Basin Channel Lighted Buoy 1	7170	RELOCATED FOR DREDGING	FD

Miami Beach Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Miami Beach Channel Light 11	48015	STRUCT DEST/TRLB	FD

Miami Main Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Miami Main Channel Lighted Buoy 10	10525	OFF STATION	FD
Miami Main Channel Lighted Buoy 12	10535	BUOY DMGD	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Miami Beach Marina Breakwater North Light	10570	LT EXT	PA

Mile Point

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Mile Point Lower Range Front Light	7260	REDUCED INT	FD
Mile Point Light A	7281	DAYMK MISSING	FD
Mile Point Light C	7283	STRUCT DEST	FD
Mile Point Upper Range Front Light	7287	REDUCED INT	FD
Mile Point Upper Range Rear Light	7290	LT EXT	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
St Johns River - Mile Point/ATON/Advanced Notice of Change	Advanced Notice of Change	Mile Point Lower RFL (LLNR 7260) will be relocated to approximate position: 30-22-44.551N/081-27-11.480W to align with the newly dredged channel. In addition, both Mile Point Lower RFL and Mile Point Lower RRL will be changed to a 24-hour optic. All day marks will be permanently discontinued.	Lat: 30° 22' 44" Lon: -081° 27' 11"
St Johns River - Mile Point/ATON/Advanced Notice of Change	Advanced Notice of Change	Mile Point Lower RRL (LLNR 7265) will be relocated to approximate position: 30-22-43.316N/081-27-14.558W to align with the newly dredged channel. In addition, both Mile Point Lower RFL and Mile Point Lower RRL will be changed to a 24-hour optic. All day marks will be permanently discontinued.	Lat: 30° 22' 42" Lon: -081° 27' 14"
St Johns River - Mile Point/ATON/Advanced Notice of Change	Advanced Notice of Change	Mile Point Upper RFL (LLNR 7287) will be relocated to approximate position: 30-22-44.266N/081-27-12.139W to align with the newly dredged channel. In addition, both Mile Point Upper RFL and Mile Point Upper RRL will be changed to a 24-hour optic. All day marks will be permanently discontinued.	Lat: 30° 22' 44" Lon: -081° 27' 11"
St Johns River - Mile Point/ATON/Advanced Notice of Change	Advanced Notice of Change	Mile Point Upper RRL (LLNR 7290) will be relocated to approximate position: 30-22-34.772N/081-26-58.725W to align with the newly dredged channel. In addition, both Mile Point Upper RFL and Mile Point Upper RRL will be changed to a 24-hour optic. All day marks will be permanently discontinued.	Lat: 30° 22' 35" Lon: -081° 26' 58"

Mount Pleasant Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Mount Pleasant Channel Daybeacon 3	3520	STRUCT MISSING/TRUB	FD

Mullet Key Channel

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Egmont Channel - Mullet Key Channel/ATON/Advanced Notice of Change	Advanced Notice of Change	Mullet Key Channel Range Front Light (LLNR 22355) will change to FI G 2.5s (NIGHT) FI G 2.5s (DAY). All other characteristics will remain the same.	Lat: 27° 36' 52" Lon: -082° 39' 46"
Egmont Channel - Mullet Key Channel/ATON/Advanced Notice of Change	Advanced Notice of Change	Mullet Key Channel Range Rear Light (LLNR 22360) will change to ISO G 6s (NIGHT) ISO G 6s (DAY). All other characteristics will remain the same.	Lat: 27° 36' 57" Lon: -082° 39' 13"

Murphy Island

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Murphy Island Light 26	8305	DAYMK MISSING	FD

Myakka River

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
South Gulf Cove Entrance Daybeacon 5	20175	DAYMK MISSING	PA
Upper Myakka River Daybeacon A	20355	STRUCT DEST/HAZ NAV	PA
Upper Myakka River Daybeacon B	20360	HAZ NAV/DAYMK MISSING	PA
Upper Myakka River Daybeacon 1	20365	DAYMK MISSING	PA

Naples Bay Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Naples Bay Channel Daybeacon 22	17550	STRUCT MISSING/TRLB	FD
Naples Bay Channel Daybeacon 26	17600	STRUCT MISSING/TRUB	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Naples Yacht Club Daybeacon 5	17667	DAYMK MISSING	PA

Nassau Cutoff

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Nassau Cutoff Light 47	38175	STRUCT MISSING/TRLB	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sawpit Creek - Nassau Cutoff/General/Bridges/Rehabilitation	Bridges	General/Bridges/Rehabilitation From: 2024-11-08 To: 2025-04-30 Location: 30.57582° N / 81.64581° W - Nassau River Bridge Name: Interstate 95 Northbound and Southbound Bridges Superior Construction on behalf of the bridge owner, Florida Department of Transportation (FDOT), will be conducting bridge repairs on the I-95 Bridges over the Nassau River at mile marker 22.1. The project will consist of rehab work on the substructure of the bridges and include a temporary work trestle installed from the banks of the river. Barges will also be present at the location and will remain in the water along the outside of the channel. One of the center spans will remain partially obstructed by the equipment but the 2 remaining spans are available and will remain unimpeded. Mariners are advised to transit the area with caution and remain alert for equipment in the waterway. The project is expected to continue until April 2025. For further information, contact: Rick Hamilton at (904) 635-5194, or Tyler Houghton at (904) 528-1297.	Lat: 30° 34' 33" Lon: -081° 38' 45"

New Channel Range

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Long Island Crossing - New Channel Range/ATON/Advanced Notice of Change	Advanced Notice of Change	After completion of dredging and channel re-alignment, the water depth at the current assigned position for New Channel RFL (LLNR 4770), makes it impossible for the Coast Guard to rebuild this range in its advertised position. Therefore, New Channel RFL (LLNR 4770) will be permanently relocated to a new assigned position at approximately 32-02-21.801N/080-55-39.437W.	Lat: 32° 02' 22" Lon: -080° 55' 39"

New Pass

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
New Pass Channel Light 13	21705	STRUCT MISSING/TRLB	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Anglers Club Reef Daybeacon AC	21701	STRUCT DEST	PA
City Island Breakwater Light	21710	STRUCT DEST	PA
Sarasota Basin Obstruction Light A	21752	STRUCT DEST	PA
Sarasota Basin Obstruction Daybeacon B	21754	STRUCT DEST	PA

New River Sound

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION

Stranahan River - New River Sound/General/Bridges/Repairs, Painting, Or Fender Replacement	Bridges	General/Bridges/Repairs, Painting, Or Fender Replacement From: 2024-11-19 To: 2025-05-31 Location: 26.08395° N / 80.1844° W Bridge Name: Interstate 595 Bridge - South New River Canal Freck Enterprises, Inc has commenced repair and re-installation of the existing bridge fenders, pilings, and beams on both the East and West fixed bridges. The contractor is utilizing a spud barge, skiff, and work boat, which are expected to obstruct the navigable channel partially or completely from 7:00 am through 5:00 pm Monday – Friday and is requesting a 2-hour notice to remove the equipment and clear the channel during this period. The equipment is planned to be removed from the location at the end of each workday. To request a clear channel please contact Paul Freck at (321) 323-6006 or Joanne Freck at (321) 243-0000 with a 2-hour advance notice of arrival. Vessels on site on will monitor VHF FM 16. This portion of the project is expected to continue until an estimated completion date of October 31, 2024. Upon completion of the fender system re-installation, Archer Western has additional work to complete that will affect the navigable channel. This will be to install the bridge maintenance platforms on the pier caps facing the channel. This work is expected to commence following the fender system re-installation and will run through May 2025. During this time the Contractor will be partially obstructing the channel with work barges and will request a 1-hour advance notice of arrival. Boaters should contact Cloyce Poling (561) 718-2129 to request passage. For waterways questions, call or e-mail Coast Guard Sector Miami, FL, Waterways Management Division, telephone 305-535-4317, email SectorMiamiWaterways@uscg.mil.	Lat: 26° 05' 02" Lon: -080° 11' 04"
Stranahan River - New River Sound/General/Bridges/Temp Deviation	Bridges	General/Bridges/Temp Deviation From: 2025-02-28 To: 2025-04-03 Location: 26.1171° N / 80.14034° W Bridge Name: Southeast 3rd Avenue Bridge - New River The bridge need not open to navigation, including tugs with tows, from 6:55 p.m. to 7:55 p.m. on Wednesday, April 2, 2025, to facilitate the 2025 Lexus Corporate Run.	Lat: 26° 07' 02" Lon: -080° 08' 25"
Stranahan River - New River Sound/General/Bridges/Temp Deviation	Bridges	General/Bridges/Temp Deviation From: 2025-02-28 To: 2025-04-03 Location: 26.118° N / 80.14337° W Bridge Name: Andrews Avenue Bridge - New River The bridge need not open to navigation, including tugs with tows, from 6:45 p.m. to 7:15 p.m. on Wednesday, April 2, 2025, to facilitate the 2025 Lexus Corporate Run.	Lat: 26° 07' 05" Lon: -080° 08' 36"

New Smyrna Beach

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
New Smyrna Beach Daybeacon 28	40645	STRUCT DEST/TRUB	FD
New Smyrna Beach Daybeacon 51	40805	STRUCT DEST/TRUB	FD
New Smyrna Beach Daybeacon 62	40845	STRUCT DEST/TRUB	FD

North Edisto River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
North Edisto River Inner Lighted Buoy 9	3885	MISSING	FD

North Newport River

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Timmons Reef E Obstruction Daybeacon	36500	STRUCT DEST	PA

Ogeechee River

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Fort Mcallister Fishing Pier Light	36360	LT EXT	PA

Oglethorpe Range

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Fort Jackson - Oglethorpe Range/General/Bridges/Inspection	Bridges	General/Bridges/Inspection From: 2025-02-21 To: 2025-04-12 Location: 32.08872° N / 81.09903° W Bridge Name: Talmadge Memorial Bridge - Savannah River An inspection of the Talmadge Memorial Bridge will occur from April 7 to 11, 2025, from 8 a.m. to 4 p.m. daily. Under-bridge inspection units (snoopers) will be on the bridge deck to reach under the bridge to perform inspections. The snoopers will be stowed or moved above the lowest portion of the bridge when marine traffic is approaching, as to not impede the vertical clearance under the bridge. There will be safety boats in the vicinity of the bridge. All mariners are advised to use caution when transiting the area.	Lat: 32° 05' 19" Lon: -081° 05' 57"

Okeechobee Waterway

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Taylor Creek Daybeacon 6	51915	STRUCT DEST/TRUB	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Dyess Canal Safewater Light DC	51980	STRUCT DEST	PA

Old Rhodes Key.

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Old Rhodes Key Light 22	11165	DBD DEST	FD
Old Rhodes Key Daybeacon 24	11175	STRUCT DEST/TRLB	FD

Ossabaw Sound

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Ossabaw Sound Preferred Channel Buoy N	5740	MISSING	FD
Ossabaw Sound North Channel Daybeacon 10	5760	STRUCT DEST/TRUB	FD
Ossabaw Sound North Channel Buoy 11	5765	OFF STATION	FD
Ossabaw Sound North Channel Daybeacon 12	5770	STRUCT DEST/TRUB	FD
Ossabaw Sound South Channel Daybeacon 5	5780	STRUCT DEST	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Delegal Creek Channel Light 1	36229	STRUCT DEST	PA
Delegal Creek Channel Buoy 2	36230	MISSING	PA
Delegal Creek Channel Buoy 4	36233	OFF STA	PA
Delegal Creek Channel Light 8	36241.1	LT EXT	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Charleston, Submerged Land Act (SLA) - Ossabaw Sound/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2025-03-12 To: 2026-09-08 Location: 31.86196° N / 81.03488° W Aid Name: Ossabaw Sound North Channel Daybeacon 10 LLNR: 5760 Action: CHANGE Action Type Change Aid Subtype The U.S. Coast Guard has approved the following change to the Aids to Navigation System in Ossabaw Sound. Ossabaw Sound North Channel DBN 10 (LLNR 5760) will be changed to Ossabaw Sound North Channel Buoy 10, using the same LLNR. Ossabaw Sound North Channel DBN 12 (LLNR 5770) will be changed to Ossabaw Sound North Channel Buoy 12, using the same LLNR. Ossabaw Sound South Channel DBN 5 (LLNR 5780) will be changed to Ossabaw Sound South Channel Buoy 5, using the same LLNR.	Lat: 31° 51' 43" Lon: -081° 02' 06"
Sector Charleston, Submerged Land Act (SLA) - Ossabaw Sound/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2025-03-12 To: 2026-09-08 Location: 31.8645° N / 81.05731° W Aid Name: Ossabaw Sound North Channel Daybeacon 12 LLNR: 5770 Action: CHANGE Action Type Change Aid Subtype The U.S. Coast Guard has approved the following change to the Aids to Navigation System in Ossabaw Sound. Ossabaw Sound North Channel DBN 10 (LLNR 5760) will be changed to Ossabaw Sound North Channel Buoy 10, using the same LLNR. Ossabaw Sound North Channel DBN 12 (LLNR 5770) will be changed to Ossabaw Sound North Channel Buoy 12, using the same LLNR. Ossabaw Sound South Channel DBN 5 (LLNR 5780) will be changed to Ossabaw Sound South Channel Buoy 5, using the same LLNR.	Lat: 31° 51' 52" Lon: -081° 03' 26"
Sector Charleston, Submerged Land Act (SLA) - Ossabaw Sound/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2025-03-12 To: 2026-09-08 Location: 31.82121° N / 81.03359° W Aid Name: Ossabaw Sound South Channel Daybeacon 5 LLNR: 5780 Action: CHANGE Action Type Change Aid Subtype The U.S. Coast Guard has approved the following change to the Aids to Navigation System in Ossabaw Sound. Ossabaw Sound North Channel DBN 10 (LLNR 5760) will be changed to Ossabaw Sound North Channel Buoy 10, using the same LLNR. Ossabaw Sound North Channel DBN 12 (LLNR 5770) will be changed to Ossabaw Sound North Channel Buoy 12, using the same LLNR. Ossabaw Sound South Channel DBN 5 (LLNR 5780) will be changed to Ossabaw Sound South Channel Buoy 5, using the same LLNR.	Lat: 31° 49' 16" Lon: -081° 02' 01"

Pablo Creek

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Pablo Creek Buoy 4	38355	MISSING	FD
Pablo Creek Light 17	38440	STRUCT MISSING/TRLB	FD

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Pablo Creek Temporary Light 9	38380.200000000004	ESTABLISHED	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
St Johns River - Pablo Creek/General/Bridges/Repairs, Painting, Or Fender Replacement	Bridges	General/Bridges/Repairs, Painting, Or Fender Replacement From: 2024-12-03 To: 2025-03-24 Location: 30.36087° N / 81.44288° W Bridge Name: Wonderwood Drive Bridge - SR 116 - AICW FDOT has contracted Hal Jones Contractor to conduct fender repairs. Barges and in water equipment will be located outside the navigational channel. Divers may be present during removal of debris. Mariners are requested to use caution when transiting the area.	Lat: 30° 21' 39" Lon: -081° 26' 34"

Palma Sola Bay.

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
------	------	--------	----------

Palma Sola Park Channel Daybeacon 1	59890	HAZ NAV/DAYMK MISSING	PA
Palma Sola Park Channel Daybeacon 4	59905	DAYMK MISSING	PA
Palma Sola Park Channel Daybeacon 5	59910	HAZ NAV/DAYMK MISSING	PA
Palma Sola Park Channel Daybeacon 6	59915	DAYMK MISSING	PA
Palma Sola Park Channel Daybeacon 7	59920	DAYMK MISSING	PA
Palma Sola Park Channel Daybeacon 8	59925	DAYMK IMCH	PA

Paradise Bay Estates Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Sarasota Municipal Pier Channel Daybeacon 2	58495	STRUCT MISSING	FD
Siesta Key-Tampa Bay Light 10	58535	STRUCT MISSING	FD
Siesta Key-Tampa Bay Daybeacon 16	58675	DAYMK MISSING	FD
Siesta Key-Tampa Bay Daybeacon 36	59325	HAZ NAV/STRUCT DEST	FD
Siesta Key-Tampa Bay Daybeacon 40	59350	STRUCT MISSING/TRUB	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Holiday Inn Marina Daybeacon 3	22047.3	STRUCT DEST	PA
Holiday Inn Marina Daybeacon 6	22047.7	STRUCT DEST	PA
Evans Artificial Reef Daybeacon	58480.5	STRUCT DEST/HAZ NAV	PA
Bay Isles Perimeter Channel Daybeacon 2	58667	DAYMK MISSING	PA
Bay Isles Perimeter Channel Daybeacon 9	58667.25	DAYMK MISSING	PA
Bay Isles Perimeter Channel Daybeacon 15	58667.450000000004	STRUCT DEST	PA
Bay Isles Perimeter Channel Daybeacon 24	58667.75	DAYMK MISSING	PA
Coral Shores Channel Daybeacon 3	59375	STRUCT DEST	PA
Coral Shores Channel Daybeacon 9	59405	STRUCT DEST	PA
Coral Shores Channel Daybeacon 12	59420	DAYMK MISSING	PA
Coral Shores Channel Daybeacon 30	59510	STRUCT DEST	PA
Mt Vernon & Coral Shores Daybeacon 1N	59535	STRUCT DEST	PA
Palma Sola Bay Channel Daybeacon 2	59636	STRUCT DEST	PA
Palma Sola Bay Channel Daybeacon 3	59640	STRUCT DEST	PA
Palma Sola Bay Channel Daybeacon 3A	59641	STRUCT DEST/HAZ NAV	PA
Palma Sola Bay Channel Daybeacon 4	59642	STRUCT DEST	PA
Palma Sola Bay Channel Daybeacon 5	59645	STRUCT DEST	PA
Palma Sola Bay Channel Junction A	59647	STRUCT DEST	PA
Cove Sound Moorings Daybeacon 1	59650	OFF STA/HAZ NAV/DAYMK MISSING	PA
Cove Sound Moorings Daybeacon 2	59655	OFF STA/HAZ NAV/DAYMK MISSING	PA
Cove Sound Moorings Channel Daybeacon 3	59657	DAYMK MISSING	PA
Perico Bayou Channel Daybeacon 9	59720	STRUCT DEST	PA
San Remo Shore Channel Daybeacon 2	59760	DAYMK MISSING	PA
San Remo Shore Channel Daybeacon 8	59785	STRUCT DEST	PA
San Remo Shore Channel Daybeacon 13	59800	DAYMK MISSING	PA
Palma Sola Bay Channel Daybeacon 9	59815	STRUCT DEST	PA
Palma Sola Bay Channel Daybeacon 10	59820	STRUCT DMGD	PA
Palma Sola Bay Channel Daybeacon 11	59825	STRUCT DEST/HAZ NAV	PA
Palma Sola Bay Channel Daybeacon 12	59830	DAYMK MISSING	PA
Palma Sola Bay Channel Daybeacon 15	59845	DAYMK MISSING	PA
Palma Sola Bay Channel Daybeacon 18	59860	STRUCT DEST	PA
Palma Sola Bay Channel Daybeacon 19	59865	DAYMK MISSING	PA
Palma Sola Bay Channel Daybeacon 21	59870.5	DAYMK MISSING/STRUCT DMGD	PA
Bradenton Beach City Channel Daybeacon 1	59935	DAYMK MISSING	PA
Bradenton Beach City Channel Daybeacon 2	59940	STRUCT DEST	PA
Bradenton Beach City Channel Daybeacon 3	59945	DAYMK MISSING	PA
Bradenton Beach City Channel Daybeacon 5	59955	STRUCT DEST	PA
Bradenton Beach City Channel Junction Daybeacon A	59980	STRUCT DEST	PA
Anna Maria Channel Daybeacon 1	60190	STRUCT DMGD	PA
Anna Maria Channel Daybeacon 2	60195	DAYMK MISSING	PA
Anna Maria Channel Daybeacon 9	60230	STRUCT DEST/HAZ NAV	PA
Anna Maria Channel Daybeacon 11	60240	STRUCT DEST	PA
Palma Sola Bay Channel Daybeacon 6	59646	STRUCT DEST/HAZ NAV	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Southwest Channel - Paradise Bay Estates Channel/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2025-03-07 To: 2025-09-03 Location: 27.46382° N / 82.68951° W Aid Name: Siesta Key-Tampa Bay Light 48 LLNR: 59565 Action: RELOCATE New position: 27-27-49.773N / 082-41-22.025W FI R 4s	Lat: 27° 27' 50" Lon: -082° 41' 22"

Pass-A-Grille

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Pass-A-Grille Channel Daybeacon 1	25460	STRUCT MISSING/TRLB/HAZ NAV	FD
Pass-A-Grille Channel Daybeacon 2	25465	STRUCT DEST/HAZ NAV/TRLB	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Dent Channel Daybeacon 2	25510.1000000000002	STRUCT DEST	PA
Dent'S Channel Daybeacon 5	25520	STRUCT DEST	PA

Peace River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Peace River Light 4	20675	STRUCT MISSING/TRLB	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Ponce De Leon Park Channel Daybeacon 4	20455	STRUCT DEST	PA
Ponce De Leon Park Channel Light 9	20470	LT EXT	PA
Ponce de Leon Park Channel Daybeacon 18	20474.5	STRUCT DEST	PA
Elkcam Waterway Light 1	20905	LT EXT	PA
Manchester Waterway Daybeacon 14	20981.5	STRUCT DEST	PA
Manchester Waterway Daybeacon 17	20981.9	STRUCT DEST	PA
Manchester Waterway Daybeacon 24	20982.8	STRUCT DEST	PA
Countryman Waterway Channel Daybeacon 3	20990	DAYMK MISSING	PA
Countryman Waterway Channel Daybeacon 6	20997	STRUCT DEST	PA
Sunrise Waterway Daybeacon 2	21020	STRUCT DEST/HAZ NAV	PA
Spring Lake Waterway Daybeacon 21	21056.8	STRUCT DEST/HAZ NAV	PA
Spring Lake Waterway Daybeacon 23	21056.9	STRUCT DMGD	PA
Spring Lake Waterway Daybeacon 27	21057.2	STRUCT DEST	PA
Peace River (North Section) Daybeacon 7	21210	OFF STA	PA
Peace River (North Section) Daybeacon 9	21215	OFF STA	PA
Peace River (North Section) Daybeacon 10	21220	STRUCT DEST	PA
Peace River (North Section) Daybeacon 11	21225	OFF STA	PA
Peace River (North Section) Daybeacon 14	21235	STRUCT DEST	PA

Pine Island Sound

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Pine Island Sound Daybeacon 5	54825	STRUCT MISSING/TRUB	FD
Pine Island Sound Light 20	55425	STRUCT DEST/HAZ NAV/TRLB	FD
Pine Island Sound Daybeacon 28	55565	STRUCT MISSING	FD
Pine Island Sound Daybeacon 34	55590	STRUCT MISSING	FD
Pine Island Sound Light 45A	55900	DAYMK MISSING	FD
Pine Island Sound Daybeacon 53	56000	STRUCT MISSING	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Matlacha Pass Daybeacon 53	55130	STRUCT DEST	PA
Matlacha Pass Daybeacon 79	55225	DAYMK MISSING	PA
Matlacha Pass Daybeacon 81	55230	DAYMK MISSING	PA
Matlacha Pass Daybeacon 83	55235	DAYMK MISSING	PA
Matlacha Pass Daybeacon 85	55240	DAYMK MISSING	PA
Matlacha Pass Daybeacon 87	55245	DAYMK MISSING	PA
Matlacha Pass Daybeacon 89	55250	DAYMK MISSING	PA

Matlacha Pass Daybeacon 91	55255	DAYMK MISSING	PA
Matlacha Pass Daybeacon 92	55260	DAYMK MISSING	PA
Matlacha Pass Daybeacon 93	55265	DAYMK MISSING	PA
Paradise Canal Daybeacon 1	55310	DAYMK MISSING	PA
Paradise Canal Daybeacon 2	55315	DAYMK MISSING	PA
Paradise Canal Daybeacon 3	55320	STRUCT DEST	PA
Paradise Canal Daybeacon 5	55330	STRUCT DEST	PA
Safety Harbor Channel Daybeacon 1	55915	STRUCT DEST	PA
Safety Harbor Channel Daybeacon 3	55923	STRUCT DEST	PA
Safety Harbor Channel Daybeacon 5	55925	DAYMK MISSING	PA
Safety Harbor Channel Daybeacon 4	55930	DAYMK MISSING	PA
Safety Harbor Channel Daybeacon 7	55933	STRUCT DEST	PA
Safety Harbor Channel Daybeacon 9	55935	STRUCT DEST	PA
Safety Harbor Channel Daybeacon 11	55940	STRUCT DEST	PA
Safety Harbor Channel Daybeacon 12	55950	DAYMK MISSING	PA
Safety Harbor Channel Daybeacon 17	55960	DAYMK MISSING	PA
Safety Harbor Channel Daybeacon 19	55965	DAYMK MISSING	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
San Carlos Bay - Pine Island Sound/General/Bridges/Closure (Scheduled Or Emergency)	Bridges	General/Bridges/Closure (Scheduled Or Emergency) From: 2024-11-05 To: 2025-05-04 Location: 26.63257° N / 82.06782° W Bridge Name: Matlacha Pass Bridge Matlacha Pass (SR 78) Drawbridge, mile 6.0 at Fort Myers, is not operational due to electrical and hydraulic damage sustained during Hurricane Ian in September 2022. The bridge is unable to provide openings and an estimated repair date is yet to be determined. Vessels which may safely pass without an opening may do so at any time. Mariners are advised to transit the area with caution and seek other routes if unable to pass under the bridge safely without an opening. For further information contact Lee County DOT at (239) 533-9403, or U.S. Coast Guard Sector St. Petersburg at (727) 824-7506 or via email at D07-SMB-Tampa-WWM@uscg.mil	Lat: 26° 37' 57" Lon: -082° 04' 04"

Pithlachascotee River

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Pithlachascotee River Daybeacon 43	26765	STRUCT DEST	PA
Pithlachascotee River Daybeacon 48	26780	STRUCT DEST/HAZ NAV	PA
Pithlachascotee River Daybeacon 51	26790	STRUCT DEST	PA
Pithlachascotee River Daybeacon 56	26805	STRUCT DEST	PA

Point Pinellas Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Point Pinellas Channel Light 2	24705	STRUCT DEST	FD
Point Pinellas Channel Light 6	24725	STRUCT MISSING	FD
Point Pinellas Channel Light 7	24735	STRUCT MISSING/TRLB/MISSING	FD
Point Pinellas Channel Light 9	24735.1000000000002	STRUCT MISSING	FD
Point Pinellas Channel Light 10	24735.2	STRUCT MISSING/TRLB	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Little Bayou Approachroach Daybeacon 3	24765	DAYMK MISSING	PA
Little Bayou Approachroach Daybeacon 7	24775	STRUCT MISSING	PA
Little Bayou Approachroach Daybeacon 9	24780	STRUCT DEST	PA
Coquina Key Cut Daybeacon 3	24835	STRUCT DEST/HAZ NAV	PA

Ponce De Leon Cut

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Ponce De Leon Cut Daybeacon 18	40610	STRUCT DEST/TRUB	FD

Ponce De Leon Inlet

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Ponce De Leon Inlet North Jetty Light	9520	STRUCT DEST	FD
Ponce De Leon Inlet Lighted Buoy 3	9525	OFF STATION	FD

Ponce De Leon Inlet Lighted Buoy 4	9530	OFF STATION	FD
Ponce De Leon Inlet Light 12	9570	STRUCT DEST/TRLB	FD

Port Everglades

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Port Everglades South Regulatory Light	10349	STRUCT DMGD	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Miami, Submerged Land Act (SLA) - Port Everglades/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2024-10-20 To: 2025-04-18 Location: 26.0961° N / 80.12005° W Orion Marine Construction, Inc. will be starting construction of the above referenced project from the water side using two crane loaded deck barges (999 crane on KS6019 barge and 1250 crane on KS6012 barge) along with four material barges (TBD1 through TBD4); all being serviced by a full-time push boat (TBD5). Orion will be on-site on July 15, 2024, and will start working on all activities related to the replacement of approximately 2300 feet of bulkhead. Hours of operation will be from 7 a.m. to 7 p.m. The estimated completion date is July 1, 2026. All the barges are intended to be spudded around the Port Everglades Berths 1-3 and 1A-1D area (26-05-53.68N / 080-07-12.11W) while working on replacing the bulkhead in those locations. Vessels will be monitoring VHF-FM channel 11.	Lat: 26° 05' 46" Lon: -080° 07' 12"
Sector Miami, Submerged Land Act (SLA) - Port Everglades/General/Marine Construction (Excluding Bridges)/Survey Operations	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Survey Operations From: 2025-02-10 To: 2025-03-21 Location: 27.80113° N / 78.48221° W 27.53843° N / 78.48221° W 27.44097° N / 79.43253° W 26.42724° N / 79.47648° W 25.99664° N / 80.11368° W 26.21553° N / 80.07523° W 26.54524° N / 79.63578° W 27.59199° N / 79.61381° W 27.80113° N / 78.48221° W The R/V GEO RESOLUTION will be conducting an undersea telecommunications cable survey in US Atlantic coast beginning on or about February 21, 2025, with an estimated completion date of March 10, 2025 and will make a port call in Fort Lauderdale. Cable route survey operations will be conducted 7 days a week, 24 hours a day including the stern deployment of a sonar towfish tethered with steel cable at varying water depths to collect geophysical/bathymetric mapping data for a proposed undersea telecommunications cable. The towfish towing wire layback will be 3x water depth behind the vessel stern. The maximum water depth of tow operations will be 1000 meters. The sonar sensor (below) will be towed approx. 20-40 meters from the seafloor. Operations in water depths greater than 1000 meters will utilize hull mounted equipment only. R/V GEO RESOLUTION will be monitoring VHF-FM channels 16 and 13. All vessels and fishing activities are requested to maintain a 1 nautical mile closest point of approach.	

Port Manatee Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Port Manatee Channel Outbound Range Rear Light	22558	STRUCT DEST/TRLB	FD
Port Manatee Channel Outbound Range Rear Passing Light	22559	STRUCT DEST	FD

Port Royal Sound

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Mackay Creek Light 1	4170	LT IMCH/STRUCT DMGD	PA

Port Sutton Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Port Sutton Channel Range Rear Light	23580	LT IMCH	FD

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Port Sutton Channel Range Front Light	23575	WATCHING PROPERLY	FD	2025-03-17

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Hillsborough Cut D Channel - Port Sutton Channel/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2024-10-20 To: 2025-04-18 Location: 27.91124° N / 82.42734° W 27.90335° N / 82.42459° W 27.90366° N / 82.43489° W 27.89759° N / 82.43592° W 27.89789° N / 82.44416° W 27.90548° N / 82.44176° W 27.91124° N / 82.42734° W Orion Marine will conduct mechanical clamshell dredge operations at miscellaneous berths and shipping channels within Tampa Harbor, with an anticipated completion date of March 30, 2025. Work hours are 12 hours per day 7 days per week during daylight. Mechanical Clamshell Dredging will be performed within Port Tampa Bay (also inclusive of Port Sutton Channel, Port Sutton Turning Basin, Ybor Channel, Upper and Lower Sparkman Channels, East Bay Channel and Channel Extensions, Port Redwing, and Big Bend Channel). Loaded scow barges will be transported from the dredge areas (above) to the North side of Disposal Island 2D. Material from scow barges will be slurried and hydraulically pumped to the Disposal Island 2D. via submerged high-density polyethylene pipeline. Approximate Location of Temporary Features North of Disposal Island 2D: BG1A Offloading Barge 230 feet by 60 feet w/ Spuds 27-53-16.90N/82-25-56.78W MP1A Mooring Pile #1A 24 inch Round Steel 27-53-16.65N/082-25-55.62W MP2A Mooring Pile #2A 24 inch Round Steel 27-53-16.45N/082-25-54.78W MP3A Mooring Pile #3A 24 inch Round Steel 27-53-16.31N/082-25-53.88W Pipeline Discharge on 2D 16 inch HDPE Pipe 27-53-00N/082-25-51W Mariners are urged to use extreme caution in the area, transit at their slowest safe speed to minimize wake, and proceed with caution after passing arrangements have been made on VHF-FM channels 13, 16 or 79 with contact vessel M-1702 (HS Liebherr 895 HD). Floating rubber pipeline and submerged polyethylene pipeline associated with the hydraulic unloading operation(s) at the Disposal Island will be utilized. Pipeline, vessels, and mooring piles will be visibly lighted. For further information contact: Thomas Mitchell at (813) 220-5948 or Brian Yaksh at (904) 236- 0036.	

Ppg Industries

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Ppg Industries Lighted Buoy 1	32150	MISSING	PA
Ppg Industries Lighted Buoy 2	32155	MISSING	PA
PPG Industries Lighted Buoy 3	32160	OFF STA	PA

Puerto Arcibo

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Puerto Arcibo Buoy 6	30734	RESET ON STATION	FD	2025-03-14

Puerto Del Rey Marina

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Bajos Chinchorro Del Sur Light	31380	STRUCT DEST	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Puerto Del Rey Marina/General/Hazards To Navigation/Hazards	Hazards To Navigation	The U.S. NAVY is advising all mariners to refrain from entering the following area in Ceiba, Puerto Rico: the waters surrounding Isla Piñeros. Mariners are advised to stay away from this danger zone until further notice, as it contains (UXO) Unexploded Ordnance. The U.S. Coast Guard may be contacted via VHF-FM Channel 16 or via landline at (787) 289-2041. For more information, contact Mrs. Maria Danois at (757) 412-7843 or email: maria.m.danois.civ@us.navy.mil.	

Puerto Nuevo Channel

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Isla Grande Pier 16 Southeast Light	30920	LT EXT	PA

Punta Gorda

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Punta Gorda East Jetty Light	31180	STRUCT DEST	PA
Punta Gorda West Jetty Light	31185	STRUCT DEST	PA
Punta Gorda East Seawall Light	31190	STRUCT DEST	PA
Punta Gorda West Seawall Light	31195	STRUCT DEST	PA

Radas Roosevelt Passage

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Radas Roosevelt Passage/General/Hazards To Navigation/Hazards	Hazards To Navigation	General/Hazards To Navigation/Hazards From: 2025-01-29 To: 2027-07-28 Location: 18.17261° N / 65.39295° W 18.15467° N / 65.30472° W 18.15924° N / 65.28892° W 18.13738° N / 65.25219° W 18.13445° N / 65.26798° W 18.14815° N / 65.28824° W 18.14162° N / 65.30128° W 18.16218° N / 65.39432° W 18.15533° N / 65.44273° W 18.16283° N / 65.44548° W 18.17261° N / 65.39295° W The U.S. NAVY is advising all mariners to refrain from entering the following areas in Vieques, Puerto Rico: Northeast from Puerto Diablo to Punta Este and on the Southeast on Bahia Salinas Del Sur. Mariners are advised to stay away from this danger zone until further notice, as it contains (UXO) Unexploded Ordnance. The U.S. Coast Guard may be contacted via VHF-FM Channel 16 or via landline at (787) 289-2041. For more information, contact Mrs. Maria Danois at: (757) 412-7843 or email: maria.m.danois.civ@us.navy.mil.	

Redfish Pass

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Port Boca Grande Light	1305	NIGHT LT BURNING DAY	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Redfish Pass Lighted Buoy 1	1255	BUOY DMGD	PA
Redfish Pass Buoy 2	1257	BUOY DMGD	PA
Redfish Pass Buoy 4	1260	BUOY DMGD	PA

Redhook Bay.

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Redhook Bay Buoy 2	32425	OFF STA	PA

Riverside

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Riverside Daybeacon 43	8980	STRUCT DEST/TRUB/OFF STATION	FD

Roberts Bay Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Roberts Bay Channel Light 13	57760	DAYMK MISSING	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Dona Bay Channel Daybeacon 6	21455.600000000002	STRUCT DEST	PA
Dona Bay Channel Daybeacon 9	21455.9	STRUCT DEST	PA
Dona Bay Channel Daybeacon 10	21456	STRUCT DEST/HAZ NAV	PA
Higel Park North Channel Buoy 1	57776	MISSING	PA
Higel Park North Channel Buoy 3	57777	MISSING	PA

Rockdedundy River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Rockdedundy River Daybeacon 188	36850	STRUCT DEST/TRUB	FD

Rocky Reef

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Rocky Reef Daybeacon 12	51235	STRUCT DEST	FD

San Carlos Bay.

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
San Carlos Bay Channel Light 10	18035	STRUCT MISSING/TRLB	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Port Sanibel Marina Daybeacon 12	18068.100000000002	HAZ NAV/DAYMK MISSING	PA
Port Sanibel Marina Daybeacon 26	18069.3	DAYMK MISSING	PA
Port Sanibel Marina Daybeacon 30	18069.5	DAYMK DMGD	PA
Port Sanibel Marina Daybeacon 33	18069.7	DAYMK MISSING	PA
Port Sanibel Marina Daybeacon 42	18069.98	DAYMK MISSING	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
San Carlos Bay/General/Bridges/Construction	Bridges	General/Bridges/Construction From: 2024-11-12 To: 2026-12-31 Location: 26.40435° N / 81.88092° W Bridge Name: Big Carlos Pass Bridge - Big Carlos Pass Superior Construction, on behalf of the bridge owner Lee County, will be replacing the Big Carlos (SR 865) Bridge over the Big Carlos Pass. The existing bascule bridge will be replaced with a higher-level fixed bridge. In-water work is expected to begin October 2023 and will continue through December 2026. A temporary work trestle will be installed oceanward of the bridge and will span the waterway except across the main navigational channel. The work trestle will provide only 5 feet of vertical clearance throughout the structure. The drawbridge will remain fully operational at this time. All mariners are requested to use extreme caution and proceed at slow speed when transiting Big Carlos Pass and remain in the main channel when proceeding through the bridge. All in-water equipment is required to be lighted at night. For further information please contact U.S. Coast Guard Sector St. Petersburg at 727-824-7506 or via email at D07-SMB-Tampa-WWM@uscg.mil.	Lat: 26° 24' 16" Lon: -081° 52' 51"

San Sebastian River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
San Sebastian River Daybeacon 20	39170	STRUCT DEST	FD

Sand Key

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Bay Pines Channel Daybeacon 1	61225	STRUCT DEST	PA
Bay Pines Channel Daybeacon 7	61240	STRUCT DEST	PA
Bay Pines Channel Daybeacon 16	61265	STRUCT DEST	PA
Bay Pines Channel Daybeacon 19	61275	STRUCT DMGD	PA
Bay Pines Channel Daybeacon 31	61310	STRUCT DEST	PA

Sapelo River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Sapelo River Daybeacon 2	5875	STRUCT MISSING	FD

Sapelo Sound

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Sapelo Sound Buoy 2	5840	MISSING	FD
Sapelo Sound Buoy 5	5850	OFF STATION	FD
Sapelo Sound Light 138	36630.1	STRUCT DEST/TRLB	FD

Sawpit Creek

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Sawpit Creek Daybeacon 49A	38193	DISCONTINUED	FD
Sawpit Creek Daybeacon 50	38195	RELOCATED FOR DREDGING	FD
Sawpit Creek Temporary Daybeacon 50A	38195.1	ESTABLISHED	FD

Sector Charleston, Exclusive Economic Zone (EEZ)

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
NOAA Data Lighted Buoy 41002 (ODAS)	830	ADRIFT	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Tybee Creek Fishing Pier Light	370	LT EXT	PA

Sector Charleston, Submerged Land Act (SLA)

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
St Andrew Sound Wreck Temporary Lighted Buoy	37386	ESTABLISHED	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Charleston, Territorial Sea - Sector Charleston, Submerged Land Act (SLA)/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2025-03-12 To: 2025-09-08 Location: 32.79037° N / 79.78969° W Private Aid Name: Isle Of Palms Obstruction Daybeacon A LLNR: 34517 Action: ESTABLISH Position: 32-47-25.318N 079-47-22.887W Labeled: "DANGER OBSTRUCTION"	Lat: 32° 47' 25" Lon: -079° 47' 23"

Sector Charleston, Territorial Sea - Sector Charleston, Submerged Land Act (SLA)/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2025-01-21 To: 2025-06-16 Location: 33.82303° N / 78.65191° W Beginning on or about February 1, 2025 and until approximately June 1, 2025, Coastal Dredging Company's dredge, Charles G. Yopp, will begin maintenance dredging activities in the vicinity of House Creek, in the vicinity of Cherry Grove Beach which is located in the City of North Myrtle Beach, South Carolina, and will be pumping dredged sediments, via pipeline, to the Upland Confined Disposal Facility located at the Tidewater Basin which is adjacent to the AIWW. Hours of operation will be approximately 7 a.m. to 11 p.m., Monday through Sunday. During this period all vessels operating in the vicinity of this area are requested to keep a sharp lookout for pipeline and dredge activity equipment and operate their vessels at a safe speed. All vessels in this vicinity should monitor VHF Channel 16 or Channel 66 while approaching and passing dredge activity. If you need additional information you may call Billy Jordan (captbillyjordan@gmail.com) 843-670-1209 or Jonathan Yopp (coastaldredgingllc@yahoo.com) 910-389-7604.	Lat: 33° 49' 23" Lon: -078° 39' 07"
---	---	---	--

Sector Charleston, Territorial Sea

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Charleston Sixty Foot Reef Buoy	230	OFF STA	PA
Folly Beach Fishing Pier Obstruction Light	235	LT EXT	PA
North Edisto Reef Lighted Buoy	260	MISSING	PA
Edisto Sixty Foot Reef Buoy	270	OFF STA	PA
General Gordon Wreck Fish Haven Buoy	305	OFF STA	PA
Whitewater Reef Buoy	335	OFF STA	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Charleston, Exclusive Economic Zone (EEZ) - Sector Charleston, Territorial Sea/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2025-02-12 To: 2026-08-11 Location: 31.04263° N / 81.25632° W Aid Name: Brunswick Spoil Area Lighted Buoy C LLNR: 518 Action: RENAME Brunswick Spoil Area Lighted Buoy C (LLNR 518) will be changed to Brunswick Spoil Area Lighted Buoy D (LLNR 518). The name change is to alleviate confusion when the Brunswick Pilots instruct commercial vessels to rendezvous with the pilot boat at the "Sea Buoy" (St Simons Sound Lighted Buoy STS). The similarity in names between the two aids has caused confusion amongst mariners. With the Brunswick Spoil Area Lighted Buoy C marking a shoal, this confusion could lead to a potential grounding.	Lat: 31° 02' 33" Lon: -081° 15' 23"

Sector Jacksonville, Submerged Land Act (SLA)

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
St. Johns Light	575	LT IMCH	FD
Ponce de Leon Inlet Lighted Bell Buoy 2	615	OFF STATION	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Jacksonville, Territorial Sea - Sector Jacksonville, Submerged Land Act (SLA)/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2024-10-20 To: 2025-04-18 Location: 30.51259° N / 81.44003° W Southwind Construction Corp. will be conducting hydraulic dredging with beach and upland disposal placement in the vicinity of cuts 23 through 27 with fill placement at Amelia Island State Park and DU-2 Upland Placement Area Summer Haven Beach near Nassau Sound, Florida. Operations are expected to commence September 4, 2024, with an estimated completion date of March 2, 2025. Operations will be conducted 24 hours a day/ 7 days a week. Dredge vessel ANDI RAE and workboats PROUD MARY and MISS LEANNE will be monitoring VHF-FM channels 13 and 16. Submerged and floating pipeline associated with dredging operation; use extreme caution in the area. Mariners are urged to transit at the slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. Pipeline and vessels will be visibly lighted and marked pursuant to USCG regulations. A submerged pipeline will be positioned from the active dredging areas within the federal channels of the AIWW, Clapboard and Sawpit Creeks traversing across Nassau Sound near the A1A bridge to Amelia Island State Park. For Further Information contact: the Project Manager, Darrell Stewart at dstewart@southwindco.com.	Lat: 30° 30' 45" Lon: -081° 26' 24"
Sector Jacksonville, Territorial Sea - Sector Jacksonville, Submerged Land Act (SLA)/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2024-12-06 To: 2025-06-23 Location: 28.40953° N / 80.58635° W 28.32585° N / 80.60352° W 28.32676° N / 80.6073° W 28.40772° N / 80.59082° W 28.40953° N / 80.58635° W Great Lakes Dredge and Dock Company, LLC will be conducting dredging on or about December 25, 2024, with an estimated completion date of June 1, 2025. DREDGE ILLINOIS will be dredging approximately 1.5 million cubic yards of beach compatible sand from the Sand Bypass Dredging Area (SBDA) and transporting the excavated material to the beach placement area, approx. 0.5 to 9.5 miles south of the Cape Canaveral south jetty. The SBDA is located approximately 0.1 to 1.6 miles north of the Port Canaveral North Jetty and within Cape Canaveral Space Force Station (CCSFS). Other vessels being used are Derrick GL 64 anchor Barge GL 117, crew Boat MUSKEGON RIVER, survey Boat PEARL RIVER, tug BAYOU BRAVE, tug LISTO, tug SMITH HUNTER, tug SYLVIE FAYE, multi cat CAPE CANAVERAL. Vessels will be monitoring VHF-FM channels 5, 13 and 16.	
Sector Jacksonville, Territorial Sea - Sector Jacksonville, Submerged Land Act (SLA)/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2024-12-30 To: 2025-06-28 Location: 30.70112° N / 81.42749° W 30.70053° N / 81.40072° W 30.61015° N / 81.35402° W 30.61074° N / 81.43779° W 30.70112° N / 81.42749° W Manson Construction Co. will be conducting hopper dredging (NEWPORT and GLENN EDWARDS) with beach disposal (Fort Clinch and North Beach) and nearshore/offshore disposal (south of Saint Marys Entrance) of dredged material. Operations are expected to commence on or about January 2, 2025, with an estimated completion date of March 15, 2025. Dredging operations to be conducted 7 days per week, 24 hours per day. Vessels will be monitoring VHF-FM channels 13, 16 and 66. Manson respectfully requests that all vessels transiting the dredging, disposal, and pipe assembly/disassembly areas reduce speed.	
Sector Jacksonville, Territorial Sea - Sector Jacksonville, Submerged Land Act (SLA)/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2025-01-21 To: 2025-11-30 Location: 29.11424° N / 80.95783° W 29.07404° N / 80.91148° W 29.04162° N / 80.90393° W 28.97827° N / 80.89363° W 29.02602° N / 80.92281° W 29.11424° N / 80.95783° W Gator Dredging will be dredging Ponce Inlet and connecting ICW, disposing onto Ponce Inlet Beach. Operations are expected to commence on or about March 3, 2025, with an estimated completion date of November 7, 2025. Mariners are urged to use extreme caution in the area, transit at their slowest safe speed to minimize wake, and proceed with caution after passing arrangements have been made. Floating and submerged high density polyethylene (HDPE) and steel pipeline associated with the hydraulic dredging operations of the channel will be utilized. Pipeline, work vessels, dredge barge, booster pump barge(s) and buoys will be visibly lighted and marked according to coast guard regulations and will be in the area until all work is complete and can change configuration daily. Vessels BRITTNY B and DREDGE CLEARWATER and/or equipment will be in multiple locations at the same time and monitor VHF-FM channel 16.	

Sector Jacksonville, Territorial Sea - Sector Jacksonville, Submerged Land Act (SLA)/General/Marine Construction (Excluding Bridges)/Survey Operations	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Survey Operations From: 2025-02-19 To: 2025-04-07 Location: 28.42886° N / 80.10639° W 26.70514° N / 79.78779° W 25.66011° N / 79.93061° W 25.70095° N / 80.14827° W 25.79125° N / 80.11326° W 26.69042° N / 80.01301° W 28.23545° N / 80.58979° W 28.42886° N / 80.52387° W 28.42886° N / 80.10639° W Fugro USA Marine inc will be conducting hydrographic surveys from west of the Florida Keys up the east coast to Port Canaveral, FL. Operations are expected to begin on or about February 25, 2025, with an estimated completion date of March 25, 2025, and be conducted. R/V FUGRO BRASILIS will be operating Multi Beam Echo Sounders and deploying sound velocity profilers from stern 7 days a week, 24 hours day. They will be monitoring VHF-FM channel 16.	
--	---	--	--

Sector Jacksonville, Territorial Sea

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
St Marys Entrance Lighted Buoy 1	6515	RELIGHTED	FD	2025-03-14

Sector Key West, Exclusive Economic Zone (EEZ)

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Dry Tortugas Southeast Channel Light 1	15440	HAZ NAV/LT EXT/DAYMK MISSING	FD
Dry Tortugas Southeast Channel Light 3	15450	STRUCT DEST/HAZ NAV/TRLB/MISSING	FD
Dry Tortugas Southeast Channel Daybeacon 4	15455	DBD DEST	FD
Dry Tortugas Southeast Middle Ground Daybeacon	15460	DBD DEST	FD
Fort Jefferson West Channel Daybeacon 3	15530	DBD DEST	FD
Fort Jefferson West Channel Daybeacon 10	15560	STRUCT DEST	FD

Sector Key West, Submerged Land Act (SLA)

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Davis Reef Light 14	970	LT EXT	FD
Cosgrove Shoal Light	1070	LT EXT	FD
Halfmoon Shoal Light WR2	1085	STRUCT DEST	FD
New Ground Rocks Light	1190	HAZ NAV/LT EXT/STRUCT DMGD/TRLB	FD
Smith Shoal Light	1200	LT EXT	FD
Broad Creek Light 6	1215	DAYMK MISSING	FD
Soldier Key Daybeacon 2	10890	DAYMK MISSING	FD
Turtle Harbor West Shoal Preferred Channel Light	11455	STRUCT DEST	FD
Key Largo Light 25	11485	STRUCT DEST	FD
Key Largo Light 25	11485	DBD DMGD	FD
Basin Hills Light 31BH	11500	STRUCT DEST	FD
Key Largo Daybeacon 32A	11675	STRUCT DEST/TRLB	FD
Mosquito Bank Light 2	11895	STRUCT DEST/HAZ NAV/TRLB	FD
Channel Key Daybeacon 7	12430	STRUCT DEST/HAZ NAV/TRLB	FD
Porpoise Key Daybeacon 2	12685	HAZ NAV/DAYMK MISSING/TRLB	FD
Moser Channel South Daybeacon 5	13865	STRUCT DEST/TRLB/HAZ NAV	FD
Bahia Honda Key Light 49A	13875	DAYMK MISSING	FD
Niles Channel Daybeacon 6	13955	STRUCT DEST/HAZ NAV/TRLB	FD
Loggerhead Key Light 50A	13980	STRUCT DEST/TRLB	FD
Loggerhead Key Light 50A	13980	HAZ NAV/STRUCT DEST/TRLB	FD
Pirates Cove Daybeacon 10	14175	STRUCT DEST/HAZ NAV/TRLB	FD
Boca Chica Channel Light 1	14505	HAZ NAV/STRUCT MISSING/TRLB	FD
Key West Main Channel Range Front Light	14815	STRUCT DEST/TRLT	FD
Key West Northwest Channel Daybeacon 15	15230	STRUCT DEST/TRUB	FD
Calda Channel Light 1	15330	STRUCT DEST/HAZ NAV/TRLB	FD
Calda Channel Daybeacon 5	15340	HAZ NAV/STRUCT DEST/TRLB	FD
Calda Channel Daybeacon 6	15345	STRUCT DEST/HAZ NAV/TRLB	FD
Calda Channel Daybeacon 18	15400	STRUCT DEST/HAZ NAV/TRLB	FD
Calda Channel Daybeacon 22	15415	STRUCT DEST/HAZ NAV/TRLB	FD
Fort Jefferson East Channel Daybeacon 3	15470	STRUCT DEST/HAZ NAV/TRLB/MISSING	FD
Fort Jefferson East Channel Daybeacon 5	15475	HAZ NAV/DAYMK MISSING/TRLB	FD
Fort Jefferson East Channel Daybeacon 6	15480	STRUCT DEST/HAZ NAV/TRLB	FD
Fort Jefferson East Channel Daybeacon 7	15485	STRUCT DEST/HAZ NAV/TRLB	FD

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Key West Main Channel Cut A Range Front Light	14845	RELIGHTED	FD	2025-03-12

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Newfound Harbor Key Buoy C	1003.4	MISSING	PA
Newfound Harbor Key Buoy D	1003.6	MISSING	PA
Western Sambo Buoy B	1024.2	MISSING	PA
Sand Key Buoy B	1054.2	MISSING	PA
Lewis Cut Shoal West Buoy	10907.5	MISSING	PA
Broad Creek Daybeacon 2	11177.1	STRUCT DEST	PA
Broad Creek Daybeacon 13	11177.6	STRUCT DEST	PA
Dispatch Creek Channel Daybeacon 20	11435	DAYMK IMCH	PA
Harbor Course Creek Daybeacon 1	11440	DAYMK IMCH	PA
Harbor Course Creek Daybeacon 2	11445	DAYMK IMCH	PA
Garden Cove Daybeacon 22	11645	STRUCT DEST	PA
Port Largo Channel Light 7	11765.300000000001	STRUCT DEST	PA
Key Largo Ocean Resort Light 2	11945	LT EXT	PA
Blue Water Trailer Vill Daybeacon 2	12015	STRUCT DEST	PA
Red Bay Shoal Daybeacon A	12511	STRUCT DEST	PA
La Siesta Resort Daybeacon 2	12810	STRUCT DEST/HAZ NAV	PA
Upper Matecumbe West Channel Daybeacon 1	12825	STRUCT DEST/HAZ NAV	PA
Caloosa Cove Channel Daybeacon 11	13385	STRUCT DMGD	PA
Duck Key Inlet Channel Light 1	13500	STRUCT DEST	PA
Duck Key Inlet Channel Daybeacon 2	13505	STRUCT DEST	PA
Duck Key Inlet Channel Daybeacon 7	13525.5	STRUCT DEST	PA
Coco Plum Channel Daybeacon 2	13625	STRUCT DEST	PA
Coco Plum Channel Daybeacon 3	13630	STRUCT DEST	PA
Coco Plum Channel Daybeacon 4	13635	STRUCT DEST	PA
Bonefish Bay Channel Daybeacon 2	13670	STRUCT DEST	PA
Bonefish Bay Channel Daybeacon 4	13673	STRUCT DEST	PA
Bonefish Bay Channel Daybeacon 5	13675	STRUCT DEST	PA
Bonefish Bay Channel Daybeacon 7	13676	STRUCT DEST	PA
Bonefish Bay Channel Daybeacon 8	13676.300000000001	STRUCT DEST	PA
Bonefish Bay Shoal Daybeacon	13676.5	STRUCT DEST	PA
Bonefish Bay Channel Daybeacon 10	13676.7	STRUCT DEST	PA
Bonefish Bay Channel Daybeacon 11	13676.9	STRUCT DEST	PA
Bonefish Bay Channel Daybeacon 13	13677	STRUCT DEST	PA
Boat House Channel Buoy 3	13680.2	MISSING	PA
Dolphin Marina Channel Daybeacon 2	13936.2	STRUCT DEST	PA
Kemp Channel Daybeacon 2	13990	STRUCT DEST/HAZ NAV	PA
Kemp Channel Daybeacon 19	14073	STRUCT DEST	PA
Kemp Channel Daybeacon 24	14095	STRUCT DEST/HAZ NAV	PA
Tamarac Park Channel Obstruction E Daybeacon	14450	STRUCT DEST	PA
Key West Oceanside Marina Daybeacon 2	14670	DAYMK MISSING	PA
Cow Key Channel Daybeacon 11	14740	STRUCT DMGD	PA
Cow Key Channel Daybeacon 13	14745	STRUCT DMGD	PA
Cow Key Channel Daybeacon 36	14767.9	STRUCT DMGD	PA
Casa Marina Daybeacon 4	14795	STRUCT DEST	PA
Fort Taylor West Obstruction Light	14887	LT EXT	PA
Key West Mooring Field Light A	14980.1	LT EXT	PA
Key West Mooring Field Light B	14980.2	LT EXT	PA
Key West Mooring Field Light C	14980.300000000001	STRUCT DEST/HAZ NAV	PA
Key West Mooring Field Light D	14980.4	LT EXT	PA
Key West Mooring Field Light E	14980.5	LT EXT	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Key West Main Channel/ATON/Advanced Notice of Change	Advanced Notice of Change	Key West Main Channel Range Front Light (LLNR 14815) will be relocated to approximate position 24-32-17.396N/081-48-22.958W. The RFL will be changed to a day/night optic, continuing to display a Q G flash characteristic for a 24hr continuous cycle. The daymarks will be discontinued.	Lat: 24° 32' 17" Lon: -081° 48' 23"
Key West Main Channel/ATON/Advanced Notice of Change	Advanced Notice of Change	Key West Main Channel Range Rear Light (LLNR 14820) will be changed to a day/night optic, continuing to display an ISO G 6s flash characteristic for a 24hr continuous cycle. The daymarks will be discontinued.	Lat: 24° 32' 56" Lon: -081° 48' 26"

Sector Key West, Territorial Sea - Sector Key West, Submerged Land Act (SLA)/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2025-03-04 To: 2026-03-04 Location: 24.56043° N / 81.8144° W Aid Name: Key West Main Channel Cut B Range Front Light LLNR: 14870 Action: CHANGE Action Type Change Structure The U.S. Coast Guard has approved the following change to the Aids to Navigation System in the Key West Main Channel: Key West Main Channel Cut B Range Front Light (LLNR 14870) will be rebuilt at a new focal height of 40 feet. All other characteristics will remain the same. Key West Main Channel Cut B Range Rear Light (LLNR 14875) will be rebuilt at a new focal height of 65 feet. All other characteristics will remain the same.	Lat: 24° 33' 38" Lon: -081° 48' 52"
Sector Key West, Territorial Sea - Sector Key West, Submerged Land Act (SLA)/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2025-03-04 To: 2026-03-04 Location: 24.5629° N / 81.81427° W Aid Name: Key West Main Channel Cut B Range Rear Light LLNR: 14875 Action: CHANGE Action Type Change Structure The U.S. Coast Guard has approved the following change to the Aids to Navigation System in the Key West Main Channel: Key West Main Channel Cut B Range Front Light (LLNR 14870) will be rebuilt at a new focal height of 40 feet. All other characteristics will remain the same. Key West Main Channel Cut B Range Rear Light (LLNR 14875) will be rebuilt at a new focal height of 65 feet. All other characteristics will remain the same.	Lat: 24° 33' 46" Lon: -081° 48' 51"
Sector Key West, Territorial Sea - Sector Key West, Submerged Land Act (SLA)/General/Bridges/Closure (Scheduled Or Emergency)	Bridges	General/Bridges/Closure (Scheduled Or Emergency) From: 2024-10-29 To: 2025-11-01 Location: 24.60464° N / 81.64066° W Bridge Name: Shark Key Pedestrian Bridge The Shark Channel pedestrian bridge is damaged with debris falling into the water. Mariners are advised to use caution in the area and avoid transiting under the bridge. For more information, contact Florida Keys Overseas Heritage Trail Assistant Park Manager, Jimmy Chandler at (305) 360-7958.	Lat: 24° 36' 17" Lon: -081° 38' 26"
Sector Key West, Territorial Sea - Sector Key West, Submerged Land Act (SLA)/General/Bridges/Rehabilitation	Bridges	General/Bridges/Rehabilitation From: 2024-11-12 To: 2025-09-01 Location: 24.60459° N / 81.64045° W Bridge Name: Florida Keys Overseas Historical Trial Pedestrian Bridge - Shark Channel The pedestrian bridge is undergoing a rehabilitation project. The contractor will have barges and associated in-water equipment in and around the bridge at all times. All in-water equipment should be lighted in accordance with Inland Navigation rules. Navigation through the structure will be limited during construction; at any time, four (4) arches will be obstructed and closed to navigation. Mariners are advised to proceed at a safe speed and use caution when transiting through the area. The rehabilitation project will begin on or around 3/13/2025 and be completed by 9/1/2025. For waterways related questions, contact, Coast Guard Sector Key West Waterways, 305-292-8768 or email: SKWWaterways@uscg.mil.	Lat: 24° 36' 17" Lon: -081° 38' 26"
Sector Key West, Territorial Sea - Sector Key West, Submerged Land Act (SLA)/General/Marine Construction (Excluding Bridges)/Survey Operations	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Survey Operations From: 2025-02-19 To: 2025-04-07 Location: 25.71518° N / 80.08785° W 25.70528° N / 79.85714° W 24.84097° N / 80.15377° W 24.1712° N / 81.36226° W 24.1712° N / 83.60347° W 24.98047° N / 83.61446° W 24.75121° N / 81.4172° W 24.98047° N / 80.40645° W 25.71518° N / 80.08785° W Fugro USA Marine inc will be conducting hydrographic surveys from west of the Florida Keys up the east coast to Port Canaveral, FL. Operations are expected to begin on or about February 25, 2025, with an estimated completion date of March 25, 2025, and be conducted. R/V FUGRO BRASILIS will be operating Multi Beam Echo Sounders and deploying sound velocity profilers from stern 7 days a week, 24 hours day. They will be monitoring VHF-FM channel 16.	
Sector Key West, Territorial Sea - Sector Key West, Submerged Land Act (SLA)/General/Naval Activity/Military Operations	Naval Activity	General/Naval Activity/Military Operations From: 2025-01-29 To: 2025-03-27 Location: 24.60084° N / 81.7152° W 24.55338° N / 81.71074° W 24.54276° N / 81.81545° W 24.59459° N / 81.81545° W 24.60084° N / 81.7152° W On Monday, March 24, 2025, The US Navy will be conducting a dive down the Boca Chica Channel to the harbor between 1800-2200. Divers will stay to the Eastern side of the channel, and we will have four boats plus two jet skis to deconflict with mariners and provide diver support and protection. All support vessels will be monitoring channels 16 and 81A. On Tuesday, March 25, 2025, the US Navy will be conducting a day dive from 1530 to 1800 in Fleming Key Cut. They will have four boats and two jet skis on station to deconflict with other mariners and provide diver support and protection. Divers will be confined to transiting through the cut on only one side, leaving the other side open. All support vessels will be monitoring VHF-FM channels 16 and 81A. Also, on Tuesday March 25, 2025, they will be conducting a night dive from 1830 to 2200 along the western edge of Key West from the mouth of Key West Bight to Truman Waterfront Park. Divers will be no farther from shore than 50 meters and should pose a minimal obstruction to routine navigational operations. Depending on the weather and sea state, they may flex to doing an offset dive. They would splash the divers at either Key West Main Channel Daybeacon 21 (LLNR 4925) diving east into the Basin, or Key West Main Channel Lighted Buoy 15 (LLNR 14895) diving east into the Basin. They will have four boats and two jet skis on station to deconflict with other mariners and provide diver support and protection. All support vessels will be monitoring VHF-FM channels 16 and 81A. On Wednesday, March 26, 2025, the US Navy will be conducting a day dive from 1800 to 2030 around Fleming Key Cut. They will have four boats and two jet skis on station to deconflict with other mariners and provide diver support and protection. Divers will be confined to 50m off the shore of the Military side of the base in the water and will not deviate further out into the channel. All support vessels will be monitoring VHF-FM channels 16 and 81A.	
Sector Key West, Territorial Sea - Sector Key West, Submerged Land Act (SLA)/General/Safety Zones/COPT Restrictions	Safety Zones	General/Safety Zones/COPT Restrictions 13553 The Naval Air Station Key West Southernmost Air Spectacular Show and rehearsal will be held on March 28th, 29th, and 30th, 2025, over the waters of Boca Chica Channel off Key West, FL. This event will consist of several low flying aircraft taking off and landing at Naval Air Station Boca Chica. A safety zone has been established by the Captain of the Port (COTP) Key West, FL for this event. The zone encompasses all waters of the Atlantic Ocean located west of Boca Chica encompassed within an imaginary line connecting the following points: starting in position 24°33'48"N, 081°43'02"W; thence north to position 24°34'18"N, 081°43'08"W; thence east to position 24°34'28"N, 081°42'22"W; thence southwest following the shoreline back to origin. Another zone will be enforced that maintains 100 yards from the shoreline of NAS Boca Chica. The safety zone will be enforced from 10 a.m. through 4 p.m. on March 28th, 29th, and 30th, 2025. During the enforcement period, no person or vessel may enter, transit through, anchor, or remain within the safety zone without permission from the COTP or his designated representative. Mariners are advised to abide by all Navigation Rules and proceed with caution in the vicinity of the course and event participants. Spectator vessels are advised to anchor in sandy bottom to prevent damaging seagrass, coral, macroalgae, sponges, and other hard-bottom community species. A succession of not less than 5 short whistle or horn blasts from a patrol vessel will be the signal for any non-event participating vessel to take immediate steps to avoid collision. Also, the display of a red distress flare from a patrol vessel will be a signal for any and all vessels, including event participants inside the regulated area, to stop immediately.	

Sector Key West, Territorial Sea

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Pacific Reef Light	935	LT EXT/TRLT	FD
Elbow Reef Light 6	950	STRUCT DEST/LT IMCH/REDUCED INT/DAYMK MISSING/TRLT	FD
Molasses Reef Light 10	960	LT EXT/STRUCT DMGD	FD
Tennessee Reef Light	990	LT EXT/STRUCT DMGD	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Carysfort Reef Buoy C	947.4	MISSING	PA
The Elbow Buoy B	948.2	MISSING	PA
The Elbow Buoy C	948.4	MISSING	PA

The Elbow Buoy D	948.6	MISSING	PA
Dry Rocks Buoy A	953	MISSING	PA
Grecian Rocks Buoy D	954.6	MISSING	PA
Sombrero Key Buoy B	1002.2	MSLD SIG	PA
Looe Key Buoy C	1007.4	MISSING	PA
Looe Key Telemetry Lighted Buoy LR	1007.8000000000001	MISSING	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Key West, Exclusive Economic Zone (EEZ) - Sector Key West, Territorial Sea/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2024-11-26 To: 2024-11-27 Location: 24.88752° N / 81.7° W 24.88333° N / 81.7° W 24.88333° N / 81.70458° W 24.88752° N / 81.7° W A 10-year Corps permit to construct an offshore artificial reef to be known as The Gulfside Ten Mile Reef. All deployed material will retain at least a 25-foot navigational clearance. Authorization of a new artificial reef site with multiple deployments of approved materials to enhance the marine habitat in the offshore waters of the Gulf of Mexico, north of Monroe County, Florida.	

Sector Miami, Submerged Land Act (SLA)

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
NSWC Lighted Buoy E	811	HAZ NAV/BUOY DMGD/LT EXT	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Jupiter Inlet Jetty Light 2	735	LT EXT	PA
Key Biscayne FAD Northwest Buoy	900	MISSING	PA
Key Biscayne FAD Northeast Buoy	905	MISSING	PA
Key Biscayne FAD Southwest Buoy	910	MISSING	PA
Key Biscayne FAD Southeast Buoy	915	MISSING	PA
Neptune Memorial Reef Buoy AA	915.1	STRUCT DEST	PA
Neptune Memorial Reef Buoy BB	915.2	STRUCT DEST	PA
Neptune Memorial Reef Buoy CC	915.3000000000001	STRUCT DEST	PA
Neptune Memorial Reef Buoy DD	915.4	STRUCT DEST	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Miami, Territorial Sea - Sector Miami, Submerged Land Act (SLA)/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2025-03-13 To: 2025-05-09 Location: 26.94492° N / 80.07296° W 26.94481° N / 80.07279° W 26.94454° N / 80.0688° W 26.92618° N / 80.0648° W 26.92591° N / 80.06716° W 26.93922° N / 80.07° W 26.94316° N / 80.07201° W 26.9437° N / 80.07064° W 26.94393° N / 80.07296° W 26.94492° N / 80.07296° W Jupiter Inlet Sand Trap Maintenance Dredging and Beach Renourishment Palm Beach. Dredging is anticipated to begin on or about March 31, 2025, with an estimated completion date of April 30, 2025. Operations will be conducted 24 hours a day, 7 days a week. Dredge vessel CLEARWATER will be monitoring VHF-FM channel 16. Mariners are urged to use extreme caution in the area, transit at their slowest safe speed to minimize wake, and proceed with caution after passing arrangements have been made. Floating and submerged high-density polyethylene (hdpe) and steel pipeline associated with the hydraulic dredging operations of the channel will be utilized. Pipeline, work vessels, dredge barge, booster pump barge(s) and buoys will be visibly lighted and marked according to coast guard regulations and will be in the area until all work is complete and can change configuration daily. Vessels and/or equipment will be in multiple locations at the same time.	
Sector Miami, Territorial Sea - Sector Miami, Submerged Land Act (SLA)/General/Miscellaneous	Miscellaneous	The U.S. Coast Guard is proposing the following addition to the Aids to Navigation System offshore in Palm Beach County Florida: Coast Guard Mooring B ML (LLNR 768) will be permanently established in approximate position 26-40-39.000N, 080-01-33.000W. The mooring buoy will be white in color with an all-around blue band at the top. All comments should be emailed to: d07-smb-dpwpubliccomments@uscg.mil or andrew.m.ingle@uscg.mil with CG Mooring Buoy ML as the subject line. Comments can also be mailed to Commander (dpw), Seventh Coast Guard District, 909 SE 1st Ave (STE 406) Brickell Plaza Federal Building, Miami, FL. 33131-3050 to be received by May 6, 2025.	Lat: 26° 40' 39" Lon: -080° 01' 33"

Sector San Juan, Territorial Sea

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Aguadilla Jetty Light 1	32405	LT EXT	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
CariCOOS Wave Buoy D	32401	ADRIFT	PA
Devcon International Channel Buoy 2	33000	OFF STA	PA
Devcon International Channel Buoy 3	33005	OFF STA	PA
Devcon International Channel Buoy 5	33015	OFF STA	PA
Lime Tree Bay Port Basin Light 15	33200	STRUCT DEST	PA
Krause Lagoon Channel Entrance Lighted Buoy 1	33210	TRLB	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector San Juan, Territorial Sea/General/Hazards To Navigation/Obstructions	Hazards To Navigation	General/Hazards To Navigation/Obstructions From: 2024-10-20 To: 2025-04-18 Location: 18.093° N / 65.62092° W The United States Navy has installed subsurface coral restoration structures offshore of Isla de Vieques within the boundaries of the former Navy training range (UXO-16), for a Navy environmental restoration project. The structures include 2 geodesic spheres that are 8 feet diameter, and will be moored to the seafloor such that the tops of the structures will sit at 24 feet below the surface. These structures will not be sitting directly on the seafloor - they will be in the mid-water, moored to the seafloor (which is approximately 55 feet deep at this location) with a 3-anchor system, without surface marker buoys. The structures are expected to remain in place until at least June 30, 2026 in the approximate coordinates: 18-06-01.49N/065-36-17.97W 18-05-59.94N/065-36-17.17W For further information contact: Jessica Carilli, US Navy (760) 815-2629.	Lat: 18° 05' 35" Lon: -065° 37' 15"
Sector San Juan, Territorial Sea/General/Hazards To Navigation/Hazards	Hazards To Navigation	General/Hazards To Navigation/Hazards From: 2025-01-29 To: 2027-07-28 Location: 18.26572° N / 65.57337° W 18.23996° N / 65.57028° W 18.23931° N / 65.60289° W 18.26474° N / 65.60444° W 18.26572° N / 65.57337° W The U.S. NAVY is advising all mariners to refrain from entering the following area in Ceiba, Puerto Rico: the waters surrounding Isla Piñeros. Mariners are advised to stay away from this danger zone until further notice, as it contains (UXO) Unexploded Ordnance. The U.S. Coast Guard may be contacted via VHF-FM Channel 16 or via landline at (787) 289-2041. For more information, contact Mrs. Maria Danois at (757) 412-7843 or email: maria.m.danois.civ@us.navy.mil.	

Sector St. Peterburg, Exclusive Economic Zone (EEZ)

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Scripps Wave Lighted Buoy A	1367	MISSING	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
District 7, Oceanic boundary to EEZ - Sector St. Peterburg, Exclusive Economic Zone (EEZ)/General/Hazards To Navigation/Wrecks	Hazards To Navigation	General/Hazards To Navigation/Wrecks From: 2024-11-19 To: 2025-05-18 Location: 25.79667° N / 81.97° W There is a submerged 200-foot barge, fully submerged, with only a few feet of clearance to the surface of the water. Wreck is marked with unlit buoys.	Lat: 25° 47' 48" Lon: -081° 58' 12"
District 7, Oceanic boundary to EEZ - Sector St. Peterburg, Exclusive Economic Zone (EEZ)/General/Hazards To Navigation/Hazards	Hazards To Navigation	Gulf of America (Gulf of Mexico) - Space Reentry Hazards - Primary Reentry Site --- On March 18, 2025, from 2145Z to 2215Z, space capsule reentry operations, which may be hazardous to surface vessels, will be conducted for the reentry of Dragon Crew 9 within portions of the reentry site located in the following approximate positions: 29-28-26N 084-12-00W, 29-16-58N 083-58-55W, 29-05-31N 84-12-00W, and 29-16-58N 084-25-04W. Navigation hazards from space capsule reentry activities may include free falling debris and/or descending vehicles or vehicle components under various means of control. Mariners should avoid the reentry site during the reentry window. For further information, mariners may contact the U.S. Coast Guard Sector Mobile Command Center at (833) 662-8724 or access: https://navcen.uscg.gov/chart	

Sector St. Petersburg, Submerged Land Act (SLA)

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Anclote Anchorage South Entrance Light 1	1535	HAZ NAV/STRUCT DEST/TRLB	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Long Key North Breakwater Obstruction Daybeacon	1410	STRUCT DEST	PA
Port of Islands Marina Daybeacon 3	16235	STRUCT DEST	PA
Port of Islands Marina Daybeacon 4	16240	STRUCT DEST	PA
Port of Islands Marina Daybeacon 5	16245	STRUCT DMGD	PA
Port of Islands Marina Daybeacon 6	16250	STRUCT DEST/HAZ NAV	PA
Port of Islands Marina Daybeacon 11	16265	DAYMK MISSING	PA
Port of Islands Marina Daybeacon 15	16280	STRUCT DEST	PA
Port of Islands Marina Daybeacon 26	16310	STRUCT DEST	PA
Port of Islands Marina Daybeacon 27	16315	STRUCT DEST	PA
Port of Islands Marina Daybeacon 42	16380	STRUCT DEST/HAZ NAV	PA
Port of Islands Marina Daybeacon 44	16390	STRUCT DEST	PA
Cape Romano Channel Daybeacon 4	16792.1	STRUCT DEST	PA
Cape Romano Channel Daybeacon 17	16793	DAYMK MISSING	PA
Caxambas Breakwater North Obstruction Daybeacon	16917	STRUCT DEST	PA
Caxambas Breakwater South Obstruction Light	16918	LT EXT	PA
Caxambas Breakwater South Obstruction Daybeacon	16918.5	DAYMK MISSING	PA
Doctors Pass Light DP	17700	LT EXT	PA
Doctors Pass Daybeacon 16	17770	STRUCT DEST	PA
Water Turkey Bay Daybeacon 13	17877	DAYMK DMGD	PA
Barefoot Boat Club Daybeacon 10	17915	STRUCT DEST	PA
Barefoot Boat Club Daybeacon 12	17920	STRUCT DEST	PA
Big Carlos Pass Lighted Buoy 1	17975	MISSING	PA
Big Carlos Pass Buoy 2	17976	MISSING	PA
Big Carlos Pass Buoy 3	17977	MISSING	PA

Big Carlos Pass Buoy 4	17980	MISSING	PA
Big Carlos Pass Buoy 5	17985	MISSING	PA
Estero Pointe Channel Daybeacon 29	18996.07	STRUCT DEST/HAZ NAV	PA
South Estero Bay Daybeacon 12	19150	STRUCT DEST/HAZ NAV	PA
Spring Creek Daybeacon 17	19400	STRUCT DEST	PA
South Estero Bay Daybeacon 37	19550	STRUCT DEST	PA
South Estero Bay Daybeacon 45	19585	STRUCT DEST	PA
Coconut Jacks Daybeacon 5	19786.2	STRUCT DEST	PA
Scripps Wave Data Lighted Buoy CDIP STA 214	22247	OFF STA	PA
Signal Cove Light 2	26945	LT EXT	PA
Signal Cove Daybeacon 4	26955	STRUCT DEST	PA
Signal Cove Daybeacon 5	26960	STRUCT DEST	PA
Hudson Creek Light 2	27015	LT EXT	PA
Hudson Creek Daybeacon 5	27030	STRUCT DEST/TRDBN	PA
Hudson Creek Daybeacon 7	27040	STRUCT DEST/HAZ NAV/TRUB	PA
Hudson Creek Daybeacon 20	27085	STRUCT DEST/TRUB	PA
Hudson Creek Daybeacon 23	27095	STRUCT DEST	PA
Hudson Beach Park Daybeacon 1	27110	STRUCT DEST	PA
Sea Pines Channel Daybeacon 3	27150	STRUCT DEST/HAZ NAV	PA
Sea Pines Channel Daybeacon 29	27265	STRUCT DEST	PA
Aripeka Daybeacon 7	27310	STRUCT DEST/HAZ NAV	PA
Hernando Beach Channel Daybeacon 6	27530	STRUCT DEST	PA
Hernando Beach Channel Daybeacon 7	27535	STRUCT DEST	PA
Hernando Beach Channel Daybeacon 10	27550	STRUCT DEST	PA
Hernando Beach Channel Daybeacon 22	27610	STRUCT DEST	PA
Hernando Beach Channel Daybeacon 27	27630.5	STRUCT DEST/HAZ NAV	PA
Hernando Beach Channel Daybeacon 40	27685	STRUCT DEST/HAZ NAV	PA
Hernando Beach Channel Daybeacon 44	27705	STRUCT DEST	PA
Hernando Beach Channel Light 53	27737	STRUCT DEST/HAZ NAV	PA
Johnson Rock Obstruction Daybeacon	27930	STRUCT MISSING	PA
Chassahowitzka Daybeacon 17	28305	STRUCT DEST	PA
Florida Power Corporation Channel Light 3	28960	LT IMCH/DAYMK MISSING	PA
Florida Power Corporation Channel Light 4	28965	LT IMCH/DAYMK MISSING	PA
Florida Power Corporation Channel Light 6	28975	LT EXT	PA
Florida Power Corporation Channel Light 8	28985	LT EXT	PA
Florida Power Corporation Channel Light 13	29005	STRUCT DEST	PA
Florida Power Corporation Channel Light 14	29010	LT EXT	PA
Florida Power Corporation Channel Light 16	29015	LT EXT	PA
Florida Power Corporation Channel Light 17	29020	LT IMCH	PA
Florida Power Corporation Channel Light 21	29035	LT EXT	PA
Florida Power Corporation Channel Light 32	29075	STRUCT DEST/HAZ NAV	PA
Florida Power Corporation Channel Light 47	29150	LT IMCH	PA
Florida Power Corporation Channel Light 48	29155	LT IMCH	PA
Waccasassa Bay And River Daybeacon 5	29665	STRUCT DEST	PA
Waccasassa Bay And River Daybeacon 9	29675	STRUCT DEST	PA
Waccasassa Bay And River Daybeacon 11	29680	STRUCT DMGD	PA
Waccasassa Bay And River Daybeacon 13	29685	STRUCT DEST	PA
Waccasassa Bay And River Daybeacon 15	29690	STRUCT DEST	PA
Waccasassa Bay And River Daybeacon 17	29695	STRUCT DMGD	PA
Waccasassa Bay And River Daybeacon 21	29705	STRUCT DEST	PA
Waccasassa Bay And River Daybeacon 23	29710	DAYMK DMGD	PA
Waccasassa Bay And River Daybeacon 25	29720	STRUCT DEST	PA
Waccasassa Bay And River Daybeacon 27	29725	DAYMK MISSING/STRUCT DMGD	PA
Waccasassa Bay And River Daybeacon 30	29735	STRUCT DEST/HAZ NAV	PA
Waccasassa Bay And River Daybeacon 32	29740	STRUCT DMGD	PA
Suwannee River Alligator Pass Light 2	30085	STRUCT DEST	PA
Suwannee River Alligator Pass Daybeacon 4	30090	STRUCT DEST	PA
Suwannee River Alligator Pass Daybeacon 5	30095	STRUCT DEST	PA
Suwannee River Alligator Pass Daybeacon 7	30100	STRUCT DEST	PA
Suwannee River Alligator Pass Daybeacon 9	30110	STRUCT DEST	PA
Suwannee River Alligator Pass Daybeacon 11	30115	STRUCT DEST	PA
Suwannee River Alligator Pass Daybeacon 13	30120	STRUCT DEST	PA
Suwannee River Alligator Pass Daybeacon 19	30140	STRUCT DEST	PA
Suwannee River Alligator Pass Daybeacon 27	30160	STRUCT DEST/HAZ NAV	PA

Suwannee River Alligator Pass Daybeacon 29	30165	STRUCT DEST	PA
Suwannee River McGriff Pass Daybeacon 1	30170	STRUCT DEST	PA
Suwannee River Mcgriff Pass Daybeacon 3	30180	STRUCT DEST	PA
Suwannee River Mcgriff Pass Daybeacon 5	30185	STRUCT DEST	PA
Suwannee River Mcgriff Pass Daybeacon 7	30200	STRUCT DEST	PA
Suwannee River Mcgriff Pass Daybeacon 8	30205	STRUCT DEST	PA
Suwannee River Mcgriff Pass Daybeacon 9	30210	STRUCT DEST	PA
Suwannee River Mcgriff Pass Daybeacon 20	30233	STRUCT DEST	PA
Salt Creek Daybeacon 15	30305	STRUCT DEST	PA
Salt Creek Daybeacon 16	30310	STRUCT DEST	PA
Salt Creek Daybeacon 17	30315	STRUCT DEST	PA
Salt Creek Daybeacon 18	30320	STRUCT DEST	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector St. Petersburg, Territorial Sea - Sector St. Petersburg, Submerged Land Act (SLA)/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2025-03-11 To: 2025-09-07 Location: 27.59912° N / 82.89906° W Aid Name: Egmont Channel Lighted Buoy 8 LLNR: 22265 Action: Renamed and permanently discontinue sound signal. Fl R 2.5s Position: 27-35-56.847N 082-53-56.599W	Lat: 27° 35' 57" Lon: -082° 53' 57"
Sector St. Petersburg, Territorial Sea - Sector St. Petersburg, Submerged Land Act (SLA)/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	General/Hazards To Navigation/Shoaling Reported From: 2025-02-18 To: 2025-08-17 Location: 26.3744° N / 81.8762° W All mariners are advised that shoaling and shallow water has developed at the entrance of New Pass in Lee County, Florida in vicinity of New Pass Lighted Buoy 1 (LLNR 17964). All mariners are advised to use caution while transiting new pass due to the potentially hazardous conditions. For further information please contact U.S. Coast Guard Sector St. Petersburg at (727) 824-7506.	Lat: 26° 22' 28" Lon: -081° 52' 34"
Sector St. Petersburg, Territorial Sea - Sector St. Petersburg, Submerged Land Act (SLA)/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2025-01-28 To: 2025-05-12 Location: 26.73228° N / 82.25078° W 26.69273° N / 82.23396° W 26.69211° N / 82.24426° W 26.72063° N / 82.25559° W 26.70499° N / 82.30262° W 26.71726° N / 82.30571° W 26.73228° N / 82.25078° W Gator Dredging will be conducting dredging near Gasparilla Island State Park for a beach fill project. Equipment Mobilization Start is expected to begin February 03, 2025. Dredging is estimated to begin February 17, 2025, with an estimated completion date of April 28, 2025. Operations will be conducted 24 hours a day, 7 days a week. DREDGE CLEARWATER will be monitoring VHF-FM channel 16. Mariners are urged to use extreme caution in the area, transit at their slowest safe speed to minimize wake, and proceed with caution after passing arrangements have been made. Work vessels, dredge barge, crane barge, tug boats, and buoys will be visibly lighted and marked according to Coast Guard regulations and will be in the area until all work is complete and can change configuration daily. Vessels and/or equipment will be in multiple locations at the same time.	
Sector St. Petersburg, Territorial Sea - Sector St. Petersburg, Submerged Land Act (SLA)/General/Naval Activity/Naval Testing (Surface/Underwater)	Naval Activity	General/Naval Activity/Naval Testing (Surface/Underwater) From: 2025-01-29 To: 2025-05-12 Location: 29.98766° N / 87.65743° W 28.70445° N / 85.30635° W 29.06038° N / 85.05367° W 28.95469° N / 83.72432° W 27.62941° N / 82.81246° W 25.53687° N / 82.13131° W 25.32852° N / 83.52657° W 27.83362° N / 85.39425° W 27.91132° N / 86.40499° W 29.64451° N / 88.27266° W 29.98766° N / 87.65743° W Anduril Industries Inc. will be operating an autonomous underwater vehicle (AUV) in the Gulf of Mexico after being towed offshore from St. Petersburg, Florida. The Dive-XL is a dual-use, extra-large displacement, autonomous underwater vehicle (XL-AUV). Operations are expected to begin on or about February 1, 2025, with an estimated completion date of April 30, 2025. A support vessel will remain within approximately 500 meters at all times to ensure positive control of the AUV is maintained. The support vessel will be restricted in its ability to maneuver and be requesting all vessels to maintain a 1 nautical mile separation to ensure safety while conducting AUV operations.	

Sector St. Petersburg, Territorial Sea

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector St. Petersburg, Exclusive Economic Zone (EEZ) - Sector St. Petersburg, Territorial Sea/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2025-01-21 To: 2025-04-14 Location: 26.43554° N / 81.93081° W 25.73992° N / 81.64516° W 25.71023° N / 82.20546° W 26.38635° W / 82.34829° W 26.43554° N / 81.93081° W Dredging operations have been completed. Demobilization will occur until approximately March 20, 2025. Operations will continue on a twenty-four (24) hours per day, seven days per week basis. Barges, pipeline(s), and equipment will have all required Coast Guard lighting for night operations. Onscene vessels will monitor marine VHF channels 13 and 16. Mariners are urged to use extreme caution and transit the area at their slowest safe speed to create minimum wake after passing arrangements have been made.	

Sheephead Cut

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Sheephead Cut Daybeacon 7	40705	STRUCT DEST/TRUB	FD

Shell Key

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Little Basin East Daybeacon 1	50540	DAYMK MISSING	PA
Little Basin East Daybeacon 2	50545	STRUCT DEST/HAZ NAV	PA
Little Basin East Daybeacon 4	50555	DAYMK MISSING	PA

Sherman Cut

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Sherman Cut Range Rear Light	7240	STRUCT DEST	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
St Johns River - Sherman Cut/ATON/Advanced Notice of Change	Advanced Notice of Change	Sherman Cut RFL (LLNR 7235) will be relocated to approximate position: 30-22-44.220N/081-26-46.188W to align with the newly dredged channel. In addition, Sherman Cut RFL will be changed to a 24-hour optic. All day marks will be permanently discontinued.	Lat: 30° 22' 44" Lon: -081° 26' 45"
St Johns River - Sherman Cut/ATON/Advanced Notice of Change	Advanced Notice of Change	Sherman Cut RRL (LLNR 7240) will be relocated to approximate position: 30-22-26.194N/081-27-03.893W to align with the newly dredged channel. In addition Sherman Cut RRL will be changed to a 24-hour optic. All day marks will be permanently discontinued.	Lat: 30° 22' 35" Lon: -081° 26' 55"

Sim-Par Marina Channel

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Marina Bay Channel Daybeacon 4	39715	STRUCT DEST	PA

Singer Island Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Singer Island Channel Daybeacon 6	10212.300000000001	STRUCT DEST/HAZ NAV/TRLB	FD

Sisters Creek

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Sisters Creek Daybeacon 80	38320	STRUCT DEST/TRUB	FD
Sisters Creek Light 82	38325	STRUCT DEST/TRLB/HAZ NAV	FD
Sisters Creek Light 83	38330	STRUCT DEST/HAZ NAV/TRLB	FD

Skidaway Narrows

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Skidaway Narrows Daybeacon 60	36140	STRUCT DEST/TRUB	FD

Snake Creek

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Snake Creek Daybeacon 4	12215	STRUCT DEST/TRUB	FD
Snake Creek Daybeacon 5	12225	STRUCT DEST/TRLB	FD
Snake Creek Daybeacon 7	12240	STRUCT DEST/TRUB	FD

Snapper Creek Marina

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Safety Valve Bank Light 1A	49530	STRUCT DEST	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Snapper Creek Marina Daybeacon 2	49515	DAYMK MISSING	PA

Sonde De Vieques

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
------	------	--------	----------

Cayo Lobito Light	31525	STRUCT DEST	FD
-------------------	-------	-------------	----

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
North St Thomas Lighted Buoy H	31683	OFF STA	PA

South Altamaha River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
South Altamaha River Daybeacon 4	36995	STRUCT MISSING/TRUB	FD

South Amelia River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
South Amelia River Daybeacon 21	38050	STRUCT MISSING/TRUB	FD

South Jupiter Narrows

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
South Jupiter Narrows Daybeacon 25	46085	STRUCT MISSING/TRUB	FD

South Newport River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
South Newport River Light 135	36620	STRUCT MISSING/TRLB	FD

Southwest Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Southwest Channel Light 2 (Tampa Bay)	21840	STRUCT MISSING	FD

St Andrew Sound

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
St Andrew Sound Buoy 29A	37375	MISSING	FD
St Andrew Sound Lighted Buoy 30	37380	OFF STA	FD
St Andrew Sound Lighted Buoy 31	37383	LT EXT	FD
St Andrew Sound Lighted Buoy 32	37385	OFF STA	FD

St Augustine Inlet

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
St Augustine Inlet Buoy 3	9485	MISSING	FD
St Augustine Inlet Buoy 10	9510	OFF STA	FD

St Catherines Sound

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
St Catherines Sound Lighted Buoy 2	5795	MISSING	FD
St Catherines Sound Buoy 1	5800	MISSING	FD
St Catherines Sound Buoy 3	5805	MISSING	FD

St Helena Sound

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
St Helena Sound Entrance Buoy 4	3965	MISSING	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Hunting Island Pier Light	4070	STRUCT DEST/LT EXT	PA

St Johns River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
St Johns Bar Cut Range Front Light	7115	LT EXT	FD
St Johns Bluff Light S	7335	STRUCT DEST/TRLB	FD
Quarantine Island Upper Range Front Light	7450	NIGHT LT BURNING DAY	FD
Winter Point Daybeacon	7670	STRUCT DEST/TRUB	FD
Winter Point Light 1	7675	STRUCT DEST/TRLB	FD
Winter Point Light 2	7680	STRUCT DEST/TRLB	FD
Ortega River Shoal Daybeacon	7685	STRUCT DEST/TRUB	FD
Christopher Point Light 5	7725	DAYMK MISSING	FD
Red Bay Point Light 22	7895	STRUCT DEST/TRLB	FD
Tocoi Cut Entrance Light 33	7935	HAZ NAV/STRUCT DMGD/TRLB	FD
Forrester Point Upper Range Rear Light	8140	STRUCT DEST	FD
Upper Palatka Light 1	8195	LT EXT	FD
Upper Palatka Light 2	8200	LT EXT	FD
Upper Palatka Daybeacon 3	8205	STRUCT MISSING/TRUB	FD
Rivercrest Light 10	8235	LT EXT	FD
Nashua Daybeacon 42A	8390	STRUCT DEST/TRUB	FD
Stephens Point Daybeacon 46	8415	STRUCT DEST/TRUB	FD
Adams Lake Daybeacon 23	8910	STRUCT DEST/HAZ NAV/TRLB	FD
Wekiva Cutoff Daybeacon 95	9155	STRUCT DEST	FD
Wekiva Bend Cutoff Light 96	9160	STRUCT DEST/HAZ NAV/TRLB	FD

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Pilot Town Cut Range Front Light	7200	RELIGHTED	FD	2025-03-13

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Ortega River Lighted Buoy 2	7696	MISSING	PA
Ortega River Lighted Buoy 13	7697	MISSING	PA
Goodbys Creek Channel Buoy 4	7765.3	OFF STA	PA
Goodbys Creek Channel Buoy 5	7765.400000000001	OFF STA	PA

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Mile Point Temporary Lower Range Front Light	7260.2	ESTABLISHED	FD
Mile Point Temporary Lower Range Rear Light	7265.2	ESTABLISHED	FD
Training Wall Temporary Range Front Light	7295.2	ESTABLISHED	FD
Drummond Creek Temporary Range Front Light	7515.2	ESTABLISHED	FD
Dunn Creek Cut Lighted Buoy 55	7490	RELOCATED FOR DREDGING	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Amelia Island To St Augustine - St Johns River/ATON/Advanced Notice of Change	Advanced Notice of Change	St. Johns Bluff LB 30 (LLNR 7329) will be permanently relocated to 30-23-32.020N/081-29-29.730W. This change calls to relocate (6) lighted buoys in the White Shells, St. Johns Bluff, Fulton Cutoff, and Blount Island Turning Basin channels of the St. Johns River. These relocations are needed as a result of channel deepening and widening, as part of the JaxPort expansion project. The position changes will allow safe navigation for vessels transiting the St. Johns River. The following aids to navigation are being proposed to be relocated to facilitate this change. All positions listed are approximate. Permanent positions will be advertised when the work is completed.	Lat: 30° 23' 32" Lon: -081° 29' 30"
Amelia Island To St Augustine - St Johns River/ATON/Advanced Notice of Change	Advanced Notice of Change	Training Wall RFL (LLNR 7295) will be relocated to approximate position: 30-23-48.120N/081-28-41.707W to align with the newly dredged channel. In addition, both Training Wall RFL and Training Wall RRL will be changed to a 24-hour optic. All day marks will be permanently discontinued.	Lat: 30° 23' 47" Lon: -081° 28' 39"

Amelia Island To St Augustine - St Johns River/ATON/Advanced Notice of Change	Advanced Notice of Change	Training Wall RRL (LLNR 7300) will be relocated to approximate position: 30-23-57.479N/081-28-54.848W to align with the newly dredged channel. In addition, both Training Wall RFL and Training Wall RRL will be changed to a 24-hour optic. All day marks will be permanently discontinued.	Lat: 30° 23' 58" Lon: -081° 28' 55"
Sector Jacksonville, Submerged Land Act (SLA) - St Johns River/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2025-03-05 To: 2025-09-01 Location: 29.68749° N / 81.63646° W Aid Name: Forrester Point Light 42B LLNR: 8020.5 Action: ESTABLISH Position: 29-41-14.952N 081-38-11.265W Fl R 4s	Lat: 29° 41' 15" Lon: -081° 38' 11"
Sector Jacksonville, Submerged Land Act (SLA) - St Johns River/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2025-03-05 To: 2025-09-01 Location: 29.68748° N / 81.63647° W Aid Name: Forrester Point Upper Range Front Light LLNR: 8135 Action: DISCONTINUE Position: 29-41-14.917N 081-38-11.284W Q W	Lat: 29° 41' 15" Lon: -081° 38' 11"
Sector Jacksonville, Submerged Land Act (SLA) - St Johns River/General/Bridges/Conversion	Bridges	General/Bridges/Conversion From: 2024-10-29 To: 2025-04-27 Location: 29.984705° N / 81.618613° W Bridge Name: Shands Bridge FLORIDA – ST JOHNS RIVER – GREEN COVE SPRINGS – SHANDS BRIDGE: Bridge Replacement Johnson Bros. Corporation, on behalf of the bridge owner, Florida Department of Transportation, will be replacing the Shands Bridge (SR 23) across the St. Johns River, mile 50.2, at Green Cove Springs. The project is scheduled to begin on October 2, 2023, and continue until an estimated completion date of September 1, 2030. The new bridge will consist of a vertical clearance of 65 feet and a 150-Ft. horizontal clearance at the navigation channel. Construction will require the use of material storage barges and barge-mounted cranes; all in-water equipment is required to be lighted at night. Work activities on the new bridge will include pier construction, girder erection, fender system installation, and overhead deck operations that could present a hazard to marine traffic. This phase will require periodic channel restrictions or short-term closures and is tentatively scheduled to take place in 2027. Short-term channel closures will also be required during the demolition of the existing structure tentatively scheduled to take place in 2029. The existing bridge will be removed except for approximately 800 LF on each end, which will remain and be converted to recreational fishing piers. For further information contact Don Davis, Project Manager at (904) 545-3807 or donalddavis@southlandholdings.com. For waterway questions please contact USCG Sector Jacksonville Waterways via email at D07-DGSECJAX-WATERWAYS@uscg.mil	Lat: 29° 59' 05" Lon: -081° 37' 07"
Sector Jacksonville, Submerged Land Act (SLA) - St Johns River/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-03-10 To: 2025-05-16 Location: 28.88295° N / 81.36595° W Aid Name: Wekiva Cutoff Daybeacon 95 LLNR: 9155 Action: DISCONTINUE The following change is being proposed to the aids to navigation system in the St. Johns River. Wekiva Cutoff DBN 95 (LLNR 9155) will be permanently discontinued. The current location of this structure is located very close to the shoreline, this presents a misleading signal due to more space and plenty of safe water presented on the opposite side of the aid. All comments should be emailed to: D07-SMB-DPWPublicComments@uscg.mil or andrew.m.engage@uscg.mil with Wekiva Cutoff as the subject line and be received by May 10, 2025. Comments can also be mailed to Commander (DPW), Seventh Coast Guard District 909 SE 1st Avenue (STE 406) Brickell Federal Plaza Bldg Miami, FL. 33131	Lat: 28° 52' 59" Lon: -081° 21' 57"

St Joseph Sound

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
St Joseph Sound Daybeacon 1	61850	STRUCT MISSING	FD
St Joseph Sound Daybeacon 9	61885	STRUCT DEST/TRUB	FD
St Joseph Sound Daybeacon 15	61970	STRUCT DEST/TRUB	FD
St Joseph Sound Daybeacon 21	62035	STRUCT DEST/TRUB	FD
St Joseph Sound Daybeacon 38	62275	STRUCT DEST/HAZ NAV/TRLB	FD
St Joseph Sound Daybeacon 40	62285	STRUCT DEST/HAZ NAV/TRLB	FD

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
St Joseph Sound Daybeacon 42	62295	WATCHING PROPERLY	FD	2025-03-11

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Safety Harbor Marina Light 2	24375	DAYMK MISSING	PA
Safety Harbor Marina Daybeacon 3	24380	DAYMK DMGD	PA
Safety Harbor Marina Daybeacon 4	24385	DAYMK MISSING	PA
Hurricane Pass Daybeacon 1	25975	DBD DEST	PA
Hurricane Pass Daybeacon 2	25980	STRUCT DEST	PA
Hurricane Pass Daybeacon 4	25990	DBD DEST	PA
Hurricane Pass Daybeacon 5A	25997	STRUCT DEST	PA
Hurricane Pass Daybeacon 7	26005	DBD DEST/STRUCT DMGD	PA
Hurricane Pass Daybeacon 7A	26007	STRUCT DMGD	PA
Caladesi Island Channel Daybeacon 7	61935	DAYMK MISSING	PA

Private Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Hurricane Pass Daybeacon 11	26020	WATCHING PROPERLY	PA	2025-03-11

St Lucie Canal

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
St Lucie Canal Daybeacon 40A	51140	STRUCT DEST/TRUB	FD

St Lucie Inlet

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
St Lucie Inlet Light 3	10000	STRUCT MISSING/TRLB	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Southern Port Salerno Daybeacon 2	10177	STRUCT DEST	PA

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
St Lucie Inlet Buoy 5	10125	RELOCATED FOR DREDGING	FD
St Lucie Inlet Buoy 6	10130	RELOCATED FOR DREDGING	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Miami, Submerged Land Act (SLA) - St Lucie Inlet/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2024-12-30 To: 2025-05-12 Location: 27.16491° N / 80.16239° W 27.16407° N / 80.16656° W 27.16384° N / 80.17274° W 27.16457° N / 80.17703° W 27.1643° N / 80.1705° W 27.1643° N / 80.17029° W 27.16491° N / 80.16239° W Starting approximately January 2, 2025, and continuing until approximately February 5, 2025, equipment and pipeline rafts will be anchored along the right descending (south) bank of St. Lucie Inlet between St Lucie Inlet Light 9 (LLNR 10145) and St Lucie Inlet Daybeacon 17 (LLNR 10170). Dredge pipeline and equipment will have all required lighting for night anchorage. The Staging Area will be bound by following approximate positions: 27-09-51.663N / 80-09-55.501W 27-09-47.544N / 80-10-07.995W 27-09-46.661N / 80-10-23.686W 27-09-51.955N / 80-10-23.983W 27-09-51.642N / 80-10-06.473W 27-09-53.551N / 80-09-55.433W The staging area will be utilized for the duration of the project. Starting approximately February 3, 2025, and continuing until approximately 30 April 2025, Weeks Marine hopper dredge R.B. Weeks will be dredging fill material from the Atlantic Ocean borrow area(s) bound by following approximate positions: 27-01-07.331N / 80-04-04.022W 26-59-40.425N / 80-03-32.819W 27-01-37.842N / 80-02-18.538W 27-00-12.126N / 80-01-43.935W The fill material will be deposited on Jupiter Island Beach, FL using a combination of floating and submerged pipeline reaching between 5,600 feet to 6,400 feet offshore from the beach. Submerged pipeline corridor will be bound by following approximate positions: 27-05-50.42N / 80-07-52.19W 26-59-36.58N / 80-05-14.75W 27-00-01.84N / 80-04-06.23W 27-06-13.26N / 80-06-55.21W The submerged line(s) will be removed at the completion of dredging operations. Once underway, operations will continue on a twenty-four (24) hours per day, seven days per week basis. Vessels, pipelines, and equipment will have all required Coast Guard lighting for night operations. On-scene vessels will monitor marine VHF-FM channels 13 and 16. Mariners are urged to use extreme caution and transit the area at their slowest safe speed to create minimum wake after passing arrangements have been made.	

St Lucie River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
St Lucie River Daybeacon 5	50675	STRUCT DEST/TRUB	FD
St Lucie River Daybeacon 12A	50725.5	STRUCT DEST	FD
St Lucie River Light 13	50730	STRUCT DMGD/TRLB	FD
St Lucie River Light 17	50750	DBD DMGD	FD
St Lucie River Daybeacon 22A	50780	STRUCT DEST/TRUB	FD
St Lucie River Light 23A	50835	STRUCT DEST/HAZ NAV/TRLB	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Rocky Point Access Channel Daybeacon 1	50641	STRUCT DEST	PA
Manatee Pocket Channel Daybeacon 2	50677.1	STRUCT DEST	PA
Manatee Pocket Channel Daybeacon 10	50677.5	STRUCT DEST	PA
Manatee Pocket Channel North Extension Daybeacon 5	50678.2000000000004	STRUCT DEST	PA
St. Lucie River Stuart Ext Daybeacon 1	50838	STRUCT DEST	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
St Lucie River/ATON/Advanced Notice of Change	Advanced Notice of Change	Woods Point Daybeacon 1 (LLNR 50760) will be changed to Woods Point Buoy 1 (LLNR 50760). This change will give mariners a more reliable signal when transiting this channel.	Lat: 27° 12' 18" Lon: -080° 12' 47"
St Lucie Inlet - St Lucie River/General/Bridges/Temp Deviation	Bridges	General/Bridges/Temp Deviation From: 2024-12-31 To: 2025-06-01 Location: 27.20368° N / 80.26011° W Bridge Name: Florida East Coast Railroad Bridge The Temporary Interim Rule (TIR) has been extended through May 31, 2025. The railroad bridge will operate in accordance with 33 CFR 117.317(k). The TIR Extension will be published in Federal Register with a request for comments. Comments may be submitted under docket number USCG-2022-0222 using Federal Decision Making Portal at https://www.regulations.gov . Public comments will be accepted up to 30 days after the TIR is published in the Federal Register. The Coast Guard intends to issue a Notice of Proposed Rulemaking (NPRM) in March 2025, in which we are proposing the drawbridge operating regulation outlined in the TIR become permanent. This action will allow for the public to comment.	Lat: 27° 12' 13" Lon: -080° 15' 36"

St Lucie River North Fork

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
St Lucie River (North Fork) Daybeacon 7	50885	STRUCT DEST	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Seagate Harbor Daybeacon 1	50861	STRUCT DEST/HAZ NAV	PA
St. Lucie River (North Fork) Daybeacon 11	50905	STRUCT DEST	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
St Lucie River - St Lucie River North Fork/General/Bridges/Rehabilitation	Bridges	General/Bridges/Rehabilitation From: 2024-11-22 To: 2025-11-30 Location: 27.27175° N / 80.32449° W Bridge Name: Port St Lucie Boulevard Bridge - Long Creek Seacoast Inc. will be conducting repairs on the bridges across Long Creek. The improvements under this contract consist of structures, riprap, bedding stone, earthwork (excavation), clearing and grubbing, MOT, environmental protections, and monitor existing structures along State Road 716 at Long Creek. In-water equipment will be present, the waterway will not be fully obstructed at any time.	Lat: 27° 16' 18" Lon: -080° 19' 28"
St Lucie River - St Lucie River North Fork/General/Bridges/Rehabilitation	Bridges	General/Bridges/Rehabilitation From: 2024-11-22 To: 2025-11-30 Location: 27.27173° N / 80.32221° W Bridge Name: Port St Lucie Boulevard Bridge - North Fork St Lucie River Seacoast Inc. will be conducting repairs on the bridges across North Fork St Lucie River. The improvements under this contract consist of structures, riprap, bedding stone, earthwork (excavation), clearing and grubbing, MOT, environmental protections, and monitor existing structures along State Road 716 at North Fork St Lucie River. In-water equipment will be present, the waterway will not be fully obstructed at any time.	Lat: 27° 16' 18" Lon: -080° 19' 20"
St Lucie River - St Lucie River North Fork/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2024-12-17 To: 2025-04-01 Location: 27.20914° N / 80.26947° W Aid Name: St Lucie River (North Fork) Daybeacon 5 LLNR: 50855 Action: CHANGE Action Type Change Aid Subtype The U.S. Coast Guard is proposing to make the following change in the St. Lucie River. St. Lucie River N. Fork DBN 5 (LLNR 50855) will be changed to St. Lucie River N. Fork LT 5, using the same LLNR. This aid is currently located near a bend on the St Lucie River (North Fork) and unlighted. Given the turn for the channel it is best to install a light on the aid to provide a better signal during nighttime hours. There are currently no lighted aids in the immediate area. Lighting this aid would keep the maritime community safer and assist with navigation while transiting the river. All comments should be emailed to: D07-SMB-DPWPublicComments@uscg.mil or Andrew.m.ingle@uscg.mil with St. Lucie River N. Fork LT 5 as the subject line. Comments can also be mailed to: Commander (dpw), Seventh Coast Guard District, 909 SE 1st Ave (STE 406) Brickell Plaza Federal Bldg, Miami, FL. 33131-3050 to be received by April 1, 2025.	Lat: 27° 12' 33" Lon: -080° 16' 10"

St Lucie River South Fork

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
St Lucie River (South Fork) Daybeacon 24	51000	STRUCT DEST/TRUB	FD
St Lucie River (South Fork) Daybeacon 25A	51010	STRUCT DEST	FD

St Marys Entrance

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
St Marys South Jetty Buoy B	6615	MISSING	FD
St Marys North Jetty Buoy C	6620	MISSING	FD
St Marys South Jetty Buoy D	6625	OFF STATION	FD
St Marys Daybeacon N	6680	STRUCT DEST/HAZ NAV	FD

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
St Marys Entrance Lighted Buoy 6	6550	RESET ON STATION	FD	2025-03-14
St Marys Entrance Lighted Buoy 13	6585	WATCHING PROPERLY	FD	2025-03-14
St Marys Entrance Lighted Buoy 15	6595	RELIGHTED	FD	2025-03-14

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
St Marys Entrance Lighted Buoy 21	6655	RELOCATED FOR DREDGING	FD
St Marys Entrance Lighted Buoy 20	6650	RELOCATED FOR DREDGING	FD
St Marys Entrance Lighted Buoy 9	6565	RELOCATED FOR DREDGING	FD
St Marys Entrance Lighted Buoy 18	6630	RELOCATED FOR DREDGING	FD
St Marys Entrance Lighted Buoy 19	6635	RELOCATED FOR DREDGING	FD
St Marys Entrance Lighted Buoy 8	6560	RELOCATED FOR DREDGING	FD
St Marys Entrance Lighted Buoy 10	6570	RELOCATED FOR DREDGING	FD
St Marys Entrance Lighted Buoy 11	6575	RELOCATED FOR DREDGING	FD
St Marys Entrance Lighted Buoy 12	6580	RELOCATED FOR DREDGING	FD
St Marys Entrance Lighted Buoy 13	6585	RELOCATED FOR DREDGING	FD
St Marys Entrance Lighted Buoy 14	6590	RELOCATED FOR DREDGING	FD

St Marys Entrance Lighted Buoy 15	6595	RELOCATED FOR DREDGING	FD
St Marys Entrance Lighted Buoy 16	6600	RELOCATED FOR DREDGING	FD
St Marys Entrance Lighted Buoy 17	6605	RELOCATED FOR DREDGING	FD

Temporary Changes Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
St Marys Entrance Lighted Buoy 8	6560	Returned to Assigned Position	FD	2025-03-14
St Marys Entrance Lighted Buoy 9	6565	Returned to Assigned Position	FD	2025-03-14
St Marys Entrance Lighted Buoy 10	6570	Returned to Assigned Position	FD	2025-03-14
St Marys Entrance Lighted Buoy 11	6575	Returned to Assigned Position	FD	2025-03-14
St Marys Entrance Lighted Buoy 12	6580	Returned to Assigned Position	FD	2025-03-14
St Marys Entrance Lighted Buoy 12	6580	Returned to Assigned Position	FD	2025-03-14
St Marys Entrance Lighted Buoy 13	6585	Returned to Assigned Position	FD	2025-03-14
St Marys Entrance Lighted Buoy 14	6590	Returned to Assigned Position	FD	2025-03-14
St Marys Entrance Lighted Buoy 15	6595	Returned to Assigned Position	FD	2025-03-14
St Marys Entrance Lighted Buoy 16	6600	Returned to Assigned Position	FD	2025-03-14
St Marys Entrance Lighted Buoy 17	6605	Returned to Assigned Position	FD	2025-03-14
St Marys Entrance Lighted Buoy 18	6630	Returned to Assigned Position	FD	2025-03-14
St Marys Entrance Lighted Buoy 19	6635	Returned to Assigned Position	FD	2025-03-14
St Marys Entrance Lighted Buoy 20	6650	Returned to Assigned Position	FD	2025-03-14
St Marys Entrance Lighted Buoy 21	6655	Returned to Assigned Position	FD	2025-03-14

St Petersburg Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
St Petersburg Channel Light 7	24980	STRUCT DEST	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Snell Isle Daybeacon 4	25020.2	STRUCT DEST/HAZ NAV	PA
Snell Isle Daybeacon 5	25020.3	STRUCT DEST	PA
Coffee Pot Bayou Daybeacon 1	25021	STRUCT DEST	PA

St Petersburg Yacht Basin

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
St Petersburg Yacht Basin Light 1	25015	STRUCT DMGD/TRLB	FD
St Petersburg Yacht Basin Light 2	25020	STRUCT DEST/TRLB	FD
St Petersburg Yacht Basin Light 2	25020	TRLB/STRUCT DEST	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
St. Petersburg Mooring Field Buoy B	25009.100000000002	MISSING	PA
St. Petersburg Mooring Field Buoy C	25009.2	MISSING	PA

St Simons Sound

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Plantation Creek Range Rear Light	6135	STRUCT DEST	FD
Cedar Hammock Outbound Range Front Light	6205	STRUCT DMGD/TRLT	FD

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
St Simons Sound Entrance Lighted Buoy 3	6045	RELOCATED FOR DREDGING	FD
St Simons Sound Entrance Lighted Buoy 4	6050	RELOCATED FOR DREDGING	FD
St Simons Sound Entrance Lighted Buoy 5	6055	RELOCATED FOR DREDGING	FD
St Simons Sound Entrance Lighted Buoy 6	6060	RELOCATED FOR DREDGING	FD
St Simons Sound Entrance Lighted Buoy 7	6065	RELOCATED FOR DREDGING	FD
St Simons Sound Entrance Lighted Buoy 8	6070	RELOCATED FOR DREDGING	FD
St Simons Sound Entrance Lighted Buoy 9	6075	RELOCATED FOR DREDGING	FD
St Simons Sound Entrance Lighted Buoy 10	6080	RELOCATED FOR DREDGING	FD
St Simons Sound Entrance Lighted Bell Buoy 11	6085	RELOCATED FOR DREDGING	FD

St Simons Sound Entrance Lighted Buoy 12	6090	DISCONTINUED FOR DREDGING	FD
St Simons Sound Entrance Lighted Buoy 13	6095	RELOCATED FOR DREDGING	FD

Temporary Changes Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
St Simons Sound Entrance Lighted Buoy 3	6045	Returned to Assigned Position	FD	2025-03-14
St Simons Sound Entrance Lighted Buoy 4	6050	Returned to Assigned Position	FD	2025-03-14
St Simons Sound Entrance Lighted Buoy 5	6055	Returned to Assigned Position	FD	2025-03-14
St Simons Sound Entrance Lighted Buoy 6	6060	Returned to Assigned Position	FD	2025-03-14
St Simons Sound Entrance Lighted Buoy 7	6065	Returned to Assigned Position	FD	2025-03-14
St Simons Sound Entrance Lighted Buoy 8	6070	Returned to Assigned Position	FD	2025-03-14
St Simons Sound Entrance Lighted Buoy 9	6075	Returned to Assigned Position	FD	2025-03-14
St Simons Sound Entrance Lighted Buoy 10	6080	Returned to Assigned Position	FD	2025-03-14
St Simons Sound Entrance Lighted Bell Buoy 11	6085	Returned to Assigned Position	FD	2025-03-14
St Simons Sound Entrance Lighted Buoy 12	6090	Returned to Assigned Position	FD	2025-03-14
St Simons Sound Entrance Lighted Buoy 13	6095	Returned to Assigned Position	FD	2025-03-14

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Doboy Sound To Fernandina - St Simons Sound/ATON/Advanced Notice of Change	Advanced Notice of Change	Cedar Hammock RFL (LLNR 6195) will be permanently relocated to approximate position 32-06-02.513N/081-27-57.935W. The RFL will be changed to a day/night optic and continuing to display a Q G flash characteristic for a 24hr continuous cycle. The daymarks will be permanently discontinued. Cedar Hammock RFL Passing LT (LLNR 6195.1) will be permanently established to display a FI W 2.5s flash characteristic during nighttime hours only, with a nominal range of 4NM.	Lat: 31° 06' 01" Lon: -081° 28' 05"
Doboy Sound To Fernandina - St Simons Sound/ATON/Advanced Notice of Change	Advanced Notice of Change	Cedar Hammock RRL (LLNR 6200) will be permanently relocated to approximate position 31-05-58.956N/081-28-13.677W. The RRL will be changed to a day/night optic and continuing to display an Iso G 6s flash characteristic for a 24hr continuous cycle. The daymarks will be permanently discontinued. Cedar Hammock RRL Passing Light (LLNR 6200.1) will be permanently established by mounting (2) optics located on the NW and SE corners of the platform for Cedar Hammock RRL (LLNR 6200). The (2) optics will be synchronized and display a FI W 2.5s flash characteristic during nighttime hours only, with a nominal range of 4NM. Due to the current location of Cedar Hammock RRL (LLNR 6200) being inaccessible for a CG asset to effectively repair the structure, it was determined by relocating both range structures it will not only offer an excellent range quality index for all mariners but be accessible to all CG assets to provide consistent maintenance to both structures.	Lat: 31° 05' 50" Lon: -081° 28' 52"

Steinhatchee River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Steinhatchee River Light 9	30480	DBD DEST/STRUCT DEST/TRLB/HAZ NAV	FD
Steinhatchee River Daybeacon 14	30490.5	HAZ NAV/STRUCT DEST/TRLB	FD
Steinhatchee River Daybeacon 34	30570	STRUCT MISSING/HAZ NAV/TRLB	FD
Steinhatchee River Daybeacon 48	30580.9	STRUCT DEST/TRUB	FD

Stono River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Stono River Daybeacon 20	34640	STRUCT DEST/HAZ NAV/TRLB	FD

Stranahan River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Stranahan River Daybeacon 25	47410	STRUCT DMGD	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Port Everglades - Stranahan River/General/Bridges/Temp Deviation	Bridges	General/Bridges/Temp Deviation From: 2025-02-07 To: 2025-04-28 Location: 26.1171° N / 80.14034° W Bridge Name: Southeast 3rd Avenue Bridge - New River The bridge need not open to navigation including tugs with tows, from 7:30 a.m. to 9 a.m. on Sunday, April 27, 2025, to facilitate the Walk like MADD & MADD Dash 5K. Public vessels of the United States and vessels in distress shall be passed at any time.	Lat: 26° 07' 02" Lon: -080° 08' 25"

Sunset Harbour Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Flagler Monument Daybeacon 2	48145	STRUCT DEST/TRUB	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Sunset Harbour Channel Light 8	48110	LT EXT	PA

Sunshine Skyway Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Sunshine Skyway Channel Daybeacon 2	60320	STRUCT MISSING	FD
Sunshine Skyway Channel Daybeacon 22	60415	STRUCT DEST/TRUB	FD
Sunshine Skyway Channel Daybeacon 23	60420	STRUCT DEST/TRUB	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Bunces Pass Daybeacon 3	25285	DAYMK MISSING	PA
Bunces Pass Daybeacon 9	25415	DBD DEST	PA
Bunces Pass Daybeacon 11	25425	STRUCT DMGD	PA

Suwannee Sound South Entrance

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Suwannee Sound South Entrance Daybeacon 2	30015	STRUCT MISSING	FD
Suwannee Sound South Entrance Daybeacon 7	30030	STRUCT MISSING	FD
Suwannee Sound South Entrance Daybeacon 11	30040	STRUCT MISSING	FD
Suwannee Sound South Entrance Daybeacon 15	30050	STRUCT MISSING	FD

Tampa Bay Cut C Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Tampa Bay Cut C Channel Outbound Range Front Light	22580	STRUCT DEST/TRLT	FD
Tampa Bay Cut C Channel Outbound Range Rear Light	22585	STRUCT DEST/TRLT	FD

Tampa Bay

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Cockroach Bay Channel Daybeacon 2	22635	HAZ NAV/DAYMK MISSING	PA
Cockroach Bay Channel Daybeacon 8	22665	DAYMK MISSING	PA
Cockroach Bay Channel Daybeacon 11	22680	DAYMK MISSING	PA
Cockroach Bay Channel Daybeacon 15	22696	STRUCT DEST	PA
Little Harbor Channel Daybeacon 4	24505	STRUCT DEST	PA
Little Harbor Channel Daybeacon 7	24515	STRUCT DEST	PA
Little Harbor Marina Daybeacon 3	24570	STRUCT DEST	PA
Little Harbor Marina Daybeacon 6	24585	HAZ NAV/DAYMK MISSING	PA
Simmons Park Channel Daybeacon 3	24606.2	HAZ NAV/DAYMK MISSING	PA
Simmons Park Channel Daybeacon 4	24606.3	STRUCT DEST/HAZ NAV	PA
Simmons Park Channel Daybeacon 13	24607.2	STRUCT DEST	PA
Apollo Beach Daybeacon 4	24625	DAYMK DMGD	PA
Apollo Beach Daybeacon 9	24643	STRUCT DEST	PA
Harbor Channel Daybeacon 3	24663.2	STRUCT DEST	PA

Tampa Bay Cut B Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Tampa Bay Cut B Channel Inbound Range Rear Light	22485	STRUCT DEST/HAZ NAV/TRLT	FD

Tampa Bay Cut D Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Tampa Bay Cut D Channel Outbound Range Rear Light	22715	LT EXT	FD

Tampa Bay Cut D Channel Outbound Range Rear Passing Light	22715.100000000002	STRUCT DEST	FD
---	--------------------	-------------	----

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Tampa Bay Cut D Channel Outbound Range Front Light	22710	WATCHING PROPERLY	FD	2025-03-17

Tampa Bay Cut E Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Tampa Bay Cut E Channel Inbound Range Rear Light	22765	STRUCT DEST/HAZ NAV/TRLB	FD
Tampa Bay Cut E Channel Inbound Range Rear Light Passing Light	22765.5	STRUCT DEST	FD

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Tampa Bay Cut E Channel Inbound Range Front Light	22760	WATCHING PROPERLY	FD	2025-03-17

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
North Yacht Basin Daybeacon 2	22786	STRUCT DEST	PA

Tampa Bay Cut F Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Tampa Bay Cut F Inbound Range Rear Passing Light	22815.2	LT EXT	FD

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Tampa Bay Cut F Channel Inbound Range Front Light	22810	WATCHING PROPERLY	FD	2025-03-17

Tampa Bay Cut J Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Tampa Bay Cut J Channel Outbound Range Front Light	23720	HAZ NAV/STRUCT DEST/TRLT	FD

Taylor Creek Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Taylor Creek Channel Daybeacon 3	45100	STRUCT DEST	FD

Terminal Channel

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Jacksonville Shipyards Pier 6 Light	7655	LT EXT	PA

Terra Ceia Bay

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Terra Ceia Bay Entrance Daybeacon 1	22145	WATCHING PROPERLY	FD	2025-03-12

The Bight Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
The Bight Channel Light 44	4920	STRUCT MISSING/TRUB	FD

Titusville Yacht Basin

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Titusville Yacht Basin Daybeacon 1	41210	STRUCT DEST/TRUB	FD
Titusville Yacht Basin Daybeacon 3	41220	STRUCT DEST/TRUB	FD

Tolomato River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Tolomato River Light 9	38645	STRUCT DEST/HAZ NAV/TRLB	FD
Tolomato River Light 45	38800	STRUCT DEST/TRLB	FD
Tolomato River Light 57A	38885	STRUCT DEST	FD
Tolomato River Lighted Buoy 59	38905.5	MISSING	FD

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Ponte Vedra Barge Wreck North Temporary Lighted Buoy	null	ESTABLISHED	FD
Ponte Vedra Barge Wreck South Temporary Lighted Buoy	null	ESTABLISHED	FD

Treasure Island

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Treasure Island Light 3	61050	HAZ NAV/STRUCT DEST/TRLB	FD
Treasure Island Light 9	61070	STRUCT DEST	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Jungle Beach Daybeacon 2	61170	STRUCT DEST/HAZ NAV/DAYMK MISSING	PA
Jungle Beach Daybeacon 4	61180	DAYMK DMGD	PA
Jungle Beach Daybeacon 11	61215	STRUCT DEST	PA

Trout River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Trout River Daybeacon 2	7550	STRUCT DEST/TRUB	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Maxwell Boat Ramp Channel Daybeacon 5	7557.900000000001	STRUCT DEST	PA
Ribault River Channel Lighted Buoy 1	7559	MISSING/HAZ NAV	PA
Ribault River Channel Lighted Buoy 3	7559.150000000001	ADRIFT	PA

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Trout River Cut Lighted Buoy 63	7540	RELOCATED FOR DREDGING	FD

Turtle River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Turtle River Light 4	6325	STRUCT DEST/TRLB	FD
Turtle River Daybeacon 10	6385	STRUCT DEST/TRUB	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Hermitage Island Plant Outfall Obstruction Light	6395	STRUCT DEST	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION

St Simons Sound - Turtle River/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2024-10-20 To: 2025-04-18 Location: 31.15657° N / 81.52431° W 31.15332° N / 81.51763° W 31.15403° N / 81.50664° W 31.15113° N / 81.49788° W 31.14937° N / 81.52345° W 31.15657° N / 81.52431° W Cottrell Contracting Corporation of Chesapeake, Virginia advises that the dredge NEWMARKET will be conducting dredging operations in the Brunswick Inner Harbor, Glenn County, GA. The work will be ongoing from August 23, 2024, with an estimated completion date of December 31, 2024, from approximately 2,000 feet north of the Colonels Island Range Front Light (LLNR (6330) to St Simons Sound Lighted Buoy 19 (LLNR 6140). The dredge will also continue into the East River on the east side of Andrews Island. The pipeline will extend from the dredge to the Andrews Island Disposal Area. All mariners are requested to stay clear of the dredge, pipelines, barge, derricks, and operating wires about the dredge. All operators should be aware that the dredge and pontoon lines are held in place by cables, which are attached to anchors some distance from the dredge and pontoons. Buoys are attached to the anchors so that they may be moved as the dredge moves. Submerged lines should be avoided. Mariners are requested to exercise extreme caution when approaching, passing, and leaving the dredging plant. The dredge NEWMARKET monitors VHF-FM channels 13 and 16. Mariners are cautioned to strictly comply with the Inland Rules of the Road when approaching, passing and leaving the area of operations, and remain a safe distance away from the dredge, booster, buoys, cables, pipeline, barges, derricks, wires and related equipment. Owners and lessees of fishnets, crabpots and other structures that may be in the vicinity and that may hinder the free navigation of attending vessels and equipment must remove these from the area where tugs, tender boats and other attendant equipment will be navigating. Dredging operations will be conducted twenty-four hours a day seven, days a week, all fishnets, crab pots and structures in the general area must be removed prior to commencement of any work, a slow NO WAKE speed is requested of transiting vessels. All vessels are requested to contact the dredge prior to passing.	
---	---	---	--

Umbrella Creek

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Umbrella Creek Daybeacon A9	37440	DAYMK MISSING	FD

Unknown

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Baynard Cove Creek Daybeacon 2	4355	STRUCT DEST	PA
Haig Point Light	4370	LT IMCH	PA
Sebastian Inlet Channel Daybeacon 1A	9730	STRUCT DEST	PA
Sebastian Inlet Channel Daybeacon 5	9750	STRUCT DEST	PA
Sebastian Inlet Channel Daybeacon 10	9775	HAZ NAV/DAYMK MISSING	PA
Sebastian Inlet Channel Daybeacon 17	9810	DAYMK MISSING	PA
Sebastian Inlet Channel Daybeacon 25	9810.9	DBD DEST	PA
Sebastian Inlet Channel Daybeacon 28	9812.2	STRUCT DEST/HAZ NAV	PA
Fisher Island Marina Channel North Obstruction Daybeacon	10605	DAYMK MISSING	PA
Fisher Island Breakwater East Obstruction Daybeacon	10650	DAYMK MISSING	PA
Msrc Boundary Shoal Daybeacon	10735	DAYMK MISSING	PA
Ohio Key Channel Daybeacon 4	12595	STRUCT DEST/HAZ NAV	PA
Stump Pass Marina Daybeacon 2	21390	STRUCT DEST/HAZ NAV	PA
Stump Pass Marina Daybeacon 3	21395	STRUCT DEST/HAZ NAV	PA
Stump Pass Marina Daybeacon 4	21400	STRUCT DEST	PA
Big Sarasota Pass Buoy 7	21500.7	MISSING	PA
Big Sarasota Pass Daybeacon 8	21500.8	STRUCT DEST	PA
Big Sarasota Pass Daybeacon 11	21510	STRUCT DEST	PA
Big Sarasota Pass Daybeacon 11A	21510.5	STRUCT DEST	PA
Big Sarasota Pass Daybeacon 13	21515	STRUCT DEST	PA
Big Sarasota Pass Daybeacon 15	21525	STRUCT DEST	PA
Plymouth Harbor East Obstruction Daybeacon	21547	STRUCT DEST/HAZ NAV	PA
Plymouth Harbor West Obstruction Daybeacon	21547.100000000002	STRUCT DEST/HAZ NAV	PA
South Lido North Obstruction Daybeacon	21555.100000000002	STRUCT DEST/HAZ NAV	PA
South Lido South Obstruction Daybeacon	21555.2	STRUCT DEST/HAZ NAV	PA
North Siesta Key Daybeacon 1	21570.100000000002	STRUCT DEST	PA
North Siesta Key Daybeacon 9	21570.5	STRUCT DEST	PA
Big Sarasota Pass Daybeacon 18	21577	STRUCT DEST/HAZ NAV	PA
Country Club Shores Daybeacon 2	21660	DAYMK MISSING	PA
Country Club Shores Daybeacon 4	21665	DAYMK DMGD	PA
MacDill Marina Channel Daybeacon 2	22975	STRUCT DEST	PA
Point Pinellas Daybeacon 1	24740	HAZ NAV/STRUCT DMGD	PA
Point Pinellas Daybeacon 3	24745	STRUCT DEST/HAZ NAV	PA
Isleta Marina Pier A Light	31240	LT EXT	PA
Isleta Marina Pier B Light	31245	LT EXT	PA
Isleta Marina Pier C Light	31250	LT EXT	PA
Puerto Yabucoa Channel Range Front Light	31745	LT EXT/STRUCT DMGD	PA
Puerto Yabucoa Channel Range Rear Light	31750	LT EXT/STRUCT DMGD	PA
Las Mareas Range Front Light	31810	LT EXT	PA
Las Mareas Range Rear Light	31815	LT EXT	PA

Las Mareas Lighted Buoy 1	31820	OFF STA/LT EXT	PA
Las Mareas Lighted Buoy 2	31825	MISSING	PA
Las Mareas Light 4	31835	LT EXT	PA
Las Mareas Articulated Light 5	31840	LT EXT	PA
Las Mareas Light 6	31845	LT EXT	PA
Las Mareas Pier Light (3)	31850	LT EXT	PA
Water Island Channel Lighted Buoy 3	32626.2	LT EXT	PA
Marsh Harbor Marina Daybeacon 3	35420	DAYMK MISSING	PA
Marsh Harbor Marina Daybeacon 5	35430	DAYMK MISSING	PA
Fdot Villano Bridge South Breasting Light	38834	LT EXT	PA
Boat Works Channel Daybeacon 2	40135	DAYMK MISSING	PA
Boat Works Channel Daybeacon 3	40140	DAYMK MISSING	PA
Boat Works Channel Daybeacon 4	40145	DAYMK MISSING	PA
Boat Works Channel Daybeacon 5	40150	DAYMK MISSING	PA
Boat Works Channel Daybeacon 7	40160	DAYMK DMGD	PA
Boat Works Channel Daybeacon 9	40170	STRUCT DEST	PA
Matthews Marina Daybeacon 2	40255	STRUCT DEST	PA
Matthews Marina Daybeacon 3	40260	DAYMK IMCH	PA
Matthews Marina Daybeacon 5	40270	DAYMK MISSING	PA
Seven Seas Marina Daybeacon 11	40330	DAYMK MISSING	PA
Harbor Towne Marina Daybeacon 2	41245	STRUCT DEST	PA
Harbor Towne Marina Daybeacon 4	41250	STRUCT DEST	PA
Harbor Towne Marina Daybeacon 9	41265	DAYMK MISSING	PA
Riverdeck Channel Daybeacon 1	41295	STRUCT DEST	PA
Riverdeck Channel Daybeacon 2	41300	STRUCT DEST	PA
Riverdeck Channel Daybeacon 3	41305	STRUCT DEST	PA
Riverdeck Channel Daybeacon 4	41310	STRUCT DEST	PA
Kennedy Yacht Club Channel Daybeacon 1	41345	DAYMK MISSING	PA
Kennedy Yacht Club Channel Daybeacon 2	41350	DAYMK MISSING	PA
Kennedy Yacht Club Channel Daybeacon 3	41355	DAYMK IMCH	PA
Kennedy Yacht Club Channel Daybeacon 4	41360	DAYMK IMCH	PA
Kennedy Yacht Club Channel Daybeacon 5	41365	STRUCT DEST	PA
Kennedy Yacht Club Channel Daybeacon 7	41375	STRUCT DEST	PA
Kennedy Yacht Club Channel Daybeacon 8	41380	STRUCT DEST	PA
Kennedy Yacht Club Channel Daybeacon 9	41385	STRUCT DEST	PA
Kennedy Yacht Club Channel Daybeacon 10	41390	STRUCT DEST	PA
Orlando Utilities Comission Channel Buoy 2	41445	MISSING	PA
Orlando Utilities Comission Channel Buoy 4	41450	MISSING	PA
Orlando Utilities Comission Channel Buoy 5	41455	MISSING	PA
Orlando Utilities Comission Channel Buoy 6	41460	MISSING	PA
Orlando Utilities Comission Channel Buoy 7	41465	MISSING	PA
Orlando Utilities Comission Channel Buoy 8	41470	MISSING	PA
Indian Cove Marina Daybeacon 3	42140	DAYMK DMGD	PA
Indian Cove Marina Daybeacon 5	42150	DAYMK DMGD	PA
Indian Cove Marina Daybeacon 7	42160	DAYMK DMGD	PA
Jays Harbor Lights Marina Daybeacon 1	42205	HAZ NAV/DAYMK MISSING	PA
Jays Harbor Lights Marina Daybeacon 2	42210	HAZ NAV/DAYMK DMGD/STRUCT DMGD	PA
Jays Harbor Lights Marina Daybeacon 3	42215	DAYMK MISSING	PA
Jays Harbor Lights Marina Daybeacon 4	42220	HAZ NAV/DAYMK MISSING/STRUCT DMGD	PA
Diamond 99 Marina Daybeacon 1	42290	DAYMK MISSING	PA
Diamond 99 Marina Daybeacon 2	42295	DAYMK IMCH	PA
Diamond 99 Marina Daybeacon 3	42300	DAYMK MISSING	PA
Diamond 99 Marina Daybeacon 4	42305	DAYMK MISSING	PA
Diamond 99 Marina Daybeacon 5	42310	STRUCT DEST	PA
Diamond 99 Marina Daybeacon 6	42315	DAYMK MISSING	PA
Diamond 99 Marina Daybeacon 7	42320	DAYMK MISSING	PA
Diamond 99 Marina Light 8	42325	STRUCT DEST	PA
Intracoastal Marina Channel Daybeacon 1	43115	DAYMK MISSING	PA
Intracoastal Marina Channel Daybeacon 3	43125	DAYMK MISSING	PA
Intracoastal Marina Channel Daybeacon 6	43140	DAYMK MISSING	PA
Intracoastal Marina Channel Daybeacon 8	43150	DAYMK MISSING	PA
Intracoastal Marina Channel Daybeacon 9	43155	DAYMK MISSING	PA
Intracoastal Marina Channel Daybeacon 12	43165	DAYMK MISSING	PA
Inlet Marina Daybeacon 1	43615	DAYMK MISSING	PA

Inlet Marina Daybeacon 2	43620	DAYMK MISSING	PA
Inlet Marina Daybeacon 4	43630	DAYMK MISSING	PA
Sembler Daybeacon 5	43655	DAYMK MISSING	PA
Channel 68 Marina Daybeacon 1 (Abandoned)	43685.1	STRUCT DEST/HAZ NAV	PA
Channel 68 Marina Daybeacon 2 (Abandoned)	43685.200000000004	STRUCT DEST	PA
Channel 68 Marina Daybeacon 6 (Abandoned)	43685.6	STRUCT DEST	PA
Loggerhead Marina Daybeacon 10	44015	DAYMK MISSING	PA
Village Marina Daybeacon 2	44985	STRUCT DEST	PA
Riverside Marina (Ft. Pierce) Daybeacon 1	45035	STRUCT DEST	PA
Riverside Marina(Ft. Pierce) Daybeacon 4	45050	DAYMK IMCH	PA
Riverside Marina(Ft. Pierce) Daybeacon 5	45055	STRUCT DEST	PA
Riverside Marina(Ft. Pierce) Daybeacon 7	45065	DAYMK MISSING	PA
Riverside Marina(Ft. Pierce) Daybeacon 8	45070	DAYMK MISSING	PA
Faber Cove Daybeacon 3	45135	STRUCT DEST/HAZ NAV	PA
Faber Cove Daybeacon 14	45185	STRUCT DEST	PA
Miles Grant Daybeacon 2	45980	DAYMK IMCH	PA
Miles Grant Daybeacon 4	45990	DAYMK IMCH	PA
Miles Grant Daybeacon 6	45995	DAYMK IMCH	PA
New Port Cove Marine Ctr Daybeacon 2	46620	STRUCT DEST	PA
Old Slip Marina Daybeacon 4	46680	STRUCT DEST/HAZ NAV	PA
Manalapan Channel Buoy 1	47007	STRUCT DEST	PA
Manalapan Channel Daybeacon 2	47007.5	STRUCT DEST	PA
Manalapan Channel Buoy 2	47008	STRUCT DEST	PA
Manalapan Channel Daybeacon 3	47008.5	STRUCT DEST	PA
Ocean Inlet Park Daybeacon 3	47050	MISSING	PA
Ocean Inlet Park Daybeacon 4	47055	STRUCT DEST	PA
Ocean Inlet Park Daybeacon 5	47060	STRUCT DEST	PA
Ocean Inlet Park Daybeacon 6	47065	STRUCT DEST	PA
Ocean Inlet Park Daybeacon 7	47070	STRUCT DEST	PA
Ocean Inlet Park Daybeacon 8	47075	STRUCT DEST	PA
Williams Island Daybeacon 1	47645	STRUCT DEST	PA
Williams Island Daybeacon 3	47650	DAYMK MISSING/STRUCT DMGD	PA
Williams Island Daybeacon 4	47655	DAYMK IMCH/STRUCT DMGD	PA
Williams Island Daybeacon 5	47660	STRUCT DEST	PA
Williams Island Daybeacon 6	47665	STRUCT DEST	PA
Williams Island Light 1	47685	STRUCT DEST	PA
Williams Island Light 2	47690	STRUCT DEST	PA
Intracoastal Yacht Club Channel Daybeacon 7	47737.1	DAYMK MISSING	PA
Intracoastal Yacht Club Channel Daybeacon 8	47737.200000000004	DAYMK MISSING	PA
Intracoastal Yacht Club Channel Daybeacon 9	47737.3	DAYMK MISSING	PA
Intracoastal Yacht Club Channel Daybeacon 10	47737.4	DAYMK MISSING	PA
Intracoastal Yacht Club Channel Daybeacon 11	47737.5	DAYMK MISSING	PA
Intracoastal Yacht Club Channel Daybeacon 12	47737.6	DAYMK MISSING	PA
Intracoastal Yacht Club Channel Daybeacon 13	47737.700000000004	DAYMK MISSING	PA
Mariners Bay Daybeacon 1	47890	DAYMK DMGD/STRUCT DMGD	PA
Mariners Bay Daybeacon 3	47895	STRUCT DEST	PA
Mariners Bay Daybeacon 5	47900	DAYMK MISSING	PA
Jockey Club Marina Daybeacon 10	47953	DAYMK MISSING	PA
Jockey Club Marina Daybeacon 15	47960	STRUCT DEST	PA
Jockey Club Marina Daybeacon 17	47965	STRUCT DEST	PA
Mike Gordon Restaurant Daybeacon 1	48220	STRUCT DEST	PA
Mike Gordon Restaurant Daybeacon 2	48225	STRUCT DEST/HAZ NAV	PA
Mike Gordon Restaurant Daybeacon 3	48230	DAYMK MISSING	PA
Palm Bay Club Channel Daybeacon 2	48290	DAYMK MISSING	PA
Palm Bay Club Channel Daybeacon 4	48300	DAYMK MISSING	PA
Palm Bay Club Channel Daybeacon 5	48305	DAYMK IMCH	PA
Palm Bay Club Channel Daybeacon 6	48310	DAYMK DMGD	PA
Palm Bay Club Channel Daybeacon 7	48315	DAYMK MISSING	PA
Palm Bay Club Channel Daybeacon 8	48320	DAYMK MISSING	PA
Sea Isle Marina Daybeacon 1	48400	STRUCT DEST	PA
Sea Isle Marina Daybeacon 2	48405	STRUCT DEST	PA
Sea Isle Marina Daybeacon 3	48410	STRUCT DEST	PA
Sea Isle Marina Daybeacon 4	48415	STRUCT DEST	PA
Sea Isle Marina Daybeacon 5	48420	STRUCT DEST	PA

Sea Isle Marina Daybeacon 6	48425	STRUCT DEST	PA
Sea Isle Marina Daybeacon 7	48430	STRUCT DEST	PA
Deering Channel Daybeacon 1	48610	STRUCT DEST	PA
Deering Channel Light 2	48615	HAZ NAV/DAYMK MISSING	PA
Deering Channel Daybeacon 3	48620	DAYMK MISSING	PA
Deering Channel Daybeacon 4	48625	DAYMK MISSING	PA
Deering Channel Daybeacon 5	48630	HAZ NAV/DAYMK MISSING	PA
Deering Channel Daybeacon 6	48635	HAZ NAV/DAYMK MISSING	PA
Deering Channel Daybeacon 7	48640	DAYMK MISSING	PA
Deering Channel Daybeacon 8	48645	DAYMK MISSING	PA
Deering Channel Daybeacon 9	48650	HAZ NAV/DAYMK MISSING	PA
Grove Island Channel Daybeacon 1A	48665	STRUCT DEST	PA
Grove Island Channel Daybeacon 2	48670	STRUCT DEST	PA
Grove Island Channel Light 9	48705	LT EXT	PA
Grove Island Channel Light 10	48710	LT EXT	PA
Grove Island Channel Light 18	48745	LT EXT	PA
L'Hermitage Light 1	48750	DAYMK MISSING	PA
L'Hermitage Light 2	48755	DAYMK MISSING	PA
L'Hermitage Daybeacon 4	48765	DAYMK MISSING	PA
Crandon Park Marina Channel Light 14	48845	STRUCT DEST/HAZ NAV/TRLB	PA
John A Brennan Channel Daybeacon 2	48985	STRUCT DEST/HAZ NAV	PA
John A Brennan Channel Light 13	49040	LT EXT	PA
Dinner Key Mooring Field 4 Lighted Buoy AA	49051	STRUCT DEST	PA
Dinner Key Mooring Field 4 Buoy CC	49051.200000000004	MISSING	PA
Dinner Key Mooring Field 4 Buoy HH	49051.700000000004	MISSING	PA
Dinner Key Mooring Field 4 Lighted Buoy II	49051.8	MISSING	PA
Island E Channel Daybeacon 2	49055.1	STRUCT DEST	PA
Island E Channel Daybeacon 8	49055.700000000004	STRUCT DEST	PA
Island E Channel Daybeacon 12	49056	STRUCT DEST	PA
Four Way Entrance Channel Daybeacon 4	49100	DAYMK MISSING	PA
Middle Ground Obstruction Buoy	49105	MISSING	PA
Four Way Channel Daybeacon 1	49150	DAYMK MISSING	PA
Four Way Channel Daybeacon 2	49155	DAYMK MISSING	PA
Anchorage Channel Daybeacon 2	49215	DAYMK IMCH	PA
Anchorage Channel Daybeacon 4	49220	DAYMK MISSING	PA
Deering Bay Channel Daybeacon 4	49585	STRUCT DEST/HAZ NAV	PA
Deering Bay Channel Daybeacon 6	49595	STRUCT MISSING	PA
Convoy Point Light 1	49865	LT EXT/STRUCT DMGD	PA
Convoy Point Light 2	49870	LT EXT	PA
Turkey Point Channel Buoy 3	49960	MISSING	PA
Turkey Point Channel Buoy 4A	49975	MISSING	PA
Turkey Point Channel Buoy 6	49985	OFF STA	PA
Turkey Point Channel Buoy 7	49990	OFF STA	PA
Turkey Point Channel Buoy 11	50010	OFF STA	PA
Turkey Point Channel Buoy 21	50060	MISSING	PA
Turkey Point Channel Buoy 23	50070	MISSING	PA
Turkey Point Channel Buoy 24	50075	MISSING	PA
Community Harbor Daybeacon 6	50535.4	DAYMK MISSING	PA
Royal Palm Yacht Club Channel Daybeacon 1	52785	DBD DEST	PA
Royal Palm Yacht Club Channel Daybeacon 2	52790	DBD DEST	PA
Royal Palm Yacht Club Channel Daybeacon 3	52795	DBD DEST	PA
Royal Palm Yacht Club Channel Daybeacon 4	52800	DBD DEST	PA
Royal Palm Yacht Club Channel Daybeacon 4	52800	STRUCT DEST	PA
Royal Palm Yacht Club Channel Daybeacon 5	52805	DBD DEST	PA
Royal Palm Yacht Club Channel Daybeacon 6	52810	DBD DEST	PA
Paradise Yacht Club Daybeacon 5	52930	DAYMK MISSING	PA
Paradise Yacht Club Daybeacon 9	52950	DAYMK IMCH/STRUCT DMGD	PA
Paradise Yacht Club Daybeacon 11	52960	DAYMK MISSING	PA
Paradise Yacht Club Daybeacon 12	52965	HAZ NAV/DAYMK MISSING	PA
Caloosa Yacht Club Channel Daybeacon 1	53475	DAYMK MISSING	PA
McGregor Isles Daybeacon 13	53511	STRUCT DEST	PA
McGregor Isles Daybeacon 15	53515	STRUCT DEST	PA
McGregor Isles Daybeacon 17	53520	STRUCT DEST	PA
Riverside Marina(Ft. Myers) Daybeacon 3	53685	DAYMK MISSING	PA

Landings Marina Daybeacon 6	53755	DAYMK MISSING	PA
Cabbage Key Channel Daybeacon 6	56060	HAZ NAV/STRUCT DEST	PA
Fishery Restaurant Channel Daybeacon 3	56665	STRUCT DEST/HAZ NAV	PA
Uncle Henry's Marina Daybeacon 2	56785	STRUCT DEST	PA
Uncle Henry's Marina Daybeacon 3	56790	DAYMK MISSING	PA
Uncle Henry's Marina Daybeacon 5	56800	STRUCT DEST/HAZ NAV	PA
Uncle Henry's Marina Daybeacon 7	56805	STRUCT DEST	PA
Uncle Henry's Marina Daybeacon 11	56825	DAYMK MISSING	PA
Uncle Henry's Marina Daybeacon 12	56830	STRUCT DEST/HAZ NAV	PA
Uncle Henry's Marina Daybeacon 13	56835	STRUCT DEST/HAZ NAV	PA
Uncle Henry's Marina Daybeacon 15	56845	DAYMK MISSING/STRUCT DMGD	PA
Uncle Henry's Marina Daybeacon 16	56850	DAYMK MISSING	PA
Uncle Henry's Marina Daybeacon 24	56890	STRUCT DEST	PA
Uncle Henry's Marina Daybeacon 27	56905	DAYMK MISSING	PA
Uncle Henry's Marina Daybeacon 30	56920	DAYMK MISSING	PA
Uncle Henry's Marina Daybeacon 31	56925	DAYMK MISSING	PA
Uncle Henry's Marina Daybeacon 35	56945	STRUCT DMGD	PA
Uncle Henry's Marina Daybeacon 36	56950	DAYMK MISSING	PA
Uncle Henry's Marina Daybeacon 37	56955	DAYMK MISSING	PA
Uncle Henry's Marina Daybeacon 40	56970	DAYMK MISSING	PA
Uncle Henry's Marina Daybeacon 41	56975	DAYMK MISSING	PA
Uncle Henry's Marina Daybeacon 42	56980	DAYMK MISSING	PA
Uncle Henry's Marina Daybeacon 43	56985	STRUCT DEST	PA
Uncle Henry's Marina Daybeacon 47	57005	STRUCT DEST	PA
Englewood Channel Daybeacon 22	57359.130000000005	STRUCT DEST	PA
Englewood Channel Daybeacon 8	57359.5	STRUCT DEST	PA
Englewood Channel Daybeacon 10	57359.6	STRUCT DEST	PA
Bayview Channel Daybeacon 3	57380	DAYMK DMGD	PA
Bayview Channel Daybeacon 4	57385	STRUCT DEST	PA
Bayview Channel Daybeacon 6	57395	STRUCT DEST	PA
Bayview Channel Daybeacon 8	57405	STRUCT DEST	PA
Bayview Channel Daybeacon 9	57410	DAYMK MISSING	PA
Bayview Channel Daybeacon 10	57415	STRUCT DEST	PA
Bay Heights Daybeacon 1	57418	DAYMK MISSING	PA
Bay Heights Daybeacon 2	57418.1	DAYMK MISSING	PA
Venice Yacht Club Obstruction Light A	57779	STRUCT DEST	PA
Blackburn Point Channel Daybeacon 1	58101	DAYMK MISSING	PA
Blackburn Point Channel Daybeacon 2	58102	DAYMK MISSING	PA
San Remo Daybeacon 2	58447	DAYMK IMCH	PA
San Remo Daybeacon 5	58449	STRUCT DEST	PA
San Remo North Obstruction Daybeacon	58449.1	STRUCT DEST/HAZ NAV	PA
San Remo South Obstruction Daybeacon	58449.200000000004	STRUCT DEST/HAZ NAV	PA
Hudson Bayou Daybeacon 1	58485.1	DAYMK IMCH	PA
Bird Key Channel Daybeacon 3	58515	DAYMK MISSING	PA
Bird Key Channel Daybeacon 7	58525	DAYMK MISSING	PA
Sarasota Sail Squad Rc Buoy A	58580	MISSING	PA
Sarasota Sail Squad Rc Buoy B	58585	MISSING	PA
Sarasota Sail Squad Rc Buoy C	58590	MISSING	PA
Sarasota Sail Squad Rc Buoy D	58595	MISSING	PA
Sarasota Sail Squad Rc Buoy E	58600	MISSING	PA
Sarasota Sail Squad Rc Buoy F	58605	MISSING	PA
Sarasota Sail Squad Rc Buoy H	58615	MISSING	PA
Sarasota Sail Squad Rc Buoy I	58620	MISSING	PA
Sarasota Sail Squad Rc Buoy J	58625	MISSING	PA
Sarasota Sail Squad Rc Buoy K	58630	MISSING	PA
Bay Isles South Channel Daybeacon 1	58640	STRUCT DMGD	PA
Bay Isles South Channel Daybeacon 4	58650	DAYMK DMGD	PA
Bay Isles South Channel Daybeacon 6	58655	DAYMK MISSING	PA
Bay Isles South Channel Daybeacon 10	58665	HAZ NAV/DAYMK MISSING	PA
Longboat Key Moorings Light 1	58680	STRUCT DEST/HAZ NAV	PA
Buttonwood Harbor Channel Junction Daybeacon B	58905	DAYMK MISSING	PA
Buttonwood Harbor Channel Daybeacon 13	58910	DAYMK MISSING	PA
Buttonwood Harbor Channel Daybeacon 20	58935	DAYMK MISSING	PA
Buttonwood Harbor Channel Daybeacon 23	58945	HAZ NAV/DAYMK MISSING	PA

Buttonwood Harbor Channel Daybeacon 24	58950	DAYMK MISSING	PA
Buttonwood Harbor Channel Daybeacon 26	58955	DAYMK MISSING	PA
Longboat Harbor Channel Daybeacon 13A	59050	DAYMK MISSING	PA
Longboat Harbor Channel Daybeacon 17	59070	DAYMK MISSING	PA
Longboat Harbor North Marina Daybeacon 2	59135	DAYMK MISSING	PA
Longboat Harbor North Marina Daybeacon 4	59140	STRUCT DEST	PA
Longboat Harbor North Marina Daybeacon 6	59145	STRUCT DEST	PA
Longboat Harbor North Marina Daybeacon 8	59150	STRUCT DEST	PA
Catalina Channel Daybeacon 1	59620	STRUCT DEST	PA
Catalina Channel Daybeacon 3	59625	STRUCT DEST	PA
Catalina Channel Daybeacon 5	59630	STRUCT DEST	PA
Bradenton Beach City South Channel Daybeacon 1	59960	STRUCT DEST	PA
Bradenton Beach City South Channel Daybeacon 3	59965	STRUCT DEST	PA
Perico Harbor Marina Daybeacon 13	60120	HAZ NAV/DAYMK MISSING	PA
Bayway Isles Channel Daybeacon 3	60635	STRUCT DEST	PA
Jungle Estates Daybeacon 6	61150	STRUCT DEST	PA
Tarpon Cove Daybeacon 3	62135	DBD DEST	PA
Tarpon Cove Daybeacon 4	62140	DBD DEST	PA
Tarpon Cove Daybeacon 5	62145	DBD DEST	PA
Tarpon Cove Daybeacon 7	62155	DBD DEST	PA
Tarpon Cove Daybeacon 9	62165	STRUCT DEST	PA
Tarpon Cove Daybeacon 12	62175	DBD DEST	PA
Tarpon Cove Daybeacon 13	62180	DBD DEST	PA
Tarpon Cove Daybeacon 15	62190	DBD DEST	PA
Tarpon Cove Daybeacon 16	62195	STRUCT DEST	PA
Tarpon Cove Daybeacon 17	62200	STRUCT DEST	PA
Tarpon Cove Daybeacon 18	62205	STRUCT DEST/HAZ NAV	PA
Tarpon Cove Daybeacon 19	62210	DBD DEST	PA
Tarpon Cove Daybeacon 20	62215	STRUCT DEST	PA
Tarpon Cove Daybeacon 23	62225	STRUCT DEST	PA
Tarpon Cove Daybeacon 25	62235	DBD DEST	PA
Tarpon Cove Daybeacon 27	62245	DBD DEST	PA
Tarpon Cove Daybeacon 28	62246	STRUCT MISSING/HAZ NAV	PA
Tarpon Cove Daybeacon 28	62246	STRUCT DMGD	PA
Buccaneer Inn Daybeacon 14	59265	DAYMK IMCH	PA
Buccaneer Inn Daybeacon 16	59270	DAYMK IMCH	PA
Buccaneer Inn Daybeacon 20	59285	STRUCT DEST	PA
Buccaneer Inn Daybeacon 24	59300	DAYMK IMCH	PA
Bayway Isles Channel Daybeacon 10	60660	DAYMK MISSING	PA
Gulfport Yacht Basin Channel Range Front Light	60700	LT EXT	PA
Gulfport Yacht Basin Channel Range Rear Light	60705	LT EXT	PA
Gulfport Yacht Club Channel Daybeacon 4	60745	STRUCT DEST	PA
Pasadena Yacht Club Channel Daybeacon 6	60770	STRUCT DEST/HAZ NAV	PA
Pasadena Yacht Club Channel Daybeacon 9	60780	STRUCT DEST	PA
Jungle Estates Daybeacon 4	61140	STRUCT DEST	PA

Private Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Tarpon Cove Daybeacon 1	62125	WATCHING PROPERLY	PA	2025-03-11
Tarpon Cove Daybeacon 2	62130	WATCHING PROPERLY	PA	2025-03-11

Upper Savannah River

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Southern Nuclear Operating Co Obstruction Daybeacon A	5295	STRUCT DEST	PA
Southern Nuclear Operating Co Obstruction Daybeacon B	5295.1	STRUCT DEST	PA

Vernon River

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION

Ossabaw Sound - Vernon River/ATON/Advanced Notice of Change	Advanced Notice of Change	ATON/Advanced Notice of Change From: 2024-11-25 To: 2025-05-24 Location: 31.87195° N / 81.07605° W Aid Name: Vernon River Light Wreck 86 LLNR: 36260 Action: CHANGE Action Type Change Light Characteristic The following change has been approved to the Aid to Navigation system in the Intracoastal Waterway the Vernon River, part of the Intracoastal Waterway (ICW). The nominal range permanently reduced from 5NM to 4NM. The current nominal range of 5NM is not necessary. Based on the design of the Short-Range Aids System (SRA), mariners should be able to see two lighted aids to navigation forward of the aid from which they are alongside. Based on this data, a nominal range of 4NM is more than adequate.	Lat: 31° 52' 19" Lon: -081° 04' 34"
---	---------------------------	--	--

Villas Continental Club

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Villas Continental Club Daybeacon 2	7790	STRUCT DEST/HAZ NAV	PA
Villas Continental Club Daybeacon 3	7795	STRUCT DEST	PA
Villas Continental Club Daybeacon 4	7800	STRUCT DEST	PA
Villas Continental Club Daybeacon 5	7805	STRUCT DEST	PA

Volusia

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Volusia Light 23	8820	STRUCT DEST/TRLB/OFF STATION	FD

Wadmalaw River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Wadmalaw River Light 77	34835	STRUCT MISSING/TRLB	FD
Wadmalaw River Daybeacon 87	34890	STRUCT DEST/TRUB	FD
Wadmalaw River Daybeacon 96	34920	STRUCT DEST/TRUB	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
North Edisto River - Wadmalaw River/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-01-28 To: 2025-04-07 Location: 32.69507° N / 80.22075° W Aid Name: Wadmalaw River Daybeacon 87 LLNR: 34890 Action: CHANGE Action Type Change Aid Subtype The U.S. Coast Guard is proposing to make the following change in the Wadmalaw River to improve aids to navigation reliability. Wadmalaw River DBN 87 (LLNR 34890) and Wadmalaw River DBN 96 (LLNR 34920) will be changed to Wadmalaw River Buoy 87 (Same LLNR) and Wadmalaw River Buoy 96 (Same LLNR). Both aids to navigation are currently destroyed and have a Temporary Unlighted Buoy on station. Both assigned positions are presenting depths of over 28 feet. This depth makes it impossible for a CG asset to rebuild the structures. Changing the aids to navigation from fixed to floating allows the CG primary servicing unit the flexibility to relocate the aid to mark safe water. All comments should be emailed to: D07-SMB-DPWPUBLICCOMMENTS@uscg.mil or Andrew.m.ingle@uscg.mil with Wadmalaw River Fixed to Floating as the subject line. Comments can also be mailed to: Commander (dpw), Seventh Coast Guard District, 909 SE 1st Ave (STE 406) Brickell Plaza Federal Bldg, Miami, FL. 33131-3050 to be received by March 28, 2025.	Lat: 32° 41' 42" Lon: -080° 13' 15"
North Edisto River - Wadmalaw River/ATON/Proposed Notice of Change	Proposed Notice of Change	ATON/Proposed Notice of Change From: 2025-01-28 To: 2025-04-07 Location: 32.66553° N / 80.23956° W Aid Name: Wadmalaw River Daybeacon 96 LLNR: 34920 Action: CHANGE Action Type Change Aid Subtype The U.S. Coast Guard is proposing to make the following change in the Wadmalaw River to improve aids to navigation reliability. Wadmalaw River DBN 87 (LLNR 34890) and Wadmalaw River DBN 96 (LLNR 34920) will be changed to Wadmalaw River Buoy 87 (Same LLNR) and Wadmalaw River Buoy 96 (Same LLNR). Both aids to navigation are currently destroyed and have a Temporary Unlighted Buoy on station. Both assigned positions are presenting depths of over 28 feet. This depth makes it impossible for a CG asset to rebuild the structures. Changing the aids to navigation from fixed to floating allows the CG primary servicing unit the flexibility to relocate the aid to mark safe water. All comments should be emailed to: D07-SMB-DPWPUBLICCOMMENTS@uscg.mil or Andrew.m.ingle@uscg.mil with Wadmalaw River Fixed to Floating as the subject line. Comments can also be mailed to: Commander (dpw), Seventh Coast Guard District, 909 SE 1st Ave (STE 406) Brickell Plaza Federal Bldg, Miami, FL. 33131-3050 to be received by March 28, 2025.	Lat: 32° 39' 56" Lon: -080° 14' 22"

Wando River

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Charleston Harbor - Wando River/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2025-03-07 To: 2025-03-28 Location: 32.83814° N / 79.88937° W 32.82869° N / 79.89383° W 32.82545° N / 79.90576° W 32.83811° N / 79.89057° W 32.83814° N / 79.88937° W Marinex Construction, Inc. will be installing pipeline and positioning the DREDGE WADMALAW to dredge the berths at the Wando Welch Terminal in the Wando River. Operations are expected to begin on or about March 13, 2025, with an estimated completion date of March 20, 2025. Crews will work 24 hours a day/7 days a week basis and will monitor VHF-FM channels 16, 13, and 82.	

Wassaw Sound

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Wassaw Sound Lighted Buoy 8	5595	MISSING	FD

Waterway Name Not Found

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
South Channel Daybeacon A1	35920	STRUCT MISSING/TRUB	FD
South Channel Daybeacon A8	35940	STRUCT DMGD	FD
North River Light 178A	36800	LT EXT	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Wexford Harbour Daybeacon 3	4420	MSLD SIG	PA
Wexford Harbour Daybeacon 4	4425	MSLD SIG	PA
Wexford Harbour Daybeacon 8	4445	MSLD SIG	PA
Palmetto Dunes Marina West Light 22	4520	DAYMK IMCH	PA

Western Gulf Intracoastal Waterway

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Dunedin Pass Daybeacon 2	25850	STRUCT DEST	PA
Dunedin Pass Daybeacon 3	25855	STRUCT DEST	PA
Dunedin Pass Daybeacon 9	25875	STRUCT DEST	PA
South Seas Boat Basin Daybeacon 3	55650	HAZ NAV/DAYMK MISSING	PA

Private Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Dunedin Pass Daybeacon 10	25880	WATCHING PROPERLY	PA	2025-03-11
Dunedin Pass Daybeacon 15	25900	WATCHING PROPERLY	PA	2025-03-11

Whale Harbor

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Whale Harbor Channel Daybeacon 6	12720	STRUCT DEST/HAZ NAV/TRLB	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Holiday Isle Marina Daybeacon 1	12765	STRUCT DEST	PA
Holiday Isle Marina Daybeacon 2	12770	STRUCT DEST	PA

White Shells Cut

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
White Shells Cut Range Rear Light	7325	STRUCT DEST	FD

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
White Shells Temporary Range Rear Light	7325.2	ESTABLISHED	FD
White Shells Cut Lighted Buoy 27	7315	RELOCATED FOR DREDGING	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
St Johns River - White Shells Cut/ATON/Advanced Notice of Change	Advanced Notice of Change	White Shells Cut LB 27 (LLNR 7315) will be permanently relocated to 30-23-36.040N/081-28-48.780W. This change calls to relocate (6) lighted buoys in the White Shells, St. Johns Bluff, Fulton Cutoff, and Blount Island Turning Basin channels of the St. Johns River. These relocations are needed as a result of channel deepening and widening, as part of the JaxPort expansion project. The position changes will allow safe navigation for vessels transiting the St. Johns River. The following aids to navigation are being proposed to be relocated to facilitate this change. All positions listed are approximate. Permanent positions will be advertised when the work is completed.	Lat: 30° 23' 36" Lon: -081° 28' 49"
St Johns River - White Shells Cut/ATON/Advanced Notice of Change	Advanced Notice of Change	White Shells Cut LB 29 (LLNR 7316) will be permanently relocated to 30-23-32.900N/081-29-05.750W. This change calls to relocate (6) lighted buoys in the White Shells, St. Johns Bluff, Fulton Cutoff, and Blount Island Turning Basin channels of the St. Johns River. These relocations are needed as a result of channel deepening and widening, as part of the JaxPort expansion project. The position changes will allow safe navigation for vessels transiting the St. Johns River. The following aids to navigation are being proposed to be relocated to facilitate this change. All positions listed are approximate. Permanent positions will be advertised when the work is completed.	Lat: 30° 23' 33" Lon: -081° 29' 06"

Wilmington River

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Skidaway Island - Wilmington River/General/Bridges/Conversion	Bridges	General/Bridges/Conversion From: 2024-10-29 To: 2025-04-27 Location: 32.062044° N / 81.02951° W Bridge Name: CR 787 (Island Expressway) Drawbridges Construction on the first of the two high level fixed bridges is complete and now spans the waterway providing 65 feet of vertical clearance and 100 feet of horizontal clearance between the fender systems. Construction of the second high level fixed bridge has begun. The old bascule bridges have been removed from the waterway.	Lat: 32° 03' 43" Lon: -081° 01' 46"

Windward Passage

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Johnson Reef Buoy JA	32680	OFF STA	PA
Johnson Reef Lighted Buoy JD	32680.3	LT EXT	PA

Winyah Bay Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Winyah Bay Range A Front Light	1875	LT EXT	FD
Winyah Bay Range A Rear Light	1880	LT EXT	FD
Winyah Bay Range B Rear Light	1915	STRUCT DEST/HAZ NAV/TRLT	FD
Winyah Bay Channel Lighted Buoy 13	1950	OFF STATION	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Winyah Bay Entrance To Isle Of Palms - Winyah Bay Channel/ATON/Advanced Notice of Change	Advanced Notice of Change	The Coast Guard Mooring Buoy WB (LLNR 1958) will be permanently relocated to approximate position 33-14-59.160N/079-12-47.580W. The new location will provide a more protected environment from the previous exposed location for CG assets when moored to this buoy.	Lat: 33° 13' 54" Lon: -079° 11' 30"
Winyah Bay Entrance To Isle Of Palms - Winyah Bay Channel/ATON/Advanced Notice of Change	Advanced Notice of Change	Winyah Bay Channel LB 4 (LLNR 1885) will have the bell permanently removed.	Lat: 33° 11' 37" Lon: -079° 07' 13"

Winyah Bay Charleston Harbor

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Charleston, Submerged Land Act (SLA) - Winyah Bay Charleston Harbor/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Dredging From: 2024-10-20 To: 2025-04-18 Location: No coordinates available Ahtna Marine and Construction Company will be dredging approximately 757,000 cubic yards of unclassified material from Placement Areas 1110S W-C, 1088S W-C, 1056S W-C, and 1028S W-C which shall be placed at Sullivan's Island and Isle of Palms beaches. The estimated completion date is February 28, 2025. The pipeline will start in approximate position 32-47-17.55N / 079-48-28.72W in the vicinity of Winyah Bay-Charleston Harbor Daybeacon 117A (LLNR 34510.5) and be submerged under the channel to approximate position 32-47-09.85N / 079-48-30.52W. The pipeline will be floating to approximate position 32-46-43.83N / 079-48-43.07W. The pipeline will continue by be submerged across the channel to approximate position 32- 46-30.80 N / 079-48-48.24W. All pipelines will be marked per U.S. Coast Guard rules and regulations. Barges will be marked with flashing lights at night. Boaters are urged to maintain safe distance from the barges to avoid potential interference with the hauling operations. Mariners are urged to transit at their slowest safe speed to minimize wake and proceed with caution after arrangements have been made. Barges will be monitoring VHF-FM channels 16 and 79. For further information contact: Ahtna Marine and Construction Company (954) 568-0007.	Lat: 32° 46' 34" Lon: -079° 48' 45"
Sector Charleston, Submerged Land Act (SLA) - Winyah Bay Charleston Harbor/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2025-02-25 To: 2026-11-13 Location: 32.7602° N / 79.86088° W 32.75736° N / 79.85803° W 32.7566° N / 79.85931° W 32.75944° N / 79.86219° W 32.7602° N / 79.86088° W Cape Romain Contractors will be replacing Fort Sumter and Fort Moultrie Docks and rehabilitate Liberty Square Pier. They will have a crane barge starting March 3, 2025, until May 31, 2026, at Fort Moultrie and crane barges at Fort Sumter and Liberty Square Pier as the project progresses. Estimated completion date of the entire project is 31October 31, 2026. All Vessels should use caution when transiting the work area. The crew at Fort Moultrie will monitor VHF-FM channels 13 and 16.	

Withlacoochee River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Withlacoochee River Entrance Daybeacon 8	29410	STRUCT MISSING/TRUB	FD
Withlacoochee River Entrance Daybeacon 16	29455	STRUCT MISSING/TRUB	FD
Withlacoochee River Entrance Daybeacon 26	29520	STRUCT MISSING/TRUB	FD
Withlacoochee River Entrance Daybeacon 29	29535	STRUCT MISSING/TRUB	FD
Withlacoochee River Entrance Daybeacon 30	29545	STRUCT MISSING/TRUB	FD
Withlacoochee River Entrance Daybeacon 31	29550	STRUCT MISSING/TRUB	FD

Withlacoochee River Entrance Light 32	29555	STRUCT MISSING/TRLB	FD
---------------------------------------	-------	---------------------	----

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Withlacoochee River Daybeacon 43	29640	WATCHING PROPERLY	FD	2025-03-17