

# Local Notice to Mariners for District 8 - MRS 04/01/2025

## Arkansas River

### Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Milligan Bend Light	990	STRUCT DEST	FD
Webber Falls Jetty Light	1010	STRUCT DEST	FD
Bluff View Light	1020	STRUCT DEST	FD
Hisaw Bottom Light	1055	LT EXT	FD
Brier Creek Light	1070	STRUCT DEST	FD
Sandtown Bottom Light	1077	STRUCT DEST	FD
Black Rock Daybeacon	1200	STRUCT DEST	FD
Gans Light	1205	STRUCT DEST	FD
Non Lateral Mark 330.4	1213	STRUCT DEST	FD
Onion Creek Daybeacon	1220	STRUCT DMGD	FD
Non Lateral Mark 328.5	1223	STRUCT DMGD	FD
Tucker Lake Light	1225	STRUCT DEST	FD
Mcnabb Bottom Daybeacon	1230	STRUCT DEST	FD
Deadman Slough Light	1240	STRUCT DEST	FD
Wilsons Rock Light	1255	STRUCT DMGD	FD
Peno Point Daybeacon	1265	DAYMK DMGD	FD
Non Lateral Mark 313.9	1267	STRUCT DEST	FD
Garrison Creek Daybeacon	1315	DAYMK MISSING	FD
Crawford County Daybeacon	1360	STRUCT DEST	FD
Jeffrey Light	1365	DAYMK MISSING	FD
Fort Chaffee Light	1390	STRUCT DEST	FD
Haroldton Light	1395	DAYMK MISSING	FD
New Haroldton Light	1400	STRUCT DEST	FD
Gun Club Lake Daybeacon	1420	DAYMK MISSING	FD
Big Creek Daybeacon	1427	DAYMK MISSING	FD
Arbuckle Island Light	1430	STRUCT DEST	FD
Clear Creek Light	1435	DAYMK MISSING	FD
Crooked Slough Light	1445	STRUCT DEST	FD
Mulberry River Daybeacon	1455	STRUCT DEST	FD
Moores Creek Light	1510	LT IMCH/STRUCT DMGD	FD
Roseville Daybeacon	1515	DAYMK MISSING	FD
O'Kane Island Light	1520	LT IMCH/STRUCT DMGD	FD
Alix Bottom Light	1525	STRUCT DEST	FD
County Line Daybeacon	1530	STRUCT DEST	FD
Non Lateral Mark 246.3	1532	DAYMK MISSING	FD
Non Lateral Mark 236.3	1562	DAYMK MISSING	FD
Spadra Creek Light	1605	DAYMK IMCH/STRUCT DMGD	FD
Dublin Daybeacon	1615	STRUCT DEST	FD
Bunker Hill Upper Daybeacon	1650	STRUCT DEST	FD
Bunker Hill Lower Daybeacon	1660	STRUCT DEST	FD
Dardanelle Reach Light	1695	DAYMK DMGD	FD
Non Lateral Mark 201.4	1697	STRUCT DEST	FD
Elberta Light	1700	DAYMK MISSING	FD
Non Lateral Mark 197.9	1708	STRUCT DEST	FD
Hola Bend Cutoff Light	1715	DAYMK MISSING	FD
Carden Bottoms Light	1720	DAYMK IMCH/STRUCT DMGD	FD
Sweedeen Island Light	1735	LT EXT/DAYMK MISSING	FD
Wilson Light	1745	STRUCT DEST	FD
Willow Bend Lower Daybeacon	1770	DAYMK MISSING	FD
Louisburg Light	1795	DAYMK IMCH/STRUCT DMGD	FD
Non Lateral Mark 175.6	1798	DAYMK MISSING	FD
Ellis Island Light	1815	STRUCT DEST	FD
Stane Reach Upper Daybeacon	1845	DAYMK DMGD	FD
Stane Reach Light	1850	DAYMK DMGD	FD
Cadron Creek Light	1860	DAYMK IMCH/STRUCT DMGD	FD
Belk Corner Light	1890	DAYMK MISSING/STRUCT DMGD	FD
Non Lateral Mark 150.9	1903	DAYMK MISSING	FD

Bigelow Middle Daybeacon	1915	DAYMK DMGD	FD
Bigelow Lower Light	1920	DAYMK MISSING	FD
Tri County Light	1930	STRUCT DEST	FD
Non Lateral Mark 138.8	1948	DAYMK MISSING	FD
Non Lateral Mark 137.6	1953	DAYMK MISSING	FD
Palarm Light	1960	DAYMK MISSING	FD
Maumelle River Upper Daybeacon	1975	STRUCT DEST	FD
Burns Park Light	2030	STRUCT DEST	FD
Non Lateral Mark 106.5	2143	DAYMK MISSING	FD
Fourche Bayou Light	2150	DAYMK IMCH/STRUCT DMGD	FD
Chenault Island Light	2155	DAYMK IMCH/STRUCT DMGD	FD
Estes Place Light	2160	DAYMK IMCH/STRUCT DMGD	FD
Jim Brown Island Light	2170	DAYMK IMCH/STRUCT DMGD	FD
Non Lateral Mark 92.0	2199	STRUCT DEST	FD
Ste. Marie Bend Lower Daybeacon	2370	STRUCT DEST	FD
Richland Bend Middle Daybeacon	2435	STRUCT DEST	FD
Little Bayou Meto Lower Daybeacon	2485	DAYMK DMGD	FD
Cummins Bend Daybeacon	2498	STRUCT DEST	FD
Sample Island Light	2540	STRUCT DEST	FD
Sample Island Lower Light	2550	STRUCT DEST	FD

### Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
City of Little Rock No Wake Buoy	2013	OFF STA	PA
Oakley Light	2100	LT EXT	PA

## Bay Springs Lake

### Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Tennessee River - Bay Springs Lake/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	Tennessee-Tombigbee Waterway, Mile 410.0 - Dredging Operation --- From: 2025-03-21 To: 2025-04-20 --- Emergency dredging due to severe shoaling is taking place in the Tennessee-Tombigbee Waterway, near Mile 410.0. A pilot channel, approximately 130 ft wide by full project depth, has been dredged along the LDB and is available from 7:00 p.m. to 7:00 a.m., the following day. Physical channel markers/buoys are located directly adjacent to the mouth of Rock Creek and virtual ATON have been posted to electronic navigation charts. Dredging will take place from 7:00 a.m. to 7:00 p.m., each day, until the shoal has been removed from the channel. The lock operators at Whitten and Montgomery Locks will coordinate the passing of traffic through the pilot channel and will manage the queue of commercial vessels until the remaining shoal is cleared. Mariners are urged to transit the area with extreme caution. POC: USACE (662) 245-5500	

## Clinch River

### Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Solway Lower Daybeacon	3017	STRUCT DMGD	FD

## Cumberland River

### Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Watkins Daybeacon	3965	STRUCT DEST	FD
Cotton Gin Bar Daybeacon	4040	STRUCT DEST	FD
Shammels Mound Landing Light	4250	STRUCT DEST	FD
Mannings Landing Light	4280	Status Unreported	FD
Saline Creek Light	4285	STRUCT DEST/TRUB	FD
Pryors Creek Light	4315	STRUCT DEST	FD
Devils Elbow Light	4340	STRUCT DEST	FD
Bleidt Landing Light	4365	STRUCT DEST/TRUB	FD
Crooked Creek Light	4390	STRUCT DEST/TRUB	FD
Commerce Landing Light	4425	STRUCT DEST	FD
Metal Landing Light	4435	STRUCT DEST/TRUB	FD
Big Eddy Light	4450	STRUCT DEST/TRUB	FD
Prison Farm Landing Light	4455	STRUCT DEST	FD
Kuttawa Bar Light	4500	STRUCT DEST	FD
Money Cliff Light	4505	STRUCT DEST	FD

### Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Lakewood Marina Lights (4)	3725	LT IMCH	PA
Dupont Dock Lights (2)	3750	OFF STA/LT EXT	PA

### Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Ohio River - Cumberland River/General/Safety Zones/Temporary Regulated Navigation Zones	Safety Zones	Mariners are advised of the high water/flow conditions into Kentucky Lake at Barkley Canal L/D, in the vicinity of Mile 22.4. The flow rate is more than 50,000 cubic feet per second. Mariners are urged to transit the area with caution.	

## Green River

### Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Ohio River - Green River/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	L/D 2 in the vicinity of Mile 63.1, has ceased locking operations, due to high water with an Upper Gauge reading above 22.5 feet. Mariners should contact the lock operator to determine if it is safe to navigate over the weir. Mariners are advised to exercise caution in the area.	

## Illinois River

### Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Lacon Upper Daybeacon	6880	STRUCT DEST	FD
Lacon Light	6885	STRUCT DEST	FD
Woodyard Creek Light	6905	STRUCT DEST	FD
Sand Point Lower Light	6985	STRUCT DEST	FD
Circle Light	6990	STRUCT DMGD	FD
Spring Bay Daybeacon	6995	STRUCT DEST	FD
Drolls Point Light	7035	STRUCT DEST/TRLB	FD
Frederick Light	7585	STRUCT DEST	FD
Mcgees Creek Light	7755	STRUCT DEST	FD
Twin Island Light	7943	STRUCT DEST	FD

### Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Cargill Terminal Lights (2)	7725	LT IMCH	PA
Adm Growmark Grain Elevator Lights (2)	7760	LT IMCH	PA

### Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Blue Creek Point Lower Lighted Buoy	7015	REMOVED DUE TO ICE	FD
Drolls Point Upper Lighted Buoy	7030	REMOVED DUE TO ICE	FD
Peoria Heights Lighted Buoy	7040	REMOVED DUE TO ICE	FD

### Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
General/Bridges/Maintenance	Bridges	Joliet Harbor Bridges; Due to ongoing bridge work, mariners are required to provide 1-hour advance notice, when requesting drawspan openings.	Lat: 41° 19' 37" Lon: -089° 05' 38"
Lower Mississippi River - Illinois River/General/Bridges/Maintenance	Bridges	Continuing until further notice, bridge maintenance will be conducted on the Lacon Highway Bridge. Vertical clearance may be reduced by 30 feet, due to a containment/work platform below the bridge deck. Mariners are urged to exercise caution while transiting under the bridge. Mariners may contact the Lacon Highway Bridge crew via VHF-FM Channel 13 or 16.	Lat: 41° 01' 33" Lon: -089° 25' 03"
Lower Mississippi River - Illinois River/General/Bridges/Maintenance	Bridges	IL - LAKE MICHIGAN – Calumet-SAG Channel from May 15 through August 22, 2025, daily, contractors will utilize snooper trucks and other manlifts under the Northern Illinois Toll Highway Bridge at Mile 17.35 (CORPS MILE 315.6), over the Calumet-SAG Channel. Spotters will warn of approaching vessels and move the manlift to allow vessels to pass under the bridge. [13/25]	Lat: 41° 44' 54" Lon: -087° 51' 38"
Lower Mississippi River - Illinois River/General/Hazards To Navigation/Hazards	Hazards To Navigation	ALL MARINERS BE ADVISED OF AN ASPHALT SPILL ON THE CHICAGO SANITARY SHIP CANAL IN THE VICINITY OF MILE MARKER 315. THE SPILL IS ESTIMATED TO IMPACT 40 PERCENT OF THE CHICAGO SANITARY SHIP CANAL FROM THE RIGHT DESCENDING BANK AND IS BLOCKED OFF VIA BOOM THAT WILL BE ILLUMINATED USING THE NEARBY FACILITY'S LIGHTING. VESSELS ARE TO TRANSIT THE AREA WITH CAUTION UNTIL FURTHER NOTICE. UPDATES WILL BE BROADCASTED AS RECEIVED. IF YOU HAVE ANY QUESTIONS, PLEASE CONTACT SECTOR LAKE MICHIGAN COMMAND CENTER AT (414) 747-7182.	
Lower Mississippi River - Illinois River/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	Shoaling has been reported in the vicinity of Mile 84.0. Mariners are urged to exercise caution in the area.	

Lower Mississippi River - Illinois River/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	Shoaling has been reported in the vicinity of Mile 85.1, right of the sailing line. Mariners are urged to exercise caution in the area.	
--	-----------------------	---	--

**Kanawha River**

**Additional MSI Categories**

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Ohio River - Kanawha River/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	Commencing March 28, 2025, and continuing until approximately April 7, 2025, Amherst Madison, a contractor for the USACE will be conducting dredging operations at Winfield L/D lower approach, in the vicinity of Mile 31.1. The contractor's floating plant will consist of the M/V LUCEDALE, 3 material barges and 1 barge-mounted crane. Work will be conducted from 6:30 a.m. until 4:30 p.m., 7-days a week. During non-working hours, the contractor's floating plant will be moored at the worksite and lighted accordingly. The contractor's floating plant will monitor VHF-FM Channels 13 and 16. Mariners are urged to transit the area at their slowest safe speed to minimize their wake and proceed with caution after passing arrangements have been made.	
Ohio River - Kanawha River/General/Miscellaneous	Miscellaneous	The U.S. Coast Guard COTP Ohio Valley has issued a Safety Advisory due to build up of sediment outside the locks and dams on the Kanawha River. Mariners are advised to exercise caution due to higher potential of groundings or obstructions in the navigable channel. Mariners are advised to consider horsepower capability and tow size. Mariners may contact the U.S. Coast Guard on VHF-FM Channel 16, or at (502) 779-5422, for further information.	
Ohio River - Kanawha River/General/Miscellaneous	Miscellaneous	Due to recent flooding and receding water levels on the Ohio River, shoal conditions exist in the lower approach channel at Winfield L/D, in the vicinity of mile 31.1. Mariners are urged to check the channel depth surveys, monitor lower gauge readings, and contact the lockmaster via VHF-FM Channel 13 for additional information.	
Ohio River - Kanawha River/General/Miscellaneous	Miscellaneous	Commencing April 7, 2025, and continuing until approximately July 13, 2025, New River Electrical, a contractor for American Electric Power, is installing an overhead power line in the vicinity of Mile 54.5. Work will be conducted from 7:00 a.m. until 5:00 p.m., daily. The contractor will use the M/V BAILEY MATTHEW to monitor river traffic and will monitor VHF-FM Channels 13 and 16. A helicopter will be used to string the line across the river. During non-working hours, the M/V BAILEY MATTHEW will be moored along the riverbank and lighted accordingly. Mariners are urged to transit the area at their slowest safe speed to minimize their wake and proceed with caution after passing arrangements have been made.	

**Lake St Croix**

**Federal Discrepancies**

NAME	LLNR	STATUS	AID TYPE
Houden Point Daybeacon	29845	STRUCT DEST	FD

**Louisville And Portland Canal**

**Federal Discrepancies**

NAME	LLNR	STATUS	AID TYPE
Coast Guard Lifesaver Memorial Light	26780	DBD DMGD	FD

**Lower Mississippi River**

**Federal Discrepancies**

NAME	LLNR	STATUS	AID TYPE
Island 30 Light	10090	STRUCT DEST	FD
Randolph Light	10150	STRUCT DEST	FD
Cedar Point Light	10185	REDUCED INT	FD
Cedar Point Light	10185	STRUCT DEST	FD
Dean Island Light	10195	REDUCED INT	FD
Brandywine Chute Light	10210	REDUCED INT	FD
Island 40 Foot Light	10225	STRUCT DEST	FD
Harbert Point Light	10540	LT EXT	FD
Stumpy Point Light	10545	STRUCT DEST	FD
Williamson Light	10605	LT EXT	FD
Delta Lower Light	10625	STRUCT DEST	FD
Miller Point Light	10650	STRUCT DEST	FD
Old Town Bend Foot Light	10660	STRUCT DEST	FD
Robson Light	10685	STRUCT DEST	FD
Sunflower Cut-Off Foot Light	10700	STRUCT DEST	FD
Ludlow Bar Light	10710	DAYMK DMGD	FD
Wood Cottage Light	10715	STRUCT DEST	FD
Knowlton Light	10720	STRUCT DEST	FD
Mason Landing Daybeacon	10730	STRUCT DEST	FD
Riverton Middle Bar Light	10815	STRUCT DEST	FD
Cypress Bend Light	10885	STRUCT DEST	FD
Eutaw Bar Light	10895	STRUCT DEST	FD
Mounds Crevasse Lower Light	10905	STRUCT DEST	FD

Boliver Light	10910	STRUCT DEST	FD
Miller Bend Light	10955	STRUCT DEST	FD
La Grange Towhead Light	10965	STRUCT DEST	FD
Vaucluse Bend Light	11050	STRUCT DEST	FD
Anconia Point Light	11070	STRUCT DEST	FD
Lakeport Light	11080	STRUCT DEST	FD
Walnut Point Light	11085	STRUCT DEST	FD
Corregidor Light	11125	STRUCT DEST	FD
Sarah Island Light	11130	STRUCT DEST	FD
Stack Island Light	11170	STRUCT DEST	FD
STACK ISLAND LOWER LIGHT	11180	STRUCT DEST	FD
Chinaman Light	11195	STRUCT DEST	FD
Goodrich Light	11235	STRUCT DEST	FD
Willow Point Light	11245	DAYMK DMGD	FD
Cabin Teele Light	11270	STRUCT DEST	FD
Coggins Light	11407	STRUCT DEST	FD
Buckridge Light	11455	STRUCT DEST	FD
Old Levee Light	11505	LT IMCH/DAYMK DMGD	FD
Hole In The Wall Light	11530	LT IMCH/REDUCED INT	FD
Hermitage Light	11855	STRUCT DEST	FD
Solitude Light	11885	STRUCT DEST	FD
Springfield Bend Light	11895	STRUCT DEST	FD
Lobdell Light	11925	STRUCT DEST	FD

### Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Consolidated Grain and Barge Loading Dock Piling Lights (2)	10114	MISSING	PA

### Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
New Orleans To Baton Rouge - Lower Mississippi River/General/Bridges/Public Notice	Bridges	Natchez Vidalia Dual Bridge; A wire has been reported hanging approximately 10 feet below the bridge from the center span. Mariners are urged to exercise caution while transiting under the bridge.	Lat: 31° 33' 33" Lon: -091° 25' 12"
New Orleans To Baton Rouge - Lower Mississippi River/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	Continuing until May 15, 2025, surveying and rock placement operations will be conducted on the Togo Island Dike, RDB, between approximate Miles 415.0 and 414.0. Work will be conducted from 7:00 a.m. to 7:00 p.m., 7-days a week. The river will be closed during working hours. The M/V SHERYL, (573) 803-7166, or M/V HOUSTON RIVERS, (573) 841-0984, will monitor VHF-FM Channel 13, 16 or 72. Southbound vessels are to check in at Letourneau, Mile 426.0. Northbound vessels are to check in at Grand Gulf, Mile 405.0. Mariners should transit a minimum of 200 ft from all fleets, equipment barges and vessels in the area. Mariners are urged to transit the area at their slowest safe speed to minimize their wake and proceed with caution, after passing arrangements have been made.	
New Orleans To Baton Rouge - Lower Mississippi River/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	Continuing until further notice, M/V SARAH KATE is conducting drilling operations at the I-55 bridge, in the vicinity of Mile 734.7. Work will be conducted 24-hours a day, 7-days a week. Southbound tows are advised of the following restrictions: Barges to be configured no more than 6 wide, Tows greater than 108 feet wide are restricted to daytime transit only, The last southbound tow will transit through no less than 30 minutes before sunset. M/V SARAH KATE will monitor VHF-FM Channel 13 or 16 and may also be contacted at (601) 529-7264. Mariners are urged to transit the area at their slowest safe speed to minimize their wake and proceed with caution after passing arrangements have been made.	
New Orleans To Baton Rouge - Lower Mississippi River/General/Safety Zones/Temporary Regulated Navigation Zones	Safety Zones	Salvage operations are being conducted in the vicinity of Mile 903.0, partially blocking the navigable channel. All vessels should implement a one-way traffic pattern with no meeting, passing or overtaking between approximate Miles 904.0 and 903.0. Flanking while passing the salvage team is recommended for southbound tows. Southbound tows greater than 108 feet wide are restricted to daylight transits only and all other southbound tows should be no more than 7 barges wide. The M/V RON MOOK or M/V BRUCE GIBSON will be on-scene and monitoring VHF-FM Channel 21A. Mariners are urged to transit the area at their slowest safe speed and proceed with caution after passing arrangements have been made.	

## Lower Old River

### Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Barbre Daybeacon	29780	STRUCT DEST	FD
Torras Daybeacon	29785	STRUCT DEST	FD
Oak Grove Daybeacon	29795	STRUCT DEST	FD

## Minnesota River

### Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Black Dog Lights (5)	9440	LT EXT	PA

Missouri River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Fitzhugh Daybeacon	17970	STRUCT DEST	FD
Lower Blencoe Bend Daybeacon	17975	STRUCT DEST	FD
Wahle Daybeacon	17985	STRUCT DEST	FD
Little Sioux Reach Daybeacon	18010	STRUCT DEST	FD
Bullard Bend Daybeacon	18025	STRUCT DEST	FD
Peterson Cut-Off Upper Daybeacon	18040	STRUCT DEST	FD
Sandy Point Daybeacon	18055	DAYMK IMCH	FD
Tyson's Bend Daybeacon	18065	DAYMK IMCH	FD
Dodds Daybeacon	18140	DAYMK IMCH	FD
Lower Calhoun Bend Daybeacon	18160	DBD DEST	FD
Boyer River Daybeacon	18170	STRUCT DEST	FD
Pottawattamie Daybeacon	18185	DAYMK IMCH	FD
Lower Rockport Bend Daybeacon	18190	STRUCT DMGD	FD
Pigeon Creek Bend Daybeacon	18200	STRUCT DEST	FD
Thornton Daybeacon	18205	DAYMK IMCH	FD
Lower Pigeon Creek Bend Daybeacon	18210	DAYMK IMCH	FD
Douglas County Daybeacon	18215	DAYMK IMCH	FD
Florence Bend Lower Daybeacon	18250	DBD DEST	FD
Council Bend Upper Daybeacon	18270	DAYMK IMCH	FD
Carter Lake Daybeacon	18290	DBD DEST	FD
Omaha Bend Daybeacon	18305	DBD DEST	FD
Omaha Bend Lower Daybeacon	18320	STRUCT DEST	FD
Gibson Bend Daybeacon	18325	DAYMK IMCH	FD
Manawa Daybeacon	18345	DAYMK IMCH	FD
Treynor Daybeacon	18370	DBD DEST	FD
Bellevue Reach Daybeacon	18380	DAYMK IMCH	FD
St Marys Daybeacon	18385	DAYMK IMCH	FD
Bellevue Reach Lower Daybeacon	18390	DAYMK IMCH	FD
St. Marys Lower Daybeacon	18395	DAYMK IMCH	FD
Platte River Lower Daybeacon	18425	STRUCT DEST	FD
North Daybeacon	18430	STRUCT DEST	FD
South Daybeacon	18435	STRUCT DEST	FD
Pollock Daybeacon	18440	STRUCT DEST	FD
Plattsmouth Daybeacon	18465	STRUCT DEST	FD
Tobacco Bend Daybeacon	18470	DAYMK IMCH	FD
Rock Bluff Daybeacon	18480	STRUCT DEST	FD
King Hill Quarry Daybeacon	18485	STRUCT DEST	FD
Calumet Bend Daybeacon	18490	STRUCT DEST	FD
Auldon Bar Daybeacon	18495	STRUCT DEST	FD
Fremont County Daybeacon	18515	DAYMK IMCH	FD
Jones Point Daybeacon	18520	STRUCT DEST	FD
Civil Bend Upper Daybeacon	18530	STRUCT DEST	FD
Nebraska Bend Daybeacon	18580	DAYMK IMCH	FD
Burr Oak Daybeacon	19120	DAYMK IMCH	FD
Dillon Creek Daybeacon	19125	DAYMK IMCH	FD
Bon Ton Daybeacon	19130	DAYMK IMCH	FD
Cut-Off 52 Daybeacon	19135	DAYMK IMCH	FD
Perry Daybeacon	19140	DAYMK IMCH	FD
St. Joseph Daybeacon	19145	DAYMK IMCH	FD
Stoney Daybeacon	19225	DAYMK IMCH	FD
Geary Daybeacon	19230	DAYMK IMCH	FD
Doniphan Upper Daybeacon	19240	DAYMK IMCH	FD
Doniphan Daybeacon	19245	DAYMK IMCH	FD
Rushville Daybeacon	19250	STRUCT DEST	FD
Mud Lake Daybeacon	19260	DAYMK IMCH	FD
Bean Lake Daybeacon	19310	DAYMK IMCH	FD
King Daybeacon	19320	DAYMK IMCH	FD
Oak Mills Daybeacon	19325	DAYMK IMCH	FD

Platte County Daybeacon	19330	DAYMK IMCH	FD
Jackson Daybeacon	19340	STRUCT DEST	FD
Waldrons Quarry Daybeacon	19485	DAYMK IMCH	FD
Pomeroy Upper Daybeacon	19490	DAYMK IMCH	FD
Clay County Daybeacon	19790	STRUCT DEST	FD
Little Blue Daybeacon	19800	DAYMK IMCH	FD
Jackass Daybeacon	19810	DAYMK IMCH	FD
Jackass Lower Daybeacon	19815	DAYMK IMCH	FD
Bakers Bend Daybeacon	20060	DAYMK IMCH	FD
Malta Bend Slough Daybeacon	20090	DAYMK IMCH	FD
Harris Daybeacon	20165	DAYMK IMCH	FD
Little Missouri Bend Daybeacon	20250	DAYMK MISSING	FD
Chariton River Daybeacon	20300	DAYMK IMCH	FD

### Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
U.E. Callaway Intake Lights (2)	20870	LT EXT	PA

### Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Lower Mississippi River - Missouri River/General/Bridges/Construction	Bridges	I-70 Rocheport Highway Bridge; Continuing until further notice, the M/V EMORY JACKSON is hanging steel for the new bridge and will be in the channel. M/V EMORY JACKSON will monitor VHF-FM Channels 13 and 16, and requires a 1-hour advance notice of passage. The crane barge will be removed from the channel at night. Mariners are urged to transit the area at the slowest safe speed and proceed with extreme caution after passing arrangements have been made.	Lat: 38° 57' 35" Lon: -092° 32' 44"
General/Bridges/Closure (Scheduled Or Emergency)	Bridges	Atchinson Railroad Drawbridge; Continuing through April 1, 2025, at least 24-hour advance notice is required for a bridge opening. Mariners may contact Mark Watlington, at (402) 570-6947, to schedule an opening.	Lat: 40° 47' 55" Lon: -091° 05' 31"
Lower Mississippi River - Missouri River/General/Bridges/Closure (Scheduled Or Emergency)	Bridges	Hannibal Railroad Drawbridge; Continuing through April 1, 2025, at least 24-hour advance notice is required for a bridge opening. Mariners may contact Adam Routschman, at (620) 352-1082, to schedule an opening.	Lat: 39° 06' 45" Lon: -094° 35' 23"
Lower Mississippi River - Missouri River/General/Bridges/Closure (Scheduled Or Emergency)	Bridges	A.S.B. Highway and Railroad Drawbridge; Continuing through April 1, 2025, at least 24-hour advance notice is required for a bridge opening. Mariners may contact Adam Routschman, at (620) 352-1082, to schedule an opening.	Lat: 39° 07' 00" Lon: -094° 34' 48"
Lower Mississippi River - Missouri River/General/Bridges/Closure (Scheduled Or Emergency)	Bridges	Harry S. Truman Railroad Drawbridge; Continuing through April 1, 2025, at least 24-hour advance notice is required for a bridge opening. Mariners may contact Dispatch, at (612) 330-4544, Option1, to schedule an opening.	Lat: 39° 08' 41" Lon: -094° 29' 04"
Lower Mississippi River - Missouri River/General/Bridges/Closure (Scheduled Or Emergency)	Bridges	Union Pacific Railroad Drawbridge; Continuing through April 1, 2025, at least 24-hour advance notice is required for a bridge opening. Mariners may contact Mark Watlington, at (402) 570-6947, to schedule an opening.	

## Monongahela River

### Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Ohio River - Monongahela River/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	Continuing until further notice, dredging operations are being conducted between approximate Miles 33.0 and 32.0. M/Vs EXPRESS and JAMES GARRETT will monitor VHF-FM Channel 13, and requests 30-minutes advance notice of passage. Mariners are urged to transit the area at their slowest safe speed to minimize their wake and proceed with caution after passing arrangements have been made.	

## Ohio River

### Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Forked Run Daybeacon	24565	DAYMK MISSING	FD
Ironton Bend Light	25220	STRUCT DEST	FD
Sciotoville Light	25355	LT EXT	FD
Dayton Bar Light	25895	DAYMK IMCH	FD
Patriot Bend Light	26355	LT EXT	FD
Wileys Hollow Light	26375	LT EXT	FD
Rock Haven Light	26955	STRUCT DEST	FD

Robert Mann Light	27520	STRUCT DEST	FD
Water Works Light	27540	STRUCT DMGD	FD
Harris Landing Light	27610	DAYMK MISSING	FD
Graham Varble Light	27855	STRUCT DEST	FD
Dekoven Light	27935	STRUCT DEST	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Bens Run Light	24005	LT EXT	PA
Ohio Power Coal Dock Light	24580	LT EXT	PA
Cargill Barge Loading Facility Light	25820	LT EXT	PA
Transmontaige Dock Lights (2)	26833	LT EXT	PA
Dupont Chemical Lights (2)	26860	LT EXT	PA
Transmontaigne Dock Lights (4)	27590	LT EXT	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Lower Mississippi River - Ohio River/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2025-03-26 To: 2025-04-02 Location: 38.54366° N / 82.69676° W Aid Name: Ironton Bend Light LLNR: 25220 Action: DISCONTINUE	Lat: 38° 32' 37" Lon: -082° 41' 48"
Lower Mississippi River - Ohio River/General/Bridges/Lighting and Other Signals	Bridges	Irvin Cobb Bridge; The bridge's navigation lights have been reported extinguished. Mariners are urged to maintain a proper lookout and transit the area with caution.	Lat: 37° 06' 55" Lon: -088° 37' 45"
Lower Mississippi River - Ohio River/General/Hazards To Navigation/Wrecks	Hazards To Navigation	The R/V EASTERN SURVEYOR, approximately 77.9 ft in length, has been reported partially submerged near Mile 754.0, RDB, on January 8, 2025. The sunk R/V is reportedly not marked. Mariners are urged to avoid this area.	Lat: 37° 47' 36" Lon: -087° 04' 39"
Lower Mississippi River - Ohio River/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	Commencing March 1, 2025, and continuing through June 2, 2025, C&B Services will be conducting dock demolition and installation in the vicinity of Mile 794.0, RDB. Work will be conducted from 7:00 a.m. to 5:30 p.m., Monday through Saturday. The contractor's floating plant will consist of a barge mounted crane, 3 deck barges, an A-frame barge and a tow boat. The floating plant will monitor VHF-FM Channels 13 and 16. Mariners are requested to transit the area at their slowest safe speed to minimize their wake and proceed with caution.	
Lower Mississippi River - Ohio River/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	The Auxiliary (600-foot) chamber will have a 12-hour closure, from 6:00 p.m., March 31, 2025, and continuing through 6:00 a.m., April 1, 2025. The Main (1,200-foot) chamber will remain open during these periods.	
Lower Mississippi River - Ohio River/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	Commencing April 8, 2025, and continuing until April 16, 2025, Mulzer Crushed Stone Inc., will be conducting dredging operations in the vicinity of Mile 752.0, LDB, Yager Marine dry dock. The contractor's floating plant will consist of a Sennebogen 865 material handler. Work will be conducted from 7:00 a.m. until 3:00 p.m., daily. The floating plant will monitor VHF-FM Channel 66. Mariners are urged to transit the area at their slowest safe speed to minimize their wake and proceed with caution.	
Lower Mississippi River - Ohio River/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	The Smithland L/D Land Chamber will be closed from 6:00 p.m., April 1, 2025, through 6:00 a.m., April 2, 2025. The closure is due to the Heavy Capacity Fleet performing preparatory work for miter gate repairs. All traffic will use the River Chamber during the closure. The Land Chamber will reopen at the conclusion of work each day.	
Lower Mississippi River - Ohio River/General/Miscellaneous	Miscellaneous	Continuing until approximately September 30, 2025, Meuth Constriction Supply Inc., is constructing a facility adjacent to the navigation channel between approximate Miles 789.0 and 791.3, RDB. Sixteen tri-tie dolphins will be constructed to anchor barges along the riverbank. Construction for this facility will be performed from a floating plant. The contractor's floating plant will never extend more than 180 feet from the shoreline, at normal pool. The construction contractor will monitor VHF-FM Channel 7, 13 or 16. Mariners are urged to transit the area with caution.	
Lower Mississippi River - Ohio River/General/Miscellaneous	Miscellaneous	Due to recent flooding and receding water levels on the Ohio River, shoal conditions exist in the lower approach channel at Robert C. Byrd L/D, in the vicinity of Mile 279.2. Mariners are urged to check the channel depth surveys, monitor lower gauge readings, and contact the lockmaster via VHF-FM Channel 13 for additional information.	
Lower Mississippi River - Ohio River/General/Miscellaneous	Miscellaneous	A nun buoy has been reported off station in the vicinity of Mile 324.3. Mariners are urged to exercise caution in the area.	
Lower Mississippi River - Ohio River/ATON/Proposed Notice of Change	Proposed Notice of Change	The Coast Guard is proposing the following Aid to Navigation Change: Discontinue Forked Run Daybeacon (LLNR-24565) at mile 238.8, Right Descending Bank, in approximate position 38-55-48.877N/081-53-51.851W. Comments to be received by April 05, 2025. Please email comments regarding this proposal to: D08-SMB-District-LocalNoticeFeedback@uscg.mil.	Lat: 38° 55' 49" Lon: -081° 53' 52"
Lower Mississippi River - Ohio River/General/Safety Zones/COPT Restrictions	Safety Zones	The gate opening at Montgomery L/D, vicinity of Mile 31.7, is greater than 40 feet. The U. S. Coast Guard COTP Pittsburgh has issued a Safety Advisory. Mariners are urged to exercise caution when transiting under the Newell Highway Bridge, in the vicinity of Mile 44.5, due to strong set and water currents in the area. Up-bound towing vessels are advised that when performing a set over or knock out through the Montgomery L/D, to secure the head of their tows to the lock wall using the closest pin possible, before the set over or knockout is initiated and ensure that tows are fully secured prior to leaving the vicinity of the locks. Down-bound towing vessels performing a double lockage, are strongly advised to have a helper boat assist the tows in keeping alongside the guidewall while entering the locks. Mariners are urged to exercise caution when transiting the area.	Lat: 40° 37' 09" Lon: -080° 35' 24"



Lower Mississippi River - Ohio River/General/Safety Zones/COPT Restrictions	Safety Zones	The gate opening at Montgomery L/D, vicinity of Mile 31.7, is greater than 40 feet. The U. S. Coast Guard COTP Pittsburgh has issued a Safety Advisory. Mariners are urged to exercise caution when transiting under the Newell Highway Bridge, in the vicinity of Mile 44.5, due to strong set and water currents in the area. Up-bound towing vessels are advised that when performing a set over or knock out through the Montgomery L/D, to secure the head of their tows to the lock wall using the closest pin possible, before the set over or knockout is initiated and ensure that tows are fully secured prior to leaving the vicinity of the locks. Down-bound towing vessels performing a double lockage, are strongly advised to have a helper boat assist the tows in keeping alongside the guidewall while entering the locks. Mariners are urged to exercise caution when transiting the area.	Lat: 40° 38' 53" Lon: -080° 23' 14"
Lower Mississippi River - Ohio River/General/Safety Zones/Temporary Regulated Navigation Zones	Safety Zones	The U.S. Coast Guard COTP Ohio Valley has issued a low water Safety Advisory between approximate Miles 953.8 and 869.0. The USACE maintained depths and widths may not be attainable on all buoy lines. It is recommended that mariners monitor all gauge readings, for safe navigation. The U.S. Coast Guard COTP Lower Mississippi River with the concurrence of the Lower Mississippi River Committee, recommends the following limits for tows: Transiting southbound between Miles 953.8 and 869.0 Drafts no greater than 12.0 feet. Barges to be configured no more than 7 wide. Barges currently in the system, with drafts greater than the advised depths, should be placed as near to the center of the tow as possible. Mariners are requested to contact U.S. Coast Guard Sector Ohio Valley via VHF-FM Channel 16 or at (502) 779-5425, to report areas of shoaling, hazardous conditions or missing aids to navigation.	
Lower Mississippi River - Ohio River/General/Safety Zones/Temporary Regulated Navigation Zones	Safety Zones	The auxiliary lock chamber at Greenup L/D, in the vicinity of Mile 341.0, is closed until further notice. This closure is due to safety concerns resulting from the condition of the miter gates. Updates to this notice will be issued once repairs are scheduled. During the auxiliary chamber closure, the main chamber will be available for lockage. Mariners may contact the lockmaster, via VHF-FM Channel 13, for additional information.	
Lower Mississippi River - Ohio River/General/Safety Zones/COPT Restrictions	Safety Zones	Continuing through March 29, 2025, and again from March 31, 2025, through April 5, 2025, the U.S. Coast Guard COTP Ohio Valley has established a Safety Zone, between approximate Miles 490.0 and 491.0, due to overhead powerline work. Work will be conducted from 7:00 a.m. until 11:00 a.m., and again from 1:00 p.m. until 5:00 p.m., daily. During working hours, the powerlines will be too low to allow safe passage through the area. Mariners may contact the onsite foreman at (513) 978-7290, for further information.	

## Red River

### Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Westdale Middle Daybeacon	29231.34	STRUCT DEST/TRUB	FD
Smith Island Lower Daybeacon	29241.25	STRUCT DEST	FD
Deloges Middle Daybeacon	29272	DAYMK IMCH	FD
Hog Lake Daybeacon	29467	STRUCT DEST	FD
Dry Cypress Daybeacon	29665	STRUCT DEST	FD
Bayou Cocodrie Upper Daybeacon	29690	STRUCT DEST	FD
Bayou Cocodrie Daybeacon	29695	STRUCT DEST	FD
Grassy Lake Daybeacon	29710	DAYMK MISSING	FD
Alligator Bayou Daybeacon	29725	STRUCT DEST	FD
Timber Lake Daybeacon	29750	STRUCT DEST	FD
Naples Daybeacon	29755	STRUCT DEST	FD

## Red River Old River

### Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Bear Industries Barge Dock Lights (4)	11943	LT EXT	PA

## Sans Bois Creek

### Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Washita Point Light	9150	LT EXT	FD
Preston Peninsula Light	9185	REDUCED INT	FD

## St Croix River

### Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Upper Mississippi River - St Croix River/General/Bridges/Closure (Scheduled Or Emergency)	Bridges	Stillwater Highway Drawbridge; Continuing through May 14, 2025, at least 24-hour advance notice is required for a bridge opening. Mariners may contact the Minnesota Department of Transportation, at (651) 234-7110, to schedule an opening.	Lat: 45° 03' 24" Lon: -092° 48' 09"

## Tennessee River

### Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Lanter Light	30325	STRUCT DEST	FD

Chambers Daybeacon	32140	STRUCT DEST	FD
Diamond Island Lower Daybeacon	32170	STRUCT DEST	FD
Savannah Bend Upper Daybeacon	32190	STRUCT DEST	FD
Hardin Creek Daybeacon	32245	DAYMK IMCH	FD
Brodies Landing Light	32335	STRUCT DEST	FD
Crooked Creek Light	32350	STRUCT DEST	FD
Sales Light	32445	STRUCT DEST/TRUB	FD
Reynoldsburg Island Light	32460	STRUCT DEST/TRUB	FD
Shirley Light	32465	STRUCT DEST	FD
Higgins Light	32480	STRUCT DEST	FD
Hurricane Creek Light	32510	STRUCT DEST	FD
Standing Rock Upper Light	32530	STRUCT DEST	FD
Fort Henry Light	32570	STRUCT DEST	FD
Blood River Light	32595	STRUCT DEST/TRUB	FD
Clyde Light	32600	LT EXT	FD
Newburg Light	32605	STRUCT DEST	FD
Twenty-One Mile Light	32710	STRUCT DEST	FD
Chottes Creek Light	32715	STRUCT DEST	FD
Haddock Ferry Light	32750	LT EXT/DAYMK MISSING	FD
Big Chain Light	32765	STRUCT DEST	FD
Mud Creek Light	32780	STRUCT DEST	FD
W. L. Berry Light	32825	STRUCT DEST	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Cityview at Riverwalk Dock Light	29997	LT EXT	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Ohio River - Tennessee River/ATON/Advanced Notice of Change	Advanced Notice of Change	Discontinue W.L. Berry Light (LLNR-32825) at mile 2, Left Descending Bank, in approximate position 37-04-12.554N/088-34-25.51W.	Lat: 37° 04' 13" Lon: -088° 34' 25"
Ohio River - Tennessee River/ATON/Advanced Notice of Change	Advanced Notice of Change	Discontinue Clyde Light (LLNR-32600) at mile 50.9, Right Descending Bank, in approximate position 36-39-20.106N/088-03-50.175W.	Lat: 36° 39' 20" Lon: -088° 03' 50"
Ohio River - Tennessee River/ATON/Advanced Notice of Change	Advanced Notice of Change	Discontinue Mud Creek Light (LLNR-32780) at mile 11.5, Right Descending Bank, in approximate position 37-02-53.805N/088-26-10.750W.	Lat: 37° 02' 54" Lon: -088° 26' 11"
Ohio River - Tennessee River/ATON/Advanced Notice of Change	Advanced Notice of Change	Discontinue Big Chain Light (LLNR-32765) at mile 15.3, Right Descending Bank, in approximate position 37-03-51.232N/088-22-19.809W.	Lat: 37° 03' 51" Lon: -088° 22' 20"
Ohio River - Tennessee River/ATON/Advanced Notice of Change	Advanced Notice of Change	Discontinue Fort Henry Light (LLNR-32570) at mile 61.3, Right Descending Bank, in approximate position 37-04-12.554N/088-34-25.51W.	Lat: 37° 03' 47" Lon: -088° 20' 51"
Ohio River - Tennessee River/ATON/Advanced Notice of Change	Advanced Notice of Change	Discontinue Haddock Ferry Light (LLNR-32750) at mile 16.6, Right Descending Bank, in approximate position 37-03-46.558N/088-20-50.771W.	Lat: 37° 03' 47" Lon: -088° 20' 51"
Ohio River - Tennessee River/ATON/Advanced Notice of Change	Advanced Notice of Change		Lat: 37° 02' 50" Lon: -088° 18' 12"
Ohio River - Tennessee River/ATON/Advanced Notice of Change	Advanced Notice of Change	Discontinue Twenty One Mile Light (LLNR-32710) at mile 20.5, Left Descending Bank, in approximate position 37-01-49.207N/088-17-39.048W.	Lat: 37° 01' 49" Lon: -088° 17' 39"

Ohio River - Tennessee River/ATON/Advanced Notice of Change	Advanced Notice of Change	Discontinue Newburg Light (LLNR-32605) at mile 48.6, Right Descending Bank, in approximate position 36-41-08.200N/088-04-25.920W.	Lat: 36° 41' 08" Lon: -088° 04' 26"
Ohio River - Tennessee River/General/Bridges/Maintenance	Bridges	I-65 Highway Bridge; Due to maintenance work, vertical clearance may be reduced by 2 feet. Mariners are urged to exercise caution while transiting the bridge.	Lat: 34° 34' 48" Lon: -086° 54' 25"
Ohio River - Tennessee River/General/Bridges/Maintenance	Bridges	Walnut Street Bridge; Continuing through September 24, 2026, repair work will be conducted on the bridge. Work will be conducted 7a.m. to 7 p.m., daily. There will be a containment system set up that will reduce vertical clearance by 4 feet. All mariners are reminded to transit the bridge with caution and report any unsafe conditions to the United States Coast Guard.	Lat: 35° 03' 30" Lon: -085° 18' 26"
Ohio River - Tennessee River/General/Bridges/Repairs, Painting, Or Fender Replacement	Bridges	Tennessee Route 156 Bridge; Continuing until June 30, 2025, bridge repairs will be conducted. Vertical clearance may be reduced by 3 Feet, due to containment/work platform below the bridge deck. Mariners are urged to exercise caution while transiting under the bridge.	Lat: 35° 00' 54" Lon: -085° 41' 38"
Ohio River - Tennessee River/General/Bridges/Inspection	Bridges	Commencing April 6, 2025 and continuing until April 10, 2025, bridge inspections will be conducted near Mile 66.3. Work will be conducted during daylight hours only. Diving operations will be conducted at the bridge supports. The dive platform will be a 24-foot workboat displaying diver down and an alpha flag. Mariners are urged to stay 300 ft from dive operations and transit the area at their slowest safe speed to minimize their wake and proceed with caution.	Lat: 36° 26' 40" Lon: -088° 03' 36"
Ohio River - Tennessee River/General/Miscellaneous	Miscellaneous	A can buoy has been reported off station in the vicinity of Mile 576.0. Mariners are urged to transit the area with caution.	
Ohio River - Tennessee River/General/Miscellaneous	Miscellaneous	A can buoy has been reported washed up on the LDB, in the vicinity of Mile 168.0. Mariners are urged to exercise caution in the area.	
Ohio River - Tennessee River/ATON/Proposed Notice of Change	Proposed Notice of Change	Discontinue Newburg Light (LLNR-32605) at mile 48.6, Right Descending Bank, in approximate position 36-41-08.200N/088-04-25.920W.	Lat: 36° 41' 08" Lon: -088° 04' 26"
ATON/Proposed Notice of Change	Proposed Notice of Change	Discontinue W.L. Berry Light (32825) at mile 2, Left Descending Bank, in approximate position 37-04-12.554N/088-34-25.51W.	Lat: 37° 04' 13" Lon: -088° 34' 25"
Ohio River - Tennessee River/ATON/Proposed Notice of Change	Proposed Notice of Change	Discontinue Clyde Light (LLNR-32600) at mile 50.9, Right Descending Bank, in approximate position 36-39-20.106N/088-03-50.175W.	Lat: 36° 39' 20" Lon: -088° 03' 50"
ATON/Proposed Notice of Change	Proposed Notice of Change	Discontinue Mud Creek Light (LLNR-32780) at mile 11.5, Right Descending Bank, in approximate position 37-02-53.805N/088-26-10.750W.	Lat: 37° 02' 54" Lon: -088° 26' 11"
ATON/Proposed Notice of Change	Proposed Notice of Change	Discontinue Blood River Light (LLNR-32595) at mile 52.1, Left Descending Bank, in approximate position 36-38-17.548N/088-03-31.047W.	Lat: 36° 38' 18" Lon: -088° 03' 31"
Ohio River - Tennessee River/ATON/Proposed Notice of Change	Proposed Notice of Change	Discontinue Big Chain Light (LLNR-32765) at mile 15.3, Right Descending Bank, in approximate position 37-03-51.232N/088-22-19.809W.	Lat: 37° 03' 51" Lon: -088° 22' 20"
Ohio River - Tennessee River/ATON/Proposed Notice of Change	Proposed Notice of Change	Discontinue Fort Henry Light (LLNR-32570) at mile 61.3, Right Descending Bank, in approximate position 37-04-12.554N/088-34-25.51W.	Lat: 36° 30' 39" Lon: -088° 02' 09"
ATON/Proposed Notice of Change	Proposed Notice of Change	Discontinue Haddock Ferry Light (LLNR-32750) at mile 16.6, Right Descending Bank, in approximate position 37-03-46.558N/088-20-50.771W.	Lat: 37° 03' 47" Lon: -088° 20' 51"
Ohio River - Tennessee River/ATON/Proposed Notice of Change	Proposed Notice of Change	Discontinue Chottes Creek Light (LLNR-32715) at mile 19.3, Right Descending Bank, in approximate position 37-02-50.478N/088-18-11.605W.	Lat: 37° 02' 50" Lon: -088° 18' 12"

Ohio River - Tennessee River/ATON/Proposed Notice of Change	Proposed Notice of Change	Discontinue Twenty One Mile Light (LLNR-32710) at mile 20.5, Left Descending Bank, in approximate position 37-01-49.207N/088-17-39.048W.	Lat: 37° 01' 49" Lon: -088° 17' 39"
---	---------------------------	--	--

Upper Mississippi River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Maquoketa Island Light	14105	STRUCT DEST	FD
Nine-Mile Island Light	14230	STRUCT DEST	FD
Stone Slough Light	14260	STRUCT DEST	FD
Fever River Light	14275	STRUCT DEST/TRUB	FD
Pulaski Light	14295	STRUCT DEST	FD
Arnold Light	14380	LT EXT	FD
Arnold Towhead Light	14385	STRUCT DEST	FD
Sabula Lower Light	14445	STRUCT DEST	FD
Smith Bay Light	14460	STRUCT DEST	FD
Elk River Light	14475	DAYMK DMGD	FD
Andalusia Island Light	14960	STRUCT DEST/TRUB	FD
Hershey Chute Lower Light	14990	LT EXT	FD
Edwards Island Upper Light	15170	STRUCT DEST/TRUB	FD
Waggoner PT Lighted Buoy	15475	MISSING	FD
Mulheron Field Light	16010	DAYMK MISSING	FD
Hastings Landing Daybeacon	16110	STRUCT DMGD	FD
Ste. Genevieve Island Light	16910	STRUCT DEST	FD

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Turners Landing Light	16080	REBUILT/REMAINS	FD	2025-03-31
Cuivre Island Light	16120	REBUILT/REMAINS	FD	2025-03-31

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Newport Terminal Lights (2)	12320	LT EXT	PA
Shiely Dock Lights (2)	12385	LT IMCH	PA
City of Red Wing Metering Station Special Light	12712	MISSING	PA
Alma City Dock Light/Daymarks (3)	12930	MISSING	PA
G. Heileman Brewery Dock Light	13405	MISSING	PA
Isle Of Capri Casino Marina Daybeacon	14756	MISSING	PA
Hall Towing Light	15425	STRUCT DEST	PA
Hannibal Intake Light	15822	LT EXT	PA
Jersey County Grain Dock Lights (2)	16100	LT EXT	PA
Piasa Harbor Light	16205	LT EXT	PA
Con-Agra Mooring Lights (2)	16220	LT EXT	PA
Alton Marina Breakwater Lights (3)	16230	LT EXT	PA

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Keithsburg Railroad Drawbridge Upper Caisson Light	15180	DISCONTINUED	FD
Dutchman Island Lighted Buoy	15395	Removed Light Equip / ICE	FD
Sunken M/V John Paul Lighted Buoy	15435	Removed Light Equip / ICE	FD
Waggoner PT Lighted Buoy	15475	Removed Light Equip / ICE	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Lower Mississippi River - Upper Mississippi River/General/Bridges/Construction	Bridges	Chester Bridge: The right descending navigation span is blocked to river traffic for the next two years due to on-going bridge construction of the new Chester Bridge, also the green navigation lights have been extinguished in that channel. Due to work at the center pier, mariners are advised to stay 100 feet off the center pier. Work is also ongoing upstream of the left descending navigation pier and at the edge of the channel. Mariners are advised to contact the M/V ANDREA or RUBY BELLE via VHF-FM Channel 13 or 16 prior to transiting the bridge.	Lat: 37° 54' 10" Lon: -089° 50' 12"
Lower Mississippi River - Upper Mississippi River/General/Bridges/Relocation	Bridges	Chester Bridge: Due to construction of the new bridge right descending pier, the existing bridge upstream right descending red pier light became obstructed and has since been moved 25 feet channel ward for visibility to downbound navigation. If mariners still cannot see the upstream right descending red pier light at its new location, they are to report this to U.S. Coast Guard Sector Upper Mississippi River via VHF-FM Channel 16.	Lat: 37° 54' 10" Lon: -089° 50' 12"

Lower Mississippi River - Upper Mississippi River/General/Bridges/Lighting and Other Signals	Bridges	Jefferson Barracks Dual Bridge; All navigation lights have been reported to be extinguished. Mariners are advised to transit with caution.	Lat: 38° 29' 11" Lon: -090° 16' 27"
Lower Mississippi River - Upper Mississippi River/General/Bridges/Relocation	Bridges	Chester Bridge: Due to construction of the new bridge, mariners shall transit the bridge at minimum safe speed. The existing bridge upstream right descending red pier light is obstructed and has since been moved 25 feet channel ward for visibility to downbound navigation. If mariners cannot see the upstream right descending red pier light at its new location, they should report this to U.S. Coast Guard Sector Upper Mississippi River via VHF-FM Channel 16.	Lat: 37° 54' 10" Lon: -089° 50' 12"
Lower Mississippi River - Upper Mississippi River/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	Shoaling has been reported in the vicinity of Mile 617.4. Mariners are urged to exercise caution in the area.	
Lower Mississippi River - Upper Mississippi River/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	Continuing through April 1, 2025, Melvin Price L/D Main Chamber, in the vicinity of Mile 200.5, will be closed for repairs. During this closure, the auxiliary chamber will remain open and available to pass traffic. Mariners should be alert for and abide by any special instructions issued by the Lockmaster.	
Lower Mississippi River - Upper Mississippi River/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	Continuing through April 1, 2025, L/D Nr. 27 Main Chamber, in the vicinity of Mile 185.5, will be closed for repairs. During this closure, the auxiliary chamber will remain open and available to pass traffic. Mariners should be alert for and abide by any special instructions issued by the Lockmaster.	
Lower Mississippi River - Upper Mississippi River/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	Commencing March 28, 2025, and continuing until further notice, M/V DAVENPORT and M/V CLINTON are conducting dredging operations between approximate Miles 324.9 and 324.8. Work will be conducted from 7:00 a.m. until 5:30 p.m., 7-days a week. M/V DAVENPORT and M/V CLINTON will monitor VHF-FM Channel 13, 14, 16 or 82, and requests 30-minutes advance notice of passage. Mariners are urged to transit the area at their slowest safe speed to minimize their wake and proceed with caution after passing arrangements have been made.	
Lower Mississippi River - Upper Mississippi River/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	Continuing until further notice, the M/V ROCK ISLAND or the M/V MOLINE is conducting dredging operations in the vicinity of Mile 595.8. Work will be conducted from 7:00 a.m. until 5:30 p.m., 7-days a week. The M/V ROCK ISLAND or the M/V MOLINE will monitor VHF-FM Channels 13, 14, 16 and 82, and requests 30-minutes advance notice of passage. Mariners are urged to transit the area at their slowest safe speed to minimize their wake and proceed with caution after passing arrangements have been made.	
Lower Mississippi River - Upper Mississippi River/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	Commencing June 1, 2025, and continuing through August 30, 2025, Melvin Price L/D Auxiliary Chamber, in the vicinity of Mile 200.5, will be closed for miter gate machinery replacement. During this closure, the Main Chamber will remain open and available to pass traffic. Mariners should be alert for and abide by any special instructions issued by the lockmaster.	
Lower Mississippi River - Upper Mississippi River/General/Miscellaneous	Miscellaneous	A can buoy has been reported off station in the vicinity of Mile 1.5. Mariners are urged to exercise caution in the area.	

## White River

### Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Owens Lake Daybeacon	2665	DAYMK DMGD	FD