

Local Notice to Mariners for District 8 - Gulf

09/24/2025

Acadiana Navigation Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Acadiana Navigation Channel Light 6	20305	STRUCT DEST/TRLB	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Southwest Pass Vermilion Bay Channel - Acadiana Navigation Channel/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	Acadiana Navigation Channel - Commercial Canal - Dredge Operation --- From: 2025-05-05 To: 2025-11-05 --- Mechanical dredging will be conducted in Commercial Canal at the Port of New Iberia. On-scene vessels will include deck barges, spud barges, and truckable mud tugs. Mariners should transit the area with caution. VHF-FM Channel: 16, POC: (225) 571-6708 or (337) 247-1071	Lat: 29° 56' 54" Lon: -091° 50' 16"

Algiers Alternate Route

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Via Mississippi River And Harvey Canal - Algiers Alternate Route/General/Bridges/Temp Deviation	Bridges	Algiers Canal, Mile 3.7 - GIWW - SR 23 Drawbridge – Bridge Demolition and Waterway Closures --- From: 2025-05-08 To: 2025-10-25 --- The SR 23 Drawbridge is being prepared for demolition. Continuing until October 25, 2025, the waterway will be closed to all vessel traffic from 6:00 a.m. to 2:30 p.m., Monday through Sunday, for demolition activities. The M/V DUTCHMAN (Call Sign: WDC4711) is the on-site contact vessel and will communicate with passing vessels to ensure safe passage through the demolition site. Mariners are urged to transit this area with extreme caution. VHF-FM Channels: 13, 14 and 16	
Via Mississippi River And Harvey Canal - Algiers Alternate Route/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	Algiers Canal - GIWW - Lock Restrictions --- Continuing until further notice, the Algiers Lock is operating under the following restrictions: All tows greater than 60 ft wide are restricted to 600 ft in total length. All tows less than 60 ft wide are restricted to 700 ft in total length. POC: Lockmaster (504) 354-1795	Lat: 29° 54' 54" Lon: -089° 58' 20"

Apalachicola River

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Apalachicola River Entrance - Apalachicola River/General/MSIB	MSIB	Apalachicola, Chattahoochee and Flint (ACF) River System - Seasonal Channel Conditions/ATON Discrepancies --- The U.S. Army Corps of Engineers concluded the 2025 navigation season on the ACF and suspended water releases to support the 7 ft navigation channel. Current hydrological conditions, meteorological forecasts, and basin-wide modeling do not support the extension of the navigation season. Aids to navigation may be off station or riding low in the water between Miles 109.0 to 0.0, in the Apalachicola River. The relocation and replacement of these aids will be addressed when the 7-foot navigational channel is restored. POC: USACE (251) 694-4074 or USCG (251) 382-8653	Lat: 30° 42' 49" Lon: -084° 51' 55"

Aransas Bay

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Aransas Bay Daybeacon 11	38710.01	STRUCT DEST/TRUB	FD
Aransas Bay Daybeacon 26	38890.01	STRUCT DEST/TRUB	FD
Nine Mile Point Light NP	38935	STRUCT DEST/TRLB	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Aransas Bay Alternate Route - Aransas Bay/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	GIWW - Aransas Bay - Dredge Operation --- From: 2025-09-22 To: 2025-12-15 --- The Dredge EMIL KURTZ will be working in the GIWW, between Miles 500.0 and 530.0, WHL. Operations will take place 24-hours a day, 7-days a week. The floating plant will consist of the M/Vs JESUS F., SAM S., WYATT C., and MINNIE T., three anchor barges, one fuel barge, one supply barge, and approximately 28,000 ft of combined steel, plastic, and floating pipeline. The dredge requests 45-minutes advance notice of passage. Mariners are urged to transit at their slowest safe speed to minimized wake a proceed with caution after passing arrangements have been made. VHF-FM Channels: 3 and 16, POC: (361) 487-6471	
Aransas Bay Alternate Route - Aransas Bay/General/Miscellaneous	Miscellaneous	Copano Bay - Danger Pile Private Aid to Navigation --- Established: 2025-02-05 --- Four danger piles with reflective markers have been established in Copano Bay marking an oyster reef. Mariners are urged to transit the area with caution.	

Aransas Bay Alternate Route

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Aransas Bay Alternate Route Daybeacon 54	39650.01	STRUCT DEST/TRUB	FD
Aransas Bay Alternate Route Daybeacon 58	39685	STRUCT DEST/TRUB	FD
Aransas Bay Alternate Route Daybeacon 60	39695	STRUCT DEST/TRUB	FD

Aransas Bay Alternate Route Daybeacon 62	39710	STRUCT DEST/TRUB	FD
--	-------	------------------	----

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
San Jose Island Dock Channel Daybeacon 1	39290	DAYMK MISSING	PA
San Jose Island Dock Channel Light 2	39295	DAYMK MISSING	PA
San Jose Island Dock Channel Daybeacon 3	39300	DAYMK MISSING	PA
San Jose Island Dock Channel Daybeacon 4	39305	DAYMK DMGD	PA
San Jose Island Dock Channel Daybeacon 5	39310	DAYMK MISSING	PA
San Jose Island Dock Channel Daybeacon 6	39315	DAYMK MISSING	PA
San Jose Island Dock Channel Daybeacon 7	39320	DAYMK MISSING	PA
San Jose Island Dock Channel Daybeacon 8	39325	DAYMK MISSING	PA
San Jose Island Dock Channel Daybeacon 9	39330	DAYMK MISSING	PA
San Jose Island Dock Channel Daybeacon 10	39335	DAYMK MISSING	PA

Aransas Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Aransas Channel Light 2	28210	STRUCT DEST/TRLB	FD
Aransas Channel Light 2	28210	STRUCT DEST/TRLB	FD
Aransas Channel Light 3	28215	STRUCT DEST/TRLB	FD
Aransas Channel Light 3	28215	STRUCT DEST/TRLB	FD
Aransas Channel Daybeacon 6	28230	STRUCT DEST/TRUB	FD
Aransas Channel Daybeacon 6	28230	STRUCT DEST/TRUB	FD
Aransas Channel Daybeacon 22	28285	STRUCT DEST/TRUB	FD
Aransas Channel Light 23	28290	STRUCT DMGD/TRLB	FD
Aransas Channel Light 23	28290	STRUCT DMGD/TRLB	FD

Aransas Pass

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
University Of Texas Research Pier Lights (7)	28200	STRUCT DEST	PA

Aransas-Corpus Christi Bay Cutoff Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Aransas-Corpus Christi Bay Cutoff Channel Daybeacon 3	39080.01	STRUCT DEST/TRUB	FD
Aransas-Corpus Christi Bay Cutoff Channel Daybeacon 4	39085.01	STRUCT DEST/TRUB	FD
Aransas-Corpus Christi Bay Cutoff Channel Daybeacon 4	39085.01	STRUCT DEST/TRUB	FD
Aransas-Corpus Christi Bay Cutoff Channel Daybeacon 20	39180.01	STRUCT DEST/TRUB	FD
Aransas-Corpus Christi Bay Cutoff Channel Daybeacon 39	39355	STRUCT DEST	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Aransas-Corpus Christi Bay Cutoff Channel Pipeline Light A	39280	STRUCT DEST/LT EXT	PA

Arlington Channel

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Choctaw Pass Fishing Reef Daybeacons (4)	7625	STRUCT DEST	PA

Arroyo Colorado Cutoff Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Arroyo Colorado Cutoff Channel Daybeacon 14A	42285	STRUCT DEST/TRUB	FD
Arroyo Colorado Cutoff Channel Daybeacon 14A	42285	STRUCT DEST/TRUB	FD
Arroyo Colorado Cutoff Channel Daybeacon 15	42290	STRUCT DEST/TRUB	FD
Arroyo Colorado Cutoff Channel Daybeacon 15	42290	STRUCT DEST/TRUB	FD
Arroyo Colorado Cutoff Channel Daybeacon 20	42310	STRUCT DEST	FD

Arroyo Colorado Cutoff Channel Daybeacon 20	42310	STRUCT DEST	FD
Arroyo Colorado Cutoff Channel Daybeacon 23	42325	STRUCT DEST/TRUB	FD
Arroyo Colorado Cutoff Channel Daybeacon 23	42325	STRUCT DEST/TRUB	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Harlingen-Port Isabel - Arroyo Colorado Cutoff Channel/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	Arroyo Colorado - Dock Construction --- From: 2025-08-18 To: 2026-04-25 --- The Port of Harlingen is conducting construction on their main dock in the Arroyo Colorado turning basin, located at approximate position 26-11-59.58N 097-35-56.58W. Work will be conducted Monday through Saturday, from 7:00 a.m. to 5:30 p.m. Mariners are urged to exercise caution while transiting the area. VHF-FM Channel: 71	

Atchafalaya Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Atchafalaya Channel Lighted Buoy 1	18520	OFF STATION	FD
Atchafalaya Channel Lighted Buoy 3	18530	OFF STATION	FD
Atchafalaya Channel Buoy 4	18535	MISSING	FD
Atchafalaya Channel Buoy 6	18545	OFF STA	FD
Atchafalaya Channel Buoy 6	18545	OFF STA	FD
Atchafalaya Channel Lighted Buoy 15	18585	TRUB	FD
Atchafalaya Channel Lighted Buoy 15	18585	TRUB	FD
Atchafalaya Channel Lighted Buoy 14	18590	OFF STATION	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
CONTANGO-200-6	null	SS INOP	PA
East Atchafalaya Bay Channel Daybeacon 4	18370	STRUCT DEST	PA
East Atchafalaya Bay Channel Daybeacon 14	18385	DAYMK DMGD	PA
East Atchafalaya Bay Channel Daybeacon 16	18390	DAYMK MISSING	PA
East Atchafalaya Bay Channel Daybeacon 20	18400	STRUCT DEST	PA
East Atchafalaya Bay Channel Daybeacon 28	18420	STRUCT DMGD	PA
East Atchafalaya Bay Channel Daybeacon 34	18435	DAYMK DMGD	PA
East Atchafalaya Bay Channel Daybeacon 40	18445	DAYMK DMGD/STRUCT DMGD	PA
East Atchafalaya Bay Channel Daybeacon 42	18450	DAYMK DMGD	PA
East Atchafalaya Bay Channel Daybeacon 44	18455	DAYMK DMGD	PA
East Atchafalaya Bay Channel Daybeacon 64	18500	DAYMK MISSING	PA
CONTANGO-200-6	null	SS INOP	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector New Orleans, Submerged Land Act (SLA) - Atchafalaya Channel/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	Atchafalaya River - Dredge Mobilization --- From: 2025-09-20 To: 2025-10-01 --- Dredge pipeline and equipment will be mobilized to a staging area located in the vicinity of Gods Pass along the Atchafalaya River Channel. Dredge pipeline will be installed in the area in preparation for dredging operations. Work will be conducted 24-hours a day, 7-days a week. Mariners are urged to use extreme caution and transit the area at their slowest safe speed to create minimum wake after passing arrangements have been made. VHF-FM Channels: 13, 16 and 71, POC: (985) 264-1479 and (504) 858-5308	

Atchafalaya River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Atchafalaya River Light 20	19065.010000000002	STRUCT DEST/TRLB	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Lake Fausse Pointe Channel Daybeacon 68	19690	DAYMK MISSING	PA
E Cote Blan Bay Canal Entrance Light 1	19835	STRUCT DEST	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION

Lower Old River - Atchafalaya River/General/Bridges/Temp Deviation	Bridges	Atchafalaya River - Bridge Repairs --- From: 2025-09-02 To: 2026-06-29 --- The Krotz Springs Railroad Bridge crossing the Atchafalaya River, Mile 41.5, is undergoing repairs to the swing span and eastern fixed span of the bridge. While repairs are conducted, the Union Pacific Railroad Drawbridge will have scheduled closures and operational deviations (see below the 2025 schedule). The western fixed spans of the bridge will remain open for vessel traffic throughout construction. The bridge operator can be contacted at (337) 566-3713 or on VHF-FM Channel 13. The bridge will operate with the following schedule: • 15SEP2025 - 25OCT2025: 6-hour notice will be required for vessels transiting the area. • 26OCT2025 - 02NOV2025: The bridge will operate as normal, on demand. • 03NOV2025 - 16NOV2025: 6-hour notice will be required for vessels transiting the area between 6:30 p.m. and 6:30 a.m., the following day, Monday through Friday. The bridge will operate as normal between 6:30 a.m. and 6:30 p.m., Monday through Friday, and all-day Saturday and Sunday. • 17NOV2025 - 20NOV2025: The bridge will be closed for 96-hours for bridge roller bearing replacement. • 21NOV2025 - 15DEC2025: 6-hour notice will be required for vessels transiting the area between 6:30 p.m. and 6:30 a.m., the following day, Monday through Friday. The bridge will operate as normal between 6:30 a.m. and 6:30 p.m., Monday through Friday, and all-day Saturday and Sunday. • 16DEC2025 - 19DEC2025: The bridge will be closed for 96-hours for bridge roller bearing replacement. • 20DEC2025 - 31DEC2025: 6-hour notice will be required for vessels transiting the area between 6:30 p.m. and 6:30 a.m., the following day, Monday through Friday. The bridge will operate as normal between 6:30 a.m. and 6:30 p.m., Monday through Friday, and all-day Saturday and Sunday.	Lat: 30° 32' 20" Lon: -091° 44' 46"
--	---------	---	-------------------------------------

Avoca Island Cutoff Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Avoca Island Cutoff Channel Daybeacon 12	19010	STRUCT DEST/TRUB	FD
Avoca Island Cutoff Channel Light 13	19015	STRUCT DEST/TRLB	FD
Avoca Island Cutoff Channel Light 13	19015	STRUCT DEST/TRLB	FD

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Avoca Island Cutoff Channel Light 11	19005	DISCONTINUED FOR DREDGING	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Atchafalaya River - Avoca Island Cutoff Channel/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	Bayou Chene - Bayou Boeuf - Bayou Black - Dredge Operation --- From: 2024-12-09 To: 2025-12-31 --- The Dredge MIKE HOOKS and attendant plant will conduct dredging and disposal operations in the area, 24-hours a day, 7-days a week. Floating and submerged line will be in the project area connecting and leading to multiple disposal sites. All vessels requiring the majority of the channel to navigate safely, should contact the dredge 1-hour in advance. VHF-FM Channels: 13, 16, POC: (337) 485-5121 or (337) 909-9041	

Back Bay Of Biloxi

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Old Fort Bayou Channel Daybeacon 8	9160.06	STRUCT DEST	PA
Old Fort Bayou Channel Daybeacon 24	9160.19	STRUCT DEST	PA
Old Fort Bayou Channel Daybeacon 13	9160.22	STRUCT DEST	PA
Old Fort Bayou Channel Daybeacon 3	9160.02	STRUCT DEST	PA
Old Fort Bayou Channel Daybeacon 12	9160.09	STRUCT DEST	PA
Old Fort Bayou Channel Daybeacon 9	9160.12	STRUCT DEST	PA
Old Fort Bayou Channel Daybeacon 7	9160.08	OFF STA	PA

Baffin Bay

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Baffin Bay Daybeacon 36	41120	STRUCT DEST	FD
Baffin Bay Daybeacon 36	41120	STRUCT DEST	FD
Baffin Bay Daybeacon 38	41125	STRUCT DEST	FD
Baffin Bay Daybeacon 38	41125	STRUCT DEST	FD

Baffin Bay Land Cut

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Baffin Bay Land Cut Light 7	41185	STRUCT DEST/TRLB	FD
Baffin Bay Land Cut Daybeacon 9	41200.01	STRUCT DEST/TRUB	FD
Baffin Bay Land Cut Daybeacon 12	41215	STRUCT DEST/TRUB	FD
Baffin Bay Land Cut Light 15	41235	STRUCT DEST/TRLB	FD
Baffin Bay Land Cut Light 15	41235	STRUCT DEST/TRLB	FD
Baffin Bay Land Cut Daybeacon 20	41265	STRUCT DEST/TRUB	FD
Baffin Bay Land Cut Daybeacon 20	41265	STRUCT DEST/TRUB	FD
Baffin Bay Land Cut Daybeacon 28	41315	STRUCT DEST/TRUB	FD

Baptiste Collette Bayou

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
BAPTISTE COLLETTE BAYOU ENTRANCE LIGHT	12380	STRUCT DEST/TRLB	FD
Baptiste Collette Bayou Light 1	12385	STRUCT DEST/TRLB	FD
Baptiste Collette Bayou Light 3	12395	STRUCT DEST/TRLB	FD
Baptiste Collette Bayou Light 7	12415	STRUCT DEST/TRLB	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Breton/Chandeleur Icw Alternate Route - Baptiste Collette Bayou/ATON/Advanced Notice of Change	Advanced Notice of Change	The Coast Guard will make the following Aids to Navigation Changes after October 14, 2025: Rename and Change Baptiste Collette Bayou Entrance Light (LLNR-12380) in approximate position 29-24-43.464N/089-18-33.625W from showing FI Oc W 4s, 4NM, NG on piles, Ra ref to Baptiste Collette Bayou Light 1 (LLNR-12380) showing FI G 2.5s, 4NM, SG on piles, Ra ref.	Lat: 29° 24' 43" Lon: -089° 18' 34"
Breton/Chandeleur Icw Alternate Route - Baptiste Collette Bayou/ATON/Advanced Notice of Change	Advanced Notice of Change	The Coast Guard will make the following Aids to Navigation Changes after October 14, 2025: Discontinue Baptiste Collette Bayou Light 1 (LLNR-12385) in approximate position 29-24-16.599N/089-18-29.402W.	Lat: 29° 24' 17" Lon: -089° 18' 29"
Breton/Chandeleur Icw Alternate Route - Baptiste Collette Bayou/ATON/Advanced Notice of Change	Advanced Notice of Change	The Coast Guard will make the following Aids to Navigation Changes after October 14, 2025: Discontinue Baptiste Collette Bayou Daybeacon 4 (LLNR-12400) in approximate position 29-23-45.310N/089-18-30.154W.	Lat: 29° 23' 45" Lon: -089° 18' 30"
Breton/Chandeleur Icw Alternate Route - Baptiste Collette Bayou/ATON/Advanced Notice of Change	Advanced Notice of Change	The Coast Guard will make the following Aids to Navigation Changes after October 14, 2025: Discontinue Baptiste Collette Bayou Daybeacon 8 (LLNR-12420) in approximate position 29-23-03.570N/089-18-23.904W.	Lat: 29° 23' 04" Lon: -089° 18' 24"
Breton/Chandeleur Icw Alternate Route - Baptiste Collette Bayou/ATON/Advanced Notice of Change	Advanced Notice of Change	The Coast Guard will make the following Aids to Navigation Changes after October 14, 2025: Discontinue Baptiste Collette Bayou Daybeacon 11 (LLNR-12435) in approximate position 29-22-29.442N/089-18-13.230W.	Lat: 29° 22' 29" Lon: -089° 18' 13"
Breton/Chandeleur Icw Alternate Route - Baptiste Collette Bayou/ATON/Advanced Notice of Change	Advanced Notice of Change	The Coast Guard will make the following Aids to Navigation Changes after October 14, 2025: Discontinue Baptiste Collette Bayou Daybeacon 12 (LLNR-12440) in approximate position 29-22-22.747N/089-18-16.832W.	Lat: 29° 22' 23" Lon: -089° 18' 17"
Breton/Chandeleur Icw Alternate Route - Baptiste Collette Bayou/ATON/Advanced Notice of Change	Advanced Notice of Change	The Coast Guard will make the following Aids to Navigation Changes after October 14, 2025: Discontinue Baptiste Collette Bayou Daybeacon 15 (LLNR-12455) in approximate position 29-21-45.110N/089-18-05.990W.	Lat: 29° 21' 45" Lon: -089° 18' 06"
Breton/Chandeleur Icw Alternate Route - Baptiste Collette Bayou/ATON/Advanced Notice of Change	Advanced Notice of Change	The Coast Guard will make the following Aids to Navigation Changes after October 14, 2025: Discontinue Baptiste Collette Bayou Daybeacon 16 (LLNR-12460) in approximate position 29-21-45.721N/089-18-10.992W.	Lat: 29° 21' 46" Lon: -089° 18' 11"
Breton/Chandeleur Icw Alternate Route - Baptiste Collette Bayou/ATON/Advanced Notice of Change	Advanced Notice of Change	The Coast Guard will make the following Aids to Navigation Changes after October 14, 2025: Establish Baptiste Collette Bayou Light 18A (LLNR-12472) in approximate position 29-20-43.980N/089-18-10.980W showing FI R 4s, 3NM, TR on pile, Ra ref.	Lat: 29° 20' 44" Lon: -089° 18' 11"
Breton/Chandeleur Icw Alternate Route - Baptiste Collette Bayou/ATON/Advanced Notice of Change	Advanced Notice of Change	The Coast Guard will make the following Aids to Navigation Changes after October 14, 2025: Discontinue Baptiste Collette Bayou Daybeacon 21 (LLNR-12490) in approximate position 29-18-04.408N/089-19-33.959W.	Lat: 29° 18' 04" Lon: -089° 19' 34"
Breton/Chandeleur Icw Alternate Route - Baptiste Collette Bayou/ATON/Advanced Notice of Change	Advanced Notice of Change	The Coast Guard will make the following Aids to Navigation Changes after October 14, 2025: Relocate Baptiste Collette Bayou Light 23 (LLNR-12500) to approximate position 29-17-58.020N/089-19-39.000W showing FI G Q, 3NM, SG on pile, Ra ref.	Lat: 29° 17' 55" Lon: -089° 19' 47"

Barataria Pass

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Barataria Pass Buoy 4	15820	OFF STA	FD
Barataria Pass Buoy 4	15820	OFF STA	FD

Barataria Pass Lighted Buoy 5	15825	OFF STATION	FD
Barataria Pass Lighted Buoy 6	15830	BUOY DMGD	FD

Barataria Waterway

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Barataria Waterway Entrance Light 1	16100	REBUILT/REMAINS	FD	2025-09-18
Barataria Waterway Entrance Light 2	16105	REBUILT/REMAINS	FD	2025-09-18
Barataria Waterway Light 15	16215	REBUILT/REMAINS	FD	2025-09-18
Barataria Waterway Light 20	16235	REBUILT/REMAINS	FD	2025-09-18
Barataria Waterway Light 39	16375	REBUILT/REMAINS	FD	2025-09-18

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Bayou Rigaud - Barataria Waterway/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2025-09-18 To: 2025-09-28 Location: 29.33286° N / 89.9856° W Aid Name: Barataria Waterway Light 15 LLNR: 16215 Action: RELOCATE From: 29-19-58.290N 089-59-08.154W To: 29-19-58.186N 089-59-07.892W	Lat: 29° 19' 58" Lon: -089° 59' 08"
Bayou Rigaud - Barataria Waterway/General/Bridges/Construction	Bridges	Barataria Waterway - Bridge Construction --- From: 2024-10-03 To: 2026-12-15 --- Bridge construction is taking place in the Barataria Waterway at approximate Mile 35.2. Operations will be conducted from 6:00 a.m. to 6:00 p.m., daily. On-scene equipment includes two crane barges and one material barge. Minimal impact to marine traffic is expected and the horizontal bridge clearance will be maintained at 60 feet, center opening. POC: (504) 615-6253	Lat: 29° 43' 22" Lon: -090° 07' 14"

Bayou Casotte Channel

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Bayou Casotte Channel Light 2	8425	REBUILT/REMAINS	FD	2025-09-22
Bayou Casotte Channel Light 9	8480	REBUILT/REMAINS	FD	2025-09-22

Bayou Chico

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Bayou Chico South Channel Daybeacon 4	5400	STRUCT DEST	PA
Bayou Chico West Channel Daybeacon 1	5360	STRUCT DEST	PA
Bayou Chico West Channel Daybeacon 4	5365	STRUCT DEST	PA
Bayou Chico West Channel Daybeacon 3	5370	STRUCT DEST	PA
Bayou Chico West Channel Daybeacon 2	5355	STRUCT DEST	PA

Bayou Coden

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Bayou Coden Junction Light BC	7765	STRUCT DEST/TRLB	FD
Bayou Coden Junction Light BC	7765	STRUCT DEST/TRLB	FD
Bayou Coden Light 4	7780	STRUCT DEST/TRLB	FD
Bayou Coden Daybeacon 7	7800	STRUCT DEST/TRUB	FD
Bayou Coden Light 10	7815	STRUCT DEST/TRLB	FD

Bayou Grand Caillou

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Bayou Grand Caillou Entrance Light GC	17985	LT EXT/DAYMK MISSING	FD
Bayou Grand Caillou Entrance Light GC	17985	LT EXT/DAYMK MISSING	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Lake De Cade Light 2	18240	OFF STA/LT EXT/DAYMK MISSING	PA
Lake De Cade Light 28	18245	LT EXT	PA

Bayou La Batre

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Bayou La Batre Buoy 17	7720	MISSING	FD

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Bayou La Batre Wreck Light WR	7680	REBUILT/REMAINS	FD	2025-09-22
Bayou La Batre Light 5	34315	REBUILT/REMAINS	FD	2025-09-23

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Mobile, Submerged Land Act (SLA) - Bayou La Batre/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	Bayou La Batre - Dock Construction --- From: 2025-09-15 To: 2027-09-15 --- Marine construction will be taking place along Bayou La Batre at the Bayou La Batre City Docks. Demolition and the new construction of a boat launch, marina and fishing vessel pier will be taking place in the area. Work will be conducted Monday through Friday, from 6:00 a.m. to 6:00 p.m. The main channel will not be obstructed during construction operations. The boat launch basin will be closed to marine traffic during some phases of construction and may be blocked by booms/turbidity controls. Mariners are urged to transit the area with caution. VHF-FM Channels: 9 and 16	

Bayou Perot

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Superior Canal Entrance Light 2	16835	STRUCT DEST	PA

Bayou Rigaud

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Bayou Rigaud Lighted Buoy 1	15915	OFF STATION	FD

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Bayou Rigaud Light 6	15980	REBUILT/REMAINS	FD	2025-09-18
Bayou Rigaud Light 7	15990	REBUILT/REMAINS	FD	2025-09-18

Bayou Shaffer

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Vector Energy Co. Loading Dock Light	19080	STRUCT DEST	PA

Bayou St John

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Bayou St John Daybeacon 2	5945	STRUCT DEST/TRUB	FD

Bayou Texar

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Bayou Texar Daybeacon 1A	5095	DAYMK MISSING	PA
Bayou Texar Daybeacon 2A	5100	DAYMK MISSING	PA
Bayou Texar Daybeacon 5A	5115	DAYMK MISSING	PA
Bayou Texar Daybeacon 6A	5120	DAYMK MISSING	PA
Bayou Texar Daybeacon 7A	5125	DAYMK MISSING	PA
Bayou Texar Daybeacon 9A	5135	DAYMK MISSING	PA
Bayou Texar Daybeacon 4A	5110	DAYMK MISSING	PA
Bayou Texar Daybeacon 8A	5130	DAYMK MISSING	PA
Bayou Texar Daybeacon 10A	5140	DAYMK MISSING	PA
Bayou Texar Daybeacon 11A	5145	DAYMK MISSING	PA
Bayou Texar Daybeacon 12A	5150	DAYMK MISSING	PA
Bayou Texar Daybeacon 13A	5155	DAYMK MISSING	PA

Bayou Texar Daybeacon 14A	5160	DAYMK MISSING	PA
Bayou Texar Daybeacon 15A	5165	DAYMK MISSING	PA

Bayport Ship Channel

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Houston Ship Channel - Bayport Ship Channel/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	Bayport Ship Channel - Houston Ship Channel - Dredge Operation --- From: 2025-05-31 To: 2025-12-31 --- The Hopper Dredges R.B. WEEKS and MAGDALEN and the M/V BREAK OF DAWN will be operating in the vicinity of the Bayport Flare and the Bayport Ship Channel. Dredged material will be transported offshore to an ocean dredged material disposal site located south of the Galveston Entrance Channel. Work will take place 24-hours a day, 7-days a week. On-scene support vessels will include the Survey Vessel CAPT TOM and the Crew Boat CHRIS C. Vessels should coordinate passing arrangements 30-minutes in advance. Mariners are urged to use extreme caution and transit the area at their slowest safe speed to create minimum wake after passing arrangements have been made. VHF-FM Channels: 13 and 16, POC: (985) 237-9667 or (443) 856-5311	

Bernard Bayou

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Mississippi Gulf Fishing Reef Light B	9480	STRUCT DEST	PA

Biloxi Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Biloxi Channel Daybeacon 22	9050	STRUCT DEST/TRUB	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Point Cadet Marina Breakwater Light 3	9075	LT EXT/STRUCT DMGD	PA
Point Cadet Marina Breakwater Light 1	9065	OFF STA	PA
Point Cadet Marina Breakwater Daybeacon 2	9070	OFF STA	PA
Point Cadet Marina Breakwater Daybeacon 4	9080	OFF STA	PA
Point Cadet Marina Breakwater Light 5	9085	OFF STA	PA
Point Cadet Marina Breakwater Daybeacon 6	9090	OFF STA	PA

Biloxi East Channel

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
MDMR Katrina Key Danger Breakwater Light	8677.01	STRUCT DEST	PA
MDMR Katrina Key Danger Breakwater Light	8677.04	STRUCT DEST	PA
MDMR Katrina Key Danger Breakwater Light	8677.05	STRUCT DEST	PA
MDEQ Biloxi East Special Lighted Buoy B	8807.01	MISSING	PA
MDEQ Biloxi East Special Lighted Buoy C	8812	MISSING	PA
MDEQ Biloxi East Special Lighted Buoy F	8812.03	MISSING	PA
Deer Island Breakwater Danger Light	8655	MISSING	PA
Deer Island Breakwater Danger Light	8665	MISSING	PA
Deer Island Breakwater Danger Light	8675	MISSING	PA
Deer Island Breakwater Northwest Danger Light	8677	MISSING	PA
Deer Island Breakwater Danger Light	8640	MISSING	PA
Deer Island Breakwater Danger Light	8645	MISSING	PA
Deer Island Breakwater Southeast Danger Light	8639	MISSING	PA
Deer Island Breakwater Danger Light	8650	MISSING	PA
Deer Island Breakwater Danger Light	8660	MISSING	PA
Deer Island Breakwater Danger Light	8670	MISSING	PA

Black Warrior River

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Black Warrior River/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	Black Warrior Rive, Mile 377.3 - Tombigbee Waterway - Facility Construction --- From: 2024-06-21 To: 2025-11-01 --- Southern Marine Construction is constructing a barge loading facility on the Black Warrior River, Mile 377.3. Operations will be conducted Monday through Friday, during daylight hours only. Various work barges and crane barges will be in the area throughout construction. Mariners are urged to transit at their slowest safe speed to minimize wake and proceed with caution. VHF-FM Channel: 13, POC: (423) 802-0597 or (423) 443-8252	

Blackwater Channel

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Pensacola Bay - Blackwater Channel/General/Hazards To Navigation/Hazards	Hazards To Navigation	Blackwater River - Low Overhead Cable --- Reported: 2025-09-15 --- An overhead cable has been reported hanging approximately 10 ft above the water in the Blackwater River, in approximate position 30-37-33.8N 087-02-06.7W. Mariners are urged to transit this area with extreme caution.	

Bolivar Peninsula

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Bolivar Peninsula Light 16A	35925	STRUCT DEST/TRLB	FD

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Bolivar Peninsula Light 4	35895	REBUILT/REMAINS	FD	2025-09-18
Bolivar Peninsula Light 14	35915	REBUILT/REMAINS	FD	2025-09-18

Temporary Changes Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Bolivar Peninsula Light 14	35915	Reestablished	FD	2025-09-17

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Galveston Bay - Bolivar Peninsula/General/MSIB	MSIB	Bolivar Peninsula - GIWW - VTS Bolivar Directive --- U.S. Coast Guard Vessel Traffic Service Houston-Galveston directs no meeting or overtaking between Bolivar Peninsula Virtual Aid 22 (Bolivar Peninsula 22 V-AIS, LLNR-35947) and Bolivar Peninsula Light 14 (LLNR-35915). The VTS recommends mariners confirm their position in the GIWW with their Electronic Chart Display and Information Systems (ECDIS). Bolivar Aids to Navigation are set in shoal water. The VTS recommends confirming Bolivar Peninsula Virtual Aids to Navigation 19A (Bolivar Peninsula 19A V-AIS, LLNR-35942) and 22 (LLNR-35947) prior to making the turn to/from Bolivar and/or into the Alternate Inbound Channel.	

Brazos River Crossing

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Houston-Galveston, Submerged Land Act (SLA) - Brazos River Crossing/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	Brazos River Floodgates - GIWW, Mile 400.8, WHL - Floodgate Closure --- From: 2024-02-29 To: 2025-09-30 --- The Brazos River Floodgates on the GIWW, Mile 400.8, WHL, will be closed to marine traffic from 7:00 a.m. to 7:00 p.m., Monday through Friday, for maintenance and repairs. Mariners should confirm closure times prior to transiting the area to avoid delays. POC: Lockmaster (979) 402-2888	

Brazos Santiago Pass

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Brazos Santiago Entrance Channel Lighted Buoy 2	29460	MISSING	FD

Breton/Chandeleur Icw Alternate Route

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Century Exploration-100-8	null	LT EXT/SS INOP	PA
Anadarko Temporary Lighted Danger Buoy	null	MISSING	PA
Amerada Hess-103-11	null	HAZ NAV/LT EXT/STRUCT DMGD	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector New Orleans, Submerged Land Act (SLA) - Breton/Chandeleur Icw Alternate Route/General/Hazards To Navigation/Obstructions	Hazards To Navigation	Chandeleur Sound - Breton Sound - Adrift Boom --- Reported: 2025-08-07 --- A large section of orange-red oil spill containment boom wrapped in cable has been reported adrift in Chandeleur Sound, east of Freemason Island in last known approximate position 29-48-00.06N 088-57-51.48W. Mariners are urged to use caution in this area and report any sightings or findings to the nearest U.S. Coast Guard unit.	Lat: 29° 48' 00" Lon: -088° 57' 51"

Brownsville Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Brownsville Channel Light 30	29855	STRUCT DEST/TRLB	FD

Brownsville Channel Light 30	29855	STRUCT DEST/TRLB	FD
Brownsville Channel A Range Front Light	29870	STRUCT DEST/TRLB	FD
Brownsville Channel A Range Front Light	29870	STRUCT DEST/TRLB	FD
Brownsville Channel Light 32	29885	STRUCT DEST/TRLB	FD
Brownsville Channel Light 32	29885	STRUCT DEST/TRLB	FD
Brownsville Channel Light 34	29890	STRUCT DEST/TRLB	FD
Brownsville Channel Light 34	29890	STRUCT DEST/TRLB	FD
Brownsville Channel Light 35	29895	STRUCT DEST	FD
Brownsville Channel Light 35	29895	STRUCT DEST	FD
Brownsville Channel Light 36	29910	STRUCT DEST/TRLB	FD
Brownsville Channel Light 39	29920	STRUCT DEST/TRLB	FD
Brownsville Channel Light 39	29920	STRUCT DEST/TRLB	FD
Brownsville Channel Light 40	29935	STRUCT DEST/TRLB	FD
Brownsville Channel Light 40	29935	STRUCT DEST/TRLB	FD
Brownsville Channel Light 41	29940	STRUCT DEST/TRLB	FD
Brownsville Channel Light 44	29960	STRUCT DEST/TRLB	FD
Brownsville Channel Light 44	29960	STRUCT DEST/TRLB	FD
Brownsville Channel Light 45	29975	STRUCT DEST/TRLB	FD
Brownsville Channel Light 45	29975	STRUCT DEST/TRLB	FD
Brownsville Channel Light 46	29980	STRUCT DEST/TRLB	FD

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Brownsville Channel Light 31	29880	TRLB	FD
Brownsville Channel Light 37	29915	DISCONTINUED FOR DREDGING	FD
Brownsville Channel Light 39	29920	DISCONTINUED FOR DREDGING	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Laguna Madre Channel - Brownsville Channel/General/Hazards To Navigation/Hazards	Hazards To Navigation	Brownsville Ship Channel - Dismantle and Disposal of Former U.S. Naval Vessels --- From: 2025-02-03 To: 2027-12-31 --- The International Shipbreaking Limited facility, located adjacent to the Brownsville Ship Channel, is actively dismantling and disposing of U.S. Navy ships. All passing vessels, including tour boats, fishing vessels, and recreational vessels, should remain in the channel and away from shipbreaking activity due to potential hazards associated with overhead industrial work. POC: (956) 831-2299, Email: arnie.tyler@internationalshipbreaking.com or daniel.l.richardson20.civ@us.navy.mil	
Laguna Madre Channel - Brownsville Channel/General/Hazards To Navigation/Obstructions	Hazards To Navigation	Brownsville Ship Channel - ATON Wreckage --- Brownsville Channel A Range Front Light (LLNR-29870) has been reported destroyed and partially submerged outside of the channel in approximate position 26-01-50.722N 097-13-32.099W. The partially submerged structure has been marked channel ward of the wreckage with a lighted buoy displaying a quick flashing green light at night, in approximate position 26-01-50.883N 097-13-32.253W.	Lat: 26° 01' 51" Lon: -097° 13' 32"
Laguna Madre Channel - Brownsville Channel/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	Brazos Santiago Pass - Brownsville Channel - Dredge Operation --- From: 2024-08-28 To: 2026-05-02 --- Dredging is taking place in the Brownsville Channel and Brazos Santiago Pass Entrance Channel for the Brazos Island Harbor Channel Improvement and Rio Grande LNG Dredge Project. Operations will be conducted 24-hours a day, 7-days a week. The Cutter Suction Dredges OHIO and CAROLINA are currently working in the Brownsville Channel and pumping dredge spoils from the channel to the Upland Placement Areas located adjacent and south of the channel. The Dredge DODGE ISLAND is working in the Brazos Santiago Pass Entrance Channel, alongside the Trawlers MR. TOMMY and JESSICA MARIE. Dredged material will be pumped through varying lengths of floating hose, submerged pipeline, pontoon pipeline and shore pipeline. Submerged pipeline has been installed along the south side of the ship channel between Laguna Madre Channel Light 15 (LLNR-29575) and Brownsville Channel Light 41 (LLNR-29940). Additional project equipment along the channel includes: • A subline channel crossing west of the Dredge OHIO, near Brownsville Channel A Range Rear Light (LLNR-42995). • The BOOSTER 9, staged west of Brownsville Channel Light 37 (LLNR-29915). • A spud barge with a floating dock located along the green side of the channel, south of Laguna Madre Channel Light 28 (LLNR-29605). • A shallow water subline between Laguna Madre Channel Light 15 (LLNR-29575) and Laguna Madre Channel Light 21 (LLNR-29585). Additional support vessels/equipment include the Boosters JESSIE and CAPT. BARNEY, auxiliary equipment, pipe rafts, barges and towing vessels. Staging areas will be located throughout the project area, along the Brownsville Channel and Port Isabel Channel. Mariners should transit the project area with extreme caution and coordinate passing arrangements in advance. VHF-FM Channels: 10, 12 and 16, POC: (252) 342-4971 or (630) 207-3593	
Laguna Madre Channel - Brownsville Channel/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	Brownsville Ship Channel - Brazos Island Harbor Channel - Dredge Operation --- From: 2024-11-27 To: 2026-05-04 --- The Dredge GENERAL MACARTHUR is conducting dredging operations in the Brownsville Ship Channel. The dredge will work 24-hours a day, 7-days a week. On-scene vessels and equipment will include barges, tugboats, survey boats, skiffs, and floating and submerged pipeline. Vessels should coordinate passing arrangements with the dredge 1-hour in advance. Mariners are urged to transit the area at their slowest safe speed and proceed with caution. VHF-FM Channels: 13 and 72, POC: USACE (956) 638-2026	

Calcasieu Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Calcasieu Channel Lighted Buoy 4	21230	MISSING	FD
Calcasieu Channel West Jetty Light 41	21400	STRUCT DEST/TRLB	FD
Calcasieu Channel Light 62	21570	STRUCT DEST/TRLB	FD
Calcasieu Channel Light 65	21595	STRUCT DEST/TRLB	FD
Calcasieu Channel Light 67	21605	STRUCT DEST/TRLB	FD
Calcasieu Channel Light 76	21650	STRUCT DEST/TRLB	FD
Calcasieu Channel Light 80	21670	STRUCT DEST/TRLB	FD

Calcasieu Channel Light 82	21680	STRUCT DEST/TRLB	FD
Calcasieu Channel Light 83	21685	STRUCT DMGD/DAYMK MISSING	FD
Calcasieu Channel Light 88	21760	STRUCT DEST/TRLB	FD
Calcasieu Channel Light 92	21780	STRUCT DEST/TRLB	FD
Devils Elbow Light 3	21795	STRUCT DEST/TRLB	FD
Devils Elbow Light 3	21795	STRUCT DEST/TRLB	FD

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Calcasieu Channel Light 92	21780	RELIGHTED	FD	2025-09-18

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Monkey Island Daybeacon 2	21425	DISCONTINUED FOR DREDGING	FD
Calcasieu Channel Light 50	21430	DISCONTINUED FOR DREDGING	FD
Calcasieu Channel Light 91	21775	RELOCATED	FD
Devils Elbow Light 3	21795	DISCONTINUED	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Houston-Galveston, Submerged Land Act (SLA) - Calcasieu Channel/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	Calcasieu Channel - Dredge Operation --- From: 2025-08-16 To: 2027-02-07 --- The Dredge GENERAL ARNOLD will conduct dredging along the Calcasieu Channel for the CP2 Monkey Island Dredging Project. The dredge will start on the red side of the channel and dig an access channel near Monkey Island. A combination of steel and HDPE pipeline, floating rubber hoses, submerged pipe and shore pipe will be used in the project area. Additional on-scene vessels will include the Booster 2109, the T/Vs CAPTAIN BRENNAN and EMMETT JOSEPH, the Barges CALLAN 2111, CALLEN 2104 and CBR768, the Survey Vessel CONSTITUTION I, the Crew Boat MISS LEIGHTON, and the Attendant Vessel GYSGT BASILONE. Vessels are requested to avoid fishing or trawling within the area of the dredge pipeline, to avoid damage to nets, vessels, and project equipment. Mariners are urged to transit the area at their slowest safe speed to minimize wake and proceed with caution. VHF-FM Channel: 13, POC: (630) 207-5196	
Sector Houston-Galveston, Submerged Land Act (SLA) - Calcasieu Channel/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	Calcasieu Channel - Offloading Operation --- From: 2025-05-22 To: 2025-12-31 --- Material Offloading will be conducted along the Calcasieu Channel between Miles 22.0 and 23.3, at Burton Shipyard. Hopper barges and tugboats will be in the area and operating 24-hours a day, 7-days a week. Mariners should transit the area at their slowest safe speed to minimize wake and proceed with caution. POC: (337) 247-1071 and (337) 519-1163	
Sector Houston-Galveston, Submerged Land Act (SLA) - Calcasieu Channel/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	Calcasieu Channel - GIWW - Dredging Mobilization --- From: 2025-09-04 To: 2026-01-15 --- Dredging mobilization operations for the Louisiana LNG project are being conducted along the west side of the Calcasieu Channel at Woodside LNG. Roughly 8.5 miles of pipeline and booster pumps will be mobilized and extend from the dredging area at the Louisiana LNG site to the Beneficial Use Dredge Material (BUDM) Placement Areas located adjacent to the GIWW. Work will initially start near the Calcasieu Channel (Mile 22.3) and GIWW (Mile 241.5, WHL) intersection. Operations will be conducted 12-hours a day, 7-days a week. On-scene vessels will include the Dredge ALASKA, T/Vs EMILY A. HERBETT and CAPTAIN EDDIE, Crewboat TARPON 1, Survey Vessel CHESAPEAKE, multiple booster barges, and Derrick Barge DERRICK 66. Booster Barges will be in the following locations: Bayou Choupique (Booster JESSIE), GIWW Mile 245.0, WHL (Booster BUSTER), GIWW Mile 246.7, WHL (Booster ERIN), GIWW Mile 248.6, WHL (Booster BARNIE) and GIWW Mile 249.4, WHL (Booster REGGIE). All dredge pipeline will be marked with buoys and lighted in accordance with U.S. Coast Guard regulations. Mariners are urged to transit the area with caution. VHF-FM Channels: 16, 66A, and 88, POC: (630) 247-6207	
Sector Houston-Galveston, Submerged Land Act (SLA) - Calcasieu Channel/General/Miscellaneous	Miscellaneous	Gulf of America - Calcasieu Channel - Research Buoy --- Established: 2025-09-24 --- A lighted yellow Ocean Data Acquisition System (ODAS) research buoy will be established in position 29-41-13.6N 093-18-42.5W. The buoy is 3.9 ft tall and features a flashing yellow light at night (Fl(5)Y 20s). Mariners are urged to transit the area with caution.	Lat: 29° 41' 14" Lon: -093° 18' 42"
Sector Houston-Galveston, Submerged Land Act (SLA) - Calcasieu Channel/ATON/Proposed Notice of Change	Proposed Notice of Change	The Coast Guard will make the following Aid to Navigation Change after September 30, 2025: Discontinue Devils Elbow Light 3 (LLNR-21795) in approximate position 30-06-16.417N/093-18-40.918W.	Lat: 30° 06' 16" Lon: -093° 18' 41"

Calcasieu River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Calcasieu River E Range Front Light	21905	LT IMCH/TRLT	FD
Calcasieu River E Range Front Light	21905	LT IMCH/TRLT	FD
Calcasieu River E Range Rear Light	21910	LT IMCH	FD
Calcasieu River E Range Rear Light	21910	LT IMCH	FD
Calcasieu River Light 120	22145	STRUCT DEST/TRLB	FD
Calcasieu River Light 136	22280	STRUCT DMGD/TRLB	FD

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Calcasieu River E Range Front Light	21905	TRLT	FD
Calcasieu River E Range Rear Light	21910	TRLT	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
-------	-------------	-------------	----------

Sector Houston-Galveston, Submerged Land Act (SLA) - Calcasieu River/General/Bridges/Construction	Bridges	Contraband Bayou - Bridge Construction --- From: 2024-10-01 To: 2027-10-31 --- Bridge construction for the Nelson Rd-Sallier Rd Connection Bridge over Contraband Bayou is taking place in the area. Mariners are urged to transit at their slowest safe speed to minimize wake and proceed with caution.	Lat: 30° 12' 30" Lon: -093° 14' 56"
Sector Houston-Galveston, Submerged Land Act (SLA) - Calcasieu River/General/Hazards To Navigation/Obstructions	Hazards To Navigation	Calcasieu River - Awash Obstruction --- Reported: 2025-06-13 --- An approximate 550 ft section of uncharted rock dike has been reported possibly awash during high tide on the Calcasieu River, near Mile 26.0, in approximate position 30-08-23.59N 093-19-46.33W, on June 13, 2025. The awash section of uncharted rock dike is reportedly not marked. Mariners are urged to avoid this area.	Lat: 30° 08' 24" Lon: -093° 19' 46"
Sector Houston-Galveston, Submerged Land Act (SLA) - Calcasieu River/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	Calcasieu River, RDB and LDB, Mile 26.0 - Stone Placement --- From: 2024-12-13 To: 2025-12-06 --- The M/Vs JAMES CHRISTOPHER and EDDIE R., are placing foreshore stone along the RDB and LDB of the Calcasieu River Ship Channel, Mile 26.0. Effective immediately, mariners are URGED TO PROVIDE A SLOW BELL when transiting the project area. Work will take place during daylight hours, 7-days a week. The plant will include an anchor barge with hydraulic backhoe, an office barge and various material barges. During nighttime hours, the contractor will stage along the RDB, outside of the channel. Mariners should transit at their slowest safe speed and with caution. VHF-FM Channel: 13, 16 and 72, POC: USACE (504) 390-5869	
Sector Houston-Galveston, Submerged Land Act (SLA) - Calcasieu River/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	Calcasieu River, RDB, Mile 30.0 - Stone Placement --- From: 2024-12-13 To: 2025-12-06 --- The M/Vs JAMES CHRISTOPHER and EDDIE R., will be placing foreshore stone along the RDB of the Calcasieu River Ship Channel, Mile 30.0. Work will take place during daylight hours, 7-days a week. The plant will include an anchor barge with hydraulic backhoe, an office barge and various material barges. During nighttime hours, the contractor will stage along the RDB, outside of the channel. Mariners should transit at their slowest safe speed and with caution. VHF-FM Channel: 13, 16 and 72, POC: USACE (504) 390-5869	
Sector Houston-Galveston, Submerged Land Act (SLA) - Calcasieu River/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	Calcasieu Channel - Clooney Island Loop - Dredge Operation --- From: 2025-06-28 To: 2025-10-15 --- The Dredge CONSTELLATION will be working in the Calcasieu Channel and Clooney Island Loop. The dredge will work 24-hours a day, 7-days a week, and will give way to passing navigation. Mariners are urged to transit at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. VHF-FM Channels: 13 and 16, POC: USACE (504) 862-2971 and (337) 529-7510	

Carrabelle Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Carrabelle Channel Light 15	2570	STRUCT DEST/TRLB	FD

Cat Island Pass

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Cat Island Pass Buoy 14	17735	MISSING	FD

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Cat Island Pass Lighted Buoy 11	17720	RELOCATED FOR DREDGING	FD
Cat Island Pass Lighted Buoy 12	17725	RELOCATED FOR DREDGING	FD

Cedar Bayou Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Cedar Bayou Channel Lighted Buoy 37	24725	MISSING	FD
Cedar Bayou Channel Daybeacon 38	24730	STRUCT DEST/TRUB	FD
Cedar Bayou Channel Daybeacon 38	24730	STRUCT DEST/TRUB	FD
Cedar Bayou Channel Daybeacon 39	24735	STRUCT DEST/TRUB	FD
Cedar Bayou Channel Daybeacon 39	24735	STRUCT DEST/TRUB	FD

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Cedar Bayou Channel Buoy 2	24615	DISCONTINUED FOR DREDGING	FD
Cedar Bayou Channel Buoy 18	24655	DISCONTINUED FOR DREDGING	FD
Cedar Bayou Channel Lighted Buoy 37	24725	DISCONTINUED FOR DREDGING	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Houston Ship Channel - Cedar Bayou Channel/ATON/Advanced Notice of Change	Advanced Notice of Change	The Coast Guard will make the following Aids to Navigation Changes after October 28,2025: Change Cedar Bayou Channel Daybeacon 38 (LLNR-24730) in approximate position 29-40-59.907N/094-55-20.356W showing TR on pile, Ra ref to Cedar Bayou Channel Buoy 38 (LLNR-24730), Red nun.	Lat: 29° 40' 60" Lon: -094° 55' 20"

Houston Ship Channel - Cedar Bayou Channel/ATON/Advanced Notice of Change	Advanced Notice of Change	The Coast Guard will make the following Aids to Navigation Changes after October 28,2025: Change Cedar Bayou Channel Daybeacon 39 (LLNR-24735) in approximate position 29-41-01.501N/094-55-22.281W showing SG on pile, Ra ref to Cedar Bayou Channel Buoy 39 (LLNR-24735), Green can.	Lat: 29° 41' 01" Lon: -094° 55' 22"
Houston Ship Channel - Cedar Bayou Channel/ATON/Advanced Notice of Change	Advanced Notice of Change	The Coast Guard will make the following Aids to Navigation Changes after October 28,2025: Change Cedar Bayou Channel Daybeacon 40 (LLNR-24740) in approximate position 29-41-08.434N/094-55-11.662W showing TR on pile, Ra ref to Cedar Bayou Channel Buoy 40 (LLNR-24740), Red nun.	Lat: 29° 41' 08" Lon: -094° 55' 12"

Chocolate Bay

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Chocolate Bay A Range Front Light	37005	STRUCT DEST	FD
Chocolate Bay Buoy 19	37320	OFF STATION	FD
Chocolate Bay B Range Front Light	37340	STRUCT DEST	FD
Chocolate Bay B Range Front Light	37340	STRUCT DEST	FD

Chocolate Bayou Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Chocolate Bayou Channel Inner A Range Rear Light	37095	DAYMK MISSING/STRUCT DMGD	FD
Chocolate Bayou Channel Inner A Range Rear Light	37095	DAYMK MISSING/STRUCT DMGD	FD
Chocolate Bayou Channel Outer Range Front Light	37120	STRUCT DMGD	FD
Chocolate Bayou Channel Outer Range Front Light	37120	STRUCT DMGD	FD
CHOCOLATE BAYOU CHANNEL LIGHT 15	37145	STRUCT DEST/TRLB	FD
CHOCOLATE BAYOU CHANNEL LIGHT 15	37145	STRUCT DEST/TRLB	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Chocolate Bay - Chocolate Bayou Channel/General/Bridges/Public Notice	Bridges	Chocolate Bayou Channel - Interstate Farm to Markey Rd 2004 Bridge Public Notice --- An application for a replacement bridge for Farm to Market Road 2004 over Chocolate Bayou has been received. The U.S. Coast Guard published a Public Notice (04-25) on this project at the Coast Guard Navigation Center website. Comments will be received through October 9, 2025. The Public Notice can be found at: https://www.navcen.uscg.gov/public-notice-for-bridges-active	Lat: 29° 12' 45" Lon: -095° 12' 27"

Choctawhatchee Bay

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Choctawhatchee Bay Entrance Light 3	4550	LT EXT/STRUCT DMGD	FD
Choctawhatchee Bay Entrance Light 3	4550	LT EXT/STRUCT DMGD	FD
Choctawhatchee Bay Entrance Light 4	4555	LT EXT/STRUCT DMGD	FD
Choctawhatchee Bay Entrance Light 4	4555	LT EXT/STRUCT DMGD	FD
Choctawhatchee Bay Daybeacon 29	31525	STRUCT DEST/TRUB	FD
Weekley Bayou Daybeacon 1	32090	STRUCT DEST/TRUB	FD

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Choctawhatchee Bay Buoy 3	31415	RESET ON STATION	FD	2025-09-24
Choctawhatchee Bay Light 9	31440	WATCHING PROPERLY	FD	2025-09-24

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Indian Bayou Daybeacon 11	31995	STRUCT DEST	PA

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Choctawhatchee Bay Entrance Buoy 1	4540	RELOCATED	FD
Choctawhatchee Bay Entrance Buoy 2	4545	RELOCATED	FD
Choctawhatchee Bay Entrance Light 3	4550	TRSAIS	FD
Choctawhatchee Bay Entrance Light 4	4555	TRSAIS	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Mobile, Submerged Land Act (SLA) - Choctawhatchee Bay/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2025-09-23 To: 2025-10-03 Location: 30.39183° N / 89.33125° W Aid Name: Sandestin Beach Channel Daybeacon 18 LLNR: 31805 Action: RELOCATE Private aid: FROM: 30-23-30.600N, 089-19-52.500W TO: 30-23-30.600N, 086-19-52.500W	Lat: 30° 23' 31" Lon: -089° 19' 52"
Sector Mobile, Submerged Land Act (SLA) - Choctawhatchee Bay/General/Hazards To Navigation/Hazards	Hazards To Navigation	East Pass - Choctawhatchee Bay - Bridge Fender Damage --- Reported: 2025-08-15 --- Due to a vessel allision, the US-98 William T. Marler (Destin) Bridge fendering and protection system has been significantly damaged and remains unrepaired until further notice. Damage includes multiple broken piles just under the surface of the water adjacent to the pier wall. A temporary warning buoy has been installed in the area to mark the navigation hazards. Mariners are urged to transit with extreme caution in the vicinity of the bridge center span.	Lat: 30° 23' 39" Lon: -086° 31' 01"
Sector Mobile, Submerged Land Act (SLA) - Choctawhatchee Bay/General/Miscellaneous	Miscellaneous	The Department of the Air Force will enforce the charted Restricted Area found in 33 CFR 334.740. This area includes certain navigable waters of Choctawhatchee Bay adjacent to Eglin Air Force Base Property. All entry, transit, anchoring, or drifting of any persons, vessels, and other craft (including unmanned craft) within the Restricted Area for any reason is not allowed without the permission of the U.S. Air Force (96 TW/CC). Permitted access to the Restricted Area may be granted, in certain circumstances, by contacting the 96 TW/CC at (850) 882-2000.	Lat: 30° 27' 39" Lon: -086° 29' 36"
Sector Mobile, Submerged Land Act (SLA) - Choctawhatchee Bay/General/Miscellaneous	Miscellaneous	The Department of the Air Force will enforce the charted Restricted Area found in 33 CFR 334.742. This area includes certain navigable waters of Choctawhatchee Bay and Dons Bayou adjacent to Eglin Air Force Base Property. All entry, transit, anchoring, or drifting of any persons, vessels, and other craft (including unmanned craft) within the Restricted Area for any reason is not allowed without the permission of the U.S. Air Force (96 TW/CC). Permitted access to the Restricted Area may be granted, in certain circumstances, by contacting the 96 TW/CC at (850) 882-2000.	Lat: 30° 28' 14" Lon: -086° 35' 30"
Sector Mobile, Submerged Land Act (SLA) - Choctawhatchee Bay/General/Miscellaneous	Miscellaneous	The Department of the Air Force will enforce the charted Restricted Area found in 33 CFR 334.744. This area includes certain navigable waters of Poquito Bayou adjacent to Eglin Air Force Base Property. All entry, transit, anchoring, or drifting of any persons, vessels, and other craft (including unmanned craft) within the Restricted Area for any reason is not allowed without the permission of the U.S. Air Force (96 TW/CC). Permitted access to the Restricted Area may be granted, in certain circumstances, by contacting the 96 TW/CC at (850) 882-2000.	Lat: 30° 27' 21" Lon: -086° 34' 37"
Sector Mobile, Submerged Land Act (SLA) - Choctawhatchee Bay/ATON/Proposed Notice of Change	Proposed Notice of Change	In order to provide a more efficient and effective Aid to Navigation signal, the Coast Guard is proposing the following Aid to Navigation Change: Relocate Choctawhatchee Bay Entrance Buoy 1 (LLNR-4540) in approximate position 30-22-33.818N/086-30-45.400W to approximate position 30-22-26.599N/086-30-38.203W. Comments will be taken until September 30, 2025. Please email comments regarding this proposal to: D08-SMB-District-LocalNoticeFeedback@uscg.mil	Lat: 30° 22' 34" Lon: -086° 30' 45"
Sector Mobile, Submerged Land Act (SLA) - Choctawhatchee Bay/ATON/Proposed Notice of Change	Proposed Notice of Change	In order to provide a more efficient and effective Aid to Navigation signal, the Coast Guard is proposing the following Aid to Navigation Change: Relocate Choctawhatchee Bay Entrance Buoy 2 (LLNR-4545) in approximate position 30-22-32.311N/086-30-43.065W to approximate position 30-22-24.534N/086-30-34.814W. Comments will be taken until September 30, 2025. Please email comments regarding this proposal to: D08-SMB-District-LocalNoticeFeedback@uscg.mil	Lat: 30° 22' 32" Lon: -086° 30' 43"

Clear Creek Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Clear Creek Channel Light 6	26385	STRUCT DEST/TRLB	FD
Clear Creek Channel Light 6	26385	STRUCT DEST/TRLB	FD
Clear Creek Channel Daybeacon 7	26390	STRUCT DEST/TRUB	FD
Clear Creek Channel Light 13	26415	STRUCT DEST/TRLB	FD
Clear Creek Channel Light 13	26415	STRUCT DEST/TRLB	FD
Clear Creek Channel Light 16	26430	STRUCT DEST/TRLB	FD
Clear Creek Channel Light 16	26430	STRUCT DEST/TRLB	FD
Clear Creek Channel Buoy 18	26440	MISSING	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Lakewood Yacht Club Channel Daybeacon 16	26520	STRUCT MISSING	PA
Lakewood Yacht Club Channel Daybeacon 3	26480	DAYMK MISSING	PA
Lakewood Yacht Club Channel Daybeacon 5	26485	DAYMK MISSING	PA
Lakewood Yacht Club Channel Daybeacon 7	26490	DAYMK MISSING	PA
Lakewood Yacht Club Channel Daybeacon 11	26500	DAYMK MISSING	PA
Lakewood Yacht Club Channel Daybeacon 13	26510	DAYMK MISSING	PA
Watergate Marina Channel Light 9	26575	LT EXT	PA
Jarboe Bayou Channel Daybeacon 4	26605	DAYMK MISSING	PA
Jarboe Bayou Channel Daybeacon 8	26615	DAYMK MISSING	PA
Lakewood Yacht Club Channel Daybeacon 1	26475	DAYMK MISSING	PA
Marina Del Sol Channel Daybeacon 9	26705	STRUCT DEST	PA
Marina Del Sol Channel Daybeacon 10	26710	STRUCT DEST	PA
Marina Del Sol Channel Light 11	26715	STRUCT DEST	PA
Marina Del Sol Channel Light 12	26720	STRUCT DEST	PA
Watergate Marina Channel Daybeacon 3	26535	STRUCT DEST/HAZ NAV	PA
Marina Del Sol Channel Daybeacon 3	26675	STRUCT DEST	PA
Hilton Hotel Marina Channel Entrance Daybeacon 2	26765	STRUCT DEST	PA
Hilton Hotel Marina Channel Range Rear	26775	STRUCT DEST	PA

Hilton Hotel Marina Channel Breakwater Light 3	26780	STRUCT DEST	PA
Hilton Hotel Marina Channel Breakwater Light 4	26785	STRUCT DEST	PA
Clear Lake Wharf Light #1	26850	STRUCT DEST	PA
Clear Lake Wharf Light #2	26855	STRUCT DEST	PA

Corpus Christi Baffin Bay

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Corpus Christi Baffin Bay Daybeacon 101	40805.01	STRUCT DEST/TRUB	FD
Corpus Christi Baffin Bay Daybeacon 104	40820	STRUCT DEST/TRUB	FD
Corpus Christi Baffin Bay Daybeacon 104	40820	STRUCT DEST/TRUB	FD
Corpus Christi Baffin Bay Light 111	40865	STRUCT DEST/TRLB	FD
Corpus Christi Baffin Bay Light 115	40890	STRUCT DEST/TRLB	FD
Corpus Christi Baffin Bay Light 119	40920	OFF STA/STRUCT DEST/TRLB	FD
Corpus Christi Baffin Bay Light 119	40920	OFF STA/STRUCT DEST/TRLB	FD
Corpus Christi Baffin Bay Daybeacon 120	40925	STRUCT DEST/TRUB	FD
Corpus Christi Baffin Bay Daybeacon 121	40930.01	STRUCT DEST/TRUB	FD
Corpus Christi Baffin Bay Daybeacon 121	40930.01	STRUCT DEST/TRUB	FD
Corpus Christi Baffin Bay Daybeacon 123	40940.01	STRUCT DEST/TRUB	FD
Corpus Christi Baffin Bay Daybeacon 124	40945.01	STRUCT DEST/TRUB	FD
Corpus Christi Baffin Bay Daybeacon 127	40965.01	STRUCT DEST/TRUB	FD
Corpus Christi Baffin Bay Daybeacon 130	40985.01	STRUCT DEST/TRUB	FD
Corpus Christi Baffin Bay Daybeacon 130	40985.01	STRUCT DEST/TRUB	FD
Corpus Christi Baffin Bay Daybeacon 131	40995.01	STRUCT DEST/TRUB	FD
Corpus Christi Baffin Bay Daybeacon 131	40995.01	STRUCT DEST/TRUB	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Packery Channel Daybeacon 1	39855	STRUCT DEST	PA
Packery Channel Daybeacon 2	39860	STRUCT DEST	PA
Packery Channel Daybeacon 4	39870	STRUCT DEST	PA
Packery Channel Daybeacon 5	39875	STRUCT DEST	PA
Packery Channel Daybeacon 6	39880	STRUCT DEST	PA
Packery Channel Daybeacon 19	39945	DAYMK MISSING	PA
Packery Channel Daybeacon 24	39970	DAYMK MISSING	PA
Packery Channel Daybeacon 26	39980	STRUCT DMGD	PA
Packery Channel Daybeacon 22	39960	STRUCT DEST	PA

Corpus Christi Bay

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Corpus Christi Bay Spoil Bank Light	29175	LT EXT	FD
Corpus Christi Light	29245	STRUCT DEST	FD
Corpus Christi Bay Daybeacon 45	39395	STRUCT DEST/TRUB	FD
Corpus Christi Bay Daybeacon 45	39395	STRUCT DEST/TRUB	FD
Corpus Christi Bay Daybeacon 48	39400	STRUCT DEST/TRUB	FD
Corpus Christi Bay Daybeacon 48	39400	STRUCT DEST/TRUB	FD
Corpus Christi Bay Daybeacon 49	39405	STRUCT DEST/TRUB	FD
Corpus Christi Bay Daybeacon 49	39405	STRUCT DEST/TRUB	FD
Corpus Christi Bay Daybeacon 50	39410	STRUCT DEST/TRUB	FD
Corpus Christi Bay Daybeacon 50	39410	STRUCT DEST/TRUB	FD
Corpus Christi Bay Daybeacon 55	39425	STRUCT DMGD	FD
Corpus Christi Bay Daybeacon 55	39425	STRUCT DMGD	FD
Corpus Christi Bay Daybeacon 57	39435	STRUCT DEST/TRUB	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Mustang Beach Channel Daybeacon 4A	28425	STRUCT DEST	PA
Mustang Beach Channel Daybeacon 19	28495	STRUCT DMGD	PA
Mustang Beach Channel Daybeacon 38	28595	STRUCT DEST	PA
WF03-33100-48-3 (WHITE MARLIN)	null	LT EXT	PA
WF03-32973-71-1 (WHITE MARLIN)	null	LT EXT	PA

University Beach Danger Daybeacon C	29190	DAYMK DMGD	PA
Mustang Beach Channel Daybeacon 1A	28380	STRUCT DEST	PA
Mustang Beach Channel Daybeacon 2A	28405	STRUCT DEST	PA
Mustang Beach Channel Light 3	28410	STRUCT DEST	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Corpus Christi Channel - Corpus Christi Bay/General/Hazards To Navigation/Obstructions	Hazards To Navigation	Corpus Christi Bay - ATON Wreckage --- Reported: 2025-02-13 --- Corpus Christi Light (LLNR: 29245) is destroyed with wreckage approximately 2 ft above the waterline. Mariners are urged to avoid the area.	Lat: 27° 47' 25" Lon: -097° 22' 41"

Corpus Christi Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Corpus Christi Cut A East Range Rear Light	28310	REDUCED INT	FD
Corpus Christi Cut A West Range Front Light	28620	LT EXT	FD
Corpus Christi Channel Light 62	28755	STRUCT DEST/TRLB	FD

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Corpus Christi Cut A East Range Front Light	28305	RELIGHTED	FD	2025-09-20
CORPUS CHRISTI CUT A EAST RANGE FRONT PASSING LIGHT	28306	WATCHING PROPERLY	FD	2025-09-19
Corpus Christi Channel Light 14	28605	RELIGHTED	FD	2025-09-20

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Flint Hills Resources Danger Light	28822	OFF STA	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Aransas Pass To Baffin Bay - Corpus Christi Channel/General/Bridges/Removal	Bridges	Corpus Christi Channel - Bridge Removal --- From: 2025-08-19 To: 2025-10-31 --- The decommissioned US 181 Fixed Bridge across the Corpus Christi Channel, Mile 10.2, is being removed. The bridge main span removal will commence at 7:00 a.m., October 6, 2025, and continue through 7:00 a.m., October 8, 2025. During the main span removal, the ship channel will be closed to all vessels. All other removal activities will not impede vessel traffic.	Lat: 27° 48' 45" Lon: -097° 23' 43"

Dauphin Island Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Dauphin Island Channel Daybeacon 10	7200	STRUCT DEST/TRUB	FD
Dauphin Island Channel Light 12	7205	STRUCT DEST/TRLB	FD
Dauphin Island Channel Light 14	7210	STRUCT DEST/TRLB	FD
Dauphin Island Channel Light 14	7210	STRUCT DEST/TRLB	FD
Dauphin Island Channel Light 17	7220	STRUCT DEST/TRLB	FD
Dauphin Island Channel Light 17	7220	STRUCT DEST/TRLB	FD
Fort Gaines Point Wreck Light WR1	7225	STRUCT DEST/TRLB	FD
Dauphin Island Spit Light D	7230	STRUCT DEST	FD

Davis Bayou Channel

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Davis Bayou Channel Daybeacon 26	8830.22	STRUCT DMGD	PA
Davis Bayou Channel Light 2	8830.01	LT EXT/STRUCT DMGD	PA

Dickinson Bayou Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Dickinson Bayou Channel Daybeacon 2	26225	STRUCT DEST/TRUB	FD
Dickinson Bayou Channel Daybeacon 8	26250	STRUCT DEST/TRUB	FD
Dickinson Bayou Channel Daybeacon 19	26285	STRUCT DEST/TRUB	FD
Dickinson Bayou Channel Daybeacon 21	26290	STRUCT DEST/TRUB	FD

Dog River Channel

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Mobile Channel - Dog River Channel/General/Marine Events/Other	Marine Events	Halls Mill Creek - Marine Event --- On: 2025-10-11 --- The Great Drift paddling event will be held October 11th, 2025, from 10:00 a.m. until 3:00 p.m., on Halls Mill Creek in Mobile, AL. Approximately 60 participants will depart Schwartz Park and transit approximately 2 miles west on Halls Mill Creek, before returning to the point of origin. Mariners are urged to avoid the area during the event period.	

Double Bayou Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Double Bayou Channel Daybeacon 8	25875	STRUCT DEST/TRUB	FD
Double Bayou Channel Daybeacon 8	25875	STRUCT DEST/TRUB	FD
Double Bayou Channel Daybeacon 10	25890	STRUCT DEST/TRUB	FD
Double Bayou Channel Daybeacon 10	25890	STRUCT DEST/TRUB	FD

Dupre Cut

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Bayou Rigolettes Light 1	16550	STRUCT DEST/TRLB	FD
Bayou Rigolettes Light 2	16555	STRUCT DEST/TRLB	FD

East Bay.

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
East Bay Light 1	30780	STRUCT DEST/TRLB	FD
East Bay Daybeacon 3	30790	STRUCT DEST/TRLB	FD

East Bay Bayou

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
East Bay Bayou Light 2	35775	REBUILT/REMAINS	FD	2025-09-18
East Bay Bayou Light 6	35790	REBUILT/REMAINS	FD	2025-09-18

East Bay To West Bay.

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Shell Point Light 5	31210	STRUCT DEST/TRLB	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Navy Dive School Buoy B	3610	BUOY DMGD/OFF STATION	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Mobile, Submerged Land Act (SLA) - East Bay To West Bay/General/Bridges/Construction	Bridges	GIWW - East Bay - Bridge Construction and Demolition --- From 2025-09-10 To: 2029-07-13 --- The DuPont (SR30/US HWY 98) Bridge crossing the GIWW at Mile 295.5, EHL, will undergo construction and demolition. Work will include the construction of two new parallel bridges, the installation of work trestles, temporary and permanent driven piles, barge mooring piles, sheet pile wave breaks, waterline footers, and bridge sub and super structures. The existing bridge will be demolished and will include the removal of temporary shoring and concrete cutting. Operations will be conducted from 6:00 a.m. to 6:00 p.m., six days a week. On-scene vessels will include the T/Vs MISS VERA ELLEN II, KEITH JACOBSON and MISS AMORY, three 24 ft skiffs, a crew boat, the Ringer Barges CB110 7000, CB120 4100 and SBC 4100, four crane barges, two sectional crane barges, six material barges, and four deck barges (MCC 904, 903, 453 and 479). Vessels are urged to transit at their slowest safe speed to minimize wake and proceed with extreme caution after passing arrangements have been made. VHF-FM Channel: 16, POC: (334) 740-0569	Lat: 30° 06' 17" Lon: -085° 36' 29"

Sector Mobile, Submerged Land Act (SLA) - East Bay To West Bay/General/Bridges/Public Notice	Bridges	East Bay - GIWW - SR 30/US Hwy 98 (Dupont) Bridge Public Notice --- The Florida Department of Transportation has proposed to replace the SR 30/US Hwy 98 (Dupont) Fixed Bridge across East Bay/GIWW, Mile 295.4, EHL. The proposed replacement bridge will have a vertical clearance of 75 ft and a horizontal clearance of 375 ft. Once the new bridge is commissioned, the current bridge will be removed. The Coast Guard published a Public Notice on this project at the Coast Guard Navigation Center website. Comments will be received through October 1, 2025. The Public Notice can be found at: https://www.navcen.uscg.gov/public-notice-for-bridges-active	Lat: 30° 06' 17" Lon: -085° 36' 29"
Sector Mobile, Submerged Land Act (SLA) - East Bay To West Bay/General/Hazards To Navigation/Obstructions	Hazards To Navigation	Panama City - Pretty Bayou - Two Partially Submerged Barges --- Reported: 2025-09-19 --- Two partially submerged barges have been reported in Pretty Bayou, approximately 400 ft southwest of the Pretty Bayou boat ramp, in approximate position 30-11-52.0N 085-42-24.0W, on September 19, 2025. The partially submerged barges are reportedly not marked. Mariners are urged to use extreme caution when transiting this area.	Lat: 30° 11' 52" Lon: -085° 42' 24"
Sector Mobile, Submerged Land Act (SLA) - East Bay To West Bay/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	GIWW - East Bay - Temporary Pile Installation --- From 2025-09-10 To: 2029-07-13 --- Temporary mooring piles will be installed in the area in support of the Dupont Bridge construction project. The piles will be lit and utilized throughout the project. VHF-FM Channel: 16, POC: (334) 740-0569	

Escatawpa River

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Escatawpa River Daybeacon 2	8355	REBUILT/RECOVERED	FD	2025-09-23

Espiritu Santo Bay Ferry Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Espiritu Santo Bay Ferry Channel Daybeacon 7	37945	STRUCT DEST/TRUB	FD
Espiritu Santo Bay Ferry Channel Daybeacon 7	37945	STRUCT DEST/TRUB	FD
Espiritu Santo Bay Ferry Channel Daybeacon 9	37950	STRUCT DEST/TRUB	FD
Espiritu Santo Bay Ferry Channel Daybeacon 9	37950	STRUCT DEST/TRUB	FD
Espiritu Santo Bay Ferry Channel Daybeacon 23	37985	STRUCT DEST/TRUB	FD
Espiritu Santo Bay Ferry Channel Daybeacon 23	37985	STRUCT DEST/TRUB	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
WD03-216-19 (Petro Guard)	null	LT EXT	PA

Five Mile Cut

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Five Mile Cut Daybeacon 7	24425	STRUCT DEST/TRUB	FD
Five Mile Cut Daybeacon 7	24425	STRUCT DEST/TRUB	FD

Fowl River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Fowl River Daybeacon 8	7290	STRUCT DEST/TRUB	FD

Freeport Entrance

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Freeport Entrance Lighted Buoy 6	26935	BUOY DMGD/REDUCED INT	FD
Freeport Entrance Light 12	26960	STRUCT DEST/TRLB	FD
Dow Barge Canal Security Zone Marker 2	26963	DAYMK MISSING	FD
Dow Barge Canal Security Zone Marker 2	26963	DAYMK MISSING	FD
Freeport Entrance Light 13	27011	STRUCT DEST/TRLB	FD
Freeport Entrance Light 13	27011	STRUCT DEST/TRLB	FD
Freeport Harbor Junction Light FH	27012	STRUCT DEST/TRLB	FD

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Freeport Harbor Light 21	27025	DISCONTINUED FOR DREDGING	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Houston-Galveston, Submerged Land Act (SLA) - Freeport Entrance/General/Hazards To Navigation/Obstructions	Hazards To Navigation	Gulf of America - Freeport Entrance Channel - Sunk Buoy --- Reported: 2025-09-10 --- Freeport Entrance Lighted Buoy FP (LLNR-1315) has been reported sunk in the Gulf of America, approximately 250 ft southwest of the Freeport Entrance Channel in approximate position 28-52-27.354N 095-14-04.788W. The sunk buoy is not marked. Mariners are urged to avoid the area.	Lat: 28° 52' 27" Lon: -095° 14' 05"
Sector Houston-Galveston, Submerged Land Act (SLA) - Freeport Entrance/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	Gulf of America - Freeport Harbor Channel - Dredge Operation --- From: 2024-10-24 To: 2026-01-01 --- The Dredge GL 58 and Dredge ELLIS ISLAND are conducting dredging operations in the Freeport Harbor Channel. Operations will be conducted 24-hours a day, 7-days a week. Dredged material will be disposed west of the channel in the project permitted Ocean Dredged Material Disposal Site (ODMDS). Mariners are urged to transit the area at their slowest safe speed and with caution. VHF-FM Channels: 14 and 16	

Freshwater Bayou

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Freshwater Bayou Light 10	20610	STRUCT DEST/TRLB	FD

Galveston Bay

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Sylvan Beach Breakwater Light 1	26900	LEANING	PA
Galveston Bay Oyster Lease 411A Daybeacons (4)	26345	STRUCT DEST	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Galveston Bay Entrance Channel - Galveston Bay/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	Galveston Bay - Rock Placement Operation --- From: 2025-02-06 To: 2025-10-15 --- Dredging is complete near the Three Bird Island Marsh (TBIM) placement site. Rock placement work will commence in the TBIM placement area by Luhr Crosby. Work will take place during daylight hours, 7-days a week, in an area bound by approximate positions: 29-37-15.71N 094-54-32.90W, 29-36-07.86N 094-53-42.31W, 29-37-03.73N 094-52-04.92W and 29-38-22.76N 094-53-06.79W. Mariners are urged to use extreme caution and transit the area at their slowest safe speed to create minimum wake after passing arrangements have been made. VHF-FM Channels: 13, 16 and 72, POC: (224) 531-3762 and (985) 237-5040	

Galveston Bay Entrance Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Galveston South Jetty Light 5A	23720	LT EXT/DAYMK DMGD/STRUCT DMGD	FD
Galveston North Jetty Light 6A	23725	LT EXT/STRUCT DMGD	FD
Galveston North Jetty Light 6A	23725	LT EXT/STRUCT DMGD	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Houston-Galveston, Submerged Land Act (SLA) - Galveston Bay Entrance Channel/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	Galveston Bay Entrance Channel - Galveston Channel - Dredge Operation --- From: 2025-09-02 To: 2025-10-12 --- The Dredge PADRE ISLAND will be conducting non-continuous maintenance dredging in the Galveston Bay Entrance Channel and Galveston Channel. Operations will be conducted 7-days a week, during daylight hours. Dredged material will be transported offshore to the disposal site. Additional on-scene vessels will include the Crew Boats ST LOUIS RIVER and JEREMY R. Mariners are urged to transit the area at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. VHF-FM Channels: 05, 13 and 16, POC: (206) 743-7830	

Sector Houston-Galveston, Submerged Land Act (SLA) - Galveston Bay Entrance Channel/General/MSIB	MSIB	MSIB 05-23: VTS Area Vessel Requirements --- The Captain of the Port (COTP) Houston-Galveston has received reports of vessels underway in the Vessel Traffic Service Area (VTSA) with a main engine unable to immediately achieve maximum ahead revolutions as requested by the Pilot on board. During our review of these matters, it was determined that the main engines were in good working order, but were unable to answer the full range of commands because of some type of automatic acceleration-limiting program that prevented the main engine from responding immediately. Owner/Operators are reminded that before embarking a Pilot when entering or getting underway in the navigable waters of the VTSA, main propulsion machinery should be available to immediately respond to the full range of maneuvering commands and that any load-limiting programs or automatic acceleration-limiting programs that would limit the speed of response to engine orders beyond that needed to prevent immediate damage to propulsion machinery are capable of being overridden immediately. Prior to entering the VTSA, the attending Pilot should be provided information on how any load-limiting programs or automatic acceleration-limiting programs effect the operation of the main propulsion plant and the mechanism/procedure used to override the system should that become necessary for safe navigation. Furthermore, each self-propelled vessel of 1,600 or more gross tons subject to 33 CFR Part 164 should also attempt to comply with the following: 1.) While underway in the VTSA, each vessel should have an engineering watch capable of monitoring the propulsion system, communicating to the bridge, and implementing manual control measures immediately when necessary. The watch should be physically present in the machinery spaces or in the machinery-control spaces and should consist of at least a licensed engineer. 2.) While underway in the VTSA, each vessel should pay due regard to Navigation Rule (COLREGS) 6, Safe Speed: "Every vessel shall at all times proceed at a safe speed so that she can take proper and effective action to avoid collision and be stopped within a distance appropriate to the prevailing circumstances and conditions." Due regard to operating in a narrow channel should also be considered: negative hydrodynamic effects such as bank suction/cushion, sheer, and depth of the channel being prone to shoaling should be taken into consideration. Vessels should operate in such a manner as to have normal operating speed in reserve in times of extremis. The disabling of load limiting devices should be considered when reserve speed is not effective in maintaining safe navigation. In addition, the Master should ensure the Chief Engineer of the vessel has certified that the main propulsion plant is in all respects ready for operations including the main propulsion air-start systems, fuel systems, lubricating systems, cooling systems, and automation systems, that cooling, lubricating, and fuel-oil systems are at proper operating temperatures, and that main-propulsion standby systems are ready to be immediately placed in service. Please contact the Sector Houston-Galveston WWM Division via houstonwwm@uscg.mil or the Command Center at (281) 464-4851, if you have any questions or comments.	Lat: 29° 16' 60" Lon: -094° 35' 38"
--	------	--	--

Galveston Channel

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Galveston Bay - Galveston Channel/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	Galveston Harbor Channel - Port of Galveston - Draft Restrictions --- From: 2024-10-25 To: Until Further Notice --- Due to shoaling, draft restrictions of 43.5 ft or less are in place at the Port of Galveston. Waivers for vessel drafts may be granted based on the state of tides and transit plans. All deep draft vessels should transit the channel with caution and reference recent USACE channel surveys at: http://www.swg.usace.army.mil/Missions/Navigation/Navigation-Projects-Contracts/	
Galveston Bay - Galveston Channel/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	Galveston Channel - Dock Construction --- From: 2025-08-25 To: Until Further Notice --- Dock construction is being conducted at Galveston Ship Dock 16. Work will be conducted from 6:30 a.m. to 6:00 p.m., daily. During working hours, wake and surge considerations are requested from all vessel traffic due to work on shallow rafts. VHF-FM Channels: 12, 68 and 72, POC: (713) 413-7856	Lat: 29° 18' 49" Lon: -094° 47' 12"
Galveston Bay - Galveston Channel/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	Galveston Channel - Dock Construction --- From: 2025-08-25 To: Until Further Notice --- Dock construction is being conducted at Galveston Ship Docks 39/40. Work will be conducted from 6:30 a.m. to 6:00 p.m., daily. During working hours, wake and surge considerations are requested from all vessel traffic due to work on shallow rafts. VHF-FM Channels: 12, 68 and 72, POC: (713) 413-7856	Lat: 29° 18' 32" Lon: -094° 48' 51"
Galveston Bay - Galveston Channel/General/MSIB	MSIB	Galveston Harbor Channel - VTS Operating Restrictions --- From: 2025-01-28 To: Until further notice --- For all inland tow and barge operations West of Galveston Dock 36, VTS Houston-Galveston directs: No barge configuration changes midstream in the Galveston Channel west of a line drawn from 29-18-44N 094-48-37W to 29-18-30N 094-48-37W, from the western point of the Pelican Island Storage Terminals to the western point of Galveston Dock 36. For additional information on the directive, mariners can contact the U.S. Coast Guard VTS Houston-Galveston at (281) 464-4837.	
Galveston Bay - Galveston Channel/General/MSIB	MSIB	Galveston Harbor Channel - VTS Operating Restrictions --- From: 2024-11-22 To: Until further notice --- U.S. Coast Guard Vessel Traffic Service Houston-Galveston directs the following for tow and barge operations at Texas International Terminals: - On a FLOOD CURRENT - a) No arrivals/departures with strung out tows. b) An assist boat is required for all barge configurations. c) No transits permitted when Flood is greater than 0.5 kts. - On an EBB CURRENT - a) No arrivals/departures with strung out tows. b) An assist boat is required for all multi-barge operations. c) An assist boat is required for single barge tows when Ebb is greater than 1.5 kts. For additional information on the directive, mariners can contact the U.S. Coast Guard VTS Houston-Galveston at (281) 464-4837.	

Galveston-Freeport

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Galveston-Freeport Buoy 61	36770	OFF STATION	FD
West Bay (Texas) Buoy 6	36940	MISSING	FD
West Bay (Texas) Buoy 8	36950	MISSING	FD
West Bay (Texas) Buoy 9	36955	MISSING	FD
West Bay (Texas) Buoy 11	36965	MISSING	FD
West Bay (Texas) Buoy 12	36970	MISSING	FD
West Bay (Texas) Buoy 16	36990	MISSING	FD

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Galveston-Freeport Buoy 35	36545	WATCHING PROPERLY	FD	2025-09-11

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
------	------	--------	----------

Harborwalk Entrance West Buoy 1	36775	MISSING	PA
Harborwalk Entrance West Buoy 2	36780	MISSING	PA
Harborwalk Entrance East Buoy 11	36750	MISSING	PA

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
West Bay (Texas) Buoy 5	36935	DISCONTINUED	FD
West Bay (Texas) Buoy 6	36940	DISCONTINUED	FD
West Bay (Texas) Buoy 8	36950	DISCONTINUED	FD
West Bay (Texas) Buoy 9	36955	DISCONTINUED	FD
West Bay (Texas) Buoy 11	36965	DISCONTINUED	FD
West Bay (Texas) Buoy 12	36970	DISCONTINUED	FD
West Bay (Texas) Buoy 16	36990	DISCONTINUED	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Texas City Channel - Galveston-Freeport/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2025-09-17 To: 2025-09-27 Location: 29.18943° N / 95.07659° W Aid Name: West Bay (Texas) Buoy 5 LLNR: 36935 Action: DISCONTINUE	Lat: 29° 11' 22" Lon: -095° 04' 36"
Texas City Channel - Galveston-Freeport/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2025-09-17 To: 2025-09-27 Location: 29.18637° N / 95.08234° W Aid Name: West Bay (Texas) Buoy 6 LLNR: 36940 Action: DISCONTINUE	Lat: 29° 11' 11" Lon: -095° 04' 56"
Texas City Channel - Galveston-Freeport/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2025-09-17 To: 2025-09-27 Location: 29.18429° N / 95.08538° W Aid Name: West Bay (Texas) Buoy 8 LLNR: 36950 Action: DISCONTINUE	Lat: 29° 11' 03" Lon: -095° 05' 07"
Texas City Channel - Galveston-Freeport/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2025-09-17 To: 2025-09-27 Location: 29.18375° N / 95.08473° W Aid Name: West Bay (Texas) Buoy 9 LLNR: 36955 Action: DISCONTINUE	Lat: 29° 11' 01" Lon: -095° 05' 05"
Texas City Channel - Galveston-Freeport/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2025-09-17 To: 2025-09-27 Location: 29.18027° N / 95.0899° W Aid Name: West Bay (Texas) Buoy 11 LLNR: 36965 Action: DISCONTINUE	Lat: 29° 10' 49" Lon: -095° 05' 24"
Texas City Channel - Galveston-Freeport/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2025-09-17 To: 2025-09-27 Location: 29.17851° N / 95.09403° W Aid Name: West Bay (Texas) Buoy 12 LLNR: 36970 Action: DISCONTINUE	Lat: 29° 10' 43" Lon: -095° 05' 39"
Texas City Channel - Galveston-Freeport/General/Hazards To Navigation/Obstructions	Hazards To Navigation	GIWW - Rock Wall Obstruction --- Reported: 2025-06-27 --- An uncharted rock wall and uncharted Private Aids to Navigation have been reported on the green NW side of the GIWW, WHL, extending from approximate Mile 363.0 to approximate Mile 364.5. Mariners are urged to exercise caution when transiting this area.	
Texas City Channel - Galveston-Freeport/General/Hazards To Navigation/Obstructions	Hazards To Navigation	GIWW - Rock Wall Obstruction --- Reported: 2025-06-27 --- An uncharted rock wall and uncharted Private Aids to Navigation have been reported on the green NW side of the GIWW, WHL, extending from approximate Mile 365.0 to approximate Mile 366.0. Mariners are urged to exercise caution when transiting this area.	
Texas City Channel - Galveston-Freeport/General/Hazards To Navigation/Obstructions	Hazards To Navigation	GIWW - Rock Wall Obstruction --- Reported: 2025-06-30 --- An uncharted rock wall has been reported on the south side of the GIWW, near Mile 372.0, WHL. Mariners are urged to exercise caution when transiting this area.	
Texas City Channel - Galveston-Freeport/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	GIWW, WHL - Habitat Restoration --- From: 2025-07-08 To: 2025-09-30 --- Galveston Bay Foundation is constructing four bird nesting islands in Galveston Bay, north of the GIWW, in the vicinity of Tiki Island. Work will take place 12-hours a day, 7-days a week. On-scene vessels will consist of 2 push boats and 1 crew boat. The nesting bird islands are located in the following approximate positions: Site 1: 29-17-28.64N 094-55-22.01W, Site 2: 29-18-19.86N 094-55-54.50W, Site 3: 29-17-51.06N 094-56-22.80W and Site 4: 29-17-19.28N 094-56-36.66W. VHF-FM Channels: 8 and 13, POC: (972) 800-3395	

Gibbstown

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Mermentau-Gibbstown Buoy 1	35330	OFF STATION	FD
Mermentau-Gibbstown Buoy 1	35330	OFF STATION	FD

GIWW West

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
GIWW West/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	Colorado River - GIWW - Lock Closure --- From: 2025-07-01 To: 2025-09-30 --- The Colorado River Locks on the GIWW, Miles 441.0 and 442.0, WHL, will be closed to marine traffic for repairs from 7:00 a.m. to 5:00 p.m., Monday through Friday, excluding federal holidays. Mariners should confirm closure times prior to transiting the area to avoid delays. Mariners are urged to transit at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. POC: Lockmaster (979) 863-7842, ext. 2002, or (979) 482-7321	

Grand Bayou du Large

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Bayou Grand Caillou - Grand Bayou du Large/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2025-09-12 To: 2025-09-25 Location: 29.28262° N / 90.99083° W Aid Name: WA10-2018-00633 (CASTEX) LLNR: Not Provided Action: ESTABLISH Platform: WA10-2018-00633 (CASTEX), QW USACE permit: MVN-2018-00633-TREC	Lat: 29° 16' 57" Lon: -090° 59' 27"

Grand Lagoon Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Grand Lagoon Channel Light 2	4305	STRUCT DEST/TRLB	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
West Grand Lagoon Channel Daybeacon 3A	4385	DAYMK DMGD	PA

Gulfport Ship Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Ship Island Pass Entrance Range Front Light	9705	LT EXT/STRUCT DMGD	FD
Ship Island Pass Entrance Range Front Light	9705	LT EXT/STRUCT DMGD	FD
Gulfport Ship Channel Light 27	9730	STRUCT DEST/TRLB	FD
Gulfport Ship Channel Light 27	9730	STRUCT DEST/TRLB	FD
Gulfport Ship Channel Light 29	9740	STRUCT DEST/TRLB	FD
Gulfport Ship Channel Light 29	9740	STRUCT DEST/TRLB	FD

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Gulfport Ship Channel Light 55	9905	RELIGHTED	FD	2025-09-23
Gulfport Ship Channel Light 63	9945	WATCHING PROPERLY	FD	2025-09-23

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Chevron Pipeline Light A	9750	STRUCT DEST	PA
Port Authority Dolphin Light	9950	LT EXT	PA
Port of Gulfport Mooring Pile Lights (4)	9952	LT EXT	PA
Chevron Pipeline Light B	9755	LT EXT/DAYMK MISSING	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Mobile, Submerged Land Act (SLA) - Gulfport Ship Channel/General/Marine Construction (Excluding Bridges)/Survey Operations	Marine Construction (Excluding Bridges)	GIWW - Gulfport Ship Channel - Survey Operation --- From: 2025-09-08 To: 2025-09-26 --- NOAA hydrographic survey operations will be conducted in the GIWW, between Miles 65.0 and 72.0, EHL. Surveys will be conducted between 7:00 a.m. and 4:00 p.m., Monday through Friday. On-scene vessels will include the Survey Vessel S3005 and two uncrewed systems yellow survey platforms. Mariners are urged to transit the area at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. VHF-FM Channels: 10 and 16	

Harlingen-Port Isabel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Harlingen-Port Isabel Light 7	42390	STRUCT DEST/TRLB	FD
Harlingen-Port Isabel Light 7	42390	STRUCT DEST/TRLB	FD
Harlingen-Port Isabel Daybeacon 9	42400.01	STRUCT DEST/TRUB	FD
Harlingen-Port Isabel Daybeacon 25	42500.01	STRUCT DEST/TRUB	FD
Harlingen-Port Isabel Daybeacon 32	42545	STRUCT DEST/TRUB	FD
Harlingen-Port Isabel Daybeacon 32	42545	STRUCT DEST/TRUB	FD

Harlingen-Port Isabel Daybeacon 33	42550.01	STRUCT DEST/TRUB	FD
Harlingen-Port Isabel Light 37	42570	STRUCT DEST/TRLB	FD
Harlingen-Port Isabel Light 37	42570	STRUCT DEST/TRLB	FD
Harlingen-Port Isabel Light 41	42595	STRUCT DEST/TRLB	FD
Harlingen-Port Isabel Light 41	42595	STRUCT DEST/TRLB	FD
Harlingen-Port Isabel Daybeacon 43	42605.01	STRUCT DEST/TRUB	FD
Harlingen-Port Isabel Daybeacon 43	42605.01	STRUCT DEST/TRUB	FD
Harlingen-Port Isabel Daybeacon 51	42655.01	STRUCT DEST/TRUB	FD
Harlingen-Port Isabel Daybeacon 51	42655.01	STRUCT DEST/TRUB	FD
Harlingen-Port Isabel Daybeacon 54	42675	STRUCT DEST/TRUB	FD
Harlingen-Port Isabel Daybeacon 54	42675	STRUCT DEST/TRUB	FD
Harlingen-Port Isabel Daybeacon 55	42680.01	STRUCT DEST/TRUB	FD
Harlingen-Port Isabel Daybeacon 55	42680.01	STRUCT DEST/TRUB	FD
Harlingen-Port Isabel Daybeacon 58	42700	STRUCT DEST/TRUB	FD
Harlingen-Port Isabel Daybeacon 58	42700	STRUCT DEST/TRUB	FD
Harlingen-Port Isabel Daybeacon 59	42705.01	STRUCT DEST/TRUB	FD
Harlingen-Port Isabel Daybeacon 59	42705.01	STRUCT DEST/TRUB	FD
Harlingen-Port Isabel Light 69	42770	STRUCT DEST/TRLB	FD
Harlingen-Port Isabel Light 69	42770	STRUCT DEST/TRLB	FD
Harlingen-Port Isabel Daybeacon 70	42775	STRUCT DEST/TRUB	FD
Harlingen-Port Isabel Daybeacon 70	42775	STRUCT DEST/TRUB	FD
Harlingen-Port Isabel Daybeacon 71	42780.01	STRUCT DEST/TRUB	FD
Harlingen-Port Isabel Daybeacon 71	42780.01	STRUCT DEST/TRUB	FD
Harlingen-Port Isabel Light 73	42795	STRUCT DEST/TRLB	FD
Harlingen-Port Isabel Daybeacon 74	42800	STRUCT DEST/TRUB	FD
Harlingen-Port Isabel Daybeacon 74	42800	STRUCT DEST/TRUB	FD
Harlingen-Port Isabel Light 85	42905	STRUCT DEST/TRLB	FD
Harlingen-Port Isabel Light 85	42905	STRUCT DEST/TRLB	FD
Harlingen-Port Isabel Daybeacon B	42935	STRUCT DEST/TRUB	FD
Harlingen-Port Isabel Daybeacon B	42935	STRUCT DEST/TRUB	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
South Padre Island Channel Daybeacon 2	29615	STRUCT DEST	PA
South Padre Island Channel Daybeacon 5	29625	DAYMK MISSING	PA
South Padre Island Channel Daybeacon 7	29630	STRUCT DEST	PA
South Padre Island Channel Daybeacon 11	29640	DAYMK MISSING	PA
South Padre Island Channel Daybeacon 13	29645	DAYMK MISSING	PA
South Padre Island Channel Daybeacon 17	29665	OFF STA	PA
South Padre Island Channel Daybeacon 20	29680	DAYMK MISSING	PA
South Padre Island Channel Daybeacon 23	29695	DAYMK MISSING	PA
South Padre Island Channel Daybeacon 25	29700	STRUCT DEST	PA
South Padre Island Channel Daybeacon 27	29705	DAYMK MISSING	PA
South Padre Island Channel Daybeacon 31	29715	DAYMK MISSING	PA
South Padre Island Channel Daybeacon 33	29720	DAYMK MISSING	PA
South Padre Island Channel Daybeacon 41	29750	STRUCT DMGD	PA
South Padre Island Channel Daybeacon 51	29785	DAYMK MISSING	PA

Head Of Passes To New Orleans

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Pilottown Lighted Buoy 1	12995	OFF STATION/BUOY DMGD	FD
Jump Shoal Lighted Buoy 10A	13085	OFF STATION	FD
Sixty Mile Point Lighted Buoy A	13250	OFF STA	FD
Sixty Mile Point Lighted Buoy A	13250	SINKING	FD
Sixty Mile Point Lighted Buoy A	13250	OFF STA	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Red Star Yeast Wharf Lights (2)	13600	LT EXT	PA
Pilottown Terminal Wing Dam Light	13015	STRUCT DEST	PA
Empire Water Intake Lights (2)	13215	STRUCT DEST	PA
Chalmette Obstruction Light	13785	STRUCT DEST/HAZ NAV/LT EXT	PA

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Cedar Grove Anchorage Lower Daybeacon 69.5	13555	RELOCATED	FD
Cedar Grove Anchorage Upper Daybeacon 71.0	13570	RELOCATED	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
South Pass - Head Of Passes To New Orleans/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2025-09-19 To: 2025-09-29 Location: 29.92396° N / 89.9244° W Aid Name: Saxonholm Light 86 LLNR: 13690 Action: DISCONTINUE	Lat: 29° 55' 26" Lon: -089° 55' 28"
South Pass - Head Of Passes To New Orleans/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2025-09-19 To: 2025-09-29 Location: 29.82002° N / 90.00608° W Aid Name: Belle Chasse Anchorage Lower Daybeacon 73.1 LLNR: 13585 Action: RELOCATE and RENAME From: 29-49-12.073N 090-00-21.885W To: 29-49-07.068N 090-00-20.988W Rename To: Belle Chasse Anchorage Lower Daybeacon 73.0	Lat: 29° 49' 12" Lon: -090° 00' 22"
South Pass - Head Of Passes To New Orleans/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	Mississippi River, LDB, Mile 24.0, AHOP - Subaqueous Stone Placement --- From: 2025-05-06 To: 2025-11-23 --- A U.S. Government Contractor will be placing subaqueous stone along the LDB of the Mississippi River at approximate Mile 24.0, AHOP. The contractor will work daily for 10 hours a day, during daylight hours. The plant will include a spud barge with a hydraulic backhoe, the M/V OSCAR WALTERS, an office barge and various material barges, which will be on-site and staged along the river at this location. During nighttime hours, the contractor will be staged along the LDB out of the Mississippi River Channel. Mariners are urged to transit at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. VHF-FM Channels: 67 and 79, POC: (318) 452-5448, USACE (337) 295-3498	
South Pass - Head Of Passes To New Orleans/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	Mississippi River - Grand Bayou - Marsh Restoration/Dredging --- From: 2025-08-15 To: 2025-11-30 --- Marsh creation and restoration is taking place along the Mississippi River, Grand Bayou, and in the marshes west of the Mississippi River. The project work site includes dredging areas, staging areas for anchored dredge pipe, and areas for submerged pipelines. The Cutterhead Dredge J.S. CHATRY will conduct dredging in the area 24-hours a day, 7-days a week. The cutterhead dredge, clamshell dredges, marsh buggies, towing vessels, barge mounted excavators and work barges will be operating along the RDB, in the northern portion of the Magnolia Anchorage Borrow Area, between Miles 46.2 and 47.5, AHOP. A submerged dredge pipe has been installed along the RDB between Miles 45.0 and 49.0, AHOP. For safety, a 500 ft buffer zone should be maintained between any vessel and the submerged pipe. Mariners are urged to use extreme caution and transit the area at their slowest safe speed to create minimum wake. VHF-FM Channels: 13, 16, and 67, POC: (251) 298-3020 or (601) 810-1505	
South Pass - Head Of Passes To New Orleans/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	Mississippi River - Wharf Demolition --- From: 2025-09-15 To: 2025-11-14 --- Wharf demolition will be conducted along the Mississippi River, LDB, Mile 91.8, AHOP, at the St. Maurice Wharf. Work will take place Monday through Friday, from 6:30 a.m. to 6:30 p.m. On-scene vessels and equipment will include a spud barge, a trackhoe on a barge, a deck barge, and a work boat. Mariners are urged to transit the area at their slowest safe speed to minimize wake and proceed with caution. VHF-FM Channels: 16 and 67	
South Pass - Head Of Passes To New Orleans/General/MSIB	MSIB	Low Water Safety Advisory: Mile 0.0 to Mile 167.0, AHOP --- The National Weather Service forecasts low river stages. Lower Mississippi River (LMR) users should prepare for extreme low water conditions. The following low water safety precautions are in effect for all waters of the LMR from Mile 0.0 to 232.0, AHOP, when the Baton Rouge River Gauge reads 16 ft and below and the Carrollton Gauge reads 2.5 ft and below. Mariners are reminded the sailing line between Miles 0.0 and 232.0 follows a path through naturally deep water connected by twelve marked channels known as "crossings." Low water conditions have significantly reduced water depths in areas of the river outside the sailing line where mariners in the past had sufficient water depth to navigate. In accordance with 33 CFR Part 164, mariners are required to conduct proper navigation assessments. Mariners should pay particular attention to route planning and water levels and should closely review the U.S. Army Corps of Engineers Navigation Condition Surveys prior to their transit. (1) Industry representatives should coordinate closely with River Pilot organizations, giving due consideration for the extreme low water, to ensure the safe and efficient movement of vessels. (2) Pilots should maintain safe speeds when transiting in the vicinity of docks, fleetling areas, and other transiting vessels to minimize adverse impacts from the ship's wake. (3) Ports and facilities are strongly encouraged to monitor water depths at both their docks and approaches. Adjustments to docking procedures or loading and transit parameters should be closely coordinated with and communicated to vessel operators. (4) Aids to Navigation discrepancies should be reported to the Sector New Orleans Command Center. (5) Mariners should pay close attention to Broadcast Notice to Mariners for information on specific hazards along their planned route. • Reporting: Ports and Facilities are requested to report impacted operations due to low water conditions (e.g. reduced drafts, interruptions to mid-stream operations, etc.) to facilitiesnola@uscg.mil. • To see the National Weather Service Extended Streamflow Prediction for LMR please use the following link: https://forecast.weather.gov/product.php?site=NWS&issuedby=ORN&product=ESP&format=txt&version=1&glossary=0 • US Army Corps Navigation Conditions Surveys can be found at: https://www.mvn.usace.army.mil/Missions/Navigation/Channel-Surveys/	Lat: 29° 53' 33" Lon: -089° 54' 20"
South Pass - Head Of Passes To New Orleans/General/MSIB	MSIB	Mississippi River, Mile 23.0 to 24.0, AHOP - Marine Construction/VTS Measures --- From: 2025-05-05 To: 2025-10-05 --- The U.S. Coast Guard Vessel Traffic Service (VTS) Lower Mississippi River will establish a series of VTS measures for all waters of the Lower Mississippi River from Mile 23.0 to 24.0, AHOP, for the construction of the Neptune Pass Inlet Structure. Structure construction will take place during daylight hours. During working hours, the anchor spread will be extended at a maximum of 600 ft from the LDB, of the Mississippi River. The following measures will be in effect for the duration of the project: • All vessels shall transit at their slowest safe speed between Mile 23.0 and 24.0. • All vessels shall avoid overtaking or meeting within 1,000 ft of the work barges. • Ostrica Anchorage will be CLOSED for the duration of this work. • The restrictions will be in place 24-hours a day, 7-days a week. For additional information and status updates, the M/V OSCAR WALTERS will be on-site and can be reached at (318) 452-0116.	

Houma Navigation Canal

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Houma Navigation Canal Lighted Buoy 2	17755	OFF STATION	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Short Cut Canal Light 1	17911	LT EXT	PA
Short Cut Canal Light 2	17911.010000000002	LT EXT	PA
Short Cut Canal Light 3	17911.02	STRUCT DEST	PA
Short Cut Canal Light 4	17911.03	LT EXT	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Cat Island Pass - Houma Navigation Canal/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	Houma Navigation Canal - Bubba Dove Floodgate - Marine Construction --- From: 2025-05-08 To: 2028-05-26 --- Work for the Houma Navigation Canal Locks Complex project is underway. Construction at the Bubba Dove Floodgates will take place 24-hours a day, 7-days a week. Mariners are requested to transit the area at their slowest safe speed to minimize wake and proceed with caution. VHF-FM Channels: 13 and 71	Lat: 29° 19' 47" Lon: -090° 43' 48"
Cat Island Pass - Houma Navigation Canal/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	Houma Navigation Canal - Terrebonne Bay - Breakwater/Dredge Operation --- From: 2025-02-24 To: Until Further Notice --- The Terrebonne Houma Navigation Canal Island Restoration Project is being conducted along the Houma Navigation Canal and in Terrebonne Bay. Dredge pipe and equipment will be mobilized to the area, and a subline will be installed to support future dredging. The breakwater constructed on the north side of the island remains in place. Twenty-six temporary lighted danger markers and one permanent lighted danger marker have been established in the area to mark the northern breakwater and the dredge spoil mounds. Mariners are urged to transit the area with caution. POC: (224) 221-9834, (224) 563-4432, or (985) 688-9741	
Cat Island Pass - Houma Navigation Canal/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	Houma Navigation Canal, Mile 8.7 - Pipeline Removal/Dive Operation --- From: 2025-09-21 To: 2025-10-01 --- Pipeline removal and diving operations will be conducted in and along the Houma Navigation Canal, between Houma Navigation Canal Buoy 20 (LLNR-17875) and Houma Navigation Canal Light 21 (LLNR-17880). Operations will be conducted 7-days a week, during daylight hours. On-scene vessels will include the T/Vs BIG HORN and MISS AUDREY, the Barges B911 and CHELSEA A., and small crew/deck boats. The channel may be partially obstructed during the project. Mariners should coordinate passing arrangements with the project vessels in advance. Vessels are urged to transit the area at their slowest safe speed to minimize wake and observe all day shapes and dive flags. VHF-FM Channels: 6 and 13, POC: (985) 209-8697	
Cat Island Pass - Houma Navigation Canal/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	Houma Navigation Canal - Dredging Staging Area --- From: 2025-09-15 To: 2025-11-01 --- Pipeline and dredge equipment will be mobilized and staged along the RDB of the Houma Navigation Canal, between Miles 12.0 and 13.0. Mariners are urged to transit at their slowest safe speed to minimize wake.	

Houston Ship Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Houston Ship Channel Lighted Buoy 26	23960	OFF STATION/MSLD SIG	FD
Houston Ship Channel Lighted Buoy 32	24010	LT EXT	FD
Houston Ship Channel Lighted Buoy 32	24010	OFF STATION	FD
Houston Ship Channel Light 35	24025	STRUCT DEST/TRLB	FD
Houston Ship Channel Light 39	24070	DAYMK MISSING	FD
Houston Ship Channel Light 41	24080	STRUCT DEST/TRLB	FD
Houston Ship Channel Light 43	24090	STRUCT DEST/TRLB	FD
Upper Galveston Bay Inner Range Rear Light	24220	LT EXT	FD
Houston Ship Channel North Boater Cut Daybeacon 3	24340	STRUCT DEST	FD
Houston Ship Channel North Boater Cut Daybeacon 3	24340	STRUCT DEST	FD
Houston Ship Channel North Boater Cut Daybeacon 5	24350	DAYMK MISSING/STRUCT DMGD/TRUB	FD
Houston Ship Channel North Boater Cut Daybeacon 5	24350	DAYMK MISSING/STRUCT DMGD/TRUB	FD
Morgans Point Approach Outer Range Front Light	24395	LT EXT/STRUCT DMGD	FD
Houston Ship Channel Light 87	24555	STRUCT DEST/TRLB	FD
Houston Ship Channel Light 89	24565	STRUCT DEST/TRLB	FD
Houston Ship Channel Light 89	24565	STRUCT DEST/TRLB	FD
Morgans Point Approach Inner Range Front Light	24585	STRUCT DMGD/LT EXT	FD
Houston Ship Channel Light 126A	25520	STRUCT DEST/TRLB	FD

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Houston Ship Channel Light 43	24090	RESET ON STATION	FD	2025-09-17
Houston Ship Channel Light 45	24100	REBUILT/REMAINS	FD	2025-09-17
Houston Ship Channel Light 47	24110	REBUILT/REMAINS	FD	2025-09-17
Houston Ship Channel Light 54	24185	REBUILT/REMAINS	FD	2025-09-17
Houston Ship Channel Light 55	24225	WATCHING PROPERLY	FD	2025-09-17
Houston Ship Channel Light 56	24230	REBUILT/REMAINS	FD	2025-09-17
Houston Ship Channel Light 67	24315	REBUILT/REMAINS	FD	2025-09-17
Morgans Point Approach Outer Range Rear Light	24400	RELIGHTED	FD	2025-09-17
Houston Ship Channel Light 83	24535	REBUILT/REMAINS	FD	2025-09-17
Houston Ship Channel Light 84	24540	REBUILT/REMAINS	FD	2025-09-17
Houston Ship Channel Light 86	24550	REBUILT/REMAINS	FD	2025-09-17
Houston Ship Channel Light 90A	24580	REBUILT/REMAINS	FD	2025-09-17
Houston Ship Channel Light 92	24600	REBUILT/REMAINS	FD	2025-09-17

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Baytown Marina Channel Daybeacon 3	24830	STRUCT DEST	PA
Baytown Goose Creek Channel Daybeacon 5	24900	STRUCT DEST/HAZ NAV	PA
Baytown Goose Creek Channel Daybeacon 18	24965	STRUCT DEST/HAZ NAV	PA

Baytown Marina Channel Daybeacon 14	25030	STRUCT DEST	PA
R & H Inc. Outfall Lighted Buoy	25770	LT EXT	PA

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Houston Ship Channel North Boater Cut Daybeacon 3	24340	DISCONTINUED FOR DREDGING	FD
Houston Ship Channel Light 88	24560	TRLB	FD
Houston Ship Channel Light 89	24565	DISCONTINUED FOR DREDGING	FD
Houston Ship Channel Light 90	24575	TRLB	FD
Houston Ship Channel Light 94	24785	DISCONTINUED FOR DREDGING	FD

Temporary Changes Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Houston Ship Channel Light 83	24535	Returned to Assigned Position	FD	2025-09-16
Houston Ship Channel Light 85	24545	Reestablished	FD	2025-09-16
Houston Ship Channel Light 87	24555	Reestablished	FD	2025-09-16
Houston Ship Channel Light 89A	24570	Reestablished	FD	2025-09-16

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Galveston Bay Entrance Channel - Houston Ship Channel/ATON/Advanced Notice of Change	Advanced Notice of Change	The Coast Guard will make the following Aid to Navigation Change after September 30, 2025: Relocate Lower Red Light Bend Outbound Range Front Light (LLNR-25070) in approximate position 29-41-58.528N/094-59-50.647W showing Q R, 24ft to approximate position 29-41-58.401N/094-59-49.479W, showing Q R, 15ft.	Lat: 29° 41' 59" Lon: -094° 59' 51"
Galveston Bay Entrance Channel - Houston Ship Channel/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2025-09-12 To: 2025-09-26 Location: 29.64166° N / 94.96775° W Aid Name: Houston Ship Channel Light 83 LLNR: 24535 Action: RELOCATE From: 29-38-29.986N 094-58-03.911W To: 29-38-25.224N 094-58-03.540W	Lat: 29° 38' 30" Lon: -094° 58' 04"
Galveston Bay Entrance Channel - Houston Ship Channel/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2025-09-12 To: 2025-09-26 Location: 29.6425° N / 94.96476° W Aid Name: Houston Ship Channel Light 84 LLNR: 24540 Action: RELOCATE From: 29-38-33.018N 094-57-53.131W To: 29-38-29.076N 094-57-50.040W	Lat: 29° 38' 33" Lon: -094° 57' 53"
Galveston Bay Entrance Channel - Houston Ship Channel/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2025-09-12 To: 2025-09-26 Location: 29.65292° N / 94.97201° W Aid Name: Houston Ship Channel Light 85 LLNR: 24545 Action: RELOCATE From: 29-39-10.517N 094-58-19.230W To: 29-39-10.116N 094-58-20.640W	Lat: 29° 39' 11" Lon: -094° 58' 19"
Galveston Bay Entrance Channel - Houston Ship Channel/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2025-09-12 To: 2025-09-26 Location: 29.65373° N / 94.96902° W Aid Name: Houston Ship Channel Light 86 LLNR: 24550 Action: RELOCATE From: 29-39-13.425N 094-58-08.470W To: 29-39-13.824N 094-58-06.960W	Lat: 29° 39' 13" Lon: -094° 58' 08"
Galveston Bay Entrance Channel - Houston Ship Channel/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2025-09-12 To: 2025-09-26 Location: 29.66256° N / 94.97565° W Aid Name: Houston Ship Channel Light 87 LLNR: 24555 Action: RELOCATE From: 29-39-45.218N 094-58-32.331W To: 29-39-44.820N 094-58-33.600W	Lat: 29° 39' 45" Lon: -094° 58' 32"
Galveston Bay Entrance Channel - Houston Ship Channel/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2025-09-12 To: 2025-09-26 Location: 29.66342° N / 94.97265° W Aid Name: Houston Ship Channel Light 88 LLNR: 24560 Action: RELOCATE From: 29-39-48.327N 094-58-21.538W To: 29-39-48.708N 094-58-19.920W	Lat: 29° 39' 48" Lon: -094° 58' 22"
Galveston Bay Entrance Channel - Houston Ship Channel/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2025-09-12 To: 2025-09-26 Location: 29.67256° N / 94.97912° W Aid Name: Houston Ship Channel Light 89 LLNR: 24565 Action: RELOCATE From: 29-40-21.212N 094-58-44.844W To: 29-40-21.216N 094-58-44.760W	Lat: 29° 40' 21" Lon: -094° 58' 45"
Galveston Bay Entrance Channel - Houston Ship Channel/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2025-09-12 To: 2025-09-26 Location: 29.67701° N / 94.98076° W Aid Name: Houston Ship Channel Light 89A LLNR: 24570 Action: RELOCATE From: 29-40-37.248N 094-58-50.720W To: 29-40-37.164N 094-58-50.520W	Lat: 29° 40' 37" Lon: -094° 58' 51"
Galveston Bay Entrance Channel - Houston Ship Channel/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2025-09-12 To: 2025-09-26 Location: 29.67332° N / 94.9764° W Aid Name: Houston Ship Channel Light 90 LLNR: 24575 Action: RELOCATE From: 29-40-23.934N 094-58-35.046W To: 29-40-24.312N 094-58-33.600W	Lat: 29° 40' 24" Lon: -094° 58' 35"

Galveston Bay Entrance Channel - Houston Ship Channel/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2025-09-12 To: 2025-09-26 Location: 29.6777° N / 94.97807° W Aid Name: Houston Ship Channel Light 90A LLNR: 24580 Action: RELOCATE From: 29-40-39.713N 094-58-41.042W To: 29-40-40.116N 094-58-39.720W	Lat: 29° 40' 40" Lon: -094° 58' 41"
Galveston Bay Entrance Channel - Houston Ship Channel/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2025-09-12 To: 2025-09-26 Location: 29.6839° N / 94.98013° W Aid Name: Houston Ship Channel Light 92 LLNR: 24600 Action: RELOCATE From: 29-41-02.033N 094-58-48.450W To: 29-41-01.788N 094-58-48.000W	Lat: 29° 41' 02" Lon: -094° 58' 48"
Galveston Bay Entrance Channel - Houston Ship Channel/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2025-09-24 To: 2025-10-04 Location: 29.67699° N / 94.9807° W Aid Name: Houston Ship Channel Light 89A LLNR: 24570 Action: RELOCATE From: 29-40-37.164N 094-58-50.520W To: 29-40-37.336N 094-58-51.490W	Lat: 29° 40' 37" Lon: -094° 58' 51"
Galveston Bay Entrance Channel - Houston Ship Channel/General/Bridges/Construction	Bridges	Houston Ship Channel - Bridge Construction --- From: 2025-07-24 To: 2026-11-01 --- The Harris County Toll Road Authority (HCTRA) and a contractor will commence over-the-water construction of the new Beltway 8 (Sam Houston Tollway Ship Channel Bridge) over the Houston Ship Channel. Construction on areas outside the navigable channel will continue through May 2026. Work over the Houston Ship Channel is projected to begin May 2026 and finish by November 2026. Mariners are urged to transit this area with extreme caution.	Lat: 29° 44' 10" Lon: -095° 08' 45"
Galveston Bay Entrance Channel - Houston Ship Channel/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	Houston Ship Channel - Shoaling --- Reported: 2024-12-11 To: Until further notice --- Shoaling has been reported in the Upper Houston Ship Channel, reducing water depths from the red side of the channel to the center line, between the Texas Beltway 8 Toll Bridge and a quarter mile above Houston Ship Channel Light 146 (LLNR-25790). Deep draft vessels are advised to proceed with caution. Vessels with a draft of 35 feet or greater should avoid the red side of the channel in this area. USACE surveys can be found at the following: https://www.swg.usace.army.mil/Missions/Navigation/Hydrographic-Surveys/	
Galveston Bay Entrance Channel - Houston Ship Channel/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	Houston Ship Channel - Barbours Cut - Shoaling --- Reported: 2024-12-13 To: Until Further Notice --- Shoaling to 39 ft has been reported in the north side of the Barbours Cut Flare. Vessels are advised to proceed with caution.	
Galveston Bay Entrance Channel - Houston Ship Channel/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	Houston Ship Channel - Shoreline Revetment and Protection/Rock Placement --- From: 2025-03-07 To: Until Further Notice --- Shoreline revetment/protection and rock placement operations are being conducted along the Houston Ship Channel. On-scene vessels include the M/V MISS WRENN, M/V MISS WHITNEY, a 140 ft x 54 ft spud barge, two 110 ft x 40 ft spud barges, and between one and thirteen deck barges. Operations will be conducted 6-days a week, during daylight hours only. Wake and surge considerations are requested from ships when transiting along Atkinson Island and when transiting near Houston Ship Channel Light 86 (LLNR-24550). VHF-FM Channels: 11 and 16	
Galveston Bay Entrance Channel - Houston Ship Channel/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	Houston Ship Channel - Barbours Terminal Channel - Marine Construction and Dredging --- From: 2025-04-07 To: 2027-07-01 --- Dredging and marine construction will be taking place along the Houston Ship Channel and the Barbours Terminal Channel, 24-hours a day, 7-days a week. Dredging and demolition will take place along Morgans Point and transition into concrete bulkhead construction. An additional bulkhead wall will be built along Spilmans Island. Dive operations may take place intermittently throughout the project. On-scene vessels will include the T/Vs MOONEY and EVERLINE, the Work Boat SCULLY, the Crane Barge CB01 and the Barge GD-2013. Mariners are urged to transit the area at their slowest safe speed, observe all day shapes and dive flags, and proceed with caution. VHF-FM Channels: 13 and 16	
Galveston Bay Entrance Channel - Houston Ship Channel/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	Houston Ship Channel - Dredge Operation --- From: 2025-05-31 To: 2025-12-31 --- The Hopper Dredges R.B. WEEKS and MAGDALEN and the M/V BREAK OF DAWN will be operating in the Houston Ship Channel. Dredged material will be transported offshore to an ocean dredged material disposal site located south of the Galveston Entrance Channel. Work will take place 24-hours a day, 7-days a week. On-scene support vessels will include the Survey Vessel CAPT TOM and the Crew Boat CHRIS C. Mariners are urged to use extreme caution and transit the area at their slowest safe speed to create minimum wake after passing arrangements have been made. VHF-FM Channels: 13 and 16, POC: (985) 237-9667 or (443) 856-5311	
Galveston Bay Entrance Channel - Houston Ship Channel/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	Houston Ship Channel - Barbours Terminal Channel - Dredge Operation --- From: 2025-04-30 To: Until Further Notice --- The Dredge GENERAL BRADLEY is dredging in the Houston Ship Channel, between Morgans Point and the Bayport Ship Channel. Work will take place 24-hours a day, 7-days a week. The dredge is currently operating along the Houston Ship Channel near Houston Ship Channel Light 93 (LLNR-24755). Up to 30,000 ft of steel submerged pipeline along with steel and HDPE (plastic) shore pipeline will be used throughout the project area to transport dredged material to the Beneficial Use Sites. Submerged dredge pipeline is located near Houston Ship Channel Light 85 (LLNR-24545). The outbound barge lane is closed at HSC Light 85 due to the dredge pipeline and buoys. Additional on-scene vessels may include the Booster Barge CAL 2109, Anchor Barge CAL 2006, Crew Boat DELTA RUSH, and T/Vs LARRY HEBERT, DOUGLAS B., and GUAM. Houston Ship Channel vessel traffic should coordinate passing arrangements 30-minutes in advance and Barbours Terminal Channel vessel traffic should coordinate 1-hour in advance. Mariners are requested to avoid meeting or overtaking near the dredge and are urged to transit the area with caution and at their slowest safe speed to minimize wake. VHF-FM Channels: 13 and 82, POC: (912) 508-1351 or (832) 217-0541	
Galveston Bay Entrance Channel - Houston Ship Channel/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	Houston Ship Channel - Dock Construction --- From: 2025-09-04 To: 2026-01-12 --- Dock construction is being conducted along the Houston Ship Channel at City Docks 20 and 21. Work will consist of demolishing and rebuilding of the fendering system and bulkhead construction. Workers will operate at the waterline and under the dock on skiffs. Divers may also be present intermittently throughout the project. Mariners should transit the area with caution. POC: (832) 926-2215	
Galveston Bay Entrance Channel - Houston Ship Channel/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	Old River - Houston Ship Channel - Dredge Operation--- From: 2025-09-15 To: 2025-10-10 --- The Dredge MBI-05 will be conducting dredging along the north side of Old River. Operations will take place 24-hours a day, 7-days a week. Dredged material will be loaded onto hopper barges and transported to an unloader barge located at Adloy on the Upper San Jacinto River. Additional on-scene vessels will include multiple barges and the T/Vs TOWNES JEFFERY and GRAND ANN. Mariners are urged to transit the area at their slowest safe speed to minimize wake and proceed with caution. VHF-FM Channels: 76 or 78, POC: (228) 224-7395	
Galveston Bay Entrance Channel - Houston Ship Channel/General/Miscellaneous	Miscellaneous	San Jacinto Bay Barge Channel - USI Canal - Aid to Navigation Discontinuation --- Reported: 2025-08-19 --- The private aids to navigation marking the San Jacinto Bay Barge Channel (USI Canal), from San Jacinto Bay Barge Channel Daybeacon 5 (LLNR-25120) to San Jacinto Bay Barge Channel Daybeacon 28 (LLNR-25200) have been discontinued. Vessels should avoid meeting or overtaking throughout the channel and should exercise extreme caution when transiting at night or during reduced visibility. Mariners accustomed to utilizing these private aids when navigating the San Jacinto Bay Barge Channel (USI Canal) should transit the area with caution.	

Galveston Bay Entrance Channel - Houston Ship Channel/General/MSIB	MSIB	U.S. Coast Guard Sector Houston-Galveston MSIB 35-24 --- Aids to Navigation Discrepancy Reporting --- The USCG continues to operate in an environment with a high number of unreported Aids to Navigation (ATON) knockdowns within this Captain of the Port Zone. The underreporting of discrepant ATON directly affects the ability of local USCG Aids to Navigation units to effectively prioritize sections of the Marine Transportation System in a timely manner. This current environment of unreported discrepant ATON continues to increase the risk of groundings, collisions or allisions with potential of serious injuries, environmental damage, and waterway closures. To promote safety, mariners are reminded to utilize all means of visual navigation, to include the use of Electronic Chart Display Information Systems (ECDIS), and to report missing or discrepant ATON. Reports of missing and/or discrepant ATON may be made to the USCG for correction prioritization through any of the following means: VHF-FM Channel: 16, Phone: Sector Houston-Galveston Command Center, (866) 539-8114, or Sector Houston-Galveston Vessel Traffic Service, (281) 464-4837, E-Mail: houstonwvm@uscg.mil, Online: https://www.navcen.uscg.gov/contact/aton-discrepancy-report	Lat: 29° 21' 07" Lon: -094° 46' 45"
Galveston Bay Entrance Channel - Houston Ship Channel/General/MSIB	MSIB	Houston Ship Channel - Channel Dimensions Navigation Advisory (MSIB 02-25) --- The Houston Ship Channel widening project is complete between Houston Ship Channel (HSC) Light 63 (LLNR-24295) through Houston Ship Channel Light 84 (LLNR-24540), approximately South Boaters Cut Channel to Atkinson Island. Recent surveys confirm the channel dimensions have been extended to 700 ft wide by 46 ft deep in the main channel, with additional barge lanes on either side measuring 235 ft wide by 12 ft deep from approximately Houston Ship Channel Entrance Lighted Buoy 18 (LLNR-36055) to Houston Ship Channel Light 84 (LLNR-24540). The aids to navigation along the Houston Ship Channel have been relocated based on the new channel dimensions. Mariners should proceed with caution as they accustom themselves to the new dimensions and note where the old channel dimensions meet the new channel dimensions. The new HSC width (700 ft) tapers into the previous existing channel width (530 ft) near HSC Lights 83/84. To promote safety, mariners are highly encouraged to update electronic charting systems on a regular basis to ensure chart accuracy and visibility of new changes. For additional information, mariners can contact the U.S. Coast Guard Sector Houston-Galveston Waterways Management Department at houstonwvm@uscg.mil .	
Galveston Bay Entrance Channel - Houston Ship Channel/General/MSIB	MSIB	Houston Ship Channel - Morgans Point - VTS USI Canal/San Jacinto Bay Channel Directive --- The USI Canal/San Jacinto Bay Channel has become increasingly trafficked over the last 2 years. For various reasons, many tows attempt to reconfigure between Morgans Point and Exxon to go into or come out of the USI Canal. This practice has resulted in several near miss situations between Morgans Point and the Exxon Terminal in the Houston Ship Channel. In order to fulfill the VTS mission of reducing risk of collision, allision, damage, pollution, and injury, the following Directive is in effect and will be written as policy in documentation updates to the U.S. Coast Guard VTS Houston-Galveston User Guide: • Vessel Traffic Service Houston-Galveston Directs no barge work in the Houston Ship Channel between Morgans Point and Exxon for purposes of going into/out of the USI Canal. •	
Galveston Bay Entrance Channel - Houston Ship Channel/General/Safety Zones/COPT Restrictions	Safety Zones	Houston Ship Channel - Safety Zone --- From: 2025-07-24 To: 2025-10-22 --- The U.S. Coast Guard COTP Houston-Galveston will establish Safety Zones along the north and south shore of the Houston Ship Channel under the Beltway 8 Bridge (Sam Houston Tollway Ship Channel Bridge) for overhead bridge construction. The north shore Safety Zone will be in effect 24-hours a day, 7-days a week, and will encompass a 120 yd radius around position 29-44-13.98N 095-08-46.02W. All vessels are prohibited from entering this zone unless granted permission by the U.S. Coast Guard or a designated representative. Vessel traffic within the Houston Ship Channel will remain open. The Safety Zones only apply to areas on the north and south sides outside the channel under the bridge. Persons or vessels seeking to enter the Safety Zones must request permission from the COTP on VHF-FM Channel 16 or by telephone at (866) 539-8114.	
Galveston Bay Entrance Channel - Houston Ship Channel/General/Safety Zones/COPT Restrictions	Safety Zones	Houston Ship Channel - Safety Zone --- From: 2025-07-24 To: 2025-10-22 --- The U.S. Coast Guard COTP Houston-Galveston will establish Safety Zones along the north and south shore of the Houston Ship Channel under the Beltway 8 Bridge (Sam Houston Tollway Ship Channel Bridge) for overhead bridge construction. The south shore Safety Zone will be in effect 24-hours a day, 7-days a week, and will encompass a 120 yd radius around position 29-44-04.02N 095-08-46.98W. All vessels are prohibited from entering this zone unless granted permission by the U.S. Coast Guard or a designated representative. Vessel traffic within the Houston Ship Channel will remain open. The Safety Zones only apply to areas on the north and south sides outside the channel under the bridge. Persons or vessels seeking to enter the Safety Zones must request permission from the COTP on VHF-FM Channel 16 or by telephone at (866) 539-8114.	

Huey P Long Bridge

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Huey P Long Bridge Approach Buoy 1	14055	OFF STA	FD
Huey P Long Bridge Approach Buoy 1	14055	OFF STA	FD

Inner Harbor Navigation Canal

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Head Of Passes To New Orleans - Inner Harbor Navigation Canal/General/Bridges/Temp Deviation	Bridges	Inner Harbor Navigation Canal - GIWW - Drawbridge Schedule Change and Repairs --- From: 2025-09-26 To: 2025-09-28 --- The Claiborne Avenue Drawbridge across the Inner Harbor Navigation Canal, Mile 0.9 (GIWW, Mile 7.0, EHL), is not operating properly and will undergo repairs. To make the necessary repairs, the drawbridge will have an extended closure and will not open to vessels from 6:30 a.m., September 26, 2025, until 7:00 p.m., September 28, 2025. The drawbridge will return to operating according to 33 CFR 117.458(a) beginning at 7:00 p.m., September 28, 2025. For additional information, mariners should contact LA-DOTD or the bridge tender at (504) 942-8354.	
Head Of Passes To New Orleans - Inner Harbor Navigation Canal/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	Inner Harbor Navigation Canal - GIWW - Lock Closures --- From: 2025-09-26 To: 2025-10-02 --- The Inner Harbor Navigation Canal Lock will be closed to marine traffic, from 7:00 a.m. to 3:30 p.m., on September 26, 2025, and October 1 and 2, 2025. The closure will facilitate dive contractor inspections and repairs to the lock valves. Mariners should avoid the area during the closure. POC: Lockmaster (504) 945-2157	Lat: 29° 57' 55" Lon: -090° 01' 37"

La Quinta Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
La Quinta Channel Light 2	28925	STRUCT DEST/TRLB	FD
La Quinta Channel Light 4	28945	STRUCT DEST/TRLB	FD

La Quinta Channel Light 4	28945	STRUCT DEST/TRLB	FD
La Quinta Channel Light 5	28955	STRUCT DEST/TRLB	FD
La Quinta Channel Light 8	28985	STRUCT DEST/TRLB	FD
Jewel Fulton Channel Daybeacon 1	29005	STRUCT DEST/TRUB	FD
Jewel Fulton Channel Daybeacon 1	29005	STRUCT DEST/TRUB	FD
Jewel Fulton Channel Daybeacon 3	29010	STRUCT DEST/TRUB	FD
Jewel Fulton Channel Daybeacon 3	29010	STRUCT DEST/TRUB	FD
La Quinta Channel Daybeacon 13	29060	STRUCT DEST/TRUB	FD
La Quinta Channel Daybeacon 13	29060	BUOY DMGD	FD
La Quinta Channel Daybeacon 13	29060	STRUCT DEST/TRUB	FD
La Quinta Channel Light 17	29080	STRUCT DEST/TRLB	FD
La Quinta Channel Light 17	29080	STRUCT DEST/TRLB	FD
LA QUINTA CHANNEL LIGHT 23	29101.03	STRUCT DEST/TRLB	FD
LA QUINTA CHANNEL LIGHT 23	29101.03	STRUCT DEST/TRLB	FD
LA QUINTA CHANNEL LIGHT 28	29101.18	LT EXT	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Corpus Christi Channel - La Quinta Channel/General/Miscellaneous	Miscellaneous	La Quinta Channel - Transit Instructions --- From: 2025-07-23 To: 2025-12-31 --- Kiewit Offshore Services is requesting a slow bell in the La Quinta Channel between La Quinta Channel Light 12 (LLNR-29055) and La Quinta Channel Light 14 (LLNR-29065). Mariners are requested to transit the area at their slowest safe speed to minimize wake and proceed with caution.	

Laguna Madre Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Laguna Madre Channel Light 10	29570	STRUCT DEST/TRLB	FD
Laguna Madre Channel Light 10	29570	STRUCT DEST/TRLB	FD
Laguna Madre Channel Light 21	29585	STRUCT DMGD/TRLB	FD
Laguna Madre Channel Light 21	29585	STRUCT DMGD/TRLB	FD
Laguna Madre Channel Light 26	29595	STRUCT DEST/TRLB	FD
Laguna Madre Channel Light 26	29595	STRUCT DEST/TRLB	FD
Laguna Madre Channel Light 27	29600	STRUCT DEST/TRLB	FD
Laguna Madre Channel Light 27	29600	STRUCT DEST/TRLB	FD
Laguna Madre Channel Light 28	29605	STRUCT DEST/TRLB	FD
Laguna Madre Channel Light 28	29605	STRUCT DEST/TRLB	FD
LAGUNA MADRE CHANNEL LIGHT 29	29606	STRUCT DEST/TRLB	FD
LAGUNA MADRE CHANNEL LIGHT 29	29606	STRUCT DEST/TRLB	FD

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Laguna Madre Channel Light 9	29565	TRLB	FD
Laguna Madre Channel Light 10	29570	DISCONTINUED FOR DREDGING	FD
Laguna Madre Channel Light 22	29590	TRLB	FD
Laguna Madre Channel Light 28	29605	DISCONTINUED FOR DREDGING	FD
LAGUNA MADRE CHANNEL LIGHT 29	29606	DISCONTINUED FOR DREDGING	FD

Temporary Changes Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Laguna Madre Channel Light 9	29565	Reestablished	FD	2025-09-17
Laguna Madre Channel Light 21	29585	Reestablished	FD	2025-09-17
Laguna Madre Channel Light 22	29590	Reestablished	FD	2025-09-17

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Brazos Santiago Pass - Laguna Madre Channel/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	Brownsville Channel - Laguna Madre Channel - Submerged Pipeline --- From: 2025-06-03 To: Until Further Notice --- A portion of submerged pipeline has been laid in shallow water on the green side of the channel, between Laguna Madre Channel Light 15 (LLNR-29575) and Laguna Madre Channel Light 21 (LLNR-29585). The pipeline is marked with Danger Buoys. Vessels with a draft more than 2 ft should not cross or transit near the pipe. Mariners are urged to transit the area with caution.	
Brazos Santiago Pass - Laguna Madre Channel/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	Laguna Madre - Bridge/Pier Demolition --- From: 2025-07-28 To: 2026-05-24 --- Demolition of the Old Queen Isabella Causeway/Queen Isabella Fishing Pier will be conducted in Laguna Madre. Demolition will be done in stages. Sections of the bridge will be removed, loaded onto a barge, and transported to the reef site approximately 10 miles northeast of the Brazos Santiago Entrance Channel. On-scene vessels will include a towing vessel, a material barge and a crane barge. Passing arrangements should be coordinated 1-hour in advance. Mariners are requested to transit the area at their slowest safe speed to minimize wake and proceed with caution. VHF-FM Channels: 13 and 72, POC: (281) 630-7164 or (504) 208-8379	

Lake Arthur

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Lake Arthur A Range Front Light	21080	LT EXT	FD
Lake Arthur A Range Front Light	21080	LT EXT	FD
Lake Arthur A Range Rear Light	21085	LT EXT	FD
Lake Arthur A Range Rear Light	21085	LT EXT	FD
Lake Arthur B Range Rear Light	21095	LT EXT	FD
Lake Arthur B Range Rear Light	21095	LT EXT	FD

Lake Grande Ecaille

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Lake Grand Ecaille Light A	16030	LT EXT	PA
Lake Grand Ecaille Light B	16035	LT EXT	PA
Lake Grand Ecaille Light 1	16040	LT EXT	PA
Lake Grand Ecaille Pipeline Light	16045	LT EXT	PA

Lakes Pontchartrain And Maurepas

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Corinthian Race Course Buoy Delta	null	SINKING	PA
Bonnabel Boat Ramp Channel Daybeacon 1	null	DAYMK MISSING	PA
Pontchartrain Y Club Racing	null	HAZ NAV/BUOY DMGD	PA
Gulf South Pipeline Light L1	11520	STRUCT DEST/LT EXT	PA
Gulf South Pipeline Light M1	11530	LT EXT	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
The Rigolets - Lakes Pontchartrain And Maurepas/General/Hazards To Navigation/Wrecks	Hazards To Navigation	Lake Pontchartrain - Partially Capsized Sailing Vessel --- Reported: 2025-09-22 --- The white hull S/V BRUTE FORCE has been reported derelict and partially capsized along the southeast shore of Lake Pontchartrain, in approximate position 30-03-39N 089-59-00W. The S/V is reportedly not marked. Mariners are urged to transit the area with extreme caution.	Lat: 30° 03' 39" Lon: -089° 58' 60"

Land Cut

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Land Cut Daybeacon 3	41380	STRUCT DEST/TRUB	FD
Land Cut Daybeacon 3	41380	STRUCT DEST/TRUB	FD
Land Cut Light 22	41475	STRUCT DEST/TRLB	FD
Land Cut Light 22	41475	STRUCT DEST/TRLB	FD

Land Cut-Arroyo Colorado

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Land Cut-Arroyo Colorado Daybeacon 23	41480.01	STRUCT DEST/TRUB	FD
Land Cut-Arroyo Colorado Daybeacon 23	41480.01	STRUCT DEST/TRUB	FD
Land Cut-Arroyo Colorado Daybeacon 27	41500.01	STRUCT DEST/TRUB	FD
Land Cut-Arroyo Colorado Daybeacon 27	41500.01	STRUCT DEST/TRUB	FD
Land Cut-Arroyo Colorado Daybeacon 30	41525	STRUCT DEST/TRUB	FD
Land Cut-Arroyo Colorado Daybeacon 30	41525	STRUCT DEST/TRUB	FD
Land Cut-Arroyo Colorado Light 32	41550	STRUCT DEST/TRLB	FD
Land Cut-Arroyo Colorado Light 32	41550	STRUCT DEST/TRLB	FD
Land Cut-Arroyo Colorado Daybeacon 33	41555.01	STRUCT DEST/TRUB	FD
Land Cut-Arroyo Colorado Daybeacon 33	41555.01	OFF STATION	FD
Land Cut-Arroyo Colorado Daybeacon 33	41555.01	STRUCT DEST/TRUB	FD
Land Cut-Arroyo Colorado Daybeacon 45	41635.01	STRUCT DEST/TRUB	FD
Land Cut-Arroyo Colorado Daybeacon 45	41635.01	STRUCT DEST/TRUB	FD
Land Cut-Arroyo Colorado Daybeacon 53	41670.01	STRUCT DEST/TRUB	FD

Land Cut-Arroyo Colorado Daybeacon 55	41725.01	STRUCT DEST/TRUB	FD
Land Cut-Arroyo Colorado Daybeacon 55	41725.01	STRUCT DEST/TRUB	FD
Land Cut-Arroyo Colorado Daybeacon 57	41740.01	STRUCT DEST/TRUB	FD
Land Cut-Arroyo Colorado Daybeacon 63	41795.01	STRUCT DEST/TRUB	FD
Land Cut-Arroyo Colorado Daybeacon 63	41795.01	STRUCT DEST/TRUB	FD
Land Cut-Arroyo Colorado Daybeacon 69	41830.01	STRUCT DEST/TRUB	FD
Land Cut-Arroyo Colorado Daybeacon 69	41830.01	STRUCT DEST/TRUB	FD
Land Cut-Arroyo Colorado Daybeacon 70	41845	STRUCT DEST/TRUB	FD
Land Cut-Arroyo Colorado Daybeacon 70	41845	STRUCT DEST/TRUB	FD
Land Cut-Arroyo Colorado Daybeacon 71	41850.01	STRUCT DEST/TRUB	FD
Land Cut-Arroyo Colorado Daybeacon 73	41875.01	STRUCT DEST/TRUB	FD
Land Cut-Arroyo Colorado Daybeacon 73	41875.01	STRUCT DEST/TRUB	FD
Land Cut-Arroyo Colorado Daybeacon 74	41890	STRUCT DEST/TRUB	FD
Land Cut-Arroyo Colorado Daybeacon 74	41890	STRUCT DEST/TRUB	FD
Land Cut-Arroyo Colorado Daybeacon 77	41895.01	STRUCT DEST/TRUB	FD
Land Cut-Arroyo Colorado Daybeacon 77	41895.01	STRUCT DEST/TRUB	FD
Land Cut-Arroyo Colorado Daybeacon 80	41910	STRUCT DEST/TRUB	FD
Land Cut-Arroyo Colorado Daybeacon 80	41910	STRUCT DEST/TRUB	FD
Land Cut-Arroyo Colorado Daybeacon 81	41915.01	STRUCT DEST/TRUB	FD
Land Cut-Arroyo Colorado Daybeacon 84	41930	STRUCT DEST/TRUB	FD
Land Cut-Arroyo Colorado Daybeacon 84	41930	STRUCT DEST/TRUB	FD
Land Cut-Arroyo Colorado Daybeacon 85	41935.01	STRUCT DEST/TRUB	FD
Land Cut-Arroyo Colorado Daybeacon 85	41935.01	STRUCT DEST/TRUB	FD
Land Cut-Arroyo Colorado Light 88	41950	STRUCT DEST/TRLB	FD
Land Cut-Arroyo Colorado Light 88	41950	STRUCT DEST/TRLB	FD
Land Cut-Arroyo Colorado Daybeacon 89	41955.01	STRUCT DEST/TRUB	FD
Land Cut-Arroyo Colorado Daybeacon 89	41955.01	STRUCT DEST/TRUB	FD
Land Cut-Arroyo Colorado Daybeacon 97	42000.01	STRUCT DEST/TRUB	FD
Land Cut-Arroyo Colorado Daybeacon 97	42000.01	STRUCT DEST/TRUB	FD
Land Cut-Arroyo Colorado Daybeacon 112	42070	STRUCT DEST/TRUB	FD
Land Cut-Arroyo Colorado Daybeacon 112	42070	STRUCT DEST/TRUB	FD
LAND CUT-ARROYO COLORADO LIGHT 115	42085	STRUCT DEST/TRLB	FD
LAND CUT-ARROYO COLORADO LIGHT 115	42085	STRUCT DEST/TRLB	FD
Land Cut-Arroyo Colorado Light 120	42110	STRUCT DEST/TRLB	FD
Land Cut-Arroyo Colorado Light 120	42110	STRUCT DEST/TRLB	FD
Land Cut-Arroyo Colorado Daybeacon 121	42115.01	STRUCT DEST/TRUB	FD
Land Cut-Arroyo Colorado Daybeacon 121	42115.01	STRUCT DEST/TRUB	FD
Land Cut-Arroyo Colorado Daybeacon 122	42130	STRUCT DEST/TRUB	FD
Land Cut-Arroyo Colorado Daybeacon 122	42130	STRUCT DEST/TRUB	FD
Land Cut-Arroyo Colorado Daybeacon 125	42135.01	STRUCT DEST/TRUB	FD
Land Cut-Arroyo Colorado Daybeacon 125	42135.01	STRUCT DEST/TRUB	FD
Land Cut-Arroyo Colorado Light 127	42145	STRUCT DEST/TRLB	FD
Land Cut-Arroyo Colorado Light 127	42145	STRUCT DEST/TRLB	FD
Land Cut-Arroyo Colorado Daybeacon 126	42150	STRUCT DEST/TRUB	FD
Land Cut-Arroyo Colorado Daybeacon 126	42150	STRUCT DEST/TRUB	FD
Land Cut-Arroyo Colorado Daybeacon 129	42155.01	STRUCT DEST/TRUB	FD
Land Cut-Arroyo Colorado Daybeacon 129	42155.01	STRUCT DEST/TRUB	FD
Land Cut-Arroyo Colorado Daybeacon 131	42165	STRUCT DEST/TRUB	FD
Land Cut-Arroyo Colorado Daybeacon 131	42165	STRUCT DEST/TRUB	FD
Land Cut-Arroyo Colorado Daybeacon 132	42170	STRUCT DEST/TRUB	FD
Land Cut-Arroyo Colorado Daybeacon 132	42170	STRUCT DEST/TRUB	FD

Little Lake

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Little Lake Daybeacon 9	10490	STRUCT DEST/TRUB	FD

Little Wax Bayou

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Little Wax Bayou Light 2	35200	STRUCT DEST/TRLB	FD

Long Point

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Long Point Light 2	31005	STRUCT DEST/TRLB	FD

Lower Mississippi River

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
New Orleans To Baton Rouge - Lower Mississippi River/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	Mississippi River, Mile 264.0, AHOP - Dredge Operation --- From: 2025-08-11 To: 2025-09-30 --- Dredging will be conducted along the RDB, near Mile 264.0, AHOP. Work will take place 24-hours a day, 7-days a week. On-scene vessels will include the Dredge HENRY A., the T/V ALTON J., and the T/V MELANIE V. Mariners are urged to transit at their slowest safe speed to minimize wake and proceed with caution. VHF-FM Channels: 8 and 13, POC: (985) 703-2246	
New Orleans To Baton Rouge - Lower Mississippi River/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	Mississippi River - Old River Control Structure Water Release --- On: 2025-09-24 --- Between the hours of 7:00 a.m. and 5:00 p.m., the U.S. Army Corps of Engineers will significantly increase the diversion of water through the Old River Control Structures. This diversion will increase the draw through the Old River Control Structures between Mile 311.0 and Mile 315.0, AHOP. These effects will occur between 8:00 a.m. and 6:00 p.m. Mariners should exercise extreme caution when navigating through this area during the above-mentioned time-period. POC: (225) 492-2169	
New Orleans To Baton Rouge - Lower Mississippi River/General/MSIB	MSIB	Low Water Safety Advisory: Mile 167.0 To Mile 303.0, AHOP (12 ft and Falling) -- As a result of the Baton Rouge gauge expected to read 12 ft and continue to fall, the U.S. Coast Guard COTP New Orleans has issued a low water safety advisory for all waters of the Lower Mississippi River (LMR) from Mile 167.0 to Mile 303.0, AHOP. This safety advisory is effective immediately with the following provisions, in accordance with the Waterways Action Plan Baton Rouge Annex: • LMR Miles 167.0 - 303.0: (1) Commercial vessel operators shall be aware of falling river-level conditions and monitor Coast Guard safety broadcasts announcing known navigation hazards. (2) Tow sizes and vessel drafts from cargo loading should be adjusted as necessary to meet decreasing channel depths. (3) Pilots and Masters of oceangoing vessels should review facility docking procedures prior to arrival in port. (4) All vessels should transit within the charted navigational channel, to the greatest extent possible. (5) All vessels should consider staffing vessels with their most experienced crews. (6) Missing aids to navigation should be reported to the U.S. Coast Guard Sector New Orleans Command Center at (504) 365-2209. • 81 Mile Point, LMR Miles 177.0 - 179.0: (1) In accordance with 33 CFR 161.65(e), all vessels moving or intending to move in the 81 Mile Point VTS Special area shall comply with the reporting requirements detailed in the VTS LMR User Manual or in 33 CFR 161.65 by contacting "New Orleans Traffic" on VHF-FM Channel 05A. (2) Mariners are advised of the increased possibility of shoaling in this area and should use extreme caution while transiting. • College Town Light, LMR Miles 225.0 - 228.3: (1) All towing vessels are advised to keep flat on the bank and provide a wide berth to deep-draft vessel traffic.	Lat: 30° 58' 38" Lon: -091° 39' 49"

Lower Old River

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Lower Mississippi River - Lower Old River/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	Lower Old River - Old River Lock --- From: 2025-09-24 To: Until Further Notice --- Draft restrictions may be implemented in the Old River Lock Forebay due to low Mississippi River stages. The U.S. Army Corps of Engineers will monitor the Mississippi River stages and issue subsequent navigation bulletins if draft restrictions are required. Mariners should exercise extreme caution when navigating through the Old River Lock Forebay during the above-mentioned time period. For up-to-date information, the Lockmaster can be reached at (225) 492-3333.	Lat: 31° 00' 08" Lon: -091° 40' 19"
Lower Mississippi River - Lower Old River/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	Mississippi River, Mile 304.0 - Old River - Old River Lock - Dredging --- From: 2025-09-24 To: Until Further Notice --- The Dredge ROBERT M WHITE will be working in the Old River Lock Forebay. Mariners will be subject to intermittent delays to navigation (up to 12 hours) during the dredging operation. The U.S. Government will temporarily halt dredging operations at 7:00 a.m. and 7:00 p.m., daily, to clear traffic at the lock. Once the vessel queue has been cleared, dredging will immediately resume and continue at all other hours of the day. Dredged material will be deposited into deep water in the Mississippi River via a floating pipeline. Numerous work and support vessels associated with the operation will be on-site. Mariners should contact the dredge on VHF-FM Channels 13 and 16, and the Old River Lock on VHF-FM Channel 14, when approaching the Old River Lock Forebay area. Vessels are urged to transit the project area at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. POC: Lockmaster (225) 492-3333	Lat: 31° 00' 09" Lon: -091° 40' 19"
Lower Mississippi River - Lower Old River/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	Lower Old River - Atchafalaya River - Old River Control Structure Water Release --- On: 2025-09-24 --- Between the hours of 7:00 a.m. and 5:00 p.m., the U.S. Army Corps of Engineers will significantly increase the diversion of water through the Old River Control Structures. This diversion will increase the stage and velocity on the Atchafalaya River in the vicinity of Simmesport, Louisiana (and to lesser amounts downstream and upstream). These effects will occur between 8:00 a.m. and 6:00 p.m. Mariners should exercise extreme caution when navigating through these areas during the above-mentioned time-period. POC: (225) 492-2169	

Marianne Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Marianne Channel Buoy 10	34430	OFF STATION	FD

Matagorda Bay

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Matagorda Bay Daybeacon 34	37555	STRUCT DEST/TRUB	FD
Matagorda Bay Light 40	37580	STRUCT DEST/TRLB	FD

Matagorda Bay Daybeacon 42	37585	STRUCT DEST/TRUB	FD
Matagorda Bay Light 44	37595	STRUCT DEST/TRLB	FD

Matagorda Ship Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Matagorda Ship Channel Lighted Buoy 1	27135	OFF STATION	FD
Matagorda Ship Channel Lighted Buoy 2	27140	OFF STATION	FD
Matagorda Ship Channel Light 20	27210	STRUCT DEST/TRLB	FD
Matagorda Ship Channel G Range Front Light	27570	STRUCT DEST/REDUCED INT/TRLB	FD
Matagorda Ship Channel G Range Front Light	27570	STRUCT DEST/REDUCED INT/TRLB	FD

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Matagorda Ship Channel B Range Front Light	27170	RELIGHTED	FD	2025-09-20

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Espiritu Santo Bay - Barroom Bay Navigation Daybeacon 22	28035	STRUCT DEST	PA
Espiritu Santo Bay - Barroom Bay Navigation Daybeacon 39	28085	STRUCT DEST	PA
Espiritu Santo Bay - Barroom Bay Navigation Daybeacon 42	28100	STRUCT DEST	PA
Espiritu Santo Bay - Barroom Bay Navigation Daybeacon 43	28105	STRUCT DEST	PA
Espiritu Santo Bay - Barroom Bay Navigation Daybeacon 44	28110	STRUCT DEST	PA
Espiritu Santo Bay - Barroom Bay Navigation Daybeacon 45	28115	STRUCT DEST	PA
Espiritu Santo Bay - Barroom Bay Navigation Daybeacon 46	28120	STRUCT DEST	PA
Espiritu Santo Bay - Barroom Bay Navigation Daybeacon 47	28125	STRUCT DEST	PA
Espiritu Santo Bay - Barroom Bay Navigation Daybeacon 48	28130	STRUCT DEST	PA
Espiritu Santo Bay - Barroom Bay Navigation Daybeacon 40	28090	STRUCT DMGD	PA

Mermentau Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Mermentau Channel East Jetty Light 6	20715	DAYMK MISSING/STRUCT DMGD	FD
Mermentau Channel East Jetty Light 6	20715	DAYMK MISSING/STRUCT DMGD	FD
Mermentau Channel West Jetty Light 7	20720	DAYMK MISSING/STRUCT DMGD	FD
Mermentau Channel West Jetty Light 7	20720	DAYMK MISSING/STRUCT DMGD	FD

Mermentau River Crossing

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Mermentau River Crossing Light 2	20954	STRUCT DEST	FD
Mermentau River Crossing Junction Buoy M	20975	MISSING	FD

Mississippi River Gulf Outlet

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Mississippi River - Gulf Outlet Pipeline Light 28 (C-2)	11710	STRUCT DEST/HAZ NAV	PA

Mobile Bar

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Mobile Bar Lighted Buoy 5	6120	LT EXT	FD
Mobile Bar Lighted Buoy 7	6130	LT EXT	FD
Mobile Bar Lighted Buoy 19	6230	MISSING	FD

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Mobile Bar Lighted Buoy 9	6140	RELOCATED FOR DREDGING	FD
Mobile Bar Lighted Buoy 10	6145	DISCONTINUED FOR DREDGING	FD

Mobile Bar Lighted Buoy 13	6160	RELOCATED FOR DREDGING	FD
Mobile Bar Lighted Buoy 14	6165	DISCONTINUED FOR DREDGING	FD
Mobile Bar Lighted Buoy 15	6170	RELOCATED FOR DREDGING	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Mobile Bay - Mobile Bar/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	Mobile Bar Channel - Dredge Operation --- From: 2025-04-04 To: 2025-10-19 --- The Dredges TEXAS will be working in the Mobile Bar Channel, 24-hours a day, 7-days a week. Dredged material will be pumped to an Offshore Dredge Material Disposal Site via a combination of floating and submerged pipelines. Submerged lines leading to the placement sites will be marked and should be avoided. Dredging demobilization will take place from approximately September 10, 2025 to October 19, 2025. Various vessels and equipment will remain in the area throughout demobilization. Mariners are urged to exercise extreme caution when transiting the area. VHF-FM Channels: 13 and 16, POC: (630) 247-6207	

Mobile Bay

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Mobile Channel A Range Rear Light	6090	LT EXT	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Upper Bay Barge Fishing Reef Daybeacons (5)	7040	STRUCT DEST	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Mobile Bar - Mobile Bay/General/Bridges/Construction	Bridges	Mobile Bay - Tensaw River - Spanish River - Bridge Construction --- From: 2025-01-29 To: 2027-02-15 --- Construction of the new eastbound SR-16 (HWY 98) bridge near the mouth of the Tensaw/Spanish River is in progress in Mobile Bay. Work will include pile driving, seawall installation, beam setting, false work support piling and westbound bridge demolition. Operations will take place from 6:00 a.m. to 6:00 p.m., Monday through Saturday. On-scene vessels will include the T/Vs MISS ALLI, MISS HALEY and KEITH JACOBSON, the Spud Barges KS561 and MCC1507, two crew boats, four deck barges, and a ringer barge. Mariners are requested to transit the area with caution and at their slowest safe speed to minimize wake. VHF-FM Channel: 16, POC: (334) 704-3314	Lat: 30° 41' 01" Lon: -088° 00' 31"
Mobile Bar - Mobile Bay/General/Marine Construction (Excluding Bridges)/Boring and Core Samples	Marine Construction (Excluding Bridges)	Mobile Bay - Soil Boring Operation --- From: 2025-06-02 To: 2026-02-02 --- Geotechnical drilling and sampling operations will take place from 6:00 a.m. to 6:00 p.m., daily, along the I-10 bridge crossing Upper Mobile Bay. Six drilling rig barges will be working within the project area. Vessels are requested to transit the worksite at their slowest safe speed to minimize wake and coordinate passing arrangements in advance. VHF-FM Channel: 16 and 74, POC: (636) 697-6906	

Mobile Channel

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Mobile Channel Light 57	6555	REBUILT/REMAINS	FD	2025-09-22
Mobile Channel Light 63	6575	REBUILT/REMAINS	FD	2025-09-22
Mobile Channel Lighted Buoy 67	6595	RELIGHTED	FD	2025-09-23

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Hollingers Island Fishing Reef Daybeacons (5)	7445	STRUCT DEST	PA

Mobile River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Chickasaw Creek Junction Buoy C	6715	TRUB	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Mobile Channel - Mobile River/General/Bridges/Public Notice	Bridges	Mobile River - Interstate 10 (I-10) Highway Bridge Public Notice --- The Alabama Department of Transportation has proposed to build a new fixed bridge across the Mobile River. The proposed bridge would have a vertical clearance of 215 ft and a horizontal clearance of 846.75 ft. The Coast Guard published a Public Notice on this project at the Coast Guard Navigation Center website. Comments will be received through September 30, 2025. The Public Notice can be found at: https://www.navcen.uscg.gov/public-notice-for-bridges-active	Lat: 30° 41' 10" Lon: -088° 00' 20"
Mobile Channel - Mobile River/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	Mobile River - Three Mile Creek Turning Basin - Shoaling/Draft Restrictions --- Reported: 2025-07-10 --- Soundings conducted by the USACE Mobile District indicated areas of reduced depth in the Mobile River Channel. Dredging of the Upper River (above the Grain Elevator) is largely complete, except for portions of the eastern section of the Three Mile Creek Turning Basin. The 37 ft draft restriction has been lifted with the following exception: Vessels with a draft exceeding 37 ft that require access to the eastern portion of the turning basin for mooring or turning will remain subject to the restriction. Vessels exceeding a draft of 37 ft and intending to transit this area should contact the Harbor Master/Alabama Port Authority Office in advance. Vessels approaching berths on the west side of the river are authorized to use up to the full project depth of 40 ft.	

Mobile Channel - Mobile River/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	Mobile River - Marine Construction --- From: 2025-05-27 To: 2025-10-01 --- Test piles will be installed on the east and west sides of the river in approximate positions 30-41-08N 088-02-15W and 30-41-16N 088-02-03W. After the piles have been installed, test frames with jacks and load cells will be placed on the piles for load capacity tests. Operations will take place from 7:00 a.m. to 5:00 p.m., Monday through Saturday. On-scene vessels will include multiple barges, two towing vessels, a crew boat, a crane barge, and work boats. At times, the crane barge may moor perpendicular to the Mobile River and partially extend into the western portion of the channel. Mariners are urged to transit the area at their slowest safe speed to minimize wake and coordinate passing arrangements with the project vessels in advance. VHF-FM Channels 13, 16 and 74, POC: (407) 840-6668, (206) 641-5031 or (206) 743-1929	
Mobile Channel - Mobile River/General/Miscellaneous	Miscellaneous	Mobile River - Twelve Mile Island - Private Aid to Navigation Established --- On: 2025-02-21 --- Four danger marker lights with a flashing white light at night have been established along the LDB of the Mobile River near the Twelve Mile Island split.	

Morgan City To Port Allen

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Conrad Drydock Lights	19180	STRUCT DEST/LT EXT	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Atchafalaya River - Morgan City To Port Allen/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	Morgan City to Port Allen Alternate Route - Atchafalaya River - Shoaling --- Reported: 2025-08-06 --- Shoaling has been reported between Mile 1.0 and 2.0 of the Morgan City to Port Allen Alternate Route, near Conrad Shipyard. Mariners are urged to transit the area with extreme caution and report and waterway concerns to the U.S. Coast Guard VTS Berwick Bay via VHF-FM Channel 11.	
Atchafalaya River - Morgan City To Port Allen/General/Marine Construction (Excluding Bridges)/Boring and Core Samples	Marine Construction (Excluding Bridges)	GIWW - Atchafalaya River - Berwick Bay Harbor - Dredge Operation --- From: 2025-08-11 To: 2025-10-31 --- The Dredge ROBERT WHITE will be working in Berwick Bay Harbor, 20 Grand Point, Tidewater Point, Morgan City Dock East, Berwick Lock Forebay and other Morgan City Areas, from approximately Mile 120.0 to Mile 121.5 of the Atchafalaya River. Operations will be conducted 24-hours a day, 7-days a week. Dredged material will be deposited in deep water of the Atchafalaya River or in the sand pit on the east side of Berwick Harbor. Numerous work and support vessels associated with the dredge operation will be on-scene. Mariners are urged to transit at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. VHF-FM Channels: 13 and 16, POC: USACE (504) 862-2360 and (504) 862-2153	

Morgan City-Port Allen Alternate Route

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Conrad Drydock Light	35160	STRUCT DEST/LT EXT	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Morgan City To Port Allen - Morgan City-Port Allen Alternate Route/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	Morgan City-Port Allen Alternate Route - GIWW - Bayou Sorrel Lock - Lock Closure and Repairs --- From: 2025-07-21 To: 2025-09-30 --- The Bayou Sorrel Lock will be closed to navigation from 6:30 a.m. until 6:00 p.m., Monday through Thursday, each day, to perform necessary guidewall repairs. Passage for vessels will be allowed during all other times and queues will be managed by lock personnel to achieve the most efficient possible reduction of queues. POC: Lockmaster (225) 659-2581, USACE (504) 862-2360 or (504) 862-2153	

Neches River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Neches River Light 7	23305	STRUCT DMGD	FD

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Neches River Light 10	23320	REBUILT/REMAINS	FD	2025-09-18
Neches River Light 14	23345	REBUILT/REMAINS	FD	2025-09-18
Neches River Light 14	23345	REBUILT/REMAINS	FD	2025-09-18
Neches River Light 20	23355	REBUILT/REMAINS	FD	2025-09-18
NECHES RIVER LIGHT 40A	23455	REBUILT/REMAINS	FD	2025-09-18

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Entergy Powerline Barrier Lighted Buoy 2	23545	LT EXT	PA

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Neches River Light 7	23305	DISCONTINUED FOR DREDGING	FD
Neches River Buoy 9	23310	DISCONTINUED FOR DREDGING	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION

Sabine-Neches Canal - Neches River/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	Neches River - Neches River Saltwater Barrier Closure --- From: 2025-08-19 To: 2025-12-08 --- The Lower Neches Valley Authority will be recoating the sector gates at the Neches River Saltwater Barrier. During this time, the boat pass will be closed and dewatered, preventing all passage. Stop log barriers will be in place prior to the dewatering and removal of the sector gates. Additional orange floating boom with flashing lights will mark the construction area for navigational safety. These barriers will remain in place throughout the project. Mariners are urged to utilize an alternate route and plan accordingly.	Lat: 30° 09' 16" Lon: -094° 06' 55"
---	---	--	--

New Orleans Harbor

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Governor Nicholls Harbor Traffic Control Light 94	13855	LT EXT	FD
Governor Nicholls Harbor Traffic Control Light 94	13855	LT EXT	FD
Gretna Harbor Traffic Control Light 97	13880	LT EXT	FD
Gretna Harbor Traffic Control Light 97	13880	LT EXT	FD

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Governor Nicholls Harbor Traffic Control Light 94	13855	DISCONTINUED	FD
Gretna Harbor Traffic Control Light 97	13880	DISCONTINUED	FD
Westwego Traffic Light	13950	DISCONTINUED	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Head Of Passes To New Orleans - New Orleans Harbor/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	Mississippi River - Dredging --- From: 2025-09-22 To: 2025-10-06 --- The Dredge BELLA ROSE will be conducting dredging at Mile 102.6, RDB, AHOP. Work will take place 24-hours a day, 7-days a week. Mariners are requested to transit the area with caution. VHF-FM Channels: 67 and 71, POC: (504) 225-2036 or (504) 858-2925	
Head Of Passes To New Orleans - New Orleans Harbor/General/MSIB	MSIB	Mississippi River - VTS Operating Conditions --- From: 2025-09-11 To: Until Further Notice --- Due to the low water conditions on the Lower Mississippi River (LMR), the U.S. Coast Guard VTS LMR is requesting vessels transit at their slowest safe speed in the vicinity of the Harvey Locks, between Miles 98.0 to 99.0, AHOP.	

New Orleans Port Arthur

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Bayou Perot Entrance Crossing Daybeacon 4	34970	REBUILT/REMAINS	FD	2025-09-18

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Ivanhoe Canal Rip-Rap Obstruction Lights (2)	35240	LT EXT	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
New Orleans Port Arthur/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2025-09-12 To: 2025-09-25 Location: 29.82549° N / 92.00211° W Aid Name: WA34-2024-00763 (LLOX) LLNR: Not Provided Action: ESTABLISH Platform: WA34-2024-00763 (LLOX), QW USACE Permit: MVN-2024-00763-WAD	Lat: 29° 49' 32" Lon: -092° 00' 08"
New Orleans Port Arthur/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	GIWW, Mile 99.0, WHL - Shoaling --- Reported: 2025-07-31 --- Shoaling has been reported approximately 100 ft off the north bank of the GIWW, near Mile 99.0, WHL. Mariners are urged to transit the area with caution.	
New Orleans Port Arthur/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	GIWW - Shoaling --- Reported: 2025-06-11 --- Extensive shoaling has been reported in the vicinity of 20 Grand/Tidewater Point in the GIWW, near Mile 95.5, in approximate position 29-41-16.80N 091-12-34.14W. The shoaling is protruding from the north and south bank approximately 150 ft. All loaded tows greater than 600 ft shall use an assist vessel when turning in or out of 20 Grand/Tidewater Point. Mariners are reminded to report any concerns to VTS-Berwick Bay on VHF-FM Channel 11 and should transit this area with extreme caution. Surveys of the area can be found at the following: https://www.mvn.usace.army.mil/Missions/Navigation/Channel-Surveys/	
New Orleans Port Arthur/General/Hazards To Navigation/Obstructions	Hazards To Navigation	GIWW - Submerged Obstruction --- Reported: 2025-09-10 --- A submerged obstruction has been reported in the vicinity of GIWW, Mile 177.2, WHL, on September 10, 2025. After recent visual searches, the U.S. Coast Guard has been unable to locate the submerged obstruction. Mariners are urged to use extreme caution in this area and report any sightings or findings to the nearest U.S. Coast Guard unit.	
New Orleans Port Arthur/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	Atchafalaya River - Avoca Island Cutoff - Bayou Chene - Bayou Boeuf - Bayou Black - Dredge Operation --- From: 2024-12-09 To: 2025-12-31 --- The Dredge MIKE HOOKS and attendant plant will conduct dredging and disposal operations in the area, 24-hours a day, 7-days a week. Floating and submerged line will be in the project area connecting and leading to multiple disposal sites. All vessels requiring the majority of the channel to navigate safely should contact the dredge 1-hour in advance. VHF-FM Channels: 13 and 16, POC: (337) 485-5121 or (337) 909-9041	
New Orleans Port Arthur/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	GIWW, Mile 93.0, WHL - Bayou Boeuf Lock - Lock Closure --- From: 2025-07-14 To: 2025-10-03 --- The Bayou Boeuf Lock will be closed to navigation from 6:30 a.m. to 6:00 p.m., Monday through Friday, for repairs to the guide walls. The alternate route using the Atchafalaya River and Bayou Chene are available to bypass the lock. For updates regarding the lock closure, mariners can contact the Lock on VHF-FM Channel 14 or the Lockmaster at (985) 384-7626.	Lat: 29° 40' 59" Lon: -091° 10' 27"

New Orleans Port Arthur/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	GIWW, Mile 86.5 to 87.3, WHL - Bayou Boeuf - Dredging Operation --- From 2025-05-10 To: 2025-09-30 --- Dredge operations will take place within the Port of Morgan City, Bollinger Shipyard Drydock Slips, along the Bayou Boeuf Channel and GIWW. Work will take place 24-hours a day, 7-days a week. Submerged pipeline will be in the area on the north bank of the GIWW. Floating dredge pipeline will be located within the general dredge work area near the docks. On-scene vessels will include the Dredge CLEDUS, barges, tugboats, and crew boats. Mariners are urged to use extreme caution in the area, transit at their slowest safe speed to minimize wake, and coordinate passing arrangements in advance. VHF-FM Channels: 16, 67 and 78, POC: (985) 960-2730	
---	--	---	--

New Orleans To Baton Rouge

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Mississippi River Wreck Lighted Buoy WR4	14160	LT EXT	FD
Mississippi River Wreck Lighted Buoy WR4	14160	LT EXT	FD
Davis Crevasse Range Front Light	14190	STRUCT DEST	FD
Davis Crevasse Range Front Light	14190	STRUCT DEST	FD
Davis Crevasse Range Rear Light	14195	LT EXT	FD
Davis Crevasse Range Rear Light	14195	LT EXT	FD
Hale Boggs Luling Bridge Approach Buoy C	14250	OFF STA	FD
Hale Boggs Luling Bridge Approach Buoy C	14250	OFF STA	FD
26 Mile Point Light 122	14255	VEGETATION	FD
Fashion Light 123	14260	LT EXT	FD
Fashion Light 123	14260	LT EXT	FD
Woodland Light 134	14400	REDUCED INT/DAYMK IMCH	FD
Laplace Anchorage 134.7 Lower Daybeacon	14405	STRUCT DEST	FD
Laplace Anchorage 134.7 Lower Daybeacon	14405	STRUCT DEST	FD
California Light 137	14440	VEGETATION	FD
Gramercy Bridge Approach Buoy 1	14555	MISSING	FD
Gramercy Bridge Approach Buoy 1	14555	MISSING	FD
Upper Grand View Reach Anchorage Upper Daybeacon 148.8	14610	STRUCT DEST	FD
Upper Grand View Reach Anchorage Upper Daybeacon 148.8	14610	STRUCT DEST	FD
Baton Rouge General Anchorage Lower Daybeacon 225.8	15295	STRUCT DEST	FD
Baton Rouge General Anchorage Lower Daybeacon 225.8	15295	STRUCT DEST	FD
I-10 Bridge Approach Buoy G	15365	DAYMK IMCH	FD
I-10 Bridge Approach Buoy G	15365	DAYMK IMCH	FD

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
College Point Light 156	14675	REBUILT/REMAINS	FD	2025-09-18

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Union Carbide Water Intake Lights (2)	14315	LT EXT	PA
Bayou Lafourche Intake Light	14950	LT EXT	PA
Bayou Steel Dock Lights (2)	14375	LT EXT	PA
Entergy Waterford Lights (3)	14360	LT IMCH	PA
Entergy Dock Lower Light	14345	LT EXT	PA
Entergy Intake Upper Light	14350	LT EXT	PA
New Orleans Steamboat Co. Dock Light	13965	LT EXT	PA
Placid Mooring Facility Lights (5)	15400	LT EXT	PA

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Alhambra Range Front D Light	15025	TRLT	FD
Alhambra Range Rear D Light	15030	TRLT	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
New Orleans Harbor - New Orleans To Baton Rouge/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	Mississippi River, Mile 234.0, AHOP - Shoaling --- Reported: 2025-07-16 --- Shoaling has been reported in the Mississippi River, along the RDB near Mile 234.0, AHOP, at Wilkerson Point. Vessels should only transit the center span and Baton Rouge span of the Highway 190 Bridge and avoid transiting the Port Allen span. Mariners are urged to transit the area with caution.	
New Orleans Harbor - New Orleans To Baton Rouge/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	Mississippi River - Shallow Water --- Reported: 2025-08-23 --- Shallow water has been reported along the RDB near the CF Industries Terminal, Mile 173.6, AHOP. Mariners should transit this area with extreme caution.	

New Orleans Harbor - New Orleans To Baton Rouge/General/Hazards To Navigation/Wrecks	Hazards To Navigation	Mississippi River - Sunk Vessel --- Reported: 2025-09-21 --- The T/V CSS TENNESSEE has been salvaged. Restrictions between Miles 203.0 and 205.0, AHOP, have been lifted.	
New Orleans Harbor - New Orleans To Baton Rouge/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	Mississippi River, Mile 184.1, AHOP - Barge Offloading --- From: 2025-05-01 To: 2025-10-16 --- The Roll Group will be offloading modules from barges along the LDB at Mile 184.1, AHOP. Operations will take place from 6:00 a.m. to 8:00 p.m., daily. On-scene vessels will include towing vessels, the 300 ft by 100 ft Barge MARMAC-301, and the 260 ft by 72 ft Barge MARMAC-304. Mariners are requested to transit the area at no wake speed and proceed with caution. VHF-FM Channels: 10 and 67, POC: (936) 402-7890 and (225) 610-0699	Lat: 30° 11' 23" Lon: -091° 00' 58"
New Orleans Harbor - New Orleans To Baton Rouge/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	Mississippi River Deep Draft Crossings - Dredge Operation --- From: 2025-05-20 To: Until Further Notice --- The Dredge HURLEY will be working at the Mississippi River Deep Draft Crossings, Mile 115.0 to Mile 235.0, AHOP, between Baton Rouge and New Orleans, LA. Work will take place 24-hours a day, 7-days a week. Mariners are urged to transit at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. VHF-FM Channels: 16 and 67, POC: USACE (504) 862-1253	Lat: 30° 27' 53" Lon: -091° 11' 50"
New Orleans Harbor - New Orleans To Baton Rouge/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	Mississippi River Deep Draft Crossings - Dredge Operation --- From: 2025-05-21 To: Until Further Notice --- The Dredge WALLACE McGEORGE will be working at the Mississippi River Deep Draft Crossings, Mile 115.0 to Mile 235.0, AHOP, between Baton Rouge and New Orleans, LA. Work will take place 24-hours a day, 7-days a week. Mariners are urged to transit at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. VHF-FM Channels: 16 and 67, POC: USACE (504) 862-1253	Lat: 30° 11' 58" Lon: -091° 06' 33"
New Orleans Harbor - New Orleans To Baton Rouge/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	Port Allen Canal - Port Allen Lock - Lock Closure --- From: 2025-09-15 To: 2025-09-24 --- The Port Allen Lock will be closed to navigation for an extended period of time from 12:00 p.m., September 21, 2025, through 12:00 p.m., September 24, 2025. This 3-day closure will allow for the Dredge ROBERT M. WHITE to work within the lock forebay. For on-scene information, mariners can contact the Port Allen Lockmaster at (225) 343-3752. POC: USACE (504) 862-2060 or (504) 862-1061	Lat: 30° 25' 51" Lon: -091° 12' 30"
New Orleans Harbor - New Orleans To Baton Rouge/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	Mississippi River Deep Draft Crossings - Dredge Operation --- From: 2025-09-15 To: Until Further Notice --- The Dredge NEWPORT will be working at the Mississippi River Deep Draft Crossings, Mile 115.0 to Mile 235.0, AHOP, between Baton Rouge and New Orleans, LA. The dredge will start working at the Belmont Crossing, near Mile 154.0, AHOP. Work will take place 24-hours a day, 7-days a week. Mariners are urged to transit at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. VHF-FM Channels: 16 and 67, POC: USACE (504) 862-1253	Lat: 30° 00' 09" Lon: -090° 47' 20"
New Orleans Harbor - New Orleans To Baton Rouge/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	Mississippi River - Dock Construction --- From: 2025-07-29 To: 2025-10-31 --- Dock construction will take place near Mile 170.6, LDB, AHOP. Operations will be conducted from 6:00 a.m. to 5:00 p.m., 7-days a week. On-scene vessels will include the Crane Barges RC 1000, RC 1001, RC 205 and RC 200. Mariners are urged to transit with caution. POC: (985) 974-0152	
New Orleans Harbor - New Orleans To Baton Rouge/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	Mississippi River - Baton Rouge Harbor - Dredge Operation --- From: 2025-09-23 To: 2025-09-28 --- The U.S. Government Contract Cutterhead Dredge ROBERT M WHITE will be conducting dredging operations in the Baton Rouge Harbor. The dredge will work 24-hours a day, 7-days a week. Dredged material will be deposited into deep water of the Mississippi River via floating pipeline. Numerous support vessels will be located within the project area. Mariners are urged to transit at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. VHF-FM Channels: 13 and 16, POC: (504) 862-2360 and (504) 862-2153	
New Orleans Harbor - New Orleans To Baton Rouge/General/MSIB	MSIB	Low Water Safety Advisory: Mile 0.0 to Mile 167.0, AHOP --- The National Weather Service forecasts low river stages. Lower Mississippi River (LMR) users should prepare for extreme low water conditions. The following low water safety precautions are in effect for all waters of the LMR from Mile 0.0 to 232.0, AHOP, when the Baton Rouge River Gauge reads 16 ft and below and the Carrollton Gauge reads 2.5 ft and below. Mariners are reminded the sailing line between Miles 0.0 and 232.0 follows a path through naturally deep water connected by twelve marked channels known as "crossings." Low water conditions have significantly reduced water depths in areas of the river outside the sailing line where mariners in the past had sufficient water depth to navigate. In accordance with 33 CFR Part 164, mariners are required to conduct proper navigation assessments. Mariners should pay particular attention to route planning and water levels and should closely review the U.S. Army Corps of Engineers Navigation Condition Surveys prior to their transit. (1) Industry representatives should coordinate closely with River Pilot organizations, giving due consideration for the extreme low water, to ensure the safe and efficient movement of vessels. (2) Pilots should maintain safe speeds when transiting in the vicinity of docks, fleeting areas, and other transiting vessels to minimize adverse impacts from the ship's wake. (3) Ports and facilities are strongly encouraged to monitor water depths at both their docks and approaches. Adjustments to docking procedures or loading and transit parameters should be closely coordinated with and communicated to vessel operators. (4) Aids to Navigation discrepancies should be reported to the Sector New Orleans Command Center. (5) Mariners should pay close attention to Broadcast Notice to Mariners for information on specific hazards along their planned route. • Reporting: Ports and Facilities are requested to report impacted operations due to low water conditions (e.g. reduced drafts, interruptions to mid-stream operations, etc.) to facilitiesnola@uscg.mil. • To see the National Weather Service Extended Streamflow Prediction for LMR please use the following link: https://forecast.weather.gov/product.php?site=NWS&amp;issuedby=ORN&amp;product=ESP&amp;format=txt&amp;version=1&amp;glossary=0 • US Army Corps Navigation Conditions Surveys can be found at: https://www.mvn.usace.army.mil/Missions/Navigation/Channel-Surveys/	Lat: 30° 01' 46" Lon: -090° 28' 29"
New Orleans Harbor - New Orleans To Baton Rouge/General/MSIB	MSIB	Low Water Safety Advisory: Mile 167.0 To Mile 303.0, AHOP (12 ft and Falling) -- As a result of the Baton Rouge gauge expected to read 12 ft and continue to fall, the U.S. Coast Guard COTP New Orleans has issued a low water safety advisory for all waters of the Lower Mississippi River (LMR) from Mile 167.0 to Mile 303.0, AHOP. This safety advisory is effective immediately with the following provisions, in accordance with the Waterways Action Plan Baton Rouge Annex: • LMR Miles 167.0 - 303.0: (1) Commercial vessel operators shall be aware of falling river-level conditions and monitor Coast Guard safety broadcasts announcing known navigation hazards. (2) Tow sizes and vessel drafts from cargo loading should be adjusted as necessary to meet decreasing channel depths. (3) Pilots and Masters of oceangoing vessels should review facility docking procedures prior to arrival in port. (4) All vessels should transit within the charted navigational channel, to the greatest extent possible. (5) All vessels should consider staffing vessels with their most experienced crews. (6) Missing aids to navigation should be reported to the U.S. Coast Guard Sector New Orleans Command Center at (504) 365-2209. • 81 Mile Point, LMR Miles 177.0 - 179.0: (1) In accordance with 33 CFR 161.65(e), all vessels moving or intending to move in the 81 Mile Point VTS Special area shall comply with the reporting requirements detailed in the VTS LMR User Manual or in 33 CFR 161.65 by contacting "New Orleans Traffic" on VHF-FM Channel 05A. (2) Mariners are advised of the increased possibility of shoaling in this area and should use extreme caution while transiting. • College Town Light, LMR Miles 225.0 - 228.3: (1) All towing vessels are advised to keep flat on the bank and provide a wide berth to deep-draft vessel traffic.	Lat: 30° 05' 31" Lon: -090° 54' 39"

New Orleans Harbor - New Orleans To Baton Rouge/General/MSIB	MSIB	Mississippi River - Highway 190 Bridge - Low Water Advisory --- As a result of the Baton Rouge gauge expected to read 12 ft and continue to fall, the U.S. Coast Guard COTP New Orleans has issued the following low water safety advisory for the Upper Baton Rouge (HWY 190) Bridge: Mariners should refer to the U.S. Army Corps of Engineers' Lower Mississippi River Chart No. 73 which states, the Port Allen span is navigable when the Baton Rouge River gauge is above 15 ft. Current river levels do not support using this span.	Lat: 30° 30' 28" Lon: -091° 11' 51"
--	------	---	--

North Bay

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Gulf Power Electrical Tower Danger Lights (2)	31065	LT EXT	PA
Gulf Power Electrical Tower Danger Lights(2)	31060	LT EXT	PA

North Shore Channel

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Eden Isles Channel Daybeacon 2	10965	STRUCT DEST	PA
FR-LA-71-A	10977	MISSING	PA
FR-LA-70-A	10980	MISSING	PA
Eden Isles Channel Daybeacon 1	10960	MISSING	PA

Old East Pass Harbor Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Old East Pass Harbor Channel Daybeacon 6	4605	STRUCT DEST/TRUB	FD
Old East Pass Harbor Channel Daybeacon 18	4640	STRUCT DEST/TRUB	FD

Oyster Lake

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Oyster Lake Light 3	37360	STRUCT DEST	FD
Oyster Lake Light 4	37365	STRUCT DEST	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Brazoria Wildlife Refuge Wave Barrier Light	37375	LT EXT	PA

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Oyster Lake Light 3	37360	DISCONTINUED	FD
Oyster Lake Light 4	37365	DISCONTINUED	FD

Palacios Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Palacios Channel Daybeacon 6	37695	STRUCT DEST/TRUB	FD
Palacios Channel Daybeacon 6	37695	STRUCT DEST/TRUB	FD
Palacios Channel Daybeacon 12	37710	STRUCT DEST/TRUB	FD
Palacios Channel Daybeacon 12	37710	STRUCT DEST/TRUB	FD
Palacios Channel Daybeacon 16	37725	STRUCT DEST/TRUB	FD
Palacios Channel Daybeacon 16	37725	STRUCT DEST/TRUB	FD
Palacios Channel Light 18	37730	STRUCT DEST/TRLB	FD
Palacios Channel Light 18	37730	STRUCT DEST/TRLB	FD
Palacios Channel Daybeacon 20	37735	STRUCT DEST/TRUB	FD
Palacios Channel Daybeacon 20	37735	STRUCT DEST/TRUB	FD
Palacios Channel Light 22	37740	STRUCT DEST/TRLB	FD
Palacios Channel Daybeacon 24	37745	STRUCT DEST/TRUB	FD
Palacios Channel Daybeacon 24	37745	STRUCT DEST/TRUB	FD
Palacios Channel Light 26	37750	STRUCT DEST/TRLB	FD
Palacios Channel Light 26	37750	STRUCT DEST/TRLB	FD
Palacios Channel Daybeacon 28	37755	STRUCT DEST/TRUB	FD

Palacios Channel Daybeacon 28	37755	STRUCT DEST/TRUB	FD
Palacios Channel Light 30	37760	STRUCT DEST/TRLB	FD
Palacios Channel Light 30	37760	STRUCT DEST/TRLB	FD
Palacios Channel Light 32	37765	STRUCT DEST/TRLB	FD
Palacios Channel Light 32	37765	STRUCT DEST/TRLB	FD
Palacios Channel Light 36	37775	STRUCT DEST/TRLB	FD
Palacios Channel Light 38	37780	STRUCT DEST/TRLB	FD
Palacios Channel Light 38	37780	STRUCT DEST/TRLB	FD
Palacios Channel Light 40	37785	STRUCT DEST/TRLB	FD
Palacios Channel Light 40	37785	STRUCT DEST/TRLB	FD
Palacios Channel Light 42	37790	STRUCT DEST/TRLB	FD
Palacios Channel Light 42	37790	STRUCT DEST/TRLB	FD
Palacios Channel Light 44	37795	STRUCT DEST/TRLB	FD
Palacios Channel Light 44	37795	STRUCT DEST/TRLB	FD
Palacios Channel Light 46	37805	STRUCT DEST/TRLB	FD
Palacios Channel Light 46	37805	STRUCT DEST/TRLB	FD
Palacios Channel Light 48	37810	STRUCT DEST/TRLB	FD
Palacios Channel Light 48	37810	STRUCT DEST/TRLB	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Matagorda Bay - Palacios Channel/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2025-09-24 To: 2025-10-04 Location: 28.61728° N / 96.21947° W Aid Name: TX Saltwater Farms Lighted Buoy A LLNR: 37762 Action: ESTABLISH Private aid: FLY2.5s USACE Permit: SWG-2023-00240 NWP Verification	Lat: 28° 37' 02" Lon: -096° 13' 10"
Matagorda Bay - Palacios Channel/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2025-09-24 To: 2025-10-04 Location: 28.61767° N / 96.21913° W Aid Name: TX Saltwater Farms Lighted Buoy B LLNR: 37762.01 Private aid: FLY2.5s USACE Permit: SWG-2023-00240 NWP Verification Action: ESTABLISH	Lat: 28° 37' 04" Lon: -096° 13' 09"
Matagorda Bay - Palacios Channel/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2025-09-24 To: 2025-10-04 Location: 28.61846° N / 96.21992° W Aid Name: TX Saltwater Farms Lighted Buoy C LLNR: 37762.02 Private aid: FLY2.5s USACE Permit: SWG-2023-00240 NWP Verification	Lat: 28° 37' 06" Lon: -096° 13' 12"
Matagorda Bay - Palacios Channel/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2025-09-24 To: 2025-10-04 Location: 28.61807° N / 96.22037° W Aid Name: TX Saltwater Farms Lighted Buoy D LLNR: 37762.03 Action: ESTABLISH Private aid: FLY2.5s USACE Permit: SWG-2023-00240 NWP Verification	Lat: 28° 37' 05" Lon: -096° 13' 13"

Panacea Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Panacea Channel Daybeacon 4	2170	STRUCT DEST/TRLB	FD

Pascagoula BAY.

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Graveline Bayou Channel Daybeacon 14	8578.14	STRUCT DEST	PA

Pascagoula Channel

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Pascagoula Channel Light 40	8125	REBUILT/REMAINS	FD	2025-09-23

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Pascagoula Pipeline Channel Light E	8140	LT EXT	PA
Spoil Bank Light 1	8170	LT EXT	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION

Sector Mobile, Submerged Land Act (SLA) - Pascagoula Channel/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	Pascagoula Channel - Horn Island Pass - Dredge Operation --- From: 2025-09-22 To: 2025-09-28 --- The Dredge GLENN EDWARDS will be conducting non-continuous maintenance dredging in the Pascagoula Channel, between Pascagoula Channel Lighted Buoy 29 (LLNR-34330) and Pascagoula Channel Lighted Buoy 34 (LLNR-8055), and in Horn Island Pass, between Horn Island Pass Lighted Buoy 8 (LLNR-7890) and Horn Island Pass Lighted Buoy 10 (LLNR-7915). The dredge will be placing material in the Ocean Dredge Material Disposal Site (ODMDS) located south of Horn Island. Mariners are urged to transit the area at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. VHF-FM Channels: 13 and 16, POC: USACE (251) 957-6019	
---	---	---	--

Pascagoula River

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Pascagoula River Light 7	8310	REBUILT/REMAINS	FD	2025-09-23
Pascagoula River Daybeacon 12	8330	REBUILT/REMAINS	FD	2025-09-23
Pascagoula River Daybeacon 17	8345	REBUILT/REMAINS	FD	2025-09-23

Pearl River Entrance Channel

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Mississippi DEQ Danger Breakwater Light	10457.52	DAYMK DMGD	PA
Mississippi DEQ Danger Breakwater Light	10457.53	LT EXT/DAYMK DMGD	PA
Mississippi DEQ Danger Breakwater Light	10457.58	LT EXT	PA
Mississippi DEQ Danger Breakwater Light	10457.59	STRUCT DEST	PA
Mississippi DEQ Danger Breakwater Light	10457	STRUCT DEST	PA
Mississippi DEQ Danger Breakwater Light	10457.01	LT EXT	PA
Mississippi DEQ Danger Breakwater Light	10457.02	STRUCT DEST	PA
Mississippi DEQ Danger Breakwater Light	10457.03	STRUCT DEST	PA
Mississippi DEQ Danger Breakwater Light	10457.04	STRUCT DEST	PA
Mississippi DEQ Danger Breakwater Light	10457.050000000001	STRUCT DEST	PA
Mississippi DEQ Danger Breakwater Light	10457.06	HAZ NAV/STRUCT DMGD	PA
Mississippi DEQ Danger Breakwater Light	10457.07	STRUCT DEST	PA
Mississippi DEQ Danger Breakwater Light	10457.08	STRUCT DEST	PA
Mississippi DEQ Danger Breakwater Light	10457.09	STRUCT DEST	PA
Mississippi DEQ Danger Breakwater Light	10457.11	STRUCT DEST	PA
Mississippi DEQ Danger Breakwater Light	10457.12	STRUCT DEST	PA
Mississippi DEQ Danger Breakwater Light	10457.130000000001	LT EXT	PA
Mississippi DEQ Danger Breakwater Light	10457.14	LT EXT	PA
Mississippi DEQ Danger Breakwater Light	10457.15	LT EXT	PA
Mississippi DEQ Danger Breakwater Light	10457.16	LT EXT	PA
Mississippi DEQ Danger Breakwater Light	10457.17	LT EXT	PA
Mississippi DEQ Danger Breakwater Light	10457.18	LT EXT	PA
Mississippi DEQ Danger Breakwater Light	10457.28	LT EXT	PA
Mississippi DEQ Danger Breakwater Light	10457.29	DAYMK DMGD	PA
Mississippi DEQ Danger Breakwater Light	10457.31	DAYMK MISSING	PA
Mississippi DEQ Danger Breakwater Light	10457.33	LT EXT/DAYMK MISSING	PA
Mississippi DEQ Danger Breakwater Light	10457.34	DAYMK MISSING	PA
Mississippi DEQ Danger Breakwater Light	10457.35	DAYMK MISSING	PA
Mississippi DEQ Danger Breakwater Light	10457.36	DAYMK MISSING	PA
Mississippi DEQ Danger Breakwater Light	10457.37	DAYMK MISSING	PA
Mississippi DEQ Danger Breakwater Light	10457.39	DAYMK DMGD	PA
Mississippi DEQ Danger Breakwater Light	10457.45	LT EXT	PA
Mississippi DEQ Danger Breakwater Light	10457.47	LT EXT	PA
Mississippi DEQ Danger Breakwater Light	10457.51	LT EXT	PA

Pensacola Bay

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Pensacola Bay Navy Range Rear Light	4855	LT EXT/STRUCT DMGD	FD
Pensacola Bay Channel Range Front Light	4920	LT EXT	FD
Pensacola Bay East Channel Inner Range Front Light	4990	LT EXT	FD
Pensacola Bay Bridge Approach Buoy 6	5245	TRUB	FD
Pensacola Bay Bridge Approach Buoy 6	5245	TRUB	FD
Pensacola Bay Bridge Approach Buoy 2	5265	TRUB	FD

Pensacola Bay Bridge Approach Buoy 2	5265	TRUB	FD
--------------------------------------	------	------	----

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Bayou Grande Daybeacon 2	5420	STRUCT DEST	PA
Bayou Grande Entrance Light 1	5415	LT EXT	PA
Bayou Grande Daybeacon 7	5450	STRUCT DEST/HAZ NAV	PA
Bayou Grande Daybeacon 4	5435	STRUCT DEST	PA
Bayou Grande Buoy 2A	5425	STRUCT DEST	PA
Bayou Grande Daybeacon 6	5445	STRUCT DEST	PA

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Pensacola Bay Navy Range Rear Light	4855	DISCONTINUED	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Mobile, Submerged Land Act (SLA) - Pensacola Bay/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	Big Lagoon - GIWW - Dredge Operation --- From: 2025-01-14 To: 2025-10-31 --- The Dredge ENTERPRISE and the M/V JOSEPHINE will be working in the GIWW, between Miles 175.0 and 180.0, EHL. Operations will take place 24-hours a day, 7-days a week. Pipeline and staged equipment will be located throughout the project area. The channel may be partially obstructed during operations and the project vessels will be restricted in maneuverability. Mariners are requested to transit the area at no wake speed and coordinate passing arrangements in advance. VHF-FM Channels: 7 and 16	
Sector Mobile, Submerged Land Act (SLA) - Pensacola Bay/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	GIWW, Mile 177.8, EHL - Pensacola Bay - Shoreline Restoration --- From: 2025-09-15 To: 2026-02-28 --- Shoreline restoration will take place near Sherman Inlet and Magazine Point, along the GIWW and Pensacola Bay. Sand will be removed from Robinson Island, near GIWW, Mile 177.8, EHL, and placed along the beaches and nearshore waters between approximate positions 30-19-54.83N 087-19-32.14W and 30-22-24.29N 087-15-54.45W. Additional work will consist of breakwater construction and the planting of submerged aquatic vegetation. Work will take place from 6:00 a.m. to 6:00 p.m., daily. On-scene vessels will include four push boats, six barges, and three crew transfer skiffs. Mariners are requested to transit the area at no wake speed and proceed with caution. VHF-FM Channels: 12 and 16, POC: (251) 597-1193 and (205) 616-6845	
Sector Mobile, Submerged Land Act (SLA) - Pensacola Bay/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	Pensacola Bay - Bayou Grande - Davenport Bayou - Dredge/Marsh Restoration Operation --- From: 2025-04-01 To: 2026-02-21 --- Hydraulic dredging operations will be conducted in Pensacola Bay, at the mouths of Bayou Grande and Davenport Bayou. A 1,350 ft access channel will be created to facilitate rock barge operations. Dredged material will be transported via pipeline to marsh fill areas for the creation of eight marsh islands and 33.64 acres of marsh planting. Additional project activities will include the construction of five breakwaters, ranging from 259 ft to 366 ft in length, the placement of 14 rock piles, and the construction of five submerged rock reefs, ranging from 276 ft to 438 ft in length, for habitat restoration and navigational safety enhancements. Eight danger markers will be installed to mark the project work zones. Work will take place during daylight hours only. Vessels are requested to maintain a safe distance from the dredge, pipelines and support vessels. Mariners should transit the area at their slowest safe speed to minimize wake and proceed with extreme caution. VHF-FM Channels: 13 and 16	Lat: 30° 22' 34" Lon: -087° 16' 06"

Pensacola-Mobile

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Pensacola-Mobile Buoy 39A	33420	OFF STATION	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Grand Lagoon Boat Basin Channel Daybeacon 3	33210	STRUCT DEST	PA

Perdido Bay

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Bayou Garcon Daybeacon 1	6030	DAYMK MISSING	PA
Bayou Garcon Daybeacon 2	6035	DAYMK MISSING	PA
Bayou Garcon Daybeacon 3	6040	DAYMK MISSING	PA
Bayou Garcon Daybeacon 4	6045	STRUCT DEST	PA
Bayou Garcon Daybeacon 5	6050	STRUCT DEST	PA

Port Arthur Canal

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Port Arthur Canal F Range Front Light 45	22835	STRUCT DEST/TRLB	FD
Port Arthur Canal F Range Front Light 45	22835	STRUCT DEST/TRLB	FD

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE

Temporary Changes			
NAME	LLNR	STATUS	AID TYPE
Port Arthur Canal E Range Front Light	22810	TRLT	FD
Port Arthur Canal E Range Rear Light	22820	TRLT	FD

Additional MSI Categories			
TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sabine Pass - Port Arthur Canal/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	Port Arthur Canal - Dredge Operation --- From: 2024-10-24 To: 2025-10-31 --- Dredging operations for the Port Arthur LNG (PALNG) project is being conducted along the Port Arthur Canal, approximately 2 miles south of the GIWW intersection. Two ship berths will be dredged on the west side of the channel and a turning basin will be dredged along the east side of the channel. Operations will be conducted 24-hours a day, 7-days a week. A subline has been installed across the channel near Port Arthur LNG Special Lighted Maneuvering Buoy Y1 (LLNR-22862.04). Floating pipelines are attached to each end of the submerged pipeline and in position for the dredge to work inside the PALNG Berth. On-scene vessels will include the Dredge ALASKA, T/Vs ROBERT J. EYMARD and MR. THOMAS, Crewboat MISS GWEN, Survey Vessel WOLF RIVER, Idler Barge 141, Derrick Barges 76 and 60, and Anchor Barge AB119. Mariners are urged to transit the area at their slowest safe speed to minimize wake and proceed with caution. VHF-FM Channels: 13 and 87, POC: (630) 247-4526, (904) 616-7290 or (331) 899-1858	

Port Isabel Channel

Federal Discrepancies			
NAME	LLNR	STATUS	AID TYPE
Port Isabel Channel Light 4	29815	STRUCT DEST/TRLB	FD
Port Isabel Channel Light 4	29815	STRUCT DEST/TRLB	FD

Additional MSI Categories			
TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Brownsville Channel - Port Isabel Channel/General/Miscellaneous	Miscellaneous	Port Isabel Channel - Brownsville Channel - Temporary Mooring Pile Install --- From: 2025-03-17 To: 2026-01-01 --- Temporary lighted mooring piles will be installed near the Brownsville Channel/Port Isabel Channel West Junction. Dredging equipment and vessels may be staged in the area. Mariners are urged to transit the area with extreme caution and at their slowest safe speed to minimize wake.	Lat: 26° 02' 31" Lon: -097° 12' 35"

Port Isabel Cutoff Channel

Federal Discrepancies			
NAME	LLNR	STATUS	AID TYPE
Harlingen-Port Isabel Light 90	29830	STRUCT DEST/TRLB	FD
Harlingen-Port Isabel Light 90	29830	STRUCT DEST/TRLB	FD

Port Isabel Small Boat Harbor Channel

Federal Discrepancies			
NAME	LLNR	STATUS	AID TYPE
Port Isabel Small Boat Harbor Channel Light 2	42810	STRUCT DEST/TRLB	FD
Port Isabel Small Boat Harbor Channel Light 2	42810	STRUCT DEST/TRLB	FD

Port Lavaca Channel

Federal Discrepancies			
NAME	LLNR	STATUS	AID TYPE
Port Lavaca Channel Daybeacon 3	27705	STRUCT DEST/TRUB	FD
Port Lavaca Channel Daybeacon 3	27705	STRUCT DEST/TRUB	FD
Port Lavaca Channel Light 5	27715	STRUCT DEST/TRLB	FD
Port Lavaca Channel Light 5	27715	STRUCT DEST/TRLB	FD

Port Lavaca Harbor Of Refuge

Federal Discrepancies			
NAME	LLNR	STATUS	AID TYPE
Port Lavaca Harbor of Refuge Daybeacon 2	27795	STRUCT DEST/TRUB	FD
Port Lavaca Harbor of Refuge Daybeacon 2	27795	STRUCT DEST/TRUB	FD
Port Lavaca Harbor of Refuge Daybeacon 4	27800	STRUCT DEST/TRUB	FD
Port Lavaca Harbor of Refuge Daybeacon 4	27800	STRUCT DEST/TRUB	FD
Port Lavaca Harbor of Refuge Daybeacon 8	27810	STRUCT DEST/TRUB	FD
Port Lavaca Harbor of Refuge Daybeacon 8	27810	STRUCT DEST/TRUB	FD

Port Mansfield Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Port Mansfield Entrance Light 2	29270	STRUCT DMGD	FD
Port Mansfield Entrance Light 2	29270	STRUCT DMGD	FD
Port Mansfield Entrance Light 3	29275	STRUCT DMGD	FD
Port Mansfield Entrance Light 3	29275	STRUCT DMGD	FD
Port Mansfield Channel Light 4	29305	STRUCT DEST/TRLB	FD
Port Mansfield Channel Light 4	29305	STRUCT DEST/TRLB	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Corpus Christi, Submerged Land Act (SLA) - Port Mansfield Channel/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	Port Mansfield Channel - Shoaling --- Reported: 2025-03-12 --- Extreme shallow water and shoaling has been reported throughout the Mansfield Cut/Port Mansfield Channel. Mariners should exercise caution when navigating through this area and pay close attention to tide levels when departing and returning through the cut.	

Port O Connor Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Port O'Connor Channel Buoy 1	37855	MISSING	FD
Port O'Connor Channel Buoy 5	37880	MISSING	FD

Port O Connor Landcut

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Port O' Connor Landcut Daybeacon 6	38020	STRUCT DMGD/TRUB	FD
Port O' Connor Landcut Daybeacon 6A	38025	STRUCT DMGD/TRUB	FD
Port O' Connor Landcut Daybeacon 8	38035	STRUCT DEST/TRUB	FD

Rigolets New Orleans

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Michoud Canal Light 2	34720	STRUCT DEST	FD

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Michoud Canal Light 2	34720	DISCONTINUED	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Chef Menteur Pass - Rigolets New Orleans/ATON/Advanced Notice of Change	Advanced Notice of Change	The Coast Guard will make the following Aid to Navigation Change after September 30, 2025: Discontinue Michoud Canal Light 2 (LLNR-34720) in approximate position 30-00-48.774N/089-54-19.207W.	Lat: 30° 00' 49" Lon: -089° 54' 19"

Rincon Canal

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Rincon Canal Daybeacon 2	29115	STRUCT DEST/TRUB	FD
Rincon Canal Daybeacon 2	29115	STRUCT DEST/TRUB	FD
Rincon Canal Daybeacon 8	29130	STRUCT DEST/TRUB	FD
Rincon Canal Daybeacon 9	29135	STRUCT DEST/TRUB	FD
Rincon Canal Daybeacon 9	29135	STRUCT DEST/TRUB	FD
Rincon Canal Daybeacon 10	29140	STRUCT DEST/TRUB	FD

Rollover Bay

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Rollover Bay Daybeacon 1	35805	STRUCT DEST	FD

Rollover Bay Daybeacon 1	35805	STRUCT DEST	FD
Rollover Bay Light 2	35810	STRUCT DEST	FD
ROLLOVER BAY LIGHT 4	35830.01	STRUCT DEST	FD
Rollover Bay Light 5	35835	STRUCT DEST	FD
Rollover Bay Light 5	35835	STRUCT DEST	FD
Rollover Bay Light 8	35850	STRUCT DEST	FD
Rollover Bay Light 8	35850	STRUCT DEST	FD
ROLLOVER BAY LIGHT 9	35855.01	STRUCT DEST	FD
Rollover Bay Light 11	35865	STRUCT DEST	FD
Rollover Bay Light 12	35870	STRUCT DEST	FD
Rollover Bay Light 12	35870	STRUCT DEST	FD

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Rollover Bay Daybeacon 1	35805	DISCONTINUED	FD
Rollover Bay Light 2	35810	DISCONTINUED	FD
ROLLOVER BAY LIGHT 4	35830.01	DISCONTINUED	FD
Rollover Bay Light 5	35835	DISCONTINUED	FD
Rollover Bay Light 8	35850	DISCONTINUED	FD
ROLLOVER BAY LIGHT 9	35855.01	DISCONTINUED	FD
Rollover Bay Light 11	35865	DISCONTINUED	FD
Rollover Bay Light 12	35870	DISCONTINUED	FD

Sabine Bank Channel

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Sabine Bank Channel Lighted Buoy 22	22385	RELOCATED FOR DREDGING	FD
Sabine Bank Channel Lighted Buoy 29	22400	RELOCATED FOR DREDGING	FD
Sabine Bank Channel Lighted Buoy 30	22405	RELOCATED FOR DREDGING	FD
Sabine Bank Channel Lighted Buoy 31	22420	RELOCATED FOR DREDGING	FD
Sabine Bank Channel Lighted Buoy 31	22420	TRSAIS	FD
Sabine Bank Channel Lighted Buoy 32	22425	RELOCATED FOR DREDGING	FD
Sabine Bank Channel Lighted Buoy 32	22425	TRSAIS	FD
Sabine Bank Channel Lighted Buoy 33	22430	RELOCATED FOR DREDGING	FD
Sabine Bank Channel Lighted Buoy 33	22430	TRSAIS	FD
Sabine Bank Channel Lighted Buoy 34	22435	RELOCATED FOR DREDGING	FD
Sabine Bank Channel Lighted Buoy 34	22435	TRSAIS	FD

Sabine Pass

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Sabine Pass Light 39	22635	STRUCT DEST/TRLB	FD
Sabine Pass Light 39	22635	STRUCT DEST/TRLB	FD

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Sabine Pass Lighted Buoy 18	22465	RELOCATED FOR DREDGING	FD
Sabine Pass Lighted Buoy 18	22465	TRSAIS	FD
Sabine Pass Lighted Buoy 17	22470	RELOCATED FOR DREDGING	FD
Sabine Pass Lighted Buoy 17	22470	TRSAIS	FD
Sabine Pass Lighted Buoy 20	22490	RELOCATED FOR DREDGING	FD
Sabine Pass Lighted Buoy 21	22495	RELOCATED FOR DREDGING	FD
Sabine Pass Lighted Buoy 27	22530	DISCONTINUED FOR DREDGING	FD
Sabine Pass Lighted Buoy 34	22565	RELOCATED FOR DREDGING	FD
Sabine Pass Lighted Buoy 36	22570	DISCONTINUED FOR DREDGING	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION

Sector Houston-Galveston, Submerged Land Act (SLA) - Sabine Pass/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	Port Arthur Canal - Sabine Pass - Dredge Operation --- From: 2025-03-24 To: 2025-09-30 --- The Dredge KINGFISHER will conduct dredging operations in Sabine Pass and the Port Arthur Canal, from the Sabine Pass LNG ship docks to Golden Pass LNG Terminal. Operations will take place 24-hours a day, 7-days a week. Dredged material will be placed in Upland Placement Area 5. On-scene vessels and equipment will include 32,000 ft of steel, plastic and floating pipeline, a supply vessel, Barges 23, 25 and 26, and the M/Vs JOHNNY O., GLEN K., HARRY LEE, and KATIE JO. The dredge requests 45-minutes advance notice for passage. Mariners are urged to transit at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. VHF-FM Channels: 13 and 79, POC: (361) 487-6470	
Sector Houston-Galveston, Submerged Land Act (SLA) - Sabine Pass/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	Sabine Pass - Dredge Operation --- From: 2025-09-15 To: 2025-11-15 --- The Dredge MISSOURI H will be conducting dredging and disposal operations in the vicinity of the Cheniere LNG Terminal on the Louisiana side of Sabine Pass. Operations will take place 24-hours a day, 7-days a week. Pontoon lines connecting to shore connectors will be located in the project area. The dredge requests 2-hours advance notice for vessels transiting the area. Mariners are urged to transit at their slowest safe speed to minimize wake and proceed with caution. VHF-FM Channels: 13 and 16, POC: (337) 794-7046	
Sector Houston-Galveston, Submerged Land Act (SLA) - Sabine Pass/General/Miscellaneous	Miscellaneous	Port Arthur Canal - Sabine Pass - Dredge Operation Staging --- From: 2024-10-24 To: 2025-10-31 --- Staged dredge equipment for the Port Arthur LNG project.	

Sabine River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Sabine River Light 31	23255	STRUCT DEST/TRLB	FD
Sabine River Light 31	23255	STRUCT DEST/TRLB	FD

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Sabine River Light 20	23200	REBUILT/REMAINS	FD	2025-09-18
Sabine River Daybeacon 21	23205	REBUILT/REMAINS	FD	2025-09-18
Sabine River Daybeacon 26	23230	REBUILT/REMAINS	FD	2025-09-18

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Sabine River Obstruction Lighted Buoy 53	23270	MISSING	PA
Navy Pier 10 Lights (2)	23275	LT EXT	PA
Orange County Pier Light 3	23285	LT EXT	PA
Orange County Pier Light 2	23290	LT EXT	PA

Sabine-Neches Canal

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Sabine-Neches Canal H Range Rear Light	22910	WATCHING PROPERLY	FD	2025-09-19
Sabine-Neches Canal Light 54	22920	REBUILT/REMAINS	FD	2025-09-18
Sabine-Neches Canal Light 58	22930	REBUILT/REMAINS	FD	2025-09-18
Sabine-Neches Canal Light 60	22935	REBUILT/REMAINS	FD	2025-09-18
Sabine-Neches Canal Light 62	22940	REBUILT/REMAINS	FD	2025-09-18
Sabine-Neches Canal Light 62	22940	RELIGHTED	FD	2025-09-22
Sabine-Neches Canal Light 65	22995	REBUILT/REMAINS	FD	2025-09-18

Temporary Changes Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Sabine-Neches Canal Light 65	22995	Reestablished	FD	2025-09-17

Saint Joseph Bay

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Port St. Joe City Marina Channel Buoy 1	3000	MISSING	PA
Port St. Joe City Marina Channel Buoy 2	3005	MISSING	PA

San Antonio Bay

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
San Antonio Bay Daybeacon 1	38355.01	STRUCT DEST/TRUB	FD
San Antonio Bay Daybeacon 1	38355.01	STRUCT DEST/TRUB	FD
San Antonio Bay Daybeacon 3	38365.01	STRUCT DEST/TRUB	FD
San Antonio Bay Daybeacon 3	38365.01	STRUCT DEST/TRUB	FD

San Antonio Bay Daybeacon 4	38375.01	STRUCT DEST/TRUB	FD
San Antonio Bay Daybeacon 4	38375.01	STRUCT DEST/TRUB	FD
San Antonio Bay Daybeacon 6	38390	STRUCT DEST/TRUB	FD
San Antonio Bay Daybeacon 6	38390	STRUCT DEST/TRUB	FD
San Antonio Bay Daybeacon 9	38400.01	STRUCT DEST/TRUB	FD
San Antonio Bay Daybeacon 9	38400.01	STRUCT DEST/TRUB	FD
San Antonio Bay Light 11	38410	STRUCT DEST/TRLB	FD
San Antonio Bay Daybeacon 12	38415.01	STRUCT DEST/TRUB	FD
San Antonio Bay Daybeacon 12	38415.01	STRUCT DEST/TRUB	FD
San Antonio Bay Daybeacon 13	38425.01	STRUCT DEST/TRUB	FD
San Antonio Bay Daybeacon 13	38425.01	MISSING	FD
San Antonio Bay Daybeacon 13	38425.01	STRUCT DEST/TRUB	FD
San Antonio Bay Light 15	38435	STRUCT DEST/TRLB	FD
San Antonio Bay Light 15	38435	STRUCT DEST/TRLB	FD
San Antonio Bay Daybeacon 16	38440	STRUCT DEST/TRUB	FD
San Antonio Bay Daybeacon 16	38440	STRUCT DEST/TRUB	FD
San Antonio Bay Daybeacon 17	38450.01	STRUCT DEST/TRUB	FD
San Antonio Bay Daybeacon 17	38450.01	STRUCT DEST/TRUB	FD
San Antonio Bay Daybeacon 20	38475.01	STRUCT DEST/TRUB	FD
San Antonio Bay Daybeacon 20	38475.01	STRUCT DEST/TRUB	FD
San Antonio Bay Daybeacon 21	38485.01	STRUCT DEST/TRUB	FD
San Antonio Bay Daybeacon 21	38485.01	STRUCT DEST/TRUB	FD
San Antonio Bay Light 23	38495	STRUCT DEST/TRLB	FD
San Antonio Bay Daybeacon 24	38500	STRUCT DEST/TRUB	FD
San Antonio Bay Daybeacon 24	38500	STRUCT DEST/TRUB	FD
San Antonio Bay Daybeacon 25	38510.01	STRUCT DEST/TRUB	FD
San Antonio Bay Daybeacon 25	38510.01	STRUCT DEST/TRUB	FD
San Antonio Bay Daybeacon 28	38530.01	STRUCT DEST/TRUB	FD
San Antonio Bay Daybeacon 28	38530.01	STRUCT DEST/TRUB	FD
San Antonio Bay Light 29	38540	STRUCT DEST/TRLB	FD
San Antonio Bay Daybeacon 30	38545.01	STRUCT DEST/TRUB	FD
San Antonio Bay Daybeacon 30	38545.01	STRUCT DEST/TRUB	FD
San Antonio Bay Daybeacon 31	38550.01	STRUCT DEST/TRUB	FD
San Antonio Bay Daybeacon 31	38550.01	STRUCT DEST/TRUB	FD
San Antonio Bay Daybeacon 32	38555.01	STRUCT DEST/TRUB	FD
San Antonio Bay Daybeacon 32	38555.01	STRUCT DEST/TRUB	FD
San Antonio Bay Daybeacon 33	38560.01	STRUCT DEST/TRUB	FD
San Antonio Bay Daybeacon 33	38560.01	STRUCT DEST/TRUB	FD
San Antonio Bay Daybeacon 36	38575.01	STRUCT DEST/TRUB	FD
San Antonio Bay Daybeacon 36	38575.01	STRUCT DEST/TRUB	FD
San Antonio Bay Daybeacon 37	38580.01	STRUCT DEST/TRUB	FD
San Antonio Bay Daybeacon 40	38590.01	STRUCT DEST/TRUB	FD
San Antonio Bay Daybeacon 40	38590.01	STRUCT DEST/TRUB	FD

San Jacinto River

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Houston Ship Channel - San Jacinto River/General/MSIB	MSIB	MSIB 09-16: San Jacinto River Mud Bank --- The following operating restrictions have been put in place to mitigate unsafe conditions/hazards in the vicinity of the Mud Bank in the San Jacinto River: · Only tugboats with barges in tow are permitted on the Mud Bank. No unattended or shared barges are authorized on the Mud Bank. · The only tugboats, barges and tows permitted on the Mud Bank are those awaiting fleet space or dock space. · Tugboats, barges and tows that make use of the Mud Bank are limited to no more than 48 consecutive hours and shall not exceed this timeframe. · Tugboats, barges and tows using the Mud Bank shall not extend into the San Jacinto River beyond 162 ft from the riverbank. · No barges are permitted beyond the Channel Shipyard Dry-Dock in the direction of the ship channel. -- The Coast Guard is required by the Ports and Waterways Safety Act to maintain the safety of all U.S. waterways at all times. Coast Guard personnel will continue to monitor safety in the vicinity of the San Jacinto River Mud Bank and compliance with the above operating restrictions. Waterway users who fail to comply with the above operating restrictions will be subject to regulatory and administrative action. Persistent disregard of these operating restrictions may result in closure of the San Jacinto River Mud Bank to all tugboats, barges and tows. The Coast Guard strives to facilitate commerce by maximizing the availability of waterways and navigational safety. This can only be achieved through close coordination and cooperation with waterway users. Questions regarding operating restrictions on the San Jacinto River Mud Bank can be sent to houstonwwm@uscg.mil. --	Lat: 29° 46' 36" Lon: -095° 04' 37"

Santa Rosa Sound

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Santa Rosa Sound Daybeacon 42	32360	STRUCT DEST/TRUB	FD

Santa Rosa Sound Light 50	32395	STRUCT DEST/TRLB	FD
Santa Rosa Sound Daybeacon 85	32610	STRUCT DEST/TRUB	FD
Santa Rosa Sound Light 90	32640	STRUCT DEST/TRLB	FD
Santa Rosa Sound Daybeacon 93	32665	STRUCT DEST/TRUB	FD
Santa Rosa Sound Light 102	32695	STRUCT DEST/TRLB	FD

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Santa Rosa Sound Buoy 63	32475	RESET ON STATION	FD	2025-09-22
Santa Rosa Sound Buoy 97	32680	RESET ON STATION	FD	2025-09-22
Santa Rosa Sound Buoy 99	32685	WATCHING PROPERLY	FD	2025-09-23
Santa Rosa Sound Buoy 113	32740	RESET ON STATION	FD	2025-09-22

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Escambia County Fish Bend South Channel Light 5	32966.04	STRUCT DEST	PA
Fort Walton Lodge & Yacht Basin Daybeacon 1	32260	STRUCT DEST	PA
Fort Walton Lodge & Yacht Basin Daybeacon 2	32265	STRUCT DEST	PA
Grand Marlin Marina Entrance Daybeacon 1	32980	STRUCT DEST	PA
Escambia County Fish Bend South Channel Light 14	32966.14	STRUCT DEST	PA
Escambia County Fish Bend South Channel Light 8	32966.07	LT EXT	PA
Little Sabine Bay Daybeacon 2	32985	DAYMK MISSING	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Santa Rosa Sound Entrance - Santa Rosa Sound/ATON/Advanced Notice of Change	Advanced Notice of Change	The Coast Guard will make the following Aid to Navigation Change after September 30, 2025: Relocate Santa Rosa Sound Lighted Buoy 133 (LLNR-32965) in approximate position 30-21-15.423N/087-08-31.671W to approximate position 30-21-05.600N/087-08-18.630W.	Lat: 30° 21' 15" Lon: -087° 08' 32"
Santa Rosa Sound Entrance - Santa Rosa Sound/General/Bridges/Repairs, Painting, Or Fender Replacement	Bridges	GIWW - Santa Rosa Sound - Bridge Fender Replacement --- From: 2025-08-20 To: 2026-02-16 --- The bridge fenders will be replaced on the Navarre Beach Causeway Bridge in the Santa Rosa Sound and GIWW at Mile 206.6, EHL. Work will take place from 6:30 a.m. to 5:00 p.m., daily. On-scene vessels will include the 120 ft x 50 ft Crane Barge CBC215, the Material Barge CBC939, the Sectional Barge SB01, T/V KRISTEN MAE and two work boats. Periodic channel obstructions of approximately 50 ft will be required during certain portions of the project. Vessels should coordinate passing arrangements at least 3-hours in advance to ensure barges can be cleared from the channel. Mariners are urged to transit the area at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. VHF-FM Channel: 13 and 16, POC: (850) 520-0199 and (205) 799-1149	Lat: 30° 23' 50" Lon: -086° 51' 48"
Santa Rosa Sound Entrance - Santa Rosa Sound/General/Bridges/Construction	Bridges	Santa Rosa Sound - GIWW - Bridge Construction --- From: 2025-10-01 To: 2025-12-15 --- Permanent bridge girder segments will be installed for the new US 98 (SR 30) Brooks Bridge, crossing Santa Rosa Sound (GIWW, Mile 223.1, EHL). The channel will be closed to all vessels each night, Sunday through Thursday, from 10:00 p.m. to 5:00 a.m., the following day. The channel will be open, and no work will take place on Friday and Saturday nights. On-scene equipment and vessels will include a 250 ft x 70 ft ringer crane barge, a 180 ft x 50 ft material barge, a tugboat, and two crew boats. The majority of the work and equipment will be located behind the bridge protection system. Vessels are urged to transit the area with caution and should contact the construction company onsite for status updates. VHF-FM Channels: 13 or 16, POC: (850) 390-6889 and (850) 469-8892	Lat: 30° 24' 03" Lon: -086° 36' 01"
Santa Rosa Sound Entrance - Santa Rosa Sound/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	Santa Rosa Sound - Choctawhatchee Bay - Breakwater Construction --- From: 2025-03-10 To: 2025-12-01 --- The Veterans Park Shoreline Restoration Project will take place along the Santa Rosa Sound, GIWW, Mile 221.4, EHL. The project will consist of the construction of sixteen breakwater structures, shoreline fill and boardwalk construction. Work will take place from 7:00 a.m. to 6:00 p.m., daily. On-scene vessels will include the T/V KRISTEN MAE, a spud barge, two material barges, a work barge, and three work boats. Mariners are requested to transit the area at no wake speed and proceed with caution. VHF-FM Channels: 12 and 16, POC: (850) 698-6943	
Santa Rosa Sound Entrance - Santa Rosa Sound/General/Miscellaneous	Miscellaneous	The Department of the Air Force will enforce the charted Restricted Area found in 33 CFR 334.730. This area includes certain navigable waters of Santa Rosa Sound adjacent to Eglin Air Force Base Property on Santa Rosa Island. All entry, transit, anchoring, or drifting of any persons, vessels, and other craft (including unmanned craft) within the Restricted Area for any reason is not allowed without the permission of the U.S. Air Force (96 TW/CC). Permitted access to the Restricted Area may be granted, in certain circumstances, by contacting the 96 TW/CC at (850) 882-2000.	Lat: 30° 24' 05" Lon: -086° 43' 01"
Santa Rosa Sound Entrance - Santa Rosa Sound/General/Miscellaneous	Miscellaneous	The Department of the Air Force will enforce the charted Restricted Area found in 33 CFR 334.730. This area includes certain navigable waters of Santa Rosa Sound adjacent to Eglin Air Force Base Property on Santa Rosa Island. All entry, transit, anchoring, or drifting of any persons, vessels, and other craft (including unmanned craft) within the Restricted Area for any reason is not allowed without the permission of the U.S. Air Force (96 TW/CC). Permitted access to the Restricted Area may be granted, in certain circumstances, by contacting the 96 TW/CC at (850) 882-2000.	Lat: 30° 24' 29" Lon: -086° 42' 10"
Santa Rosa Sound Entrance - Santa Rosa Sound/General/Miscellaneous	Miscellaneous	The Department of the Air Force will enforce the charted Restricted Area found in 33 CFR 334.748. This area includes certain navigable waters of Santa Rosa Sound adjacent to Eglin Air Force Base Property. All entry, transit, anchoring, or drifting of any persons, vessels, and other craft (including unmanned craft) within the Restricted Area for any reason is not allowed without the permission of the U.S. Air Force (96 TW/CC). Permitted access to the Restricted Area may be granted, in certain circumstances, by contacting the 96 TW/CC at (850) 882-2000.	Lat: 30° 24' 34" Lon: -086° 46' 15"

Santa Rosa Sound Entrance

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
------	------	--------	----------

Seadrift Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Seadrift South Entrance Channel Daybeacon 1S	38285	STRUCT DEST/TRUB	FD
Seadrift South Entrance Channel Daybeacon 1S	38285	STRUCT DEST/TRUB	FD
Seadrift Channel Light 6	38305	STRUCT DEST/TRLB	FD
Seadrift Channel Light 6	38305	STRUCT DEST/TRLB	FD
Seadrift North Entrance Channel Daybeacon 2N	38320	STRUCT DEST/TRUB	FD
Seadrift North Entrance Channel Daybeacon 2N	38320	STRUCT DEST/TRUB	FD

Sector Corpus Christi, Exclusive Economic Zone (EEZ)

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Fieldwood-110-2	null	SS INOP	PA
ANGLO SUISSE-101-3	null	LT EXT/SS INOP	PA
Fieldwood-110-4	null	STRUCT DEST	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Corpus Christi, Exclusive Economic Zone (EEZ)/General/Hazards To Navigation/Hazards	Hazards To Navigation	Gulf of America - Hazardous Space Operations --- On October 6, 2025, between 2315Z and 0122Z, on October 7, 2025, rocket launching operations are scheduled to take place near Boca Chica, TX. Back-up launch dates and times include the following: • 072315Z OCT to 080122Z OCT 2025 • 082315Z OCT to 090122Z OCT 2025 • 092315Z OCT to 100122Z OCT 2025 • 102315Z OCT to 110122Z OCT 2025 • 112315Z OCT to 120122Z OCT 2025 • 122315Z OCT to 130122Z OCT 2025 • Navigation hazards from rocket launching activity may include, free falling debris and/or descending vehicles or vehicle components, under various means of control. Vessels should operate in a heightened state of awareness during the launch time and avoid all waters within rocket flight trajectories originating from the launch site near Boca Chica/Brownsville, Texas, and extending across the Gulf of America. Free falling rocket launching components will land within the high-risk hazard area. To ensure range clearance, mariners are requested to avoid the high-risk hazard area three hours prior to the indicated launch window. Detailed information on the launch and locations for the associated hazard areas are available at the following: https://www.navcen.uscg.gov/chart	
Sector Corpus Christi, Exclusive Economic Zone (EEZ)/General/Hazards To Navigation/Obstructions	Hazards To Navigation	Gulf of America - Obstruction --- Reported: 2025-05-27 --- Industrial space debris has been reported in the Gulf of America, approximately 16 nautical miles east of Boca Chica, TX, on May 27, 2025. Industrial space debris can range in size and may be visible above the waterline or completely submerged. Mariners are urged to avoid the area.	Lat: 26° 00' 36" Lon: -096° 51' 00"
Sector Corpus Christi, Exclusive Economic Zone (EEZ)/General/Hazards To Navigation/Obstructions	Hazards To Navigation	Gulf of America - Obstruction --- Reported: 2025-08-26 --- Industrial space debris has been reported in the Gulf of America, approximately 16.8 nautical miles east of Boca Chica, TX, in approximate position 26-00-44.7N 096-50-17.6W. Industrial space debris can range in size and may be visible above the waterline or completely submerged. Mariners are urged to avoid the area.	Lat: 26° 00' 45" Lon: -096° 50' 18"
Sector Corpus Christi, Exclusive Economic Zone (EEZ)/General/Miscellaneous	Miscellaneous	Gulf of America - Uncharted Private Aid to Navigation --- Established: 2025-01-16 --- An offshore yellow buoy will be established in position 26-50-03.00N 096-23-26.64W.	Lat: 26° 50' 03" Lon: -096° 23' 27"

Sector Corpus Christi, Submerged Land Act (SLA)

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Brazos Santiago Pass Entrance Lighted Buoy BS	1450	OFF STATION	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Aa-100-2	null	LT EXT/SS INOP	PA
American Coastal-102-28	null	LT EXT/SS INOP	PA
American Coastal-102-23	null	LT EXT/SS INOP	PA
Aa-100-1	null	LT EXT	PA
Ctx-100-1	null	LT EXT/SS INOP	PA
Ctx-100-3	null	LT EXT/SS INOP	PA
Ctx-100-4	null	LT EXT/SS INOP	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION

Sector Corpus Christi, Territorial Sea - Sector Corpus Christi, Submerged Land Act (SLA)/General/Hazards To Navigation/Obstructions	Hazards To Navigation	Gulf of America - Obstruction --- Reported: 2025-03-10 --- Industrial space debris has been reported in the Gulf of America, south of the Brazos Santiago Pass South Anchorage. Industrial space debris can range in size and may be completely submerged or visible above the waterline. Mariners are urged to avoid the area.	
Sector Corpus Christi, Territorial Sea - Sector Corpus Christi, Submerged Land Act (SLA)/General/Hazards To Navigation/Obstructions	Hazards To Navigation	Gulf of America - Obstruction --- Reported: 2025-01-16 --- Industrial space debris has been reported in the Gulf of America, south of the Brazos Santiago Pass South Anchorage. Industrial space debris can range in size and may be visible above the waterline or completely submerged. Mariners are urged to avoid the area.	Lat: 25° 58' 30" Lon: -097° 03' 50"
Sector Corpus Christi, Territorial Sea - Sector Corpus Christi, Submerged Land Act (SLA)/General/Marine Construction (Excluding Bridges)/Survey Operations	Marine Construction (Excluding Bridges)	Cayo de Hinso - Alazan Bay - Survey Operation --- From: 2025-10-01 To: 2025-11-08 --- Seismic survey operations will be conducted in portions of Alazan Bay and Cayo de Hinso. Work will include the placement of wireless motion sensing devices on floats and/or poles, which will be deployed at regular intervals of 82.5 ft. Drill points in Cayo de Hinso will be conducted at intervals of 165 ft and will be marked above the water. On-scene vessels and equipment will include airboats, marsh buggies, floating equipment and markers. Mariners should exercise caution in the area and transit at their slowest safe speed to avoid entanglement in deployed survey equipment.	
Sector Corpus Christi, Territorial Sea - Sector Corpus Christi, Submerged Land Act (SLA)/General/Miscellaneous	Miscellaneous	Gulf of America - Uncharted Private Aid to Navigation --- Established: 2025-01-16 --- An offshore yellow buoy will be established in position 27-34-42.78N 095-48-09.36W.	Lat: 27° 34' 43" Lon: -095° 48' 09"
Sector Corpus Christi, Territorial Sea - Sector Corpus Christi, Submerged Land Act (SLA)/General/Miscellaneous	Miscellaneous	Gulf of America - Uncharted Private Aid to Navigation --- Established: 2025-01-16 --- An offshore yellow buoy will be established in position 27-30-51.36N 095-53-45.96W.	Lat: 27° 30' 51" Lon: -095° 53' 46"
Sector Corpus Christi, Territorial Sea - Sector Corpus Christi, Submerged Land Act (SLA)/General/Miscellaneous	Miscellaneous	Gulf of America - Uncharted Private Aid to Navigation --- Established: 2025-01-16 --- An offshore yellow buoy will be established in position 27-25-56.76N 095-57-44.40W.	Lat: 27° 25' 57" Lon: -095° 57' 44"
Sector Corpus Christi, Territorial Sea - Sector Corpus Christi, Submerged Land Act (SLA)/General/Miscellaneous	Miscellaneous	Gulf of America - Uncharted Private Aid to Navigation --- Established: 2025-01-16 --- An offshore yellow buoy will be established in position 26-44-06.84N 096-22-21.00W.	Lat: 26° 44' 07" Lon: -096° 22' 21"
Sector Corpus Christi, Territorial Sea - Sector Corpus Christi, Submerged Land Act (SLA)/General/Miscellaneous	Miscellaneous	Gulf of America - Uncharted Private Aid to Navigation --- Established: 2025-01-16 --- An offshore yellow buoy will be established in position 26-32-37.80N 096-18-03.00W.	Lat: 26° 32' 38" Lon: -096° 18' 03"
Sector Corpus Christi, Territorial Sea - Sector Corpus Christi, Submerged Land Act (SLA)/General/Miscellaneous	Miscellaneous	Gulf of America - Uncharted Private Aid to Navigation --- Established: 2025-01-16 --- An offshore yellow buoy will be established in position 26-22-24.00N 096-15-42.60W.	Lat: 26° 22' 24" Lon: -096° 15' 43"
Sector Corpus Christi, Territorial Sea - Sector Corpus Christi, Submerged Land Act (SLA)/General/Miscellaneous	Miscellaneous	Gulf of America - Uncharted Private Aid to Navigation --- Established: 2025-01-16 --- An offshore yellow buoy will be established in position 26-14-51.30N 096-15-25.80W.	Lat: 26° 14' 51" Lon: -096° 15' 26"
Sector Corpus Christi, Territorial Sea - Sector Corpus Christi, Submerged Land Act (SLA)/General/Miscellaneous	Miscellaneous	Gulf of America - Uncharted Private Aid to Navigation --- Established: 2025-01-16 --- An offshore yellow buoy will be established in position 26-06-12.06N 096-15-02.64W.	Lat: 26° 06' 12" Lon: -096° 15' 03"
Sector Corpus Christi, Territorial Sea - Sector Corpus Christi, Submerged Land Act (SLA)/General/Miscellaneous	Miscellaneous	Gulf of America - Uncharted Private Aid to Navigation --- Deploy Date: 2025-08-13 --- An offshore yellow scientific buoy with a flashing yellow light will be established in approximate position 27-48-16.2N 096-56-33.72W.	Lat: 27° 48' 16" Lon: -096° 56' 34"
Sector Corpus Christi, Territorial Sea - Sector Corpus Christi, Submerged Land Act (SLA)/General/Miscellaneous	Miscellaneous	Gulf of America - Uncharted Private Aid to Navigation --- Deploy Date: 2025-08-13 --- An offshore yellow scientific buoy with a flashing yellow light will be established in approximate position 27-46-23.87N 096-57-51.47W.	Lat: 27° 46' 24" Lon: -096° 57' 51"

Sector Corpus Christi, Territorial Sea

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Fieldwood-110-2	null	SS INOP	PA
ANGLO SUISSE-101-3	null	LT EXT/SS INOP	PA
Fieldwood-110-4	null	STRUCT DEST	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Corpus Christi, Exclusive Economic Zone (EEZ)/General/Hazards To Navigation/Hazards	Hazards To Navigation	Gulf of America - Hazardous Space Operations --- On October 6, 2025, between 2315Z and 0122Z, on October 7, 2025, rocket launching operations are scheduled to take place near Boca Chica, TX. Back-up launch dates and times include the following: • 072315Z OCT to 080122Z OCT 2025 • 082315Z OCT to 090122Z OCT 2025 • 092315Z OCT to 100122Z OCT 2025 • 102315Z OCT to 110122Z OCT 2025 • 112315Z OCT to 120122Z OCT 2025 • 122315Z OCT to 130122Z OCT 2025 • Navigation hazards from rocket launching activity may include, free falling debris and/or descending vehicles or vehicle components, under various means of control. Vessels should operate in a heightened state of awareness during the launch time and avoid all waters within rocket flight trajectories originating from the launch site near Boca Chica/Brownsville, Texas, and extending across the Gulf of America. Free falling rocket launching components will land within the high-risk hazard area. To ensure range clearance, mariners are requested to avoid the high-risk hazard area three hours prior to the indicated launch window. Detailed information on the launch and locations for the associated hazard areas are available at the following: https://www.navcen.uscg.gov/chart	
Sector Corpus Christi, Exclusive Economic Zone (EEZ)/General/Hazards To Navigation/Obstructions	Hazards To Navigation	Gulf of America - Obstruction --- Reported: 2025-05-27 --- Industrial space debris has been reported in the Gulf of America, approximately 16 nautical miles east of Boca Chica, TX, on May 27, 2025. Industrial space debris can range in size and may be visible above the waterline or completely submerged. Mariners are urged to avoid the area.	Lat: 26° 00' 36" Lon: -096° 51' 00"
Sector Corpus Christi, Exclusive Economic Zone (EEZ)/General/Hazards To Navigation/Obstructions	Hazards To Navigation	Gulf of America - Obstruction --- Reported: 2025-08-26 --- Industrial space debris has been reported in the Gulf of America, approximately 16.8 nautical miles east of Boca Chica, TX, in approximate position 26-00-44.7N 096-50-17.6W. Industrial space debris can range in size and may be visible above the waterline or completely submerged. Mariners are urged to avoid the area.	Lat: 26° 00' 45" Lon: -096° 50' 18"
Sector Corpus Christi, Exclusive Economic Zone (EEZ)/General/Miscellaneous	Miscellaneous	Gulf of America - Uncharted Private Aid to Navigation --- Established: 2025-01-16 --- An offshore yellow buoy will be established in position 26-50-03.00N 096-23-26.64W.	Lat: 26° 50' 03" Lon: -096° 23' 27"

Sector Houston-Galveston, Exclusive Economic Zone (EEZ).

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Dept. of Energy Brine Diffuser Lighted Buoy F	1040	MISSING	PA
Fieldwood-124-4	null	LT EXT	PA
Peregrine-103-1	null	SS INOP	PA
Fieldwood-111-11	null	LT EXT	PA
Energy Xxi-104-2	null	SS INOP/LT EXT	PA
Fieldwood-111-12	null	SS INOP/LT EXT	PA
Cox-111-2	null	SS INOP	PA
Fieldwood-111-14	null	SS INOP	PA
Fieldwood-111-18	null	LT EXT	PA
Energy Xxi-104-2	null	SS INOP	PA
W & T Offshore-105-13	null	SS INOP	PA
W & T Offshore-105-15	null	LT EXT	PA
Fieldwood-109-7	null	SS INOP	PA
D.O.E. Brine Diffuser Lighted Gong Buoy G	1045	MISSING	PA
Fieldwood-123-3 Lighted Buoy	1241	MISSING	PA
Cox-111-2	null	SS INOP	PA
Arena Offshore-104-4	null	LT EXT	PA
Anr-102-10	null	LT EXT/SS INOP	PA
W & T Offshore-105-13	null	LT EXT	PA
Arena Offshore-104-3	null	SS INOP	PA
Fieldwood-111-31	null	LT EXT/SS INOP	PA
Energy Xxi-104-5	null	SS INOP	PA
Texas A&M Current Meter Lighted Buoy P	895	MISSING	PA
Sanare-108-6	null	LT EXT/SS INOP	PA
Fieldwood-109-21	null	SS INOP	PA
Fieldwood-100-13	null	LT EXT	PA
Fieldwood-111-5	null	LT EXT	PA
Oryx-110-3 Lighted Buoy	1055	MISSING	PA
Cox-103-11	null	LT EXT/SS INOP	PA
Trunkline-103-1 Lighted Buoy	685	LT EXT	PA
FR-TX-59 Lighted Buoy	1110	MISSING	PA
Kerr Mc Gee-138-1 Lighted Buoy	1090	MISSING	PA

Private Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Energy XXI-104-3	null	WATCHING PROPERLY	PA	2025-09-15
Energy XXI-104-3	null	WATCHING PROPERLY	PA	2025-09-15

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Houston-Galveston, Exclusive Economic Zone (EEZ)/General/Miscellaneous	Miscellaneous	Gulf of America - Research Buoy --- From: 2024-12-12 To: 2028-08-01 --- A lighted yellow research buoy has been established in position 29-28-07.80N 093-42-44.04W. Mariners are urged to transit the area with caution.	Lat: 29° 28' 08" Lon: -093° 42' 44"
Sector Houston-Galveston, Exclusive Economic Zone (EEZ)/General/Miscellaneous	Miscellaneous	Gulf of America - Uncharted Private Aid to Navigation --- Established: 2025-01-16 --- An offshore yellow buoy has been established in position 27-47-16.5N 094-44-09.0W.	Lat: 27° 47' 17" Lon: -094° 44' 09"
Sector Houston-Galveston, Exclusive Economic Zone (EEZ)/General/Miscellaneous	Miscellaneous	Gulf of America - Uncharted Private Aid to Navigation --- Established: 2025-01-16 --- An offshore yellow buoy has been established in position 27-47-28.14N 094-50-56.76W.	Lat: 27° 47' 28" Lon: -094° 50' 57"
Sector Houston-Galveston, Exclusive Economic Zone (EEZ)/General/Miscellaneous	Miscellaneous	Gulf of America - Uncharted Private Aid to Navigation --- Established: 2025-01-16 --- An offshore yellow buoy has been established in position 27-47-04.86N 094-57-44.52W.	Lat: 27° 47' 05" Lon: -094° 57' 45"
Sector Houston-Galveston, Exclusive Economic Zone (EEZ)/General/Miscellaneous	Miscellaneous	Gulf of America - Uncharted Private Aid to Navigation --- Established: 2025-01-16 --- An offshore yellow buoy has been established in position 27-46-10.44N 095-04-32.22W.	Lat: 27° 46' 10" Lon: -095° 04' 32"
Sector Houston-Galveston, Exclusive Economic Zone (EEZ)/General/Miscellaneous	Miscellaneous	Gulf of America - Uncharted Private Aid to Navigation --- Established: 2025-01-16 --- An offshore yellow buoy has been established in position 27-35-10.86N 095-41-36.66W.	Lat: 27° 35' 11" Lon: -095° 41' 37"

Sector Houston-Galveston, Submerged Land Act (SLA)

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Freeport Entrance Lighted Buoy FP	1315	MISSING	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
W & T Offshore-105-10	null	SS INOP	PA
Fieldwood-100-16	null	LT EXT	PA
Cox-103-03	null	LT EXT/SS INOP	PA
Cox-103-01	null	LT EXT	PA
Fieldwood-100-18	null	LT EXT	PA
Cox-103-01	null	SS INOP	PA

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Freeport Entrance Lighted Buoy FP	1315	RELOCATED FOR DREDGING	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Houston-Galveston, Submerged Land Act (SLA)/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2025-09-15 To: 2025-09-25 Location: 29.49352° N / 92.6398° W Aid Name: PROBE-100-1 LLNR: Not Provided Action: DISCONTINUE Platform: Probe-100-1 Decommissioned, remove platform symbol	Lat: 29° 29' 37" Lon: -092° 38' 23"
Sector Houston-Galveston, Submerged Land Act (SLA)/General/Marine Construction (Excluding Bridges)/Survey Operations	Marine Construction (Excluding Bridges)	Gulf of America - Survey Operations --- From: 2025-10-10 To: 2025-11-03 --- The Lift Boat DULARGE will be conducting geotechnical soil sampling in the Gulf of America. Operations will be conducted 24-hours a day, 7-days a week. The M/V DULARGE will have restricted maneuverability during seafloor sampling operations and is requesting mariners working in or transiting through the area give a 0.5 nm closest point of approach. VHF-FM Channel: 16, POC: (504) 620-6850	
Sector Houston-Galveston, Submerged Land Act (SLA)/General/Marine Construction (Excluding Bridges)/Survey Operations	Marine Construction (Excluding Bridges)	Gulf of America - Survey Operation --- From: 2025-09-19 To: 2025-09-28 --- The M/V GO QUEST will be conducting survey operations in the Gulf of America, in an area bound by approximate positions: 29-27-35.13N 094-30-09.56W, 29-24-21.80N 094-28-15.71W, 29-34-45.33N 094-03-13.35W and 29-37-57.35N 094-04-59.45W. Surveys will be conducted 24-hours a day, 7-days a week. The M/V GO QUEST will operate in the survey area at approximately 5 knots while towing sensors up to 165 ft behind the vessel. The survey vessel will have restricted maneuverability while towing equipment and is requesting mariners maintain a 0.5 nm closest point of approach. VHF-FM Channel: 16, POC: (337) 739-3585	
Sector Houston-Galveston, Submerged Land Act (SLA)/General/Miscellaneous	Miscellaneous	Sabine Bank Channel - Research Buoy --- Established: 2024-12-16 --- A lighted yellow research buoy has been established in position 29-36-42.06N 093-47-19.50W. Mariners are urged to transit the area with caution.	Lat: 29° 36' 42" Lon: -093° 47' 19"

Sector Houston-Galveston, Submerged Land Act (SLA)/General/Miscellaneous	Miscellaneous	Sabine Bank Channel - Research Buoy --- Established: 2024-12-16 --- A lighted yellow research buoy has been established in position 29-35-38.10N 093-46-09.18W. Mariners are urged to transit the area with caution.	Lat: 29° 35' 38" Lon: -093° 46' 09"
Sector Houston-Galveston, Submerged Land Act (SLA)/General/Miscellaneous	Miscellaneous	Gulf of America - Uncharted Private Aid to Navigation --- Established: 2025-04-24 --- An offshore yellow scientific buoy has been established in approximate position 29-37-04.08N 093-50-13.32W.	Lat: 29° 37' 04" Lon: -093° 50' 13"
Sector Houston-Galveston, Submerged Land Act (SLA)/General/Miscellaneous	Miscellaneous	Gulf of America - Uncharted Private Aid to Navigation --- Established: 2025-04-24 --- An offshore yellow scientific buoy has been established in approximate position 29-34-27.90N 093-48-23.94W.	Lat: 29° 34' 28" Lon: -093° 48' 24"
Sector Houston-Galveston, Submerged Land Act (SLA)/General/Miscellaneous	Miscellaneous	Gulf of America - Research Buoy --- Established: 2025-09-24 --- A lighted yellow Ocean Data Acquisition System (ODAS) research buoy will be established in position 29-40-13.4N 093-21-14.8W. The buoy is 3.9 ft tall and features a flashing yellow light at night (F(5)Y 20s). Mariners are urged to transit the area with caution.	Lat: 29° 40' 13" Lon: -093° 21' 15"
Sector Houston-Galveston, Submerged Land Act (SLA)/General/Miscellaneous	Miscellaneous	Gulf of America - Unmanned Surface Vessel Testing --- From: 2025-02-14 To: 2025-12-31 --- Unmanned surface vessel (USV) tests will be conducted in the Gulf of America, in an area bound by approximate positions: 29-25-21.12N 094-36-09.42W, 29-25-20.04N 094-31-35.52W, 29-22-15.06N 094-33-00.24W, and 29-22-13.98N 094-37-32.94W. USV operations will take place Monday through Friday, from 8:00 a.m. to 6:00 p.m. Mariners are requested to contact the on-scene support vessel SARONIC RANGER to coordinate transits in the USV operating area. VHF-FM Channel: 16	

Sector Mobile, Exclusive Economic Zone (EEZ).

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Fieldwood-107-13	null	SS INOP	PA
Mobil-194-6 Lighted Horn Buoy	350	MISSING	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Mobile, Exclusive Economic Zone (EEZ)/General/Hazards To Navigation/Obstructions	Hazards To Navigation	Gulf of America (Gulf of Mexico) - Shrimp Net --- Reported: 2025-09-18 --- A 60 ft by 30 ft shrimp net has been reported in the vicinity of Scott Barge artificial reef, in approximate position 29-59-18.54N 088-01-37.74W, on September 18, 2025. The shrimp net is reportedly not marked. Mariners are urged to use extreme caution when transiting this area.	Lat: 29° 59' 19" Lon: -088° 01' 38"
Sector Mobile, Exclusive Economic Zone (EEZ)/General/Miscellaneous	Miscellaneous	Marine Safety Alert 02-24 Inspections and Compliance Directorate DANGEROUS BYCATCH FROM DISCARDED MUNITIONS REMAINS A PRESENT DAY HAZARD This Safety Alert is being issued to raise awareness of lurking hazards caused by discarded munitions, which often contain active explosives or chemical agents. Although the practice of dumping munitions into the sea ceased in 1970, a significant amount remains hidden in coastal waters, posing a safety hazard to commercial fisherman, dredge operators, and others who trawl and work the ocean floor. Recently, a deckhand on a clamming vessel was severely burned when a canister was dredged up and brought onboard with clams and other debris. The canister likely contained mustard gas or another blistering agent, but did not display any obvious visual, audible, or odor indicators of discharging content. A member of the crew discovered the canister and threw it back overboard. Several hours later he developed a severe rash that required professional medical treatment. Mustard gas is a chemical weapon developed during World War I. Millions of pounds of this product, other chemical weapons, bombs, torpedoes, artillery shells, and munitions were routinely disposed of and remain in U.S. coastal waters. Although many munition dump areas are well marked on navigation charts, numerous areas where munitions were discarded remain unmarked. There is also evidence suggesting that munitions were frequently "short dumped," meaning dumped outside of the designated areas by contractors hired to take them to the intended locations. The Coast Guard previously issued Safety Alert 11-16 and Safety Alert 6-10 on this same topic and continues to strongly recommend that persons involved in the fishing and dredging industries: Review their navigational charts to ensure the areas in which they are trawling or dredging are not near labeled "Explosives Dumping Areas." Such areas must be given wide berth and seafarers should recognize that surface bottoms change and that objects can move significant distances from their original disposal areas. Review and follow recommendations from the Maritime Industry 3Rs Explosive Safety Guide. Carefully record the position of any munitions encountered and returned to the sea. Immediately report discovery to the National Response Center, at (800) 424-8802 to ensure a proper response and potential recovery. Alternatively, the local U.S. Coast Guard unit may be notified via VHF-FM Channel 16. This Safety Alert is provided for informational purposes only and does not relieve any domestic or international safety, operational, or material requirement. Developed by the Office of Commercial Vessel Compliance (CG-CVC) and distributed by the Office of Investigations and Casualty Analysis (CG-INV). Questions may be submitted to HQS-SMB-CGINV@uscg.mil.	
Sector Mobile, Exclusive Economic Zone (EEZ)/General/Naval Activity/Naval Testing (Surface/Underwater)	Naval Activity	Gulf of America - U.S. Navy Operation -- From: 2025-09-21 To: 2025-11-08 --- The U.S. Navy will be conducting multi-craft surface testing operations in the Gulf of America, 24-hours a day, 7-days a week. The testing area will be bound by the following approximate positions: 29-55-01.88N 086-11-08.53W, 29-54-01.88N 086-11-09.132W, 29-54-01.35N 086-10-00.27W and 29-55-01.35N 086-09-59.66W. The M/V GO ADVENTURER will be the on-scene support vessel. Mariners are requested to avoid the area. VHF-FM Channel: 16	

Sector Mobile, Submerged Land Act (SLA).

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Pass Aux Herons Buoy 8	34005	TRUB	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Dauphin Bay Daybeacon 1	34135	STRUCT MISSING	PA
Dauphin Bay Daybeacon 3	34145	STRUCT MISSING	PA
Dauphin Bay Daybeacon 4	34150	STRUCT MISSING	PA
Dauphin Bay Daybeacon 5	34155	STRUCT MISSING	PA
Dauphin Bay Daybeacon 6	34160	STRUCT MISSING	PA
Dauphin Bay Daybeacon 7	34165	STRUCT MISSING	PA
Dauphin Bay Daybeacon 8	34170	STRUCT MISSING	PA
Shell Point Channel Daybeacon 14	1905	STRUCT DEST	PA
Mississippi Sound Pipeline Light Cp-7	8585	STRUCT DEST/HAZ NAV	PA
Broadwater Beach Hotel Marina Channel Daybeacon 3	9545	MISSING/STRUCT DEST/DAYMK MISSING	PA
Broadwater Beach Hotel Marina Channel Daybeacon 4	9550	MISSING/STRUCT DEST/DAYMK MISSING	PA
Broadwater Beach Hotel Marina Channel Daybeacon 6	9560	MISSING/STRUCT DEST/DAYMK MISSING	PA
Broadwater Beach Hotel Marina Channel Daybeacon 7	9565	MISSING/STRUCT DEST/DAYMK MISSING	PA
Broadwater Beach Hotel Marina Channel Light	9570	MISSING/STRUCT DEST/LT EXT/DAYMK MISSING	PA
Broadwater Beach Hotel Marina Channel Daybeacon 2	9540	MISSING/STRUCT DEST/DAYMK MISSING	PA
Broadwater Beach Hotel Marina Channel Daybeacon 5	9555	MISSING/STRUCT DEST/DAYMK MISSING	PA
U.S.G.S. Gulfport Monitoring Platform Light	9425	LT EXT	PA
Shell Point Marina Light 2	1835	LT EXT	PA
Shell Point Channel Daybeacon 10	1885	DAYMK DMGD	PA
Shell Point Channel Daybeacon 12	1895	MISSING	PA
Spring Creek Channel Daybeacon 2	1980	DAYMK DMGD	PA
Spring Creek Channel Daybeacon 7	2005	STRUCT DEST	PA
Spring Creek Channel Daybeacon 9	2015	STRUCT DEST	PA
Spring Creek Channel Daybeacon 13	2035	DAYMK MISSING	PA
Spring Creek Channel Daybeacon 15	2045	DAYMK MISSING	PA
Spring Creek Channel Daybeacon 17	2055	DAYMK MISSING	PA
Spring Creek Channel Daybeacon 18	2060	DAYMK MISSING	PA
Spring Creek Channel Daybeacon 20	2070	DAYMK DMGD	PA
Spring Creek Channel Daybeacon 21	2075	DAYMK MISSING	PA
Spring Creek Channel Daybeacon 22	2080	DAYMK MISSING	PA
Spring Creek Channel Daybeacon 23	2085	DAYMK MISSING	PA
Dauphin Bay Daybeacon 2	34140	STRUCT DEST	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Mobile, Territorial Sea - Sector Mobile, Submerged Land Act (SLA)/General/Marine Events/Fireworks	Marine Events	East Pass Entrance Channel - Fireworks Display --- Regularly scheduled barge-based fireworks displays will take place southwest of the East Pass Entrance Channel near Eglin Beach Park. A 700 ft fallout radius will exist around the barge located in approximate position 30-23-14.42N 086-30-53.95W. Fireworks are scheduled to take place for the Harborwalk Village Fireworks 2025 Season on the following dates: -- October 4, 11, 18 and 25 -- December 14 and 31 -- Mariners are urged to use extreme caution while transiting this area.	Lat: 30° 23' 14" Lon: -086° 30' 54"
Sector Mobile, Territorial Sea - Sector Mobile, Submerged Land Act (SLA)/General/Marine Events/Fireworks	Marine Events	East Pass Entrance Channel - Old Pass Lagoon - Fireworks Display --- Regularly scheduled barge-based fireworks displays will take place north of the East Pass Entrance Channel and south of Highway 98. A 200 ft fallout radius will exist around the barge located in approximate position 30-23-35.7N 086-30-50.2W. Fireworks are scheduled to take place for the Harborwalk Village Fireworks 2025 Season on the following dates: -- August 31 -- Mariners are urged to use extreme caution while transiting this area.	Lat: 30° 23' 36" Lon: -086° 30' 50"
Sector Mobile, Territorial Sea - Sector Mobile, Submerged Land Act (SLA)/General/Miscellaneous	Miscellaneous	The Department of the Air Force will enforce the charted Restricted Area found in 33 CFR 334.730. This area includes certain navigable waters of Santa Rosa Sound, the GIWW (Miles 204.6 to 216.4, WHL), and the Gulf of America (Gulf of Mexico) adjacent to Eglin Air Force Base Property. All entry, transit, anchoring or drifting within the restricted area for any reason is not allowed without permission from the U.S. Air Force (96 TW/CC), except to navigate the Gulf Intracoastal Waterway. Such vessels and other watercraft shall confine their movements to the waters within the limits of the GIWW and shall make the passage as promptly as possible under normal vessel speed. Other permitted access to the Restricted Area may be granted, in certain circumstances, by contacting the 96 TW/CC at (850) 882-2000.	Lat: 30° 23' 03" Lon: -086° 48' 24"
Sector Mobile, Territorial Sea - Sector Mobile, Submerged Land Act (SLA)/General/Miscellaneous	Miscellaneous	Gulf of America - Temporary Research Buoy --- From: 2025-04-21 To: 2026-04-20 --- A lighted spotter research buoy displaying a flashing 2.5 second amber light at night has been temporarily established in approximate position 30-19-27.498N 087-08-39.684W.	Lat: 30° 19' 27" Lon: -087° 08' 40"
Sector Mobile, Territorial Sea - Sector Mobile, Submerged Land Act (SLA)/General/Miscellaneous	Miscellaneous	Gulf of America - Research Buoy --- Established: 2025-09-24 --- A lighted yellow Ocean Data Acquisition System (ODAS) research buoy will be established in position 30-10-09.2N 088-01-18.8W. The buoy is 3.9 ft tall and features a flashing yellow light at night (FI(5)Y 20s). Mariners are urged to transit the area with caution.	Lat: 30° 10' 09" Lon: -088° 01' 19"
Sector Mobile, Territorial Sea - Sector Mobile, Submerged Land Act (SLA)/General/Miscellaneous	Miscellaneous	Gulf of America - Horn Island Pass - Research Buoy --- Established: 2025-09-24 --- A lighted yellow Ocean Data Acquisition System (ODAS) research buoy will be established in position 30-11-42.5N 088-32-38.8W. The buoy is 3.9 ft tall and features a flashing yellow light at night (FI(5)Y 20s). Mariners are urged to transit the area with caution.	Lat: 30° 11' 42" Lon: -088° 32' 39"

Sector Mobile, Territorial Sea - Sector Mobile, Submerged Land Act (SLA)/General/Naval Activity/Naval Testing (Surface/Underwater)	Naval Activity	Gulf of America - U.S. Navy Operation --- From: 2025-09-03 To: 2025-10-31 --- The U.S. Navy will operate an unmanned surface vehicle (USV) towing underwater equipment in the Gulf of America, in the offshore waters of Panama City Beach, FL. The operating area will be bound by approximate positions: 30-07-58.59N 085-55-19.54W, 30-07-58.63N 085-50-42.76W, 30-03-56.30N 085-50-42.75W and 30-03-56.27N 085-55-19.44W. Two U.S. Naval support vessels will be on-scene during the USV operation. Mariners should maintain a wide berth from all U.S. Naval craft and are requested to avoid the area. VHF-FM Channel: 16	
--	----------------	---	--

Sector Mobile, Territorial Sea

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Cox-102-1	null	LT EXT/SS INOP	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Mobile, Exclusive Economic Zone (EEZ) - Sector Mobile, Territorial Sea/General/Marine Construction (Excluding Bridges)/Boring and Core Samples	Marine Construction (Excluding Bridges)	Gulf of America - Survey Operation --- From: 2025-09-29 To: 2025-10-10 --- The M/V TYSON B will be conducting vibracore sampling in the Gulf of America, south of the Ship Island Pass to Horn Island Pass Safety Fairway. Work will take place from 6:00 a.m. to 7:00 p.m., daily. A 3-point anchor spread with approximately 750 ft of cable will be used by the sampling vessel at each of the 27 sampling locations. Anchors will be marked with buoys, and the M/V TYSON B will maintain a lookout at all times. Additional on-scene vessels will include the Crew Boat MADISON GAIL and a 110 ft x 35 ft crane barge. Mariners are urged to maintain a wide berth from the work site and should proceed with caution. VHF-FM Channels: 10, 12 and 16, POC: (251) 510-1039	
Sector Mobile, Exclusive Economic Zone (EEZ) - Sector Mobile, Territorial Sea/General/Miscellaneous	Miscellaneous	Gulf of America - Temporary Research Buoy --- From: 2025-03-21 To: 2026-03-20 --- A lighted spotter research buoy displaying a flashing 2.5 second amber light at night has been temporarily established in approximate position 30-05-25.2N 088-12-42.0W.	Lat: 30° 05' 25" Lon: -088° 12' 42"

Sector New Orleans, Exclusive Economic Zone (EEZ)

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Fieldwood-117-19	null	SS INOP/LT EXT	PA
Arena Offshore-105-53	null	LT EXT	PA
Loop Lighted Mooring Buoy Vm-1	550	MISSING	PA
Loop Lighted Mooring Buoy Vm-2	555	MISSING	PA
Fieldwood-105-29	null	SS INOP	PA
Talos-100-48	null	LT EXT	PA
Whitney-101-02	null	LT EXT	PA
Energy Xxi-100-81	null	SS INOP	PA
Whitney-101-03	null	SS INOP/LT EXT	PA
Talos-100-48	null	SS INOP	PA
Monforte-101-2	null	LT EXT	PA
Fieldwood-104-3	null	LT EXT	PA
Whitney-101-02	null	SS INOP	PA
Energy xxi-109-8	null	SS INOP	PA
Cox-108-01	null	LT EXT/SS INOP	PA
Fieldwood-117-29	null	SS INOP	PA
Talos-100-21	null	LT EXT	PA
Arena Offshore-107-1	null	LT EXT	PA
Arena Offshore-109-2	null	LT EXT	PA
Fieldwood-117-36	null	LT EXT	PA
Fieldwood-117-8	null	SS INOP	PA
Fieldwood-117-28	null	SS INOP	PA
White Fleet-100-1	null	SS INOP	PA
Apache-102-72	null	SS INOP/LT EXT	PA
Fieldwood-117-42	null	LT EXT/SS INOP	PA
Loop Fairway Lighted Buoy 2	520	LT EXT	PA
Energy Xxi-107-5	null	SS INOP	PA
Energy Xxi-110-1	null	SS INOP	PA
Cox-107-01	null	LT EXT/SS INOP	PA
Cox-106-1	null	SS INOP/LT EXT	PA
Fieldwood-117-28	null	LT EXT	PA
Arena Offshore-105-79	null	LT EXT	PA
Arena Offshore-105-60	null	LT EXT/SS INOP	PA
Apache-102-36	null	SS INOP	PA
Cox-107-11	null	LT EXT	PA
Cox-109-2	null	SS INOP	PA

Gom Shelf-110-2	null	SS INOP	PA
GOM Shelf-800-10	null	SS INOP	PA
Gom Shelf-110-5	null	SS INOP	PA
Whitney-101-03	null	SS INOP	PA
Arena Offshore-106-10	null	SS INOP	PA
Cox-108-05	null	SS INOP	PA
Cox-108-01	null	SS INOP	PA
Cox-110-05	null	SS INOP	PA
Loop Fairway Lighted Buoy 3	525	LT EXT	PA
Cox-109-5	null	SS INOP	PA
Cox-106-1	null	LT EXT/SS INOP	PA
Cox-110-02	null	SS INOP	PA
Cox-109-6	null	LT EXT	PA
Arena Offshore-116-5	null	SS INOP	PA
Arena Offshore-116-6	null	SS INOP	PA
Arena Offshore-116-6	null	SS INOP	PA
Monforte-101-3	null	SS INOP	PA
Talos-103-16	null	LT EXT	PA
Fieldwood-117-23	null	LT EXT	PA
Fieldwood-117-7	null	LT EXT	PA
Fieldwood-117-36	null	SS INOP	PA
Monforte-101-1	null	SS INOP	PA
Arena Offshore-109-3	null	LT EXT	PA
BP Exploration-110-3 (Atlantis)	null	LT EXT/SS INOP/RAC INOP	PA
W & T Offshore-113-26	null	SS INOP	PA
Talos-100-51	null	SS INOP	PA
Talos-100-51	null	LT EXT	PA
Trunkline-103-3	null	LT EXT	PA
Cox-110-04	null	LT EXT	PA
Basin-104-3(Buoy Waiver)	null	LT EXT	PA
Talos-100-48	null	SS INOP	PA
Arena Offshore-105-41	null	SS INOP	PA
Arena Offshore-116-9	null	SS INOP	PA
Arena Offshore-106-6	null	SS INOP	PA

Private Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Arena Offshore-105-37	null	WATCHING PROPERLY	PA	2025-09-22
Energy XXI-108-18	null	WATCHING PROPERLY	PA	2025-09-15
Fieldwood-117-30	null	WATCHING PROPERLY	PA	2025-09-15
Energy XXI-108-18	null	WATCHING PROPERLY	PA	2025-09-15
Fieldwood-103-3	null	WATCHING PROPERLY	PA	2025-09-15
Arena Offshore-105-37	null	WATCHING PROPERLY	PA	2025-09-22
Whitney-101-04	null	WATCHING PROPERLY	PA	2025-09-15
Talos-100-35	null	WATCHING PROPERLY	PA	2025-09-20
Talos-101-8	null	WATCHING PROPERLY	PA	2025-09-20

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector New Orleans, Exclusive Economic Zone (EEZ)/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2025-09-12 To: 2025-09-25 Location: 28.67149° N / 91.96922° W Aid Name: Energy XXI-108-48 LLNR: Not Provided Action: DISCONTINUE Remove platform symbol. Four bridge connected platforms were removed.	Lat: 28° 40' 17" Lon: -091° 58' 09"
Sector New Orleans, Exclusive Economic Zone (EEZ)/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2025-09-16 To: 2025-09-26 Location: 28.50461° N / 91.42325° W Aid Name: White Fleet-100-2 LLNR: Not Provided Action: DISCONTINUE Platform: Oil platform was decommissioned and removed from the water. Request removal of charted platform symbol.	Lat: 28° 30' 17" Lon: -091° 25' 24"
Sector New Orleans, Exclusive Economic Zone (EEZ)/ATON/ATON Changes	ATON Changes	ATON/ATON Changes From: 2025-09-23 To: 2025-10-03 Location: 28.47739° N / 91.41517° W Aid Name: White Fleet-100-7 LLNR: Not Provided Action: DISCONTINUE Platform: Decommissioned and removed from the water. Remove platform symbol.	Lat: 28° 28' 39" Lon: -091° 24' 55"

Sector New Orleans, Exclusive Economic Zone (EEZ)/General/Hazards To Navigation/Obstructions	Hazards To Navigation	Gulf of America - Unlit Platform --- Reported: 2025-07-21 --- An unlit platform has been reported, in approximate position 28-20-33.2088N 091-32-15.2370W. Mariners are urged to avoid this area.	Lat: 28° 20' 33" Lon: -091° 32' 15"
Sector New Orleans, Exclusive Economic Zone (EEZ)/General/Hazards To Navigation/Hazards	Hazards To Navigation	Gulf of America - Platform Removal Hazard --- From: 2025-08-04 To: Until Further Notice --- Platform removal is being conducted in the Gulf of America, Eugene Island Area, Block 307, in approximate position 28-19-11.08N 091-36-54.83W. Portions of the platform have been removed and moved offsite. The lower jacket and subsea portion of the platform remain in the area. An orange and white buoy with a flashing 2.5 second white light has been established in the area to mark the remaining lower jacket portion of the platform. Mariners should avoid the area.	Lat: 28° 19' 11" Lon: -091° 36' 55"
Sector New Orleans, Exclusive Economic Zone (EEZ)/General/Hazards To Navigation/Hazards	Hazards To Navigation	Gulf of America - Platform Removal Hazard --- From: 2025-08-04 To: Until Further Notice --- Platform removal and demolition will be conducted in the Gulf of America, Eugene Island Area, Block 307, in approximate position 28-18-08.65N 091-37-31.01W. Portions of the platform have been removed and moved offsite. The lower jacket and subsea portion of the platform remain in the area. An orange and white buoy with a flashing 2.5 second white light has been established in the area to mark the remaining lower jacket portion of the platform. Mariners should avoid the area.	Lat: 28° 18' 09" Lon: -091° 37' 31"
Sector New Orleans, Exclusive Economic Zone (EEZ)/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	Atchafalaya Bar Channel - Dredge Operation --- From: 2025-01-07 To: 2025-12-31 --- The Agitation Dredge ARULAQ will be dredging in the Atchafalaya Bar Channel, between Miles 167.0 and 156.0, 24-hours a day, 7-days a week. Mariners should coordinate passing arrangements with the M/V JOHN E. GRAHAM and transit the area at their slowest safe speed to minimize wake. VHF-FM Channels: 13 and 16, POC USACE: (504) 862-2360, (504) 862-2153 and (504) 862-2630	
Sector New Orleans, Exclusive Economic Zone (EEZ)/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	Gulf of America - Platform Removal --- From: 2025-08-04 To: Until Further Notice --- Platform removal and demolition will be conducted in the Gulf of America, Eugene Island Area, Block 307, in approximate position 28-19-11.08N 091-36-54.83W. Portions of the platform have been removed and moved offsite. The lower jacket and subsea portion of the platform will remain in the area until phase two of platform demolition is conducted. An orange and white buoy with a flashing 2.5 second white light is on location marking the remaining lower jacket portion of the platform. Mariners are requested to maintain a wide berth from the work site.	Lat: 28° 19' 11" Lon: -091° 36' 55"
Sector New Orleans, Exclusive Economic Zone (EEZ)/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	Gulf of America - Platform Removal --- From: 2025-08-04 To: Until Further Notice --- Platform removal and demolition will be conducted in the Gulf of America, Eugene Island Area, Block 307, in approximate position 28-18-08.65N 091-37-31.01W. Portions of the platform have been removed and moved offsite. The lower jacket and subsea portion of the platform will remain in the area until phase two of platform demolition is conducted. An orange and white buoy with a flashing 2.5 second white light is on location marking the remaining lower jacket portion of the platform. Mariners are requested to maintain a wide berth from the work site.	Lat: 28° 18' 09" Lon: -091° 37' 31"
Sector New Orleans, Exclusive Economic Zone (EEZ)/General/Marine Construction (Excluding Bridges)/Survey Operations	Marine Construction (Excluding Bridges)	Gulf of America - Survey Operations --- From: 2025-05-12 To: 2026-05-01 --- The M/Vs SIDDIS MARINER and ARTEMIS ODYSSEY with submersibles and the M/V REM ANDES towing 400 meter long cables will be conducting survey operations offshore in the Gulf of America. Mariners are request to maintain a wide berth to reduce impacts to survey data and to avoid entanglement with towed/deployed equipment.	

Sector New Orleans, Submerged Land Act (SLA)

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Southwest Pass Entrance Lighted Buoy SW	430	RESET ON STATION	FD	2025-09-23

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Cantium-116-26	null	LT EXT	PA
Cantium-117-08	null	SS INOP	PA
Great Lakes Dredge & Dock Lighted Danger Buoys (4)	15728.11	MISSING	PA
Atchafalaya Bay Light 12	19515	STRUCT DEST/HAZ NAV	PA
Loop 100-7 Light	580	STRUCT DEST	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector New Orleans, Territorial Sea - Sector New Orleans, Submerged Land Act (SLA)/General/Hazards To Navigation/Hazards	Hazards To Navigation	Gulf of America - East Bay --- Reported: 2025-04-01 --- Multiple aid to navigation discrepancies (lights and fog horns) have been reported on platforms located in the South Pass Area, Blocks 27 and 28. Mariners are urged to transit this area with extreme caution.	
Sector New Orleans, Territorial Sea - Sector New Orleans, Submerged Land Act (SLA)/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	Grand Bayou - Bay Batiste - Landing Barge Location --- Installed: 2025-08-19 --- A landing barge associated with the Weeks Marine Grand Bayou Ridge and Restoration Project is located in approximate position 29-29-34N 089-48-04W. Mariners should transit the area with caution.	Lat: 29° 29' 34" Lon: -089° 48' 04"
Sector New Orleans, Territorial Sea - Sector New Orleans, Submerged Land Act (SLA)/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	Grand Bayou - Marsh Restoration --- From: 2025-01-06 To: 2025-12-15 --- Marsh creation and restoration is taking place near Grand Bayou and the marshes west of the Mississippi River. The project work site includes staging areas for anchored dredge pipe and supply barges, marsh creation areas, dredging limits, and areas for submerged pipelines. Dredge pipes, equipment, boats and barges will transit through Jefferson Canal to the project site. The placement of dredged material into the marsh creation areas will be conducted 24-hours a day, 7-days a week. Work will include the use of marsh buggies, towing vessels, barge mounted excavators and work barges. Mariners are urged to use extreme caution and transit the area at their slowest safe speed to create minimum wake. VHF-FM Channels: 13, 16, and 67, POC: (224) 221-9834 or (224) 563-4432	
Sector New Orleans, Territorial Sea - Sector New Orleans, Submerged Land Act (SLA)/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	Jefferson Canal - Subline Crossing --- Installed: 2025-07-07 --- A dredge subline has been installed in Jefferson Canal. Mariners should transit the area with caution.	

Sector New Orleans, Territorial Sea - Sector New Orleans, Submerged Land Act (SLA)/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	Grand Lake - Dredging and Marsh Creation --- From: 2025-09-15 To: 2026-07-31 --- Amphibious and barge mounted excavators will be building marsh creation areas on the southern shoreline of Grand Lake. Dredges will pump material from the middle of Grand Lake into five marsh creation sites. Work will take place 24-hours a day, 7-days a week. On-scene vessels include the Dredges GRAND TERRE and GRAND GOSIER, tugs and barges. Three dredge pipeline segments will be floating in the area, with 1,000 ft sections submerged and marked. Access dredging may take place in Grand Lake and in the surrounding bodies of water, including Bayou Gentilly, Petit Lake and Alligator Pass. Mariners are urged to transit the area with caution and at their slowest safe speed to minimize wake. VHF-FM Channels: 16 and 71	
Sector New Orleans, Territorial Sea - Sector New Orleans, Submerged Land Act (SLA)/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	Grand Bayou - Temporary Crossing --- Installed: 2025-09-03 --- A temporary land crossing has been installed across the existing canal between marsh containment dikes 1 and 2. The land crossing will remain in place for the duration of the Grand Bayou Ridge and Marsh Restoration Project. Temporary warning signage with navigation lights have been installed in the area. Mariners should transit this area with caution.	
Sector New Orleans, Territorial Sea - Sector New Orleans, Submerged Land Act (SLA)/General/Miscellaneous	Miscellaneous	Gulf of America - Belle Pass - Research Buoy --- Established: 2025-09-24 --- A lighted yellow Ocean Data Acquisition System (ODAS) research buoy will be established in position 29-04-24.8N 090-12-44.7W. The buoy is 3.9 ft tall and features a flashing yellow light at night (Fl(5)Y 20s). Mariners are urged to transit the area with caution.	Lat: 29° 04' 25" Lon: -090° 12' 45"
Sector New Orleans, Territorial Sea - Sector New Orleans, Submerged Land Act (SLA)/General/Miscellaneous	Miscellaneous	Gulf of America - Research Buoy --- Established: 2025-09-24 --- A lighted yellow Ocean Data Acquisition System (ODAS) research buoy will be established in position 29-03-41.7N 090-15-49.1W. The buoy is 3.9 ft tall and features a flashing yellow light at night (Fl(5)Y 20s). Mariners are urged to transit the area with caution.	Lat: 29° 03' 42" Lon: -090° 15' 49"

Sector New Orleans, Territorial Sea

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Southwest Pass Entrance Light	420	RELIGHTED	FD	2025-09-18

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Talos-100-39	null	LT EXT	PA
Energy Xxi-107-20	null	SS INOP	PA
Arena Offshore-106-44	null	SS INOP	PA
Contango-200-4	null	LT EXT	PA
Cox-109-44	null	SS INOP/LT EXT	PA
Fieldwood-101-5	null	LT EXT	PA
Energy XXI-108-19	null	SS INOP	PA
Energy Xxi-108-5	null	SS INOP	PA
Arena Offshore-106-33	null	SS INOP	PA
Cox-109-32	null	LT EXT/SS INOP	PA
Black Elk-116-1	null	SS INOP	PA
Fieldwood-103-67	null	SS INOP	PA
Talos-100-44	null	SS INOP	PA
Sanare-122-11	null	SS INOP	PA
Fieldwood-107-17	null	LT EXT	PA
Sanare-122-8	null	LT EXT	PA
Arena Offshore-106-40	null	SS INOP	PA
Cox-109-8	null	SS INOP	PA
Cox-109-18	null	LT EXT	PA
Cox-109-20	null	SS INOP	PA
Arena Offshore-106-40	null	SS INOP	PA
Cox-107-09	null	SS INOP	PA
Energy XXI-108-19	null	LT EXT/SS INOP	PA
Cox-109-7	null	LT EXT	PA
Cox-109-48	null	LT EXT	PA
Cox-107-10	null	LT EXT	PA
Sanare-122-11	null	LT EXT	PA
Arena Offshore-106-31	null	LT EXT	PA
Cox-109-47	null	LT EXT	PA
Cox-105-1 (RACON)	null	SS INOP	PA
Arena Offshore-106-46	null	SS INOP	PA
Cox-109-53	null	SS INOP	PA
Energy Xxi-100-70	null	SS INOP	PA
Mcmoran-117-7	null	LT EXT	PA
Energy Partners-112-8	null	LT EXT	PA
Energy Xxi-100-18	null	LT EXT/SS INOP	PA
Cox-109-45	null	LT EXT/SS INOP	PA

Cox-109-34	null	LT EXT	PA
Mcmoran-117-7	null	SS INOP/LT EXT	PA
Cox-107-12	null	LT EXT	PA
Greyhound-100-15	null	SS INOP/LT EXT	PA
Contango-200-3	null	LT EXT	PA
Transco-108-2	null	SS INOP	PA
Energy Xxi-100-1	null	LT EXT	PA
Energy Xxi-100-67	null	LT EXT	PA
Energy XXI-107-18	null	SS INOP	PA
Energy XXI-102-10 (Lighted Horn Buoy)	370	STRUCT DEST	PA
Cox-110-11	null	LT EXT/SS INOP	PA
Cox-109-45	null	LT EXT	PA

Private Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Energy Xxi-102-5 (Racon)	null	WATCHING PROPERLY	PA	2025-09-19
Sanare-122-7	null	WATCHING PROPERLY	PA	2025-09-19
Energy XXI-100-90	null	WATCHING PROPERLY	PA	2025-09-16
Energy Xxi-102-5 (Racon)	null	WATCHING PROPERLY	PA	2025-09-19
Fieldwood-102-16	null	WATCHING PROPERLY	PA	2025-09-15
Sanare-122-5	null	WATCHING PROPERLY	PA	2025-09-19
Arena Offshore-106-44	null	WATCHING PROPERLY	PA	2025-09-23

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector New Orleans, Exclusive Economic Zone (EEZ) - Sector New Orleans, Territorial Sea/General/Hazards To Navigation/Obstructions	Hazards To Navigation	Gulf of America - Submerged Obstruction --- Reported: 2025-09-03 --- An unmarked submerged well caisson has been reported in the Gulf of America, in approximate position 29-26-24.65N 092-29-44.19W. The obstruction is protruding approximately 4 ft above the mudline and is 7 ft in diameter. Fishing and trawling vessels should avoid the area. All vessels should transit this area with caution.	Lat: 29° 26' 25" Lon: -092° 29' 44"
Sector New Orleans, Exclusive Economic Zone (EEZ) - Sector New Orleans, Territorial Sea/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	Gulf of America - Platform Removal --- From: 2025-08-30 To: Until Further Notice --- Platform removal and demolition will be conducted in the Gulf of America, South Pass Area, Block 60, in approximate position 29-03-50.43N 088-57-21.49W. Work will take place during daylight hours, 7-days a week. On-scene vessels will include the Heavy Lift Vessel (HLV) TX-10000, the T/Vs CROSBY LEADER and CROSBY INTEGRITY, and the M/Vs ADRIATIC and CONNOR BORDELON. Portions of the platform will be removed in stages and moved offsite. An orange and white buoy with a flashing 2.5 second white light will remain on location to mark the remaining portion/s of the platform until site clearance is complete. The buoy has been established in approximate position 29-03-53.844N 088-57-08.154W. Mariners are requested to maintain a wide berth from the work site and should contact the HLV TX-10000 for on-site information. VHF-FM Channel: 16	Lat: 29° 03' 50" Lon: -088° 57' 21"
Sector New Orleans, Exclusive Economic Zone (EEZ) - Sector New Orleans, Territorial Sea/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	Gulf of America - Platform Removal --- From: 2025-08-30 To: Until Further Notice --- Platform removal and demolition will be conducted in the Gulf of America, South Pass Area, Block 60, in approximate position 29-03-51.58N 088-57-19.40W. Work will take place during daylight hours, 7-days a week. On-scene vessels will include the Heavy Lift Vessel (HLV) TX-10000, the T/Vs CROSBY LEADER and CROSBY INTEGRITY, and the M/Vs ADRIATIC and CONNOR BORDELON. Portions of the platform will be removed in stages and moved offsite. An orange and white buoy with a flashing 2.5 second white light will remain on location to mark the remaining portion/s of the platform until site clearance is complete. The buoy has been established in approximate position 29-03-53.844N 088-57-08.154W. Mariners are requested to maintain a wide berth from the work site and should contact the HLV TX-10000 for on-site information. VHF-FM Channel: 16	Lat: 29° 03' 52" Lon: -088° 57' 19"
Sector New Orleans, Exclusive Economic Zone (EEZ) - Sector New Orleans, Territorial Sea/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	Gulf of America - Platform Removal and Buoy Deployment --- From: 2025-08-21 To: Until Further Notice --- Platform removal and demolition will be conducted in the Gulf of America, South Pass Area, Block 60, in approximate position 29-03-24.31N 088-57-51.36W. In preparation for the platform decommissioning/removal, an orange and white buoy with a flashing 2.5 second white light has been established in approximate position 29-03-18.088N 088-58-13.362W. Mariners should transit the area with caution.	Lat: 29° 03' 25" Lon: -088° 57' 52"
Sector New Orleans, Exclusive Economic Zone (EEZ) - Sector New Orleans, Territorial Sea/General/Marine Construction (Excluding Bridges)/Survey Operations	Marine Construction (Excluding Bridges)	Gulf of America - Survey Operation --- From: 2025-09-03 To: 2025-09-26 --- The R/V ACADIANA will be conducting geophysical/geotechnical surveys in the Gulf of America, within portions of the Ship Shoal and South Pelto Areas. Surveys will be bound by approximate positions: 28-57-14.4N 090-32-21.6W, 28-56-52.8N 091-09-16.8W, 28-51-24.0N 090-31-14.4W and 28-52-15.0N 091-08-54.6W. Work will be conducted 7-days a week, during daylight hours. During operations, the research vessel will have restricted maneuverability. Vessels should coordinate passing arrangements with the research vessel in advance. Mariners are requested to pass at a safe distance, giving consideration to deployed survey gear. VHF-FM Channels: 13 and 16	

South Boater Cut

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
South Boater Cut Light 1	24265	STRUCT DMGD/TRLB	FD
South Boater Cut Light 1	24265	STRUCT DMGD/TRLB	FD

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
South Boater Cut Daybeacon 5	24280	WATCHING PROPERLY	FD	2025-09-17

South Padre Island

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
South Padre Island Daybeacon 3	29520	DISCONTINUED	FD

South Pass

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Cypress Leading Light	12660	LT IMCH	FD

Southwest Pass

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Southwest Pass Entrance East Range Front Light	12700	STRUCT DEST/TRLB	FD
Southwest Pass Entrance East Range Front Light	12700	STRUCT DEST/TRLB	FD
Southwest Pass Entrance East Range Front Passing Light	12705	STRUCT DEST	FD
Southwest Pass Entrance East Range Front Passing Light	12705	STRUCT DEST	FD
Southwest Pass Leading Light	12725	STRUCT DEST/TRLB	FD
Southwest Pass Leading Light	12725	STRUCT DEST/TRLB	FD
Southwest Pass Head East Range Rear Light	12930	LT IMCH	FD

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Southwest Pass Entrance West Range Rear Light	12720	WATCHING PROPERLY	FD	2025-09-18
Southwest Pass Light 21	12875	RELIGHTED	FD	2025-09-18
Southwest Pass Head Range Front Light	12910	WATCHING PROPERLY	FD	2025-09-18

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Chevron Pier Light	12845	STRUCT DEST	PA

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Southwest Pass Light 8	12795	Reduced Intensity	FD
Southwest Pass Light 18	12835	Reduced Intensity	FD
Double Bayou Light 19	12860	Reduced Intensity	FD
Scotts Canal Light 23	12885	Reduced Intensity	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector New Orleans, Submerged Land Act (SLA) - Southwest Pass/ATON/Proposed Notice of Change	Proposed Notice of Change	In order to provide a more efficient and effective Aids to Navigation signal, the Coast Guard is proposing the following Aids to Navigation Change: Change Southwest Pass Light 8 (LLNR-12795) in approximate position 28-57-05.634N/089-23-38.034W from showing FI R 2.5s, 36ft, 9NM, TR on skeleton tower on piles, to show FI R 2.5s, 36ft, 6NM, TR on skeleton tower on piles. Comments will be taken until October 21, 2025. Please email comments regarding this proposal to: D08-SMB-District-LocalNoticeFeedback@uscg.mil	Lat: 28° 57' 06" Lon: -089° 23' 38"
Sector New Orleans, Submerged Land Act (SLA) - Southwest Pass/ATON/Proposed Notice of Change	Proposed Notice of Change	In order to provide a more efficient and effective Aids to Navigation signal, the Coast Guard is proposing the following Aids to Navigation Change: Change Southwest Pass Light 18 (LLNR-12835) in approximate position 29-01-23.784N/089-20-06.178W from showing FI R 2.5s, 39ft, 9NM, TR on skeleton tower on piles, to show FI R 2.5s, 36ft, 6NM, TR on skeleton tower on piles. Comments will be taken until October 21, 2025. Please email comments regarding this proposal to: D08-SMB-District-LocalNoticeFeedback@uscg.mil	Lat: 29° 01' 24" Lon: -089° 20' 06"
Sector New Orleans, Submerged Land Act (SLA) - Southwest Pass/ATON/Proposed Notice of Change	Proposed Notice of Change	In order to provide a more efficient and effective Aids to Navigation signal, the Coast Guard is proposing the following Aids to Navigation Change: Change Double Bayou Light 19 (LLNR-12860) in approximate position 29-02-49.054N/089-19-10.357W from showing FI G 2.5s, 56ft, 10NM, SG on skeleton tower on piles, to show FI G 2.5s, 46ft, 6NM, SG on skeleton tower on piles. Comments will be taken until October 21, 2025. Please email comments regarding this proposal to: D08-SMB-District-LocalNoticeFeedback@uscg.mil	Lat: 29° 02' 49" Lon: -089° 19' 10"
Sector New Orleans, Submerged Land Act (SLA) - Southwest Pass/ATON/Proposed Notice of Change	Proposed Notice of Change	In order to provide a more efficient and effective Aids to Navigation signal, the Coast Guard is proposing the following Aids to Navigation Change: Change Scotts Canal Light 23 (LLNR-12885) in approximate position 29-05-08.844N/089-17-10.984W from showing FI G 2.5s, 15ft, 10NM, SG on skeleton tower on piles, to show FI G 2.5s, 36ft, 6NM, SG on skeleton tower on piles. Comments will be taken until October 21, 2025. Please email comments regarding this proposal to: D08-SMB-District-LocalNoticeFeedback@uscg.mil	Lat: 29° 05' 09" Lon: -089° 17' 11"

St Andrew Bay

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
------	------	--------	----------

St Andrew Bay Lighted Buoy 25	3480	TRLB	FD
-------------------------------	------	------	----

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Harbor Towne Channel Daybeacon 2	3785	STRUCT DEST	PA

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Sulphur Point Buoy 8	31205	RELOCATED	FD

St Joseph Bay Entrance

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
St Joseph Bay Entrance Range D Rear Light	3105	DISCONTINUED	FD

St Marks River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
St Marks River Buoy 12	1570	MISSING	FD

Sulphur Point

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Gulf Power Company Structure Light B	3705	LT EXT	PA

Sundown Bay

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Sundown Bay Daybeacon 12	38635	STRUCT DEST/TRUB	FD
Sundown Bay Daybeacon 12	38635	STRUCT DEST/TRUB	FD

Tangipahoa River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Tangipahoa River Daybeacon 4	11565	STRUCT DEST/TRUB	FD

Tennessee Tombigbee River

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Tennessee Tombigbee River/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	Tennessee Tombigbee River - Lock Closure --- From: 2025-09-03 To: 2025-10-03 --- A routine maintenance closure has been scheduled for the Jamie L. Whitten Lock, located at Mile 411.9 of the Tennessee Tombigbee River. The lock will be closed for 30 days to perform the work. The Tom Bevill Lock will NOT be closed for maintenance this year. If the lock re-opens prior to the scheduled date, an updated Notice to Mariners will be issued by the USACE.	Lat: 34° 31' 19" Lon: -088° 19' 25"
Tennessee Tombigbee River/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	Tennessee-Tombigbee River - Dredge Operation --- From: 2025-09-15 To: 2025-09-24 --- Dredging operations will be conducted in the Tennessee-Tombigbee River near Warrior Lake, between Miles 263.0 and 284.0. Dredging will focus on the small boat access points along the river and are not expected to interfere with commercial traffic; however, mariners should use caution while transiting the area. POC: USACE (334) 289-3540	
Tennessee Tombigbee River/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	Tennessee-Tombigbee River - Placement Area Maintenance --- From: 2025-09-23 To: 2026-02-10 --- Maintenance will be conducted at the placement areas located along the Tennessee-Tombigbee River, Mile 263.0, Demopolis Lake. Placement area material will be removed from the site by vessels along the river access points. Work is not expected to interfere with commercial traffic. Mariners should transit this area with caution. POC: (662) 245-5500	

TensawRiver

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Lower Hall Landing Dock Light	7150	STRUCT DEST	FD
Lower Hall Landing Dock Light	7150	STRUCT DEST	FD

Texas City Channel

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Galveston Bay Entrance Channel - Texas City Channel/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	Texas City Channel - Port of Texas City - Draft Restrictions --- From: 2025-02-05 To: Until Further Notice --- Due to shoaling, draft restrictions of 45 ft or less are in place at the Port of Texas City. Waivers for vessel drafts may be granted based on the state of tides and transit plans. All deep draft vessels should transit the channel with caution and reference recent USACE channel surveys at: http://www.swg.usace.army.mil/Missions/Navigation/Navigation-Projects-Contracts/	

Theodore Ship Channel

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Mobile Channel - Theodore Ship Channel/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	Theodore Ship Channel - Shoaling/Draft Restrictions --- Reported: 2025-07-29 --- Recent soundings conducted by the U.S. Army Corps of Engineers, Mobile District, indicate areas of reduced depth in the Theodore Ship Channel, specifically near the intersection with the Mobile Channel. As a result, a draft limitation of 37 ft is now in effect for vessels transiting this section of the Theodore Ship Channel. Vessels exceeding the draft limitations with intentions to transit this area, should contact Terry Gilbreath at (251) 441-7074. Additionally, vessels should coordinate with the bar pilots for any further restrictions prior to departure. For further information, mariners can contact the U.S. Coast Guard Sector Mobile Waterways Management Division at (251) 382-8653.	
Mobile Channel - Theodore Ship Channel/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	Theodore Ship Channel - Dredge Operations --- From: 2025-09-10 To: 2025-11-10 --- Intermittent maintenance dredging will be conducted at the Core Industries Theodore Industrial Port and the Core Industries Theodore Marine Terminal along the Theodore Ship Channel. Work will take place 7-days a week, during daylight hours. On-scene vessels will include the Hopper Barges CTTE 1988 and CTTE 1956 and the Crane Barge CORE 4. Mariners should transit the area at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. POC: (251) 338-8303	

Tiger Pass

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Tiger Pass Danger Daybeacon I	15500	STRUCT DEST	FD
Tiger Pass Danger Daybeacon I	15500	STRUCT DEST	FD
Tiger Pass Daybeacon 25	15545	STRUCT DEST/TRUB	FD
Tiger Pass Daybeacon 25	15545	STRUCT DEST/TRUB	FD

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Tiger Pass Buoy 24	15540	DISCONTINUED FOR DREDGING	FD
Tiger Pass Daybeacon 25	15545	DISCONTINUED FOR DREDGING	FD
Tiger Pass Daybeacon 27	15555	DISCONTINUED FOR DREDGING	FD
Tiger Pass Daybeacon 29	15565	DISCONTINUED FOR DREDGING	FD
Tiger Pass Daybeacon 37	15605	DISCONTINUED FOR DREDGING	FD
Tiger Pass Buoy 38A	15612	DISCONTINUED FOR DREDGING	FD
Tiger Pass Buoy 46	15652	DISCONTINUED FOR DREDGING	FD
Tiger Pass Buoy 50	15665	DISCONTINUED FOR DREDGING	FD
Tiger Pass Buoy 52A	15677	DISCONTINUED FOR DREDGING	FD
Tiger Pass Buoy 53	15680	DISCONTINUED FOR DREDGING	FD
Tiger Pass Buoy 54	15685	DISCONTINUED FOR DREDGING	FD
Tiger Pass Buoy 58	15700	DISCONTINUED FOR DREDGING	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector New Orleans, Submerged Land Act (SLA) - Tiger Pass/ATON/Advanced Notice of Change	Advanced Notice of Change	The Coast Guard will make the following Aids to Navigation Changes after October 14, 2025: Rename and Change Tiger Pass Light 23 (LLNR-15535) in approximate position 29-09-14.718N/089-23-43.313W from showing Fl G 4s, 17ft, 3NM, SG on pile, Ra ref to Tiger Pass Danger Light L (LLNR-15535) showing Fl W 2.5s, 17ft, 3NM, NW on pile, Ra ref.	Lat: 29° 09' 15" Lon: -089° 23' 43"
Sector New Orleans, Submerged Land Act (SLA) - Tiger Pass/ATON/Advanced Notice of Change	Advanced Notice of Change	The Coast Guard will make the following Aids to Navigation Changes after October 14, 2025: Discontinue Tiger Pass Buoy 24 (LLNR-15540) in approximate position 29-09-18.493N/089-23-33.242W.	Lat: 29° 09' 19" Lon: -089° 23' 33"
Sector New Orleans, Submerged Land Act (SLA) - Tiger Pass/ATON/Advanced Notice of Change	Advanced Notice of Change	The Coast Guard will make the following Aids to Navigation Changes after October 14, 2025: Discontinue Tiger Pass Daybeacon 25 (LLNR-15545) in approximate position 29-09-30.543N/089-23-20.545W.	Lat: 29° 09' 31" Lon: -089° 23' 21"

Sector New Orleans, Submerged Land Act (SLA) - Tiger Pass/ATON/Advanced Notice of Change	Advanced Notice of Change	The Coast Guard will make the following Aids to Navigation Changes after October 14, 2025: Rename and Change Tiger Pass Daybeacon 26 (LLNR-15550) in approximate position 29-09-27.620N/089-23-19.915W from showing TR on pile, Ra ref to Tiger Pass Danger Light M (LLNR-15550) showing FI W 2.5s, 17ft, 3NM, NW on pile, Ra ref.	Lat: 29° 09' 28" Lon: -089° 23' 20"
Sector New Orleans, Submerged Land Act (SLA) - Tiger Pass/ATON/Advanced Notice of Change	Advanced Notice of Change	The Coast Guard will make the following Aids to Navigation Changes after October 14, 2025: Discontinue Tiger Pass Daybeacon 28 (LLNR-15560) in approximate position 29-09-46.142N/089-22-44.620W.	Lat: 29° 09' 46" Lon: -089° 22' 45"
Sector New Orleans, Submerged Land Act (SLA) - Tiger Pass/ATON/Advanced Notice of Change	Advanced Notice of Change	The Coast Guard will make the following Aids to Navigation Changes after October 14, 2025: Discontinue Tiger Pass Daybeacon 29 (LLNR-15565) in approximate position 29-10-06.874N/089-22-26.536W.	Lat: 29° 10' 07" Lon: -089° 22' 27"
Sector New Orleans, Submerged Land Act (SLA) - Tiger Pass/ATON/Advanced Notice of Change	Advanced Notice of Change	The Coast Guard will make the following Aids to Navigation Changes after October 14, 2025: Discontinue Tiger Pass Daybeacon 32 (LLNR-15580) in approximate position 29-10-16.529N/089-22-05.825W.	Lat: 29° 10' 17" Lon: -089° 22' 06"
Sector New Orleans, Submerged Land Act (SLA) - Tiger Pass/ATON/Advanced Notice of Change	Advanced Notice of Change	The Coast Guard will make the following Aids to Navigation Changes after October 14, 2025: Discontinue Tiger Pass Daybeacon 33 (LLNR-15585) in approximate position 29-10-27.755N/089-22-01.525W.	Lat: 29° 10' 28" Lon: -089° 22' 02"
Sector New Orleans, Submerged Land Act (SLA) - Tiger Pass/ATON/Advanced Notice of Change	Advanced Notice of Change	The Coast Guard will make the following Aids to Navigation Changes after October 14, 2025: Discontinue Tiger Pass Daybeacon 36 (LLNR-15600) in approximate position 29-10-40.993N/089-21-52.061W.	Lat: 29° 10' 41" Lon: -089° 21' 52"
Sector New Orleans, Submerged Land Act (SLA) - Tiger Pass/ATON/Advanced Notice of Change	Advanced Notice of Change	The Coast Guard will make the following Aids to Navigation Changes after October 14, 2025: Discontinue Tiger Pass Buoy 38A (LLNR-15612) in approximate position 29-11-08.842N/089-21-47.185W.	Lat: 29° 11' 09" Lon: -089° 21' 47"
Sector New Orleans, Submerged Land Act (SLA) - Tiger Pass/ATON/Advanced Notice of Change	Advanced Notice of Change	The Coast Guard will make the following Aids to Navigation Changes after October 14, 2025: Discontinue Tiger Pass Daybeacon 39 (LLNR-15615) in approximate position 29-11-17.017N/089-21-47.968W.	Lat: 29° 11' 17" Lon: -089° 21' 48"
Sector New Orleans, Submerged Land Act (SLA) - Tiger Pass/ATON/Advanced Notice of Change	Advanced Notice of Change	The Coast Guard will make the following Aids to Navigation Changes after October 14, 2025: Discontinue Tiger Pass Daybeacon 42 (LLNR-15630) in approximate position 29-11-24.462N/089-21-38.526W.	Lat: 29° 11' 24" Lon: -089° 21' 39"
Sector New Orleans, Submerged Land Act (SLA) - Tiger Pass/ATON/Advanced Notice of Change	Advanced Notice of Change	The Coast Guard will make the following Aids to Navigation Changes after October 14, 2025: Discontinue Tiger Pass Daybeacon 43 (LLNR-15635) in approximate position 29-11-42.984N/089-21-33.828W.	Lat: 29° 11' 43" Lon: -089° 21' 34"
Sector New Orleans, Submerged Land Act (SLA) - Tiger Pass/ATON/Advanced Notice of Change	Advanced Notice of Change	The Coast Guard will make the following Aids to Navigation Changes after October 14, 2025: Discontinue Tiger Pass Buoy 46 (LLNR-15652) in approximate position 29-11-53.363N/089-21-22.085W.	Lat: 29° 11' 53" Lon: -089° 21' 22"
Sector New Orleans, Submerged Land Act (SLA) - Tiger Pass/ATON/Advanced Notice of Change	Advanced Notice of Change	The Coast Guard will make the following Aids to Navigation Changes after October 14, 2025: Discontinue Tiger Pass Daybeacon 47 (LLNR-15655) in approximate position 29-12-20.564N/089-21-15.134W.	Lat: 29° 12' 21" Lon: -089° 21' 15"
Sector New Orleans, Submerged Land Act (SLA) - Tiger Pass/ATON/Advanced Notice of Change	Advanced Notice of Change	The Coast Guard will make the following Aids to Navigation Changes after October 14, 2025: Discontinue Tiger Pass Buoy 50 (LLNR-15665) in approximate position 29-12-30.582N/089-21-08.622W.	Lat: 29° 12' 31" Lon: -089° 21' 09"
Sector New Orleans, Submerged Land Act (SLA) - Tiger Pass/ATON/Advanced Notice of Change	Advanced Notice of Change	The Coast Guard will make the following Aids to Navigation Changes after October 14, 2025: Discontinue Tiger Pass Buoy 52A (LLNR-15677) in approximate position 29-13-05.470N/089-21-02.965W.	Lat: 29° 13' 05" Lon: -089° 21' 03"
Sector New Orleans, Submerged Land Act (SLA) - Tiger Pass/ATON/Advanced Notice of Change	Advanced Notice of Change	The Coast Guard will make the following Aids to Navigation Changes after October 14, 2025: Discontinue Tiger Pass Buoy 53 (LLNR-15680) in approximate position 29-12-54.684N/089-21-03.236W.	Lat: 29° 12' 55" Lon: -089° 21' 03"

Sector New Orleans, Submerged Land Act (SLA) - Tiger Pass/ATON/Advanced Notice of Change	Advanced Notice of Change	The Coast Guard will make the following Aids to Navigation Changes after October 14, 2025: Discontinue Tiger Pass Buoy 54 (LLNR-15685) in approximate position 29-13-12.099N/089-21-02.676W.	Lat: 29° 13' 12" Lon: -089° 21' 03"
Sector New Orleans, Submerged Land Act (SLA) - Tiger Pass/ATON/Advanced Notice of Change	Advanced Notice of Change	The Coast Guard will make the following Aids to Navigation Changes after October 14, 2025: Discontinue Tiger Pass Buoy 58 (LLNR-15700) in approximate position 29-14-06.279N/089-21-28.063W.	Lat: 29° 14' 06" Lon: -089° 21' 28"

Timbalier Terrebonne Bay

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Timbalier - Terrebonne Bay Light 43	17227.010000000002	STRUCT DEST	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Terrebonne Bay 1249-18 Channel Light 1	17030	STRUCT DEST	PA
Ee22-2826-22	null	HAZ NAV/LT EXT	PA
Lake Raccourci Field Entrance Light 2	17240	STRUCT DMGD	PA

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Timbalier - Terrebonne Bay Light 43	17227.010000000002	DISCONTINUED	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Houma Navigation Canal - Timbalier Terrebonne Bay/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	Terrebonne Bay - Houma Navigation Canal - Pipeline Corridor --- From: 2025-09-15 To: 2025-11-02 --- Weeks Marine, Inc., will be mobilizing dredge pipes and equipment for the Terrebonne Houma Navigation Canal Island Restoration Project. During this time, a submerged line will be installed to prepare for dredging operations. The pipeline corridor will run east of and adjacent to the Houma Navigation Canal and Cat Island Pass. Mariners are urged to transit the area with caution.	

Tombigbee River

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
NEON Special Lighted Scientific Monitoring Buoy A	6801.01	OFF STA	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Tombigbee River/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	Tombigbee River - Shoaling --- Reported: 2025-09-05 --- Shoaling has been reported near Mile 198.0 in the Tombigbee River. Mariners are reminded the waterway is maintained to a 9 ft depth. Vessels should transit this area with extreme caution. USACE surveys of the area can be found at: https://experience.arcgis.com/experience/5d0c66327d1049a3937b269002fb7c77/page/Survey-Dashboard	Lat: 32° 22' 49" Lon: -088° 02' 43"

Tule Lake Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Tule Lake Channel E Range Front Light	28875	LT EXT	FD
Tule Lake Channel E Range Front Light	28875	LT EXT	FD

Two Mile Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Two Mile Channel Buoy 5	2875	MISSING	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
St George Sound - Two Mile Channel/ATON/Advanced Notice of Change	Advanced Notice of Change	The Coast Guard will make the following Aids to Navigation Changes after October 28,2025: Change and Rename Two Mile Channel Light 1 (LLNR-2855) in approximate position 29-41-31.778N/085-00-45.354W showing FI G 2.5s, 17ft, 3NM, SG on pile, Ra ref to Two Mile Danger Daybeacon (LLNR-2855) showing NB on pile, Ra ref.	Lat: 29° 41' 32" Lon: -085° 00' 45"

St George Sound - Two Mile Channel/ATON/Advanced Notice of Change	Advanced Notice of Change	The Coast Guard will make the following Aids to Navigation Changes after October 28,2025: Discontinue Two Mile Channel Buoy 2 (LLNR-2860) in approximate position 29-41-45.912N/085-00-43.664W.	Lat: 29° 41' 46" Lon: -085° 00' 44"
St George Sound - Two Mile Channel/ATON/Advanced Notice of Change	Advanced Notice of Change	The Coast Guard will make the following Aids to Navigation Changes after October 28,2025: Discontinue Two Mile Channel Buoy 3 (LLNR-2865) in approximate position 29-42-02.208N/085-00-46.034W.	Lat: 29° 42' 02" Lon: -085° 00' 46"
St George Sound - Two Mile Channel/ATON/Advanced Notice of Change	Advanced Notice of Change	The Coast Guard will make the following Aids to Navigation Changes after October 28,2025: Discontinue Two Mile Channel Buoy 4 (LLNR-2870) in approximate position 29-42-14.461N/085-00-44.504W.	Lat: 29° 42' 14" Lon: -085° 00' 44"
St George Sound - Two Mile Channel/ATON/Advanced Notice of Change	Advanced Notice of Change	The Coast Guard will make the following Aids to Navigation Changes after October 28,2025: Discontinue Two Mile Channel Buoy 5 (LLNR-2875) in approximate position 29-42-29.331N/085-00-46.803W.	Lat: 29° 42' 29" Lon: -085° 00' 47"
St George Sound - Two Mile Channel/ATON/Advanced Notice of Change	Advanced Notice of Change	The Coast Guard will make the following Aids to Navigation Changes after October 28,2025: Discontinue Two Mile Channel Buoy 7 (LLNR-2880) in approximate position 29-42-42.868N/085-00-47.435W.	Lat: 29° 42' 43" Lon: -085° 00' 47"
St George Sound - Two Mile Channel/ATON/Advanced Notice of Change	Advanced Notice of Change	The Coast Guard will make the following Aids to Navigation Changes after October 28,2025: Discontinue Two Mile Channel Buoy 8 (LLNR-2885) in approximate position 29-42-44.285N/085-00-48.530W.	Lat: 29° 42' 43" Lon: -085° 00' 45"

Victoria Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Victoria Channel Light 43	38230	STRUCT DEST/TRLB	FD
Victoria Channel Light 55	38270	STRUCT DEST/TRLB	FD
Victoria Channel Light 55	38270	STRUCT DEST/TRLB	FD