

U.S. Department of Homeland Security

United States Coast Guard

LOCAL NOTICE TO MARINERS

District: 9 Week: 04/24

> Issued by: Commander (dpw) Ninth Coast Guard District 1240 East Ninth Street, Cleveland, OH 44199-2060 Telephone: (571) 608-1683

Direct questions about this LNM to the above address.

All distances in this publication are STATUTE MILES unless otherwise noted.*

District Nine Internet Address https://www.atlanticarea.uscg.mil/Our-Organization/District-9/ *District Nine Local Notice to Mariners email Address* D09-DG-District-D9-LocalNoticetoMariners@uscg.mil
** Navigation Information Service watchstander, 24 hours a day at (703) 313-5900 ** **Internet Address** https://www.navcen.uscg.gov/ Light List Reference: Commandant Publication P16502.7, VOL VII, 2023 Edition

Coast Pilot Reference: 2023 U.S. Coast Pilot 6 Great Lakes 53rd Edition
Coast Pilots, along with corrections are available at: https://nauticalcharts.noaa.gov/publications/coast-pilot/index.html The Local Notice to Mariners is available on the Internet at https://www.navcen.uscg.gov/local-notices-to-mariners-by-cg-district You will also have links to other government agencies- web pages including the US Army Corps of Engineers and the National Ocean Service.

REPORT DISCREPANCIES IN AIDS TO NAVIGATION TO THE NEAREST COAST GUARD UNIT

The Ninth District and all Sector offices for their areas of responsibility issue a BROADCAST NOTICE TO MARINERS. The following Broadcast Notice to Mariners have been incorporated into this week's Local Notice to Mariners:9 Sector Eastern Great Lakes - EGL003-24 through EGL004-24 Ninth District - C003-24 through C006-24 Sector Detroit, MI - D001-24 through D007-24 Sector Lake Michigan, WI - M004-24 through M016-24 Sector Northern Great Lakes- NGL005-24 through NGL018-24

The United States Coast Guard Navigation Information Service (NIS), operated by the USCG Navigation Center, is staffed 24 hours a day, 7 days a week. The NIS provides information on the current operational status, effective policies, and general information for GPS and DGPS. The NIS also disseminates Safety Broadcasts (BNM), Local Notice to Mariners (LNM), and the latest Notice Advisory to Navstar Users (NANU). NANU notices can be obtained via email subscription through the USCG Navigation Center website: https://cgls.uscg.mil/mailman/listinfo/nanu. In addition, the NIS investigates all reports of degradation or loss of GPS, DGPS or AIS service. Users are encouraged to report all degradation or loss of radio navigation services to the NIS via any of the following: Phone: (703) 313-5900, mail to: webmaster@smtp.navcen.uscg.mil, or on the internet at: https://www.navcen.uscg.gov

ABBREVIATIONS

A through H

ADRIFT - Buoy Adrift AICW - Atlantic Intracoastal Waterway Al - Alternating B - Buoy BKW - Breakwater bl - Blast BNM - Broadcast Notice to Mariner

bu - Blue C - Canadian CHAN - Channel

CGD - Coast Guard District

C/O - Cut Off CONT - Contour CRK - Creek CONST - Construction DAYMK/Daymk - Daymark DBN/Dbn - Daybeacon DBD/DAYBD - Dayboard DEFAC - Defaced DEST - Destroyed

I through O I - Interrupted

ICW - Intracoastal Waterway IMCH - Improper Characteristic INL - Inlet INOP - Not Operating
INT - Intensity ISL - Islet Iso - Isophase kHz - Kilohertz LAT - Latitude LB - Lighted Buoy LBB - Lighted Bell Buoy LHB - Lighted Horn Buoy LGB - Lighted Gong Buoy LONG - Longitude LNM - Local Notice to Mariners LT - Liaht

LT CONT - Light Continuous LTR - Letter

LWB - Lighted Whistle Buoy

P through Z

PRIV - Private Aid Q - Quick R - Red RACON - Radar Transponder Beacon Ra ref - Radar reflector RBN - Radio Beacon REBUILT - Aid Rebuilt RECOVERED - Aid Recovered RED - Red Buoy REFL - Reflective RRL - Range Rear Light RELIGHTED - Aid Relit **RELOC** - Relocated

RESET ON STATION - Aid Reset on Station RFL - Range Front Light RIV - River

RRASS - Remote Radio Activated Sound Signal

s - seconds SEC - Section SHL - Shoaling DISCON - Discontinued DMGD/DAMGD - Damaged

ec - eclipse EST - Established Aid

ev - every EVAL - Evaluation

EVAL - Evaluation EXT - Extinguished

F - Fixed fl - flash Fl - Flashing G - Green

GIWW - Gulf Intracoastal Waterway

HAZ - Hazard to Navigation

HBR - Harbor

HOR - Horizontal Clearance

HT - Height

LWP - Left Watching Properly

MHz - Megahertz MISS/MSNG - Missing Mo - Morse Code

MRASS - Marine Radio Activated Sound Signal

MSLD - Misleading N/C - Not Charted

NGA - National Geospatial-Intelligence Agency

NO/NUM - Number NOS - National Ocean Service

NW - Notice Writer OBSCU - Obscured OBST - Obstruction OBSTR - Obstruction Oc - Occulting

ODAS - Anchored Oceanographic Data Buoy

si - silent SIG - Signal SND - Sound

SPM - Single Point Mooring Buoy

SS - Sound Signal STA - Station STRUCT - Structure St M - Statute Mile

TEMP - Temporary Aid Change

TMK - Topmark

TRLB - Temporarily Replaced by Lighted Buoy TRLT - Temporarily Replaced by Light TRUB - Temporarily Replaced by Unlighted Buoy

USACE - Army Corps of Engineers

W - White Y - Yellow

Additional Abbreviations Specific to this LNM Edition:

LIB - Lighted Ice Buoy

SECTION I - SPECIAL NOTICES

This section contains information of special concern to the Mariner.

Cancellation of NOAA Paper and Raster Nautical Charts

The National Oceanic and Atmospheric Administration (NOAA) is undertaking a multi-year program to end production and maintenance of its suite of over 1,000 traditional paper nautical charts and all associated raster chart products and services, including: Print-on-Demand (POD) paper nautical charts, Full-size chart PDF files, BookletChart™ PDF files, NOAA raster navigational charts (NOAA RNC®), the NOAA RNC tile service, and the online RNC viewer.

Six months notice of the intent to cancel a specific chart is provided in a "Last Edition" notice. The final cancellation of a chart is made in a "Canceled" notice. Both types of notices will appear in LNM Section IV, "Chart Correction." A comprehensive list of all canceled NOAA charts is available at: http://www.charts.noaa.gov/MCD/Dole.shtml.

Traditional paper nautical chart production is ending to enable the creation and maintenance of larger scale, more up-to-date, higher quality coverage of NOAA's electronic navigational chart (NOAA ENC®) product. This will significantly enhance the amount of charted detail available to mariners. More information about NOAA's program to sunset traditional paper charts is on the NOAA Coast Survey website at: https://nauticalcharts.noaa.gov/charts/farewell-to-traditional-nautical-charts.html

An online NOAA Custom Chart application at: https://devgis.charttools.noaa.gov/pod is available to create chart images from ENC data, which may then be printed. Notices to Mariners will not be issued for NOAA Custom Charts.

LNM: 04/20

SAFETY NOTICE - NAVIGATIONAL RANGE AND SECTOR LIGHTS ON ELECTRONIC CHARTS

The U.S. Coast Guard has become aware that the Range and Sector Light Characteristic labels are not displayed on Electronic Navigational Charts (ENCs) when used in an Electronic Chart Display and Information System (ECDIS) due to limitations of the S-52 ECDIS display specification. Mariners may query the ENC data directly within ECDIS or refer to the Light List for complete information on Range and Sector Light Characteristics.

LNM: 39/22

PUBLICATION OF NVIC 03-23 GUIDANCE ON NAVIGATIONAL SAFETY IN AND AROUND OFFSHORE RENEWABLE ENERGY INSTALLATIONS (OREI)

The Coast Guard has published Navigation and Vessel Inspection Circular (NVIC) 03-23: Guidance on Navigational Safety In and Around Offshore Renewable Energy Installations (OREI) to highlight considerations when planning and undertaking voyages in the vicinity of offshore renewable energy installations (OREI) in U.S. waters. The prudent mariner should review and utilize this NVIC to make an informed risk assessment prior to navigating within or in the vicinity of an OREI. Important Maritime Safety Information (MSI) relating to OREIs is distributed by Local or Broadcast Notices to Mariners (LNM or BNM) promulgated by Coast Guard Districts. Marine Safety Information Bulletins (MSIB) released by the local Captain of the Port (COTP) may be issued to provide supplemental information. Interested parties should contact the Office of Navigation Systems at CGNAV@uscq.mil with any questions or feedback.

LNM: 47/23

2024 Light List

2024 Light Lists are available on the USCG Navigation Center's website at: https://www.navcen.uscg.gov/light-list-annual-publication

Coast Guard Light Lists are a means for communicating aids to navigation information to the maritime public. The last government printed Light

Lists were the 2024 editions.

While the Light Lists will no longer be available in government printed form, commercial reproductions may be available for purchase from maritime service providers.

Local Notice to Mariners will continue to advise Light List corrections and NAVCEN will continue to publish a compilation of corrections.

Complete versions of the 2024 Light Lists are updated weekly on the NAVCEN website and mariners should download applicable copies and updates as needed at: https://www.navcen.uscq.gov/weekly-light-lists

A summary of 2024 Light List corrections are available at: https://www.navcen.uscg.gov/light-list-summary-of-corrections

Guidance for use of electronic navigation publications onboard U.S. vessels can be found at: http://www.uscg.mil/hq/cgcvc/cvc/policy_letters/543/CG-543_pol10-05.pdf

If the links above do not work, you should either copy and paste the links into your web browser or follow the LNM links from the Navigation Center LNM page at https://www.navcen.uscg.gov/local-notices-to-mariners-by-cg-district.

The Local Notice to Mariners, Light List, and Summary of Corrections are in Portable Document Format (PDF) and viewing them requires a PDF reader. PDF readers are readily available on the internet, generally free of charge.

If you have questions regarding this message, please contact the Navigation Center at https://www.navcen.uscg.gov/report-a-problem (use "LNMs, Charts, Chart Corrections, or Light Lists" as the subject from the pull down menu).

LNM: 03/24

USACE NOTICE TO NAVIGATION INTERESTS

Current Federal Channel conditions, shoaling, and the most recent channel surveys are available at the following Army Corps of Engineers web sites:

Buffalo: http://www.lrb.usace.army.mil/ Detroit: http://www.lre.usace.army.mil/ Chicago: http://www.lrc.usace.army.mil/ Rock Island: http://www.mvr.usace.army.mil/ St. Paul: https://www.mvp.usace.army.mil/

LNM: 28/12

GREAT LAKES - Great Lakes Water Levels

See Enclosure 1

The current and four week expected water level table for the Great Lakes, Connecting Channels and the St. Lawrence River, will be published in Enclosure 1 following SECTION VIII - LIGHT LIST CORRECTIONS of the Local Notice to Mariner or by visiting the link below:

https://www.lre.usace.army.mil/Missions/Great-Lakes-Information/Great-Lakes-Water-Levels/Water-Level-Forecast/Connecting-Channels-Forecast/

LNM: 32/20

2023-2024 Icebreaking Operations

The Coast Guard will be conducting icebreaking operations during the upcoming winter throughout the Great Lakes, connecting waterways, and adjacent rivers and harbors. Owners of vessels and structures which may be affected are advised to take precautions to protect their property.

LNM: 42/23

OPERATION TACONITE

At the start of each voyage or transit, to enhance the coordination of ice breaking resources, COTP SAULT STE MARIE directs all shipping companies to provide an estimated time of arrival for their vessels downbound to Whitefish Point, upbound to Detour Reef LT, eastbound to Landing Shoal, westbound to round island, or arriving or Departing from any of the western Superior ports and terminals. Similarly, for vessels operating in Lake Michigan in presence of ice, all shipping companies should provide an estimated time of arrival for vessels entering the Sturgeon Bay Ship Canal, Rock Island Passage or when arriving or departing Escanaba, Green Bay, Marinette or any other ports and terminals within Green Bay. Estimated times of arrival must be received 6 hours prior to a vessels arrival to any of these points or once a day by 1000 (Eastern). Position reports may be filed with Soo Traffic either by landline (906-635-3232), Fax (906-635-3238), or email (SOOTFC@USCG.MIL). A vessel's ETA must be updated whenever the arrival time changes by more than six hours. Mariners are asked to establish VHF radio contact with the servicing icebreaker on VHF-FM Channel 16 approximately one hour before reaching the appropriate service area.

LNM: 03/24

WATERWAY CLOSURE-Straits of Mackinac

In accordance with 33 CFR 165.901, the Captain of the Port Sector Northern Great Lakes closed Grays Reef Passage effective 1500 20 Jan 2024.

In accordance with 33 CFR 162.117, VTS St. Marys River closed Pipe Island Passage to the east of Pipe Island Shoal and north of Pipe Island Twins. Pipe Island course is an alternating one way route effective 1400 local 19 Jan 2024.

Per 33 CFR 165.901 Captain of the Port Sector Northern Great Lakes will close the waters between Cheboygan, Michigan and Bois Blanc Island known as the south Channel effective 1500 local 20 Jan 24.

LNM: 01/24

WATERWAY CLOSURE-St. Marys River-Munuscong Lake to Sault Ste Marie

In accordance with 33 CFR 162.117, VTS St Mary's River closed the West Neebish Channel. Alternating one way traffic is established in the Munuscong and Middle Neebish channels effective 1400 local 19 Jan 2024.

LNM: 03/24

WATERWAY CLOSURE-Southern Green Bay

The Coast Guard will close the bay of Green Bay to minimize risk to recreational ice users. Per 33 CFR 165.901, the bay of Green Bay from south of a line drawn west from Sherwood Point Light to Peshtigo Reef Light will be closed. This closure will take effect on Jan 28, 2024 at 12 noon. For further details, contact Sector Lake Michigan at (414)747-7182 or via channel 16 VHF FM.

LNM: 04/24

OPERATION COAL SHOVEL

Commander U.S. Coast Guard Sector Detroit has commenced Operation COAL SHOVEL. To enhance the coordination of ice breaking resources, Captain of the Port Detroit directs all shipping companies to provide an estimated time of arrival (ETA) for their vessels arriving or departing from any port or terminal within the Operation COAL SHOVEL area of responsibility (AOR).

The COAL SHOVEL AOR extends from the eastern extent of navigable waters of Lake Erie through the Detroit and St. Clair River system and north to include all navigable waters of Lake Huron south of 45 degrees, 20 minutes north latitude.

ETA reports must be received six (6) hours prior to vessel arrival or once a day by 1000 (eastern). This requirement may be met through submission of the Daily Vessel Movement Reports in electronic form via email to SecDetroitWWM@uscg.mil. Estimated time of arrivals must be updated whenever the arrival time deviates by more than 6 hours. ETA updates may be reported by telephone to the Sector Detroit Command Center at 313-568-9560.

LNM: 03/24

WATERWAY CLOSURE-Lake Erie Islands

The US Coast Guard is establishing a safety zone in Lake Erie Islands, OH. This zone is necessary to protect recreational waterway users from hazards associated with winter ice conditions. The area known as the Lake Erie Islands, which is defined as the U.S. waters of Lake Erie at the intersection of the international border at 082°55′00″ W., following the international border eastward to the intersection of the international border at 082°35′00″ W., moving straight south to position 41°25′00″ N., 082°35′00″ W., continuing west to position 41°25′00″ N., 082°55′00″ W., and ending north at the international border and 082°55′00″ W. This zone will be in effect starting Wednesday, January 24, 2024, at 8 am local time. And will continue until the spring of 2024. Any vessels wishing to enter this zone is required to contact Sector Detroit at 313-568-9560 72hrs in advance to request permission to enter the zone. For questions regarding this safety zone the US Coast Guard may be contacted on channel 16 VHF-FM or at (313) 568-9560.

LNM: 04/24

LAKE ERIE - Fairport Harbor - Chart 14829

The Coast Guard has established a virtual AIS aid to navigation at the entrance of Fairport Harbor to assist in identifying recent shoaling within the channel. The aid (MMSI: 993682815) is labeled W SHOAL 2 and identifies the encroachment of shoaling on the western side of the channel less than 18.5ft water depth. The aid is for reference only and is positioned based on most recent survey data, and does not account for periodic variations in the position of the shoal. Mariners are urged to use caution while transiting the area.

LNM: 21/23

LAKE ERIE - Portage River - Chart 14829

Low power lines have been reported in the Portage River west of the Monroe Street Bridge in the vicinity of the draw bridge marina. The power lines are lower than the charted height of 83 feet above the low water datum of 1985. All mariners are requested to use caution when transiting the area.

LNM: 29/23

ST. MARYS RIVER - Lake Nicolet To Sault Ste. Marie- Chart 14884

The U.S. Army Corps of Engineers has commissioned Little Rapids Cut Lighted Ice Buoy 98B (LLNR 14105). The buoy marks the upstream end of

the ice boom in place on the eastern side of the St. Marys River. The available channel width for navigation is restricted to 385ft. Due to the channel restrictions, VTS St Marys River directs no meeting or overtaking in Little Rapids Cut from Light 98 (LLNR 14100) to Mission PT Obstruction LT C (LLNR 14145).

LNM: 46/23

ST. MARYS RIVER - American Canal - Chart 14884

Northeast Pierhead Light (LLNR 14205) The U. S. Army Corps of Engineers will be relocating this light to the top of their new camera tower. As soon as the position and height of the light's new location is confirmed it will be advertised in Section VIII - Light List Corrections of the LNM.

LNM: 10/21

LAKE MICHIGAN - Muskegon Channel - Chart 14906

The Coast Guard has established a pair of virtual AIS aids to navigation at the entrance of Muskegon Harbor to assist in identifying recent shoaling within the approaches. V-AIS (MMSI: 993682821) identifies the encroachment of shoaling on the northern side of the channel less than 25ft water depth. Similarly, V-AIS (MMSI: 993682842) identifies shoaling on the south side of the channel less than 25ft. The aids are for reference only and are positioned based on most recent survey data and do not account for periodic variations in the position of the shoaling. Mariners are urged to use caution while transiting the area.

LNM: 24/23

LAKE SUPERIOR - Keweenaw - Chart 14972

Keweenaw Upper Entrance West Breakwater Light (LLNR 15115) was reported damaged and swept from its location on the breakwall. The approximately 20' metal tower is submerged in vicinity of the breakwater at an unknown position. All mariners are urged to use caution when transiting the area.

LNM: 12/23

SECTION II - DISCREPANCIES

This section lists all reported and corrected discrepancies related to Aids to Navigation in this edition. A discrepancy is a change in the status of an aid to navigation that differs from what is published or charted.

DISCREPANCIES (FEDERAL AIDS)

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
2855	Black Rock Canal Light 15	LT EXT		B250-23	51/23	
3760	Ashtabula Harbor Entrance Light 2	REDUCED INT		B235-23	46/23	
3865	Fairport Harbor West Breakwater Extension Light	LT IMCH		EGL001-24	01/24	
4575	Moseley Channel Range Rear Light	DAYMK MISSING		D095-23	32/23	
7330	West Outer Channel Buoy 8	OFF STA		D005-24	04/24	
8460	Lake St. Clair Buoy 10	MISSING		D003-24	03/24	
9710	Russell Island Lighted Buoy 29	LT EXT		D143-23	51/23	
11495	Thunder Bay Island Light	LT EXT	14860	D007-24	04/24	
11515	Middle Island Light	LT EXT	14860		04/24	
13030	Munuscong Channel (Upbound) Junction Light ML	LT EXT/AIS INOP		NGL005-24	02/24	
13280	Middle Neebish South Range Rear Light	LT EXT		NGL-003-24	02/24	
13475	West Neebish Channel (Downbound) Upper Range Rear Light	DAYMK MISSING			36/23	
13955	Upper Nicolet Range Front Light	LT EXT		NGL004-24	02/24	
13960	Upper Nicolet Range Rear Light	LT EXT/DAYMK MISSING		NGL004-24	26/23	
14050	Six Mile Point Range Rear Light	DAYMK MISSING		S079-23	10/21	
15115	Keweenaw Upper Entrance West Breakwater Light	STRUCT DEST		S015-23	02/23	
15700	Superior Front Channel Range Rear Light	LT EXT		NGL008-24	03/24	
17210	Canoe Channel Daybeacon 8	STRUCT DEST/TRUB			23/22	
17550	Kabetogama Lake Warning Daybeacon	STRUCT DEST		S114-22	34/22	
19790	Chicago Lake Front Northeast Shoal Lighted Buoy 2	RAC INOP		M098-23	20/23	

EMPORARY CH LLNR 2105 8240 9690 14540 15220 16963 EMPORARY CH LLNR Dne		s to Navigation for this eduction, a temporary correct position. Status TRLB Reduced Intensity TRLT DISCONTINUED FOR DREDGING	lition. When charted a	ids are tempora	arily	LNM End
EMPORARY CH LLNR 2105 8240 9690 14540 15220 16963 EMPORARY CH LLNR Dne	ANGES Aid Name Oswego Harbor West Channel Light 2 William Livingstone Memorial Light Grande Pointe Light 2 Little Lake Harbor Light 2 Ontonagon Harbor East Breakwater Light Driftwood Point Light ANGES CORRECTED Aid Name	s to Navigation for this eduction, a temporary correct position. Status TRLB Reduced Intensity TRLT DISCONTINUED FOR DREDGING DISCONTINUED DISCONTINUED	Chart No. 14786	ids are tempora Section IV giving BNM Ref.	LNM St 17/19 33/21 47/20 47/22 02/22 45/20	
EMPORARY CH LLNR 2105 8240 9690 14540 15220 16963 EMPORARY CH	ANGES Aid Name Oswego Harbor West Channel Light 2 William Livingstone Memorial Light Grande Pointe Light 23 Little Lake Harbor Light 2 Ontonagon Harbor East Breakwater Light Driftwood Point Light ANGES CORRECTED	s to Navigation for this eduction, a temporary correct position. Status TRLB Reduced Intensity TRLT DISCONTINUED FOR DREDGING DISCONTINUED DISCONTINUED	Chart No. 14786	ids are tempora Section IV giving BNM Ref.	LNM St 17/19 33/21 47/20 47/22 02/22 45/20	
EMPORARY CH LLNR 2105 8240 9690 14540 15220 16963	ANGES Aid Name Oswego Harbor West Channel Light 2 William Livingstone Memorial Light Grande Pointe Light 23 Little Lake Harbor Light 2 Ontonagon Harbor East Breakwater Light Driftwood Point Light ANGES CORRECTED	s to Navigation for this eduction, a temporary correct position. Status TRLB Reduced Intensity TRLT DISCONTINUED FOR DREDGING DISCONTINUED DISCONTINUED	Chart No. 14786	ids are tempora Section IV giving BNM Ref.	LNM St 17/19 33/21 47/20 47/22 02/22 45/20	
EMPORARY CH LLNR 2105 8240 9690 14540 15220 16963	ANGES Aid Name Oswego Harbor West Channel Light 2 William Livingstone Memorial Light Grande Pointe Light 23 Little Lake Harbor Light 2 Ontonagon Harbor East Breakwater Light Driftwood Point Light	s to Navigation for this eduction, a temporary correct position. Status TRLB Reduced Intensity TRLT DISCONTINUED FOR DREDGING DISCONTINUED	lition. When charted a ction shall be listed in S Chart No. 14786	ids are tempora jection IV giving	LNM St 17/19 33/21 47/20 47/22	LNM Enc
EMPORARY CH LLNR 2105 8240 9690 14540 15220	ANGES Aid Name Oswego Harbor West Channel Light 2 William Livingstone Memorial Light Grande Pointe Light 23 Little Lake Harbor Light 2 Ontonagon Harbor East Breakwater Light	s to Navigation for this eduction, a temporary correct position. Status TRLB Reduced Intensity TRLT DISCONTINUED FOR DREDGING DISCONTINUED	lition. When charted a ction shall be listed in S Chart No. 14786	ids are tempora jection IV giving	LNM St 17/19 33/21 47/20 47/22	LNM End
EMPORARY CH LLNR 2105 8240 9690 14540	ANGES Aid Name Oswego Harbor West Channel Light 2 William Livingstone Memorial Light Grande Pointe Light 2 Little Lake Harbor Light 2	s to Navigation for this eduction, a temporary correct position. Status TRLB Reduced Intensity TRLT DISCONTINUED FOR DREDGING	lition. When charted a ction shall be listed in S Chart No. 14786	ids are tempora jection IV giving	LNM St 17/19 33/21 47/20 47/22	LNM En
EMPORARY CH LLNR 2105 8240 9690	ANGES Aid Name Oswego Harbor West Channel Light 2 William Livingstone Memorial Light Grande Pointe Light 23	s to Navigation for this eduction, a temporary correct position. Status TRLB Reduced Intensity TRLT DISCONTINUED FOR	lition. When charted a ction shall be listed in S Chart No. 14786	ids are tempora jection IV giving	LNM St 17/19 33/21 47/20	LNM End
EMPORARY CH LLNR 2105 8240	ntains temporary changes and corrections to Aid redging, testing, evaluation, or marking an obstrunew ANGES Aid Name Oswego Harbor West Channel Light 2 William Livingstone Memorial Light	s to Navigation for this eduction, a temporary correct position. Status TRLB Reduced Intensity	lition. When charted a ction shall be listed in S Chart No.	ids are tempora jection IV giving	LNM St 17/19 33/21	LNM En
EMPORARY CH LLNR 2105	ntains temporary changes and corrections to Aid redging, testing, evaluation, or marking an obstrunew ANGES Aid Name Oswego Harbor West Channel Light 2	s to Navigation for this eduction, a temporary correct position. Status TRLB	lition. When charted a ction shall be listed in S Chart No.	ids are tempora jection IV giving	LNM St	LNM En
relocated for dr EMPORARY CH LLNR	ntains temporary changes and corrections to Aid redging, testing, evaluation, or marking an obstrunew ANGES Aid Name	s to Navigation for this eduction, a temporary correct position. Status	lition. When charted a ction shall be listed in S Chart No.	ids are tempora jection IV giving	arily g the LNM St	LNM En
relocated for dr	ntains temporary changes and corrections to Aid redging, testing, evaluation, or marking an obstrunew	s to Navigation for this eduction, a temporary correct position.	lition. When charted a tion shall be listed in S	ids are tempora jection IV giving	arily g the	LNM En
relocated for di	ntains temporary changes and corrections to Aid redging, testing, evaluation, or marking an obstru new	s to Navigation for this eduction, a temporary correc	lition. When charted a	ids are tempora	arily	
This section co relocated for dr	ntains temporary changes and corrections to Aid redging, testing, evaluation, or marking an obstru	s to Navigation for this eduction, a temporary correc	lition. When charted a	ids are tempora	arily	
lone						
PLATFORM DI	SCREPANCIES CORRECTED Status		Position	BNM Ref.	LNM St	LNM En
None						
PLATFORM DI Name	SCREPANCIES Status		Position	BNM Ref.	LNM St	LNM Er
5305	East Harbor Entrance Light 1	WATCHING PROPERLY			21/23	
LLNR	Aid Name	Status PROPERLY	Chart No.	BNM Ref.	LNM St	LNM E
DISCREPANCI	ES (PRIVATE AIDS) CORRECTED					
None						
LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM Er
DISCREPANCI	ES (PRIVATE AIDS)					
4475	Huron Harbor Light	RELIGHTED	14820		02/24	04/24
LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM Er
DISCREPANCI	ES (FEDERAL AIDS) CORRECTED					
DIGODEDANOI	Green Bay Harbor Entrance Channel Range Rear Light	DAYMK MISSING		M157-23	44/20	
22185		DAYMK DMGD		M327-22	24/21	
	Green Bay Harbor Entrance Channel Range Front Light			14227 22	24/21	

Name Status Position BNM Ref. LNM St LNM End

None

SECTION IV - CHART CORRECTIONS

This section contains corrections to federally and privately maintained Aids to Navigation, as well as NOS corrections.

This section contains corrective actions affecting chart(s). Corrections appear numerically by chart number, and pertain to that chart only. It is up to the mariner to decide which chart(s) are to be corrected. The following example explains individual elements of a typical chart correction.

Edition Last Local Notice Source of Current Local Chart Chart Horizontal Number Edition Date to Mariners Datum Reference Correction Notice to Mariners П 19-APR-97 Last LNM: 26/97 12327 91st Ed. **NAD 83** 27/97 Chart Title: NY-NJ-NEW YORK HARBOR - RARITAN RIVER Main Panel 2245 NEW YORK HARBOR CGD01 (Temp) ADD NATIONAL DOCK CHANNEL BUOY 3 at 40-41-09.001N 074-02-48.001W Т Green can Object of Corrective Corrective Position Action Action

Last LNM: 38/20

(Temp) indicates that the chart correction action is temporary in nature. Courses and bearings are given in degrees clockwise from 000 true. Bearings of light sectors are toward the light from seaward. The nominal range of lights is expressed in nautical miles (NM) unless otherwise noted.

12348 34th Ed. 01-JUN-10
ChartTitle: Hudson River Coxsackie to Troy

Main Panel 2223 HUDSON RIVER COXSACKIE TO TROY NY. Page/Side: N/A

LAST EDITION No new editions of chart 12348 will be published. It will be canceled on 31-Jan-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at https://www.charts.noaa.gov/MCD/Dole.shtml.

14820 22nd Ed. 01-MAY-20 Last LNM; 48/19 NAD 83 04/24

ChartTitle: Lake Erie

Main Panel 1134 LAKE ERIE - -. Page/Side: -

RELOCATE Sandusky Bay Exit Channel Lighted Buoy 2 from 41-28-23.612N 082-42-22.383W to 41-28-23.608N 082-42-22.144W

NAD 83

NOS

CGD09

SECTION V - ADVANCE NOTICES

This section contains advance notice of approved projects, changes to aids to navigation, or upcoming temporary changes such as dredging, etc.

Mariners are advised to use caution while transiting these areas.

SUMMARY OF ADVANCED APPROVED PROJECTS

Approved Project(s)
None

Project Date
Ref. LNM

Advance Notice(s)

LAKE ERIE - Toledo Harbor - CHART 14845

The Coast Guard will be changing the operation of the sound signal on Toledo Harbor Light (LLNR 6030) from seasonally operating continuously April 1st to December 1st, to Mariner Radio Activated Sound Signal (MRASS) year-round. The sound signal would be activated by keying the microphone five or more times on VHF FM channel 83A / 157.175MHz.

LNM: 50/23

LAKE ERIE - Detroit - CHART 14854

The Coast Guard will be changing the operation of the sound signal on Detroit River Light (LLNR 6885) from operating continuously, to Mariner Radio Activated Sound Signal (MRASS) year-round. The sound signal would be activated by keying the microphone five or more times on VHF FM channel 83A / 157.175MHz.

LNM: 50/23

ST CLAIR RIVER - St Clair Flats Canal

The Coast Guard is considering permanently establishing three danger buoys within the St. Clair Flats Canal, in the St. Clair River, to assist mariners in marking the partially submerged earthen dike along the southeast edge of the channel. The lighted buoys will be evenly spaced along the dike, extending from the lower point of Seaway Island to the St. Clair Flats Danger Light (LLNR 9575). The buoy characteristics will be white and orange in color and display the text "DANGER ROCKS" across the buoy.

04/24

LNM: 46/23

LAKE SUPERIOR - Ashland Harbor

The Coast Guard is evaluating the permanent disestablishment of the following floating aids to navigation in the Ashland Harbor Western Channel in Ashland, WI.

Ashland Harbor Lighted Buoy 1 (LLNR 15355)

Ashland Harbor Buoy 2 (LLNR 15360)

Ashland Harbor Buoy 3 (LLNR 15365)

Ashland Harbor Lighted Buoy 4 (LLNR 15370)

Ashland Harbor Buoy 5 (LLNR 15375)

LNM: 46/23

SECTION VI - PROPOSED CHANGES

Periodically, the Coast Guard evaluates its system of aids to navigation to determine whether the conditions for which the aids to navigation were established have changed. When changes occur, the feasibility of improving, relocating, replacing, or discontinuing aids are considered. This section contains notice(s) of non-approved, proposed projects open for comment. SPECIAL NOTE: Mariners are requested to respond in writing to the District office unless otherwise noted (see banner page for address).

PROPOSED WATERWAY PROJECTS OPEN FOR PUBLIC COMMENT

Proposed Project(s) <u>Closing</u> <u>Docket No.</u> <u>Ref. LNM</u>

None

Proposed Change Notice(s)

STRAITS OF MACKINAC - Cheboygan River

The Coast Guard is considering changing the seasonal operation dates of Cheboygan River Entrance Lighted Buoy 2 (LLNR 11780) to unlighted from Nov 15th to May 1st. The change is in response to the recent installation of a year-round buoy hull and a shift in servicing unit capabilities.

LNM: 02/24

For any comments or questions on these proposed changes please contact:

The Ninth District Aids to Navigation manager at Brian.D.Hawkins2@uscg.mil or call (206) 815-0913.

LNM: 30/13

SECTION VII - GENERAL

This section contains information of general concern to the Mariners. Mariners are advised to use caution while transiting these areas.

Waterways Analysis and Management System

The Ninth Coast Guard District is currently recategorizing regional waterways to prioritize areas that require more frequent review and analysis. These studies focus primarily on the aids to navigation in the waterway, and are set to resume in 2024. Selected waterways will be listed below. Public comments are an important tool in this process so that we can provide the adequate markings and the right mix of signals to a waterway for safe navigation. Comments on the listed waterways can be sent to Brian.D.Hawkins2@uscg.mil or by calling (206) 815-0913. You may also complete the survey attached to the Local Notice to Mariner and either email it or mail it to: Commander (dpw), Ninth Coast Guard District, 1240 East Ninth St., Cleveland, Ohio 44199.

LNM: 09/20

GREAT LAKES - Marine Events

Marine events such as races, parades, regattas, and fireworks displays are frequently held in the Great Lakes region. Advance information on specific events is contained in enclosure (2) of this publication. The public is reminded to listen to the local broadcast notice to mariners for the most up-to-date information on a marine event. Mariners are advised that some events may require temporary aids to navigation that are not displayed on a chart or in the Light List, and that they should exercise additional caution while operating in the vicinity of a scheduled marine event.

LNM: 24/13

LAKE ONTARIO – Little Sodus Bay – Chart 14800

There is an uncharted breakwall along the shore extending from the west side of Little Sodus Bay entrance to the boat ramp of West Barrier Bar County Park. The breakwall is unmarked and unlit. Visibility of the breakwall may be impacted due to high water. All mariners are requested to transit the area with caution.

LNM: 19/23

LAKE ERIE - OH - Ashtabula Harbor - Chart 14836

A submerged breakwater is being constructed in Ashtabula Harbor, to be connected to the existing East Breakwater. The submerged breakwater will be connected to the East Breakwater at the first angle point of the East Breakwater, as entering the harbor, from the lake. All elevations referenced

are referred to Low Water Datum (LWD), IGLD 1985.

LAKE ERIE - OH - Ashtabula Harbor - Chart 14836

The center line of the submerged breakwater approximately follows the same azimuth as the first segment of the East Breakwater, in a south easterly direction, for approximately 1000', then slightly bends to the east for another two segments, for approximately 500'.

The first 1000' (Area "A") has a crest design height of -2.0' with a crest width of 9', and a footprint of approximately 150', with the next 100' transitioning to the dimensions in the next item.

The final 400 (Area "B") has a crest height of -5.0', with a crest width of 9', and a footprint of approximately 50'.

The coordinates, in decimal degrees, are as follows:

- 1. 41.918447801N 80.790362308W
- 2. 41.916367139N 80.788014301W
- 3. 41.916189406N 80.787730327W
- 4. 41.916026216N 80.787424318W
- 5. 41.915640784N 80.786454826W
- 6. 41.916242815N 80.783904852W

All mariners are requested to transit the area with caution.

LNM: 17/23

LAKE ERIE - OH - Cleveland Harbor - Chart 14839

The Great Lakes Construction Co. will be conducting bulkhead replacement operations in the Cuyahoga River in the vicinity of the Shelly Liquids Dock. A shoreside crane will be used to install new steel sheeting and a small in-water float will be used to facilitate waterside access. Operations are expected to commence on or around 27NOV23 and will conclude on or around 15MAR24. During work hours the on station crew will monitor VHF channel 16 from 0700- 1700 HRS M-F.

LNM: 47/23

LAKE ERIE - Cuyahoga River - Chart 14839

From 8 Jan 2024 to 1 Feb 2024 The Great Lakes Construction Co. will be conducting soil anchor drilling in conjunction with bulkhead replacement operations in the Cuyahoga River in the vicinity of the Shelly Liquids Dock. A 50 ft x 60 ft barge platform with UTV will be dockside to support drilling operations and waterside access. During work hours, the on station crew will monitor VHF channel 16 from 0700- 1700 HRS M-F. All mariners are requested to transit the area with caution.

LNM: 51/23

LAKE ERIE - Cuyahoga River - Chart 14839

From 03 Jan 2024 to 10 Jan 2024 The Great Lakes Construction Co. will be conducting barge assembly operations in the Cuyahoga River in the vicinity of the Allied Plant 76 Dock. A shoreside crane will be used to assemble sectional barges along the dock wall. Final size of barge unit will be $60 \text{ ft} \times 60 \text{ ft}$. An assist tug will also be on station to assist with barge construction and equipment loading operations. During work hours the on station crew will monitor VHF channel 16 from 0700- 1700 HRS M-F. All mariners are requested to transit the area with caution.

LNM: 51/23

LAKE ERIE - Cleveland Harbor - Chart 14839

Submerged obstructions were reported and confirmed in location 41° 29.380′ N, 081° 41.906′ W (NAD83) on the Cuyahoga river's left descending bank just east of the Columbus Road Bridge. The USACE completed a hydrological survey on 07 December 2023, which identified four obstructions on the river's bottom believed to be sections of steel corrugated bulkhead originating from a nearby retaining wall. The failed sections settled at the bottom of the river approximately 20 feet into the navigational channel and were measured to be between 18-21 feet from the water's surface. Marines may contact the Sector Eastern Great Lakes Command Center with any questions by phone at 716-843-9596. The most current USACE Hydrographic Survey data can be found on their website here: Buffalo District Maps and Charts (army.mil). All mariners are requested to transit the area with extreme caution.

LNM: 51/23

LAKE MICHIGAN - New Buffalo Harbor - Chart 14905

Shoaling has been reported near the middle of the channel immediately inside the break wall in New Buffalo Harbor, MI. The actual water depth is currently significantly below the charted depth. Mariners are urged to use caution when transiting the area. For further details, contact Sector Lake Michigan at (414) 747-7182 or VHF channel 16.

LNM: 15/22

LAKE MICHIGAN - Port Sheldon - Chart 14932

Shoaling has been reported near Pigeon Lake at the Port Sheldon entrance. The actual water depth is currently significantly below the charted depth. Mariners are urged to use caution when transiting the area. For further details, contact Sector Lake Michigan at (414) 747-7182 or VHF channel 16.

LNM: 15/23

LAKE MICHIGAN - Muskegon Channel - Chart 14906

The Coast Guard has received reports that the depths at the entrance to Muskegon Lake are less than the charted depths. All mariners are requested to transit the area with caution.

LNM: 17/23

LAKE MICHIGAN - Sheboygan River - Chart 14922

Shoaling has been reported in entrance of the Sheboygan River in the vicinity of 43-44.928N, 087-42.170W AND 43-44.936N, 087-42.110W. The actual water depth is currently significantly below the charted depth. Mariners are urged to use caution when transiting the area. For further details, contact Sector Lake Michigan at (414) 747-7182 or VHF channel 16.

LNM: 24/22

LAKE MICHIGAN - Sheboygan - Chart 14924

From 12 Aug 2023 to 31 Jan 2024 the Kokosing Industrial Inc will be conducting pipeline installation, dredging and diving operations at the Sheboygan Water Utility in Sheboygan, WI. Hours of operation from 0700 to 1900 7 days a week. Tug Nancy Anne and Tug WM Boyd can be contacted on VHF channels 13 and 16. All mariners are requested to transit the area with caution.

LNM: 33/23

LAKE MICHIGAN - Sheboygan - Chart 14924

From 6 July 2023 to 31 Jan 2024 Kokosing Industrial will be conducting pipeline installation dredging and diving. Hours of operation are 0700 to 1900 normally 7 days a week with a possibility of 24 hours when needed. Tug Nancy Anne and Tug WM Boyd can be contacted on VHF channels 13 and 16. Mooring buoys will be located 1500 ft due north of the Sheboygan Water Utility. All mariners are requested to transit the area with caution.

LNM: 28/23

LAKE SUPERIOR - Little Lake Harbor - Chart 14961

Shoaling has been reported in the entrance of Little Lake Harbor exceeding 5 feet above low water datum near the channel edges. Some cross sections of the channel are shoaled nearly the full width to 2 feet or more above low datum. The harbor should not be considered as a functional harbor or refuge. All mariners are requested to transit the area with caution.

LNM: 47/22

SECTION VIII - LIGHT LIST CORRECTIONS						
An Asterisk *, indicates the column in which a correction has been made to new information						

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks	
4760	Sandusky Bay Exit Channel Lighted Buoy 2	41-28-23.608N 082-42-22.144W	FI R 2.5s		4	Red.	Replaced by nun from Dec. 7 to Apr. 14.	04/24
14135	Little Rapids Cut Junction Lighted Buoy LR	* 46-29-25.710N 084-18-07.162W	FI (2+1)R 6s		4	Red with green band.	Year round buoy unlighted from Dec. 7 to Apr. 14.	04/24
14150	Little Rapids Cut Lighted Buoy 104	46-29-34.907N 084-18-14.313W	Q R		3	Red.	* Year round buoy unlighted from Dec. 7 to Apr. 14.	04/24
14340	Pointe Aux Pins Channel Lighted Buoy 10	46-29-14.397N 084-26-18.745W	FI R 4s		4	Red.	* Year round buoy unlighted from Nov. 21 to May 1.	04/24
14350	Brush Point Lighted Buoy 13	46-28-23.625N 084-27-28.645W	Q G		4	Green.	* Year round buoy unlighted from Dec. 21 to May 1.	04/24
14375	Brush Point Lighted Buoy 17	46-27-43.509N 084-28-04.592W	QG		4	Green.	* Year round buoy unlighted from Dec. 21 to May 1.	04/24
							*	

EN	CL	O	SI.	IR	ES

1-Great Lakes Water Levels

LNM: 06/22

(2) LNM Section II - Discrepancies

N/A

LNM: 19/19

(3) LNM Section III - Temporary Changes and Temporary Changes Corrected

N/A

LNM: 19/19

	(4) LNM Section IV - Chart Corrections		
N/A		LNM:	19/19
	(5) LNM Section V - Advance Notices		
N/A		LNM:	19/19
	(6) LNM Section VI - Proposed Changes		
N/A		LNM:	19/19
	(7) LNM Section VII - General		
1-Marine	Events		
2-Current	Ninth District Bridge Maintenance/Activities		
3-Waterw	ay Analysis and Management System Survey		
		LNM:	19/19
	(8) LNM Section VIII - Light List Corrections		
N/A		LNM:	19/19

J. P. Hickey, RADM U. S. Coast Guard Commander, Ninth Coast Guard District

GREAT LAKES, CONNECTING CHANNELS AND ST. LAWRENCE RIVER WATER LEVELS AND DEPTHS

Expected water levels on the Great Lakes, Connecting Channels and the St. Lawrence River are given in inches above (+,0) or below (-,0) Low-Water Datum (LWD,0). LWD is a plane of reference on a navigation chart, also known as Chart Datum. LWD elevations shown below are given in International Great Lakes Datum, 1985 (IGLD 1985,0).

	Famous	Low Water	w Low Water Dat	Datum,0)			
	Forecast Point	Datum	Current	Week 1	Week 2	Week 3	Week 4
	Polit	IGLD 1985	19-Jan	26-Jan	2-Feb	9-Feb	16-Feb
GREAT LAKES							
Lake Ontario		243.3	17	18	19	20	21
Lake Erie		569.2	31	31	30	30	30
Lake St. Clair		572.3	29	28	28	28	27
Lake Michigan-Huron		577.5	15	15	14	14	14
Lake Superior		601.1	4	3	3	2	1
ST. LAWRENCE RIVER							
Above Long Sault Dam	0	237.9	26	27	30	33	36
Above Iroquois Dam	1	240.3	18	19	22	24	26
Ogdensburg	2	242.4	15	16	18	20	22
Alexandria Bay	2.1	243.0	16	17	18	19	21
Head of river at Cape Vincent	3	243.3	17	18	19	20	21
DETROIT RIVER							
Lake Erie at Pelee Passage	4	569.2	31	31	30	30	30
Mouth of River at Gibraltar	5	569.5	31	31	31	31	30
Fort Wayne	5.1	571.1	33	32	32	32	31
Head of River above Belle Isle	6	572.0	30	29	29	29	28
ST. CLAIR RIVER							
Mouth of River at St. Clair Flats	7	572.3	29	28	28	28	27
Algonac	8	572.8	31	31	30	30	29
St. Clair	9	574.4	25	24	24	24	23
Blue Water Bridge	10	576.2	22	22	21	21	21
Head of River at Fort Gratiot	11	577.2	18	17	17	17	16
Lake Huron Approach Channel	12	577.5	15	15	14	14	14
ST. MARYS RIVER							
Mouth of River at Detour	13	577.5	15	15	14	14	14
West and Middle Neebish	14	577.8	16	16	15	15	15
Head of Little Rapids	15	578.4	16	16	16	16	15
U.S. Slip	16	578.7	15	15	15	15	14
Above Locks	17	600.4	6	6	5	4	3
Head of River at Point Iroquois	18	601.1	4	3	3	2	1


UNDERSTANDING THE FORECAST

Available water depth is determined for a location by adding (if+) or subtracting (if-) the amount from the above table to the appropriate channel depth shown in the profile Connecting Channel Depths Graphic or to water depths shown on National Oceanic and Atmospheric Administration (NOAA) navigational charts.

CAUTION

Depths so determined are representative of a still water surface elevation, disturbed by neither wind nor other causes. Depths, however, may be reduced or increased as much as several feet for short periods due to these disturbances, or when sections of channels develop shoals. Vessel masters should refer to "Local Notice to Mariners" for extent of shoaling and scattered bedrock projections in all channels. Ice conditions can have a dramatic impact on actual channel depth and can lead to large short-term water level fluctuations. Ice information can be found at the National Ice Center's website.

FOR FURTHER INFORMATION CONTACT:	FOR MORE INFORMATION VISIT:	WATER LEVEL INFORMATION SUPPLIED BY:
Detroit District Corps of Engineers	Detroit District Great Lakes Homepage	NOAA, National Ocean Service
477 Michigan Avenue	International Joint Commission	SSMC4, STATION 7523
Detroit MI, 48226	Great Lakes Information Network	1305 East-West Hwy
1-888-694-8318 ex. 1	NOAA Tides and Currents	Silver Spring, MD 20910-3233
email: hhpm@usace.army.mil	U.S. Coast Guard - District 9	(301) 713-2902




Detroit & St. Clair Rivers NOAA Gauge Locations: 1. Fermi, 2. Gibraltar, 3. Wyandotte, 4. Fort Wayne, 5. Windmill Point, 6. St. Clair Shores, 7. Algonac, 8. St. Clair State Police, 9. Mouth of Black River, 10. Fort Gratiot

This Chart is for general information only.

Vessel masters should refer to <u>Local Notice to Mariners</u>

for extent of shoaling and scattered bedrock projections in all channels.

The connecting channels, as authorized, provide depths varying from 27 to 30 feet below Low Water Datum (LWD), depending on exposure of channel, hardness of bottom material and vessel squat in each reach. These depths are designed to permit maximum draft of 25'6" for lake vessels when the water level is at LWD. However, the individual vessel master should give further consideration to the characteristics peculiar to his vessel and to his individual clearance and safety requirements in determining the safe draft to which to load his



300 ft. easterly width has 21 ft. design depth. In upper section depths are for full 600 ft. width.

CURRENT NINTH DISTRICT BRIDGE MAINTENANCE/ACTIVITIES Local Notice to Mariner Week [04/24]

Note: Short-term bridge maintenance closures and various activities may only be published through Broadcast Notice to Mariners and may not be included in the Local Notice to Mariners. Mariners should both *listen* to Broadcast Notice to Mariners (BNM) and *read* Coast Guard Local Notice to Mariners (LNM) available by clicking <u>HERE</u> for the most recent and complete marine information.

There is a Microsoft Teams meeting with the US Coast Guard, Mariners, and Bridge Owners being held on the last Wednesday of every month, and **YOU** are welcome to join in.

Join on your computer or mobile app

Click here to join the meeting

Or call in (audio only)

+1 410-874-6742,,515305017#

Phone Conference ID: 515 305 017#

PUBLIC NOTICES FOR 9th District BRIDGES: https://www.navcen.uscg.gov/D9BN

Please contact us with any questions or concerns:

Blair Stanifer (216) 902-6086 or William.B.Stanifer@uscg.mil

Lee Soule (216) 902-6085 or Lee.D.Soule@uscg.mil

Michael Walker (216) 902-6087 or Michael.O.Walker2@uscg.mil

FAX: (216) 902-6088

Commander (dpb)

Ninth Coast Guard District 1240 E. 9th St. Room 2047B Cleveland, Ohio 44199-2001

Table of Abbreviations and Nautical Terms

100 Year Flood Highwater with a 1% chance of occurring in any given year

Allision When a moving object strikes a stationary object.

CFR Code of Federal Regulations CP6 Coast Pilot Six Great Lakes

Collision When two moving objects strike each other.

DHS Department of Homeland Security
FR Federal Register also Final Rulemaking

Legal Name Of a bridge is the name from CP6, the mile, and the waterway

IGLD85 International Great Lakes Datum of 1985 LWD Low Water Datum based on IGLD85

Masted Superstructures on vessels.

Mile (Number) The distance a bridge is from the mouth of the waterway.

Navigation The passage of vessels.

NPRM Notice of Proposed Rulemaking

Secured Fix or attach something firmly so that it cannot be moved.

U.S.C. United States Code

NOTES:

FEDERAL REGULATIONS DOCKET STATUS

<u>Regulations.gov</u> enter the USCG - docket number in the search window to review all comments and documents associated with the project.

USCG-2023-0184 - FR - Maumee River - to Legal Review and Command Approval

USCG-2023-0185 - FR - Sandusky Bay - to Legal Review and Command Approval

USCG-2023-0186 - FR - Portage River - to Legal Review and Command Approval

USCG-2023-0187 - FR - Black River - to Legal Review and Command Approval

USCG-2023-0188 - FR - Cuyahoga River - to Legal Review and Command Approval

USCG-2023-0189 - FR - Ashtabula River - to Legal Review and Command Approval

USCG-2023-0912 - NPRM - Independence Bridge Rehab - Comments Due 12 FEB 24

USCG-2023-0183-FR-Correction - To legal Review.

USCG-2024-0018 - NPRM Cherry Street Bridge, Milwaukee River.

USCG-2024-0086 - NPRM - Layfette Street Bridge Bay City, MI - Draft submitted.

GREAT LAKES REGION

GREAT LAKES, Drawbridge Delay Reports, Chart 14500

Mariners are requested to submit Reports of Drawbridge Signal/Operations Delays directly to the Ninth Coast Guard District Bridge Branch using the attached form. Reports of signal or drawbridge delays have been processed by Coast Guard Marine Safety Offices in recent years but will now be processed and traced by the Bridge Branch. Reports may be sent by mail, e-mail, or by fax. The mailing address and fax number are on the form. The updated form is printed and attached on the last page of this list. [08/05] [34/12]

ST. LAWRENCE SEAWAY

NY STATE CANAL SYSTEM

(Everything West of St. Johnsville, NY)

NY - NEW YORK STATE CANAL SYSTEM - Erie Canal - Chart 14786

From April 1, 2023, through **July 1, 2024**, snooper trucks will be working under the E-182 Main Street Bridge, mile 278.93, over the Erie Canal to rehabilitate the bridge in the fully open position. The permitted navigation lights will be removed and temporarily replaced with steady burning yellow lights on the bottom and four-corners of the drawspan. Spotters will warn of approaching vessels and move the man lift to allow vessels to pass.

[12/22]

NY - NEW YORK STATE CANAL SYSTEM - Erie Canal - Chart 14786

From March 15, 2024, through **January 31, 2025**, daily, contractors will utilize scaffolding and man lifts above low steel of the E144C I-390 Bridge at mile 258.65 and the E144D I-390 Bridge at mile 258.68 over the Erie Canal.

[42/23]

NY - NEW YORK STATE CANAL SYSTEM - Erie Canal - Chart 14786

From January 29, through **April 14, 2024**, scaffolding that hangs approximately 6-feet below low steel will be installed under the E166 Lyell Ave, SR 31 Bridge at mile 264.08 over the Erie Canal for maintenance. [52/23]

NY - NEW YORK STATE CANAL SYSTEM - Erie Canal - Chart 14786

From April 8, through **July 31, 2024**, between the hours of 0700 and 1700, Monday through Friday, contractors will utilize snooper trucks under the E-233 Main Street Bridge at Mile 320.82, the E-234 Transit Street Bridge at Mile 564.00, the E236a Lockport Bypass Bridge at Mile 564.17, and the E-248 Webster Street Bridge at Mile 338.44, all over the Erie Canal. Spotters will warn of approaching vessels and move the man lift to allow vessels to pass. Mariners should avoid passing directly under water falling from the bridge. [02/24]

NY - NEW YORK STATE CANAL SYSTEM - Erie Canal - Chart 14786

From April 8, through **June 28, 2024**, between the hours of 0700 and 1700, Monday through Friday, contractors will utilize snooper trucks under the E-217 South carmen Street Bridge at Mile 309.59, the E-237 Robinson Road Bridge at Mile 323.79, the E-238a Fiegle Road Bridge at Mile 325.09, the E-240 Tonawanda Creek Bridge Mile 327.34, all over the Erie Canal. Spotters will warn of approaching vessels and move the man lift to allow vessels to pass. Mariners should avoid passing directly under water falling from the bridge. [02/24]

LAKE ONTARIO

LAKE ERIE - MAHONING RIVER - NIAGARA RIVER- ALLEGHENY RIVER

*****REVISED****

OH - LAKE ERIE - Toledo Harbor - Chart 14847

From July 1, 2019, through **April 14, 2024**, a temporary causeway will be constructed between mile 6.73 and 6.76 for the construction of the new and demolition of the old Michael V. DiSalle Memorial (I-75) Bridge at Mile 6.73 over the Maumee River. The causeway will be marked with flashing yellow lights spaced approximately 10 meters apart with red over red lights marking the ends of the causeway. A 100-foot-wide channel will be provided for vessels to pass through the construction area. Mariners are encouraged to pass through the area at a slow speed.

[26/19] [21/20] [14/23] [37/23] [49/23]

NY - LAKE ERIE – Buffalo Harbor – Chart 14833

From January 1 through **March 31, 2024**, the Canadian National International Railroad Bridge at mile 3.8 over the Black Rock Canal will be secured to masted navigation for maintenance. Vessels able to pass under the bridge without an opening may do so at any time.

[30/23]

NY - LAKE ERIE – Buffalo Harbor – Chart 14833

From January 1 through March 31, 2025, the Canadian National International Railroad Bridge at mile 3.8 over the Black Rock Canal will be secured to masted navigation for maintenance. Vessels able to pass under the bridge without an opening may do so at any time.

[30/23]

NY - LAKE ERIE - Niagara River - Chart 14833

From August 28, 2023, through **July 26, 2026**, scaffolding that extends approximately 3-feet below low steel will be installed under the South Grand Island Bridge at Mile 3.40 and the North Grand Island Bridge at Mile 18, both over the Niagara River. A 16-foot by 32-foot materials barge and a 4-foot by 40-foot temporary dock

will be used under the bridges.

[32/23]

OH - LAKE ERIE - Otter Creek - Chart 14846

The Coast Guard has received a report that back fill extending approximately 14-feet has been added to the Norfolk Southern Railroad Bridge at mile 1.8 over Otter Creek. Steady burning red lights will warn mariners of the temporary reduction in horizontal clearance. The temporary reduction may last until **March 31, 2024**, before permanent repairs can be made.

[36/23]

OH - LAKE ERIE - Cuyahoga River - Chart 14839

From June 1, 2024, through September 30, 2026, daily scaffolding will be installed under the I-490 Bridge at mile 4.79 over the Cuyahoga River that hangs approximately 4-feet below low steel. Snooper vehicles and manlifts will be used. Spotters will warn workers of approaching vessels and move the manlift to allow vessels to pass.

[43/23]

OH - LAKE ERIE - Cuyahoga River - Chart 14839

From December 18, 2023, through **March 20, 2024**, all city of Cleveland operated bridges over the Cuyahoga River including the North Coast Harbor will require a 12-hour advance notice for openings. Mariners should provide advance notice directly to the Carter Road drawtender by calling 216-664-4767 or by email to rscott@clevelandohio.gov.

[46/23]

OH - LAKE ERIE - Cuyahoga River - Chart 14839

From January 17 through **January 23, 2024**, the Norfolk Southern Railroad Bridge at mile 0.76 over the Cuyahoga River will require a 3-hour advance notice for openings. Mariners should provide advance notice directly to the drawtender.

[04/24]

DETROIT RIVER - LAKE ST. CLAIR - ST. CLAIR RIVER - RIVER ROUGE

*****REVISED****

MI - DETROIT RIVER - Main Channel - Chart 14848

From November 1, 2022, through **August 18, 2024**, contractors will be constructing the Gordie Howe International Bridge at mile 16.7 over the Detroit River. No equipment will be placed in the water. Overhead work will have temporary steady burning yellow lights to mark new construction. A moving platform with quick flashing red lights and orange or red ball fenders on the bottom four corners with a safety net that hangs approximately 15-feet below low steel will be constructing the bridge. Mariners should avoid passing directly under the platform at any time. Snooper type vehicles will be utilized on the bridge throughout construction. Spotters will warn of approaching vessels and move the man lift to allow vessels to pass. When construction is completed and all equipment removed, the final vertical clearances for the bridge will be 152-feet for the center 100-feet of the navigation channel. No less than 137-feet of vertical clearance will be available at the channel limits. Vertical clearances are based on IGLD85.

[47/20] [07/22] [02/24]

MI - DETROIT RIVER - River Rouge - Chart 14854

On December 28, 2023, the Coast Guard published in the Federal Register (88 FR 89574) a regulation affecting all movable bridges on the River Rouge to improve communications and establish winter hours. To view all the documents in this rulemaking visit https://www.regulations.gov and type USCG-2023-0183 in the search box. For questions regarding this rule please call or email: Mr. Lee D. Soule, Bridge Management Specialist, Ninth Coast Guard District; 216-902-6085 or lee.d.soule@uscg.mil

■ 2. Amend § 117.645 River Rouge by revising paragraph (d) and adding paragraphs (e) through (h) to read as follows: * * * * * (d) The draw of the West Jefferson Avenue Bridge, mile 1.10, is required to operate a radiotelephone, and shall open on signal except from January 1 through March 31 when the bridge shall open on signal if provided a 12-hour advance notice. (e) The draw of the Conrail Bridge, mile 1.48, is remotely operated, is required to operate a radiotelephone and telephone, and shall open on signal except from January 1 through March 31 when the bridge shall open on signal if provided a 12-hour advance notice. (f) The draw of the Norfolk Southern Railroad Bridge, mile 1.87, is required to operate a radiotelephone and telephone, and shall open on signal except from January 1 through March 31 when the bridge shall open on signal if provided a 12-hour advance notice. (g) The draw of the Fort Street Bridge, mile 2.20, is required to operate a radiotelephone, and shall open on signal except from January 1 through March 31 when the bridge shall open on signal if provided a 12-hour advance notice. (h) The draw of the Dix Avenue Bridge, mile 2.73, is remotely operated, is required to operate a radiotelephone, and shall open on signal except from January 1 through March 31 when the bridge shall open on signal if provided a 12-hour advance notice.

This rule is effective on **January 29, 2024**. [02/24]

LAKE HURON

MI - LAKE HURON - Saginaw River - Chart 14867

From December 18, 2023, through **April 19, 2024**, the Independence Street Bridge at Mile 3.88, over the Saginaw River will be secured to masted navigation. Vessels able to pass under the bridge without an opening may do so at any time. Two barges 80-foot by 40-foot or smaller will be working under the bridge. The barges will move with a 2-hour advance notice. Mariners should provide advance notice for the barges by calling 608-425-0171.

[17/23] [47/23]

MI - LAKE HURON - Port Huron - Chart 14865

From March 25 through **March 31, 2024**, the 7th Street Bridge at mile 0.50 over the Black River will be secured to masted navigation. Vessels able to pass under the bridge without an opening may do so at any time. [49/23]

MI - LAKE HURON - Saginaw River - Chart 14867

On December 13, 2023, the Coast Guard has published in the Federal Register (88 FR 86301) a proposal to temporarily modify the operating schedule that governs the Independence Bridge, mile 3.88, over the Saginaw River to allow contractors to rehabilitate the bridge. We invite your comments on this proposed rulemaking. You may submit comments identified by docket number USCG– 2023–0912 using Federal Decision-Making Portal at https://www.regulations.gov. If you have questions on this proposed rule, call or email Mr. Lee D. Soule, Bridge Management Specialist, Ninth Coast Guard District; telephone 216–902–6085, email Lee.D.Soule@uscg.mil.

(e) The draw of the Independence Bridge, mile 3.88, over the Saginaw River, will require a 2-hour advance notice of arrival to be given to move barges away from the draw to allow vessels to pass through the bridge from April 24, 2024, through November 30, 2024, and the bridge need not open for the passage of vessels from December 1, 2024, through March 31, 2025.

You may visit: <u>Regulations.gov</u> to see the full docket for this rulemaking including all the comments posted. If the link does not take you directly to the docket, in the search window type USCG-2023-0912 and select search.

Comments and related material must reach the Coast Guard on or before **February 12, 2024**. [51/23]

*****REVISED****

MI - LAKE MICHIGAN - Charlevoix Harbor - Chart 14942

From 0700 on January 1, 2024, through 0700 on March 31, 2024, the US 31 Bridge Street Bridge, over the Pine River will be secured to masted navigation. Vessels able to pass under the bridge without an opening may do so at any time.

[32/22] [33/22]

*****REVISED****

MI - LAKE MICHIGAN - Manistee Harbor - Chart 14938

From December 1, 2023, through **April 1, 2024**, the US 31 Bridge at Mile 1.4 over the Manistee River will be secured to masted navigation. Vessels able to pass under the bridge without an opening may do so at any time. From June 26 through December 1, 2023, between the hours of 0700 and 1930 Monday through Saturday, two 30-foot by 40-foot barges will be working under the bridge. The barges will move to accommodate large vessels will a 30-minute advance notice provided directly to the barge by calling 269-720-5424 or 269-941-3431. From December 1 through April 1, 2024, scaffolding that hangs approximately 4-feet below low steel will be installed under the bridge.

[25/23] [26/23]

MI - LAKE MICHIGAN - St Joseph River - Chart 14930

The Coast Guard has received a report that the CSX Railroad Bridge at mile 0.67 over the Saint Joseph River is showing improper characteristics. Estimated time of repair is February 12, 2024.

[01/24] [02/24]

MI - LAKE HURON - Saginaw River - Chart 14867

The Coast Guard would like to remind mariners that due to construction activities the ice under the Independence Street Bridge at Mile 3.88, over the Saginaw River will be broken throughout the winter causing a possible degradation in the ice thickness. Mariners should use caution when transiting the area. [04/24]

LAKE MICHIGAN - MICHIGAN CITY & INDIANA HARBOR & GARY HARBOR

IL - LAKE MICHIGAN – Michigan City – Chart 14926

From December 1, 2023, through **March 15, 2024**, the Franklin Street Bridge at Mile 0.50 over Trail Creek will be secured to masted navigation. Vessels able to pass under the bridge without an opening may do so at any time.

[37/23]

IL - LAKE MICHIGAN – Indiana Harbor Canal – Chart 14927

From November 2 through **November 17, 2024**, and again from December 7 through **December 21, 2024**, on each Saturday at 0001 through each Sunday at 2359, the Elgin, Joliet, and Eastern Railroad Bridge at Mile 0.68 over the Indiana Harbor Canal will be secured to masted navigation. Vessels able to pass under the bridge without an opening may do so at any time.

[52/23]

LAKE MICHIGAN – CALUMET RIVER & LITTLE CALUMET RIVER

IL - LAKE MICHIGAN - Calumet Harbor - Chart 14927

From September 7, 2023, through **May 22, 2024**, scaffolding will be installed under the Indiana Avenue Bridge at Mile 10.80 (CORPS MILE 322.3) over the Little Calumet River that hangs approximately 1-foot below low steel.

[34/23]

IL - LAKE MICHIGAN - Calumet Harbor - Chart 14927

From March 18 through **March 23, 2024**, between the hours of 0700 and 1700, a 30-foot Harcon will be inspecting the 106th Street Bridge at Mile 2.58 (CORPS MILE 330.6) over the Calumet River. The Harcon will monitor VHF-FM Marine Channel 16 and will move to accommodate vessel traffic with a 15-minute advance notice.

[04/24]

<u>CHICAGO RIVER – MAIN RIVER CHANNEL, NORTH BRANCH, NORTH SHORE CHANNEL, AND SOUTH BRANCH AND SOUTH FORK OF SOUTH BRANCH</u>

IL - LAKE MICHIGAN - Chicago Harbor - Chart 14927

From November 20, 2023, through **February 16, 2024**, between the hours of 0600 and 1800 Monday through Friday an 80-foot by 20-foot barge will be working under the Division Street Bridge at Mile 2.99 (CORPS MILE 326.8) over the North Branch Canal of the Chicago River. The barge will monitor VHF-FM Marine Channel 16 and move to accommodate vessels traffic with a 1-hour advance notice. [43/23]

IL - LAKE MICHIGAN - Chicago Harbor - Chart 14927

From March 18 through March 23, 2024, between the hours of 0700 and 1700, a 30-foot Harcon will be inspecting the Lake Street Bridge at Mile 1.64 (CORPS MILE 325.5), the Division Street Bridge, at Mile 3.30 (CORPS MILE 327.0), over the Chicago River. The Harcon will monitor VHF-FM Marine Channel 16 and will move to accommodate vessel traffic with a 15-minute advance notice. [04/24]

CALUMET SAG CHANNEL

IL - LAKE MICHIGAN - Calumet-SAG Channel - Chart 14927

From May 1, 2024, through **November 1, 2024**, scaffolding that hangs approximately 6-feet below low steel will be installed under the Sag Highway Bridge at Mile 28.76 (CORPS MILE 304.2) over the Calumet-SAG Channel.

[03/24]

CHICAGO SANITARY AND SHIP CANAL, KANKAKEE RIVER & ROCK RIVER

(Lake Michigan to Mile 36.2/291.1)

IL - LAKE MICHIGAN - Chicago Sanitary and Ship Canal - Chart 14927

From January 15, through **August 31, 2024**, scaffolding will be installed that hangs approximately 3-feet below low steel of the South-Central Avenue Bridge at mile 11.1 (CORPS MILE 316.2) over the Chicago Sanitary and Ship Canal.

[03/24]

IL - LAKE MICHIGAN - Chicago Sanitary and Ship Canal - Chart 14927

From March 18 through **March 23, 2024**, between the hours of 0700 and 1700, a 30-foot Harcon will be inspecting the South Cicero Avenue Bridge at Mile 10 (CORPS MILE 317.3) over the Chicago Sanitary and Ship Canal. The Harcon will monitor VHF-FM Marine Channel 16 and will move to accommodate vessel traffic with a 15-minute advance notice. [04/24]

LAKE MICHIGAN – WEST

WI - LAKE MICHIGAN - Racine Harbor - Chart 14925

From December 1, 2023, through **April 1, 2024**, the State Street Bridge at Mile 0.53 over the Root River will be secured to masted navigation and scaffolding that hangs approximately 4-feet below low steel will be installed under the bridge. Vessels that can safely pass under the bridge without an opening may do so at any time. [43/22]

LAKE MICHIGAN - Sturgeon Bay Ship Canal - Green Bay - Fox River - Wolf River

WI - LAKE MICHIGAN - Green Bay - Chart 14918

From December 1, 2026, through March 31, 2027, the Tilleman Memorial Bridge at mile 2.27 over the Fox River will be secured to masted navigation. Vessels able to pass under the bridge without an opening may do so at any time.

[49/23]

*****REVISED****

WI - LAKE MICHIGAN - Fox River - Chart 14916

from October 8, 2026, through **April 8, 2027**, the Wisconsin Street Bridge at mile 56.72 over the Fox River will be secured to masted navigation and scaffolding that hangs approximately 4-feet will be installed under the bridge. Vessels able to pass under the bridge safely, without an opening may do so at any time. [02/24] [03/24]

LAKE SUPERIOR

RAINY LAKE, RAINY RIVER, LAKE OF THE WOODS, WISCONSIN RIVER, MISSISSIPPI RIVER, & RED RIVER OF THE NORTH

PIGEON RIVER Chart 14967

(Revised 04/23) NINTH DISTRICT DRAWBRIDGE SIGNALS OR OPERATIONAL DELAYS FORM

Ninth Coast Guard District	NOTE: Reports of Delay will be processed only when all items					
1240 E. 9 th Street – Room 2047b	are fully addressed and reports submitted within 15					
Cleveland, Ohio 44199-2060	days of reported delay / difficulty. Attach additional					
Phone: (216) 902-6087	sheets if necessary.					
Fax: (216) 902-6088 E-Mail: William.B.Stanifer@uscg.mil, _ I	Lee.D.Soule@uscg.mil, and Michael.O.Walker2@uscg.mil					
CONFIDENTIALITY, Places should be as if you						
	u wish to keep names of vessels and persons confidential					
	ESSEL NAME:					
·	You must provide the following from Coast Pilot 6.***)					
	5. WATERWAY					
6. MILE MARKER						
	DGE? 8. DID YOU SIGNAL FOR AN OPENING AT THAT TIME?					
9. HOW DID YOU SIGNAL?	Sound signal (Whistle, horn, megaphone, hailer, etc.)					
(Check all that apply)	Uisual signal (Flag or Light)					
	Radio telephone (Specify Frequency)					
10. WHEN DID THE BRIDGE REPLY?	11. WHAT DID THE DRAWTENDER SAY?					
	IDGE AFTER YOUR ARRIVAL? PLEASE PROVIDE DETAILS INCLUDING TIMES, WHAT YOU					
SAID, AND WHAT THE BRIDGE SAID?						
13. WHAT TIME DID THE BRIDGE OPEN?	14. WHAT TIME DID YOU START THROUGH?					
	16. WHAT ACTIONS DID YOU TAKE WHILE YOU WAITED FOR THE BRIDGE TO					
	ers, return to dock)?					
or EN (e.g. tie up, noid position, use timuste	.is, recuir to docky:					
17 DESCRIBE ANY WEATHER OR WATER CO	DNDITIONS THAT AFFECTED MANUEVERABILITY WHILE YOU WAITED?					
18. DESCRIBE WHETHER ANY PEDESTRIANS	, VEHICLES, OR TRAINS WERE STOPPED ON THE BRIDGE OR CROSSING THE BRIDGE?					
	,					
19. PROVIDE ANY ADDITIONAL INFORMATION	ON YOU THINK WOULD BE HELPFUL?					
20. YOUR NAME, E-MAIL, PHONE NUMBER,	, AND ADDRESS:					

(Revised 04/23) NINTH DISTRICT DRAWBRIDGE SIG	NALS OR OPERATIONAL DELAYS FORM – ADDITIONAL INFORMATIION PAGE				
TO: Commander (dpb) Ninth Coast Guard District 1240 E. 9 th Street – Room 2047b Cleveland, Ohio 44199-2060 Phone: (216) 902-6087 Fax: (216) 902-6088 E-Mail: William.B.Stanifer@uscg.mil, Lee.D.So	DATE: NOTE: Reports of Delay will be processed only when all items are fully addressed and reports submitted within 15 days of reported delay / difficulty. Attach additional sheets if necessary. Soule@uscg.mil, and Michael.O.Walker2@uscg.mil				
PLEASE USE THIS FORM TO PROVIDE ANY ADDITION	NAL INFORMATION?				
YOUR NAME, E-MAIL, PHONE NUMBER, AND ADDRI	ESS:				

Authorized Winter Hours for Great Lakes Bridges October 15, 2023 - April 30, 2024

					OCCODE: 1	3, 2023 1	(prii 50, 20	= '		Last Op	dated: 0 1 DEC 202
Chart Number	Port Name	Bridge Name	Mile	Waterway	Start Date	End Date	Advance Notice	Primary Phone Number	Secondary Phone Number	Alternate Phone	Alternate Phone
14815	Rochester	O' Rorke	1.2	Genesee	16-Dec	31-Mar	12-hours	585-753-7750	585-753-7780		
14832	Black Rock	Ferry Street	2.6	Black Rock	1-Dec	14-Apr	4-hours	716-866-4323			
14832	Black Rock	Canadian Natl	3.8	Black Rock	1-Dec	14-Apr	4-hours	289-683-6000	905-788-7502	905-351-3708	416-580-3320
14833	Buffalo	Michigan Ave	1.3	Buffalo River	16-Dec	21-Mar	04-hours	716-866-4323			
14833	Buffalo	Ohio St	2.1	Buffalo River	16-Dec	21-Mar	04-hours	716-866-4323			
14836	Ashtabula	5th Street	1.4	Ashtabula	15-Dec	31-Mar	12-Hours	440-576-2816	440-813-8229	440-228-2168	440-645-9041
14839	Cleveland	All City Bridges		Cuyahoga	19-Dec	20-Mar	12-Hours	VHF-FM 16	216-664-4767	Rscott@clevelan dohio.gov	
14836	Ashtabula	NS RR	1.4	Ashtabula	30-Nov	1-Apr	24-hours	800-214-3609	470-463-1001	404-520-4138	
14841	Lorain	Charles Berry	0.6	Black River	1-Jan	31-Mar	12-hours	VHF-FM 16	440-244-2137		
14844	Port Clinton	Monroe St	0.4	Portage River	1-Dec	30-Apr	24-hours	419-409-0147	419-373-7050		
14844	Port Clinton	NS RR	1.5	Portage River	1-Dec	30-Apr	24-hours	419-254-1539			
14844	Sandusky	NS RR	3.5	Sandusky	1-Dec	31-Mar	24-hours	419-254-1539			
14846	Toledo	CSX RR	1.07	Maumee	21-Dec	31-Dec	04-hours	419-729-4321	419-697-2307		
14846	Toledo	CSX RR	1.07	Maumee	31-Dec	31-Mar	12-hours	419-729-4321	419-697-2307		
14846	Toledo	W&LE	1.8	Maumee	21-Dec	31-Dec	04-hours	330-767-7211	330-767-7215		
14846	Toledo	W&LE	1.8	Maumee	31-Dec	31-Mar	12-hours	330-767-7211	330-767-7215		
14846	Toledo	Craig Mem	3.3	Maumee	21-Dec	31-Dec	04-hours	419-409-0147	419-373-7050		
14846	Toledo	MLK	4.3	Maumee	21-Dec	31-Dec	04-hours	419-467-3558	419-346-8653	567-970-0508	
14846	Toledo	MLK	4.3	Maumee	1-Jan	31-Mar		419-467-3558	419-346-8653	567-970-0508	
14846	Toledo	NS RR	5.76	Maumee	21-Dec	31-Mar		419-254-1539			
14848	St. Clair	M29	0.1	Pine River	1-Dec	31-Mar		810-941-7819			
14848	Detroit	Grosse Ile Free	5.6	Detroit River	15-Dec	15-Mar	12-hours	734-955-2172	888-762-3273	313-737-9837	
14848	Detroit	Grosse Ile Toll	8.8	Detroit River	15-Dec			734-282-2914			
14864	Alpena	2nd Ave	0.3	Thunder Bay	1-Jan	31-Dec		989-464-3416			
14865	Port Huron	Canadian Natl	1.56	Black River	1-Nov	30-Apr		708-332-3002		810-240-6390	
14865	Port Huron	Military St	0.3	Black River	1-Nov	30-Apr	12-hours	810-984-9730	810-985-8115		

Last Updated: 04 DEC 2023

14924

Milwaukee

All City Owned

1.28

Milwaukee

2-Nov

15-Apr 12-Hours

VHF-FM 16

414-286-2575

VHF-174-1411

Authorized Winter Hours for Great Lakes Bridges October 15, 2023 - April 30, 2024

Last Updated: 04 DEC 2023 **Black River** 14865 **Port Huron** Seventh St 0.5 1-Nov 30-Apr 12-hours 810-984-9730 810-985-8115 14865 **Tenth St** 0.9 **Black River** 1-Nov 30-Apr 12-hours 810-984-9730 810-985-8115 **Port Huron** 14867 Lake State RR 3.1 31-Mar 12-hours 989-393-9815 989-387-3941 Emergency: **Bay City** Saginaw 1-Jan 989-393-2988 14867 Cen. Mich. RR 4.94 31-Mar 12-hours 989-274-1381 989-439-3251 989-717-0013 **Bay City** Saginaw 1-Jan 14867 12-hours 989-737-3793 **Bay City** Independence 3.88 Saginaw 1-Jan 31-Mar 14867 4.99 12-hours 989-737-3793 **Bay City** Liberty Saginaw 1-Jan 31-Mar 14867 **Bay City Veterans Mem** 5.6 Saginaw 1-Jan 31-Mar 12-hours 989-737-3793 14867 6.78 12-hours 989-737-3793 **Bay City** Lafavette Saginaw 1-Jan 31-Mar 14884 SOO **Canadian Natl** 1 **SOO LOCKS** Special Special Special 708-332-3002 708-332-3160 920-539-2043 0.9 14886 Cheboygan **US23** Cheboygan 1-Dec 31-Apr 12-hours 231-238-7775 231-420-1153 231-420-1157 14906 1.9 South Haven **Dyckman Ave Black River** 15-Oct 30-Apr 12-hours 269-637-0737 269-637-5151 14916 Gills Landing **Canadian Natl** 27.8 **Wolf River** 15-Oct 12-hours 708-332-3002 708-332-3160 920-539-2043 15-Apr 14916 Menasha **HWY Bridges** XX **Fox River** 8-Oct 26-Apr 12-hours 920-209-4032 14916 Oshkosh 55.72 Fox River 8-Oct 12-hours 708-332-3002 708-332-3160 **Canadian Natl** 26-Apr 920-539-2043 14916 Oshkosh **HWY Bridges** Fox River 8-Oct 12-hours 920-420-2146 XX 26-Apr 14917 Marinette 0.4 Menominee 1-Nov 12-hours 715-923-0999 **Ogden-First** 30-Apr 14918 **Green Bay** Fox Valley & 1.03 Fox River 1-Dec 31-Mar 12-hours 414-750-5676 Superior **Fox River** 14918 **Green Bay** Main Street 1.58 1-Dec 31-Mar 12-hours 920-655-0339 920-448-3321 920-764-2964 14918 **Fox River** 12-hours 920-655-0339 **Green Bay** Walnut Street 1.81 1-Dec 31-Mar 920-448-3321 920-764-2964 14918 **Green Bay** Tillman Mem. 2.27 **Fox River** 1-Dec 31-Mar 12-hours 920-655-0339 920-448-3321 920-764-2964 14918 **Green Bay** Fox Valley & 3.31 **Fox River** 1-Dec 31-Mar 12-hours 414-750-5676 **Lake Superior** 14919 14-Mar 12-hours 920-746-0187 920-493-8518 **Sturgeon Bay** Bayview 42/57 3 **Sturgeon Bay** 1-Dec 14919 Maple-Oregon 14-Mar 12-hours 920-746-0187 920-493-8518 **Sturgeon Bay** 4.17 **Sturgeon Bay** 1-Jan 14919 **Sturgeon Bay** 4.3 **Sturgeon Bay** 12-hours 920-746-0187 Michigan St. 1-Jan 14-Mar 920-493-8518 14922 Manitowoc **Eighth Street** 0.29 Manitowoc 1-Nov 31-Mar 12-hours 920-686-6910 920-683-4470 920-374-0403 14922 **Manitowoc Tenth Street** 0.43 Manitowoc 1-Nov 31-Mar 12-hours 920-686-6910 920-683-4470 920-374-0403 14922 Sheboygan **Eighth Street** 0.69 Sheboygan 1-Nov 30-Apr 12-hours 920-207-9742

Authorized Winter Hours for Great Lakes Bridges October 15, 2023 - April 30, 2024

Last Updated: 04 DEC 2023

					Octobel 1	J, 2023 - F	April 30, 20.	24		Last Op	dated. 04 DEC 202
14924	Milwaukee	Canadian Pac	1.05	Menominee	2-Nov	16-Apr	12-Hours	414-389-3772			
14924	Milwaukee	Canadian Pac	1.67	Kinnickinnic	2-Nov	16-Apr	12-Hours	414-389-3772			
14924	Milwaukee	All City Owned	1.08	Menominee	2-Nov	16-Apr	12-Hours	VHF-FM 16	414-286-2575	VHF-174-1411	
14924	Milwaukee	All City Owned	1.96	Burnham	2-Nov	16-Apr	12-Hours	VHF-FM 16	414-286-2575	VHF-174-1411	
14924	Milwaukee	All City Owned	1.67	Kinnickinnic	2-Nov	16-Apr	12-Hours	VHF-FM 16	414-286-2575	VHF-174-1411	
14925	Racine	Main	.31/.5	Root River	1-Dec	1-Apr	2-Hours	262-886-2300			
14925	Racine	State	0.53	Root River	16-Oct	30-Apr	2-Hours	262-886-2300			
14926	Michigan City	Franklin St	0.5	Trail Creek	1-Dec	15-Mar	12-hours	219-362-6205			
14926	Michigan City	Amtrak RR	0.9	Trail Creek	1-Dec	15-Mar	12-hours	517-581-3340	269-687-2205	312-656-9111	269-985-3680
14927	Chicago	All City Owned		Chicago	1-Dec	31-Mar	48- hours*	312-744-4200	312-747-2470	312-744-4280	
14929	Indiana Harbor	Indianapolis	2.59	Ind Hbr C.	1-Jan	31-Dec	12-hours	317-899-8690, Option 1			
14930	St. Joe	CSX RR	0.67	St. Joe	16-Dec	28-Feb	12-hours	260-409-4420			
14930	St. Joe	Blossomland	0.9	St. Joe	16-Dec	28-Feb	12-hours	231-884-5211			
14930	St. Joe	Bicentennial	1.3	St. Joe	16-Dec	28-Feb	12-hours	231-884-5211			
14933	Grand Haven	CSX RR	2.8	Grand River	2-Dec	15-Mar	12-hours	616-293-0564	231-830-7706		
14933	Grand Haven	US 31	2.9	Grand River	15-Dec	15-Mar	12-hours	989-233-1053			
14938	Manistee	Maple St	1.1	Manistee	1-Nov	30-Apr	24-hours	231-723-6241			
14938	Manistee	US 31	1.4	Manistee	1-Nov	30-Apr	24-hours	231-723-6241	SEE LNM	SEE LNM	SEE LNM
14938	Manistee	CSX RR	1.5	Manistee	1-Nov	30-Apr		231-794-7679	616-293-0564		
14942	Charlevoix	Bridge Street	0.3	Pine River	1-Jan	31-Mar	12-hours	231-342-8713			
14972	Keweenaw	US 41	16	Keweenaw	14-Dec	14-Apr		906-482-7552			
14975	Duluth	Aerial	0.25	Ship Canal	1-Jan	15-Mar		218-723-3387		218-194-0401	
14975	Duluth	BNSF\Grassy PT	5.44	St. Louis	15-Dec	15-Mar	12-hours	715-394-1259	715-394-1257	715-154-5451	
14998	Rainer	Canadian Natl	85	Rainy River	16-Oct	30-Apr	12-hours	708-332-3002 ****	708-332-3160 Hours not	218-348-5338 requested	
								Note 1	0800-1600	Open On Signal	
								Note 2	0700-2300	Open On Signal	

Authorized Winter Hours for Great Lakes Bridges

October 15, 2023 - April 30, 2024

*	12-Hours	Commercial
Special		See Lock
		Schedule
See LNM		Maintenance
		Scheduled
**	Cell Phone	You can TEXT

Last Updated: 04 DEC 2023



CHANNEL OBSTRUCTION REPORT U.S. Army Corps of Engineers – Buffalo District

PROJECT NAME: Cuyahoga River

DATE OBSERVED: 12/07/2023

CREW: D. Banning, D. Bognar

OBJECT: Multiple unknown

LATTITUDE: 41° 29' 23.1785" N


LONGITUDE: 81° 41' 54.1661" W

SURVEY DATA




Multiple objects along easterly edge of Federal Channel between Sta. 211+00 & 213+00. Object Depths shown in red. Federal Channel shown in cyan.

View: NE down channel line



Hypack Channel View



Waterway Analysis and Management System Survey Name of Waterway: User Information Commercial User Recreational User Number of years in the maritime industry or number of years using this waterway: Number of transits in the waterway per year: _____ Number of night transits of waterway: _____ Start: _____End:____ Seasonal Dates: Name of Vessel: Net Tons: Bridge Height of Eye: Cargo Carried: Navigational tools used: (ECDIS/ECPINS, GPS, DGPS, VISUAL, RADAR)_____ What area do you believe is the most dangerous or difficult to navigate:_____ Are the floating aids to navigation (lighted and unlighted buoys) adequate for this waterway:

Are the fixed aids to navigation (lights, ranges, lighthouses, daybeacadequate for this waterway:	
Are the year round and lighted ice buoys adequate:	
Are there buoys that you feel should be changed to fixed aids to navi	gation?
Are there any buoys that could be eliminated from this waterway:	
Are there any buoys with sound signals that the bell or gong could be removed:	2
Are there any areas that require additional aids to navigation in this waterway:	
Do the nautical charts, Coast Pilot, and Light List meet your needs for waterway:	or this

Any addition comments on this waterway:	

Thank you for taking time to comment on this waterway. Your input as a mariner very valuable to the U. S. Coast Guard in evaluating waterways to make them safe and as easily navigable as possible. Please feel free to contact D09-DG-District-D9-ATON-Support@uscg.mil with any other questions or concerns about any aids to navigation in the Great Lakes. The survey can be mailed to:

Commander (dpw-2) Ninth Coast Guard District 1240 East Ninth Street Cleveland, Ohio 44199