

LOCAL NOTICE TO MARINERS

District: 9 Week: 45/24

Issued by: Commander (dpw) Ninth Coast Guard District 1240 East Ninth Street, Cleveland, OH 44199-2060 Telephone: (571) 608-1683

Direct questions about this LNM to the above address.

All distances in this publication are STATUTE MILES unless otherwise noted.*

District Nine Internet Address https://www.atlanticarea.uscg.mil/Our-Organization/District-9/

District Nine Local Notice to Mariners email Address D09-DG-District-D9-

** Navigation Information Service watchstander, 24 hours a day at (703) 313-5900 ** **Internet Address** https://www.navcen.uscg.gov/

Light List Reference: Commandant Publication P16502.7, VOL VII, 2023 Edition Coast Pilot Reference: 2024 U.S. Coast Pilot 6 Great Lakes 54th Edition

Coast Pilots, along with corrections are available at: https://nauticalcharts.noaa.gov/publications/coast-pilot/index.html

The Local Notice to Mariners is available on the Internet at https://www.navcen.uscg.gov/local-noticesto-mariners-by-cq-district You will also have

links to other government agencies- web pages including the US Army Corps of Engineers and the National Ocean Service.

REPORT DISCREPANCIES IN AIDS TO NAVIGATION TO THE NEAREST COAST GUARD UNIT The United States Coast Guard Navigation Information Service (NIS), operated by the USCG Navigation Center, is staffed 24 hours a day, 7 days a

week. The NIS provides information on the current operational status, effective policies, and general information for GPS and DGPS. The

NIS also disseminates Safety Broadcasts (BNM), Local Notice to Mariners (LNM), and the latest Notice Advisory to Navstar Users (NANU). NANU

notices can be obtained via email subscription through the USCG Navigation Center website: https://cgls.uscg.mil/mailman/listinfo/nanu. In addition,

the NIS investigates all reports of degradation or loss of GPS, DGPS or AIS service. Users are encouraged to report all degradation or loss of

radio navigation services to the NIS via any of the following: Phone: (703) 313-5900, mail to: webmaster@smtp.navcen.uscg.mil, or on the internet

at: https://www.navcen.uscg.gov

Abbreviations

ADRIFT - Buoy Adrift	ICW - Intracoastal Waterway	R - Red
AICW - Atlantic Intracoastal Waterway	IMCH - Improper Characteristic	RACON - Radar Transponder Beacon
Al - Alternating	INL - Inlet	Ra ref - Radar reflector
B - Buoy	INOP - Not Operating	RBN - Radio Beacon
BKW - Breakwater	INT - Intensity	REBUILT - Aid Rebuilt
bl - Blast	ISL - Islet	RECOVERED - Aid Recovered
BNM - Broadcast Notice to	Iso - Isophase	RED - Red Buoy
Mariner	kHz - Kilohertz	REFL - Reflective
bu - Blue	LAT - Latitude	RRL - Range Rear Light
C - Canadian	LB - Lighted Buoy	RELIGHTED - Aid Relit
CHAN - Channel	LBB - Lighted Bell Buoy	RELOC - Relocated
CGD - Coast Guard District	LHB - Lighted Horn Buoy	RESET ON STATION - Aid
C/O - Cut Off	LGB - Lighted Gong Buoy	Reset on Station
CONT - Contour	LONG - Longitude	RFL - Range Front Light
CRK - Creek	LNM - Local Notice to	RIV - River
CONST - Construction	Mariners	RRASS - Remote Radio Activated
DAYMK/Daymk - Daymark	LT - Light	Sound Signal
DBN/Dbn - Daybeacon	LT CONT - Light Continuous	s - seconds
DBD/DAYBD - Dayboard	LTR - Letter	SEC - Section
DEFAC - Defaced	LWB - Lighted Whistle Buoy	SHL - Shoaling
DEST - Destroyed	LWP - Left Watching Properly	si - silent
DISCON - Discontinued	MHz - Megahertz	SIG - Signal
DMGD/DAMGD - Damaged	MISS/MSNG - Missing	SND - Sound
ec - eclipse	Mo - Morse Code	SPM - Single Point Mooring
EST - Established Aid	MRASS - Marine Radio Activated Sound Signal	Buoy
ev - every	MSLD - Misleading	SS - Sound Signal
EVAL - Evaluation	N/C - Not Charted	STA - Station
EXT - Extinguished	NGA - National Geospatial	STRUCT - Structure
F - Fixed	Intelligence Agency	St M - Statute Mile
fl - flash	NO/NUM - Number	TEMP - Temporary Aid Change
FI - Flashing	NOS - National Ocean Service	TMK - Topmark
G - Green	NW - Notice Writer	TRLB - Temporarily Replaced
GIWW - Gulf Intracoastal Waterway	OBSCU - Obscured	by Lighted Buoy
HAZ - Hazard to Navigation	OBST - Obstruction	TRLT - Temporarily Replaced by Light
· · · · · · · · · · · · · · · · · · ·		

HBR - Harbor I - Interrupted OBSTRR - Obstruction PRIV - Private Aid

Q - Quick

TRUB - Temporarily Replaced by Unlighted Buoy

USACE - Army Corps of Engineers

<u>Algoma</u>

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Algoma Light 1	20980	DISCONTINUED	FD

<u>Ashtabula Harbor</u>

	SUB BEGIN	END		
TITLE CATEGO	K CATEGORYDATE	DATE	DESCRIPTION	LOCATION
Niagara River - General Lake	Marine 2024- Constructidr0-01		General/Marine Construction	POINT [Latitude: 41.91669,
Erie/General/Marine	(Excluding	03-30	(Excluding	Langitude: 41.91669, Longitude: -80.78815]
Construction	Bridges)		Bridges)/Facilities,	Longitude: -00.70015]
(Excluding	Briages/		Barriers, Manmade	
Bridges)/Facilities,			Reefs, Riprap,	
Barriers,			Jetties/Dikes From:	
Manmade			2024-10-01 To:	
Reefs, Riprap,			2025-03-30	
Jetties/Dikes			Location:	
			41.91843° N /	
			80.7903° W 41.91793° N /	
			80.78835° W	
			41.91728° N /	
			80.78678° W	
			41.91603° N /	
			80.78466° W	
			41.91562° N/	
			80.78644° W	
			41.91659° N /	
			80.78827° W	
			41.91843° N / 80.7903° W A	
			submerged	
			breakwater was	
			constructed in	
			Ashtabula harbor.	
			It is connected to	
			the existing East	
			Breakwater. The	
			submerged breakwater is	
			connected to the	
			East Breakwater at	
			the first angle	
			point of the East	
			Breakwater, as	
			entering the	
			harbor, from the lake. All elevations	
			referenced are	
			referred to Low	
			Water Datum	
			(LWD), IGLD 1985.	
			The center line of	
			the submerged	
			breakwater	
			approximately	
			follows the same azimuth as the first	
			segment of the	
			East Breakwater, in	
			a south easterly	
			direction, for	
			approximately	
			1000', then slightly	
			bends to the east	
			for another two	
			segments, for	

TITLE	CALEGORY	ND DESCRIPTION	LOCATION
		approximately	
		500'. The first	
		1000' (Area "A")	
		has a crest design	
		height of -2.0' with	
		a crest width of 9',	
		and a footprint of	
		approximately	
		150', with the next	
		100' transitioning	
		to the dimensions	
		in the next item.	
		The final 400 (Area	
		"B") has a crest	
		height of -5.0', with	
		a crest width of 9',	
		and a footprint of	
		approximately 50'.	

Ballards Reef Channel

TITLE CATEGO	RY SUB BEGIN CATEGORYDATE	END DATE	DESCRIPTION	LOCATION
Hickory Island Channel - Ballards Reef Channel/ATON/Federal Discrepancies Corrected	Federal 2024- Discrepancies 24 Corrected	2024- 11-07	ATON/Federal Discrepancies Corrected From: 2024-10-24 To: 2024-11-07 Location: 42.18921° N / 83.1436° W Aid Name: Grosse Ile South Channel Range Rear Light LLNR: 7170 Discrepancy Information: Initial Report DTG: 221215Z OCT 2024 Summary: LT EXT Correction DTG: 241658Z OCT 2024 Cause: FALSE REPORT Cause Comments: FALSE REPORT Correction Status: WATCHING PROPERLY	POINT [Latitude: 42.18921, Longitude: -83.1436]
Hickory Island Channel - Ballards Reef Channel/ATON/Federal Discrepancies Corrected	Federal 2024- Discrepancies Corrected	2024- 11-18	ATON/Federal Discrepancies Corrected From: 2024-11-04 To: 2024-11-18 Location: 42.18531° N / 83.14195° W Aid Name: Grosse Ile South Channel Range Front Light LLNR: 7165 Discrepancy Information: Initial Report DTG: 041254Z NOV 2024 Summary: LT EXT Correction DTG: 041255Z NOV 2024 Cause: PERSONNEL ERROR Cause Comments: TECHNICIAN ERROR Correction Status: RELIGHTED	POINT [Latitude: 42.18531, Longitude: -83.14195]

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Grosse Ile South Channel Range Front Light	7165	RELIGHTED	FD	2024-11-04
Grosse Ile South Channel Range Rear Light	7170	WATCHING PROPERLY	FD	2024-10-24

Bay Point State Park Hazard

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Johnson Island Light 1	5247	LT EXT	PA

BIG BAY POINT TO REDRIDGE

TITLE	CATEGORY SUB BEGIN CATEGORYDATE	END DATE	DESCRIPTION	LOCATION
Lake Superio - BIG BAY POINT TO REDRIDGE/Ge To Navigation/Sh Reported	Hazards ene@ hbazal rds To 10-01 Navigation		General/Hazards To Navigation/Shoaling Reported From: 2024-10-01 To: 2025-03-30 Location: There is significant shoaling in the Grand Traverse Harbor Channel between Grand Traverse Harbor LT 2 (LLNR 15130) and Grand Traverse Harbor LT 3 (LLNR15135). Depths around 2.5' spanning the width of the channel.	

BIG TRAVERSE BAY

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Driftwood Point Light	16963	DISCONTINUED	FD

TITLE CATEGO	RY SUB BEGIN END CATEGORYDATE DATE	DESCRIPTION	LOCATION
BIG TRAVERSE BAY/ATON/TemporAFON Changes	Temporary 2024- 2025 Changes 10-16 04-14		POINT [Latitude: 49.21279, Longitude: -94.94585]

Advanced Notice of Changes

NAME	ACTION TYPE	DESCRIPTION
Oak Island Buoy 4	DISCONTINUE	ATON/Advanced Notice of Change From: 2024-09-16 To: 2024-11-22 Location: 49.30476° N / 94.82328° W Aid Name: Oak Island Buoy 4 LLNR: 16976 Action: DISCONTINUE For any comments or questions on these changes please contact: The Ninth District Aids to Navigation manager at Brian.D.Hawkins2@uscg.mil or call (206) 815-0913.
Oak Island Lighted Buoy 2	CHANGE	ATON/Advanced Notice of Change From: 2024-09-16 To: 2025-03-15 Location: 49.30778° N / 94.825° W Aid Name: Oak Island Lighted Buoy 2 LLNR: 16977 Action: CHANGE Action Type Change Light Characteristic Action: RENAME Oak Island Buoy 2 (LLNR 16977) will be renamed Oak Island Lighted Buoy 2, and the previously unlighted buoy will be lit with a flashing red light. The characteristics of the light will be FI R 4s. The buoy will be relocated to position 49°18′28″N, 094°49′30″W in order to mark best water. For any comments or questions on these changes please contact: The Ninth District Aids to Navigation manager at Brian.D.Hawkins2@uscg.mil or call (206) 815-0913.

Black River Bay

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Black River Bay Buoy 10	1930	OFF STA	PA

TITLE CA	ATEGORY SUB BEG CATEGORYDAT	IN END E DATE	DESCRIPTION	LOCATION
LAKE ONTARIO - Black River Bay/ATON/PATON Discrepancies	ΔI()N = - =		ATON/PATON Discrepancies From: 2024-09-16 To: 2025-03-15 Location: 43.98578° N / 76.07714° W Aid Name: Black River Bay Buoy 10 LLNR: 1930 Discrepancy Information: Off Station Initial Report DTG: 171033Z SEP 2024 SEC EGL BNM 0197-24	POINT [Latitude: 43.98578, Longitude: -76.07714]

Black Rock Canal

TITLE	CATEGOI	RY SUB BE	GIN ATE	END DATE	DESCRIPTION	LOCATION
Strawberry Island Cut - Black Rock Canal/General	General	Bridges 20 01	25-	2025- 03-31	NY - LAKE ERIE - Buffalo Harbor - Chart 14833 From January 1 through March 31, 2025, the Canadian National International Railroad Bridge at mile 3.8 over the Black Rock Canal will be secured to masted navigation for maintenance. Vessels able to pass under the bridge without an opening may do so at any time. [30/23]	POINT [Latitude: 42.93125, Longitude: -78.90222222]
Strawberry Island Cut - Black Rock Canal/General	General /Bridges/Ma	Bridges 01		2025- 03-18	General/Bridges/Mair From: 2025-01-01 To: 2025-03-18 Location: 42.93125° N / 78.90222222° W Bridge Name: Canadian National Railroad Bridge Lee	POINT [Latitude: 42.93125, Longitude: -78.90222222]
Strawberry Island Cut - Black Rock Canal/General Construction (Excluding Bridges)/Dred		Marine Constructi 2:0 (Excluding10 Bridges)		2024- 12-13	General/Marine Construction (Excluding Bridges)/Dredging From: 2024-10-15 To: 2024-12-13 Location: 42.93422° N / 78.90579° W The U.S. Army Corps of Engineers Buffalo District will be conducting marine drilling operations inside the lock chamber. Hours of operation are from 0700 to 1900 Monday through Friday. Lockage times will vary daily. Black Rock Lock can be reached on VHF 16. All mariners are advised to coordinate their transit with the Lockmaster.	POINT [Latitude: 42.93422, Longitude: -78.90579]

Proposed Notice of Change

NAME	ACTION TYPE	DESCRIPTION
Black Rock Canal Lighted Buoy 13	RELOCATE	ATON/Proposed Notice of Change From: 2024-10-24 To: 2025-04-22 Location: 42.89699° N / 78.90329° W Aid Name: Black Rock Canal Lighted Buoy 13 LLNR: 2845 Action: RELOCATE The Coast Guard is considering permanently relocating Black Rock Canal Lighted Buoy 13 (LLNR 2845) to position 42°53′54.996N, 078°54′12.009″W, or 175 yards north of its current position. The relocation is to better mark the western edge of the canal following the disestablishment of Black Rock Light 15. For any comments or questions on these proposed changes please contact: The Ninth District Aids to Navigation manager at Brian.D.Hawkins2@uscg.mil or call (206) 815-0913.

Braddock Bay

TITLE CATEGO	RY SUB BEGIN CATEGORYDATE	END DATE	DESCRIPTION	LOCATION
LAKE ONTARIO - Braddock Bay/ATON/PATON ATON Discrepancies Corrected	PATON	2024- 11-18	ATON/PATON Discrepancies Corrected From: 2024-11-04 To: 2024-11-18 Location: 43.3166° N / 77.71085° W Aid Name: Braddock Bay Light 2 LLNR: 2343.2 Discrepancy Information: Initial Report DTG: 072053Z OCT 2024 Summary: LT EXT Correction DTG: 041257Z NOV 2024 Cause: OTHER CAUSES Cause Comments: OTHER-DOC IN FID Correction Status: WATCHING PROPERLY	POINT [Latitude: 43.3166, Longitude: -77.71085]
LAKE ONTARIO - Braddock Bay/ATON/PATON ATON Discrepancies Corrected	PATON 2024- Discrepancies 04 Corrected	2024- 11-18	ATON/PATON Discrepancies Corrected From: 2024-11-04 To: 2024-11-18 Location: 43.31577° N / 77.71235° W Aid Name: Braddock Bay Light 3 LLNR: 2343.3 Discrepancy Information: Initial Report DTG: 072057Z OCT 2024 Summary: LT EXT Correction DTG: 041300Z NOV 2024 Cause: OTHER CAUSES Cause Comments: OTHER-DOC IN FID Correction Status: WATCHING PROPERLY	POINT [Latitude: 43.31577, Longitude: -77.71235]

TITLE CATEGO	RY SUB BEGIN CATEGORYDATE	END DATE	DESCRIPTION	LOCATION
LAKE ONTARIO - Braddock Bay/ATON/PATON ATON Discrepancies Corrected	PATON 2024- Discrepancies -04 Corrected	2024- 11-18	ATON/PATON Discrepancies Corrected From: 2024-11-04 To: 2024-11-18 Location: 43.31517° N / 77.71412° W Aid Name: Braddock Bay Light 5 LLNR: 2343.5 Discrepancy Information: Initial Report DTG: 072059Z OCT 2024 Summary: LT EXT Correction DTG: 041303Z NOV 2024 Cause: OTHER CAUSES Cause Comments: OTHER-DOC IN FID Correction Status: WATCHING PROPERLY	POINT [Latitude: 43.31517, Longitude: -77.71412]
LAKE ONTARIO - Braddock Bay/ATON/PATON ATON Discrepancies Corrected	PATON 2024- Discrepancies-04 Corrected	2024- 11-18	ATON/PATON Discrepancies Corrected From: 2024-11-04 To: 2024-11-18 Location: 43.3166° N / 77.71085° W Aid Name: Braddock Bay Light 2 LLNR: 2343.2 Discrepancy Information: Initial Report DTG: 072055Z OCT 2024 Summary: LT IMCH Correction DTG: 041258Z NOV 2024 Cause: OTHER CAUSES Cause Comments: OTHER-DOC IN FID Correction Status: WATCHING PROPERLY	POINT [Latitude: 43.3166, Longitude: -77.71085]

TITLE CATEGO	RY SUB BEGIN CATEGORYDATE	END DATE	DESCRIPTION	LOCATION
LAKE ONTARIO - Braddock Bay/ATON/PATON ATON Discrepancies Corrected	PATON	2024- 11-18	ATON/PATON Discrepancies Corrected From: 2024-11-04 To: 2024-11-18 Location: 43.31603° N / 77.71254° W Aid Name: Braddock Bay Light 4 LLNR: 2343.4 Discrepancy Information: Initial Report DTG: 072058Z OCT 2024 Summary: LT EXT Correction DTG: 041302Z NOV 2024 Cause: OTHER CAUSES Cause Comments: OTHER-DOC IN FID Correction Status: WATCHING PROPERLY	POINT [Latitude: 43.31603, Longitude: -77.71254]
LAKE ONTARIO - Braddock Bay/ATON/PATON ATON Discrepancies Corrected	PATON 2024- Discrepancies Corrected	2024- 11-18	ATON/PATON Discrepancies Corrected From: 2024-11-04 To: 2024-11-18 Location: 43.31545° N / 77.71429° W Aid Name: Braddock Bay Light 6 LLNR: 2343.6 Discrepancy Information: Initial Report DTG: 072059Z OCT 2024 Summary: LT IMCH Correction DTG: 041303Z NOV 2024 Cause: OTHER CAUSES Cause Comments: OTHER-DOC IN FID Correction Status: WATCHING PROPERLY	POINT [Latitude: 43.31545, Longitude: -77.71429]

Private Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Braddock Bay Light 2	2343.2	WATCHING PROPERLY	PA	2024-11-04
Braddock Bay Light 2	2343.2	WATCHING PROPERLY	PA	2024-11-04
Braddock Bay Light 3	2343.3	WATCHING PROPERLY	PA	2024-11-04
Braddock Bay Light 4	2343.4	WATCHING PROPERLY	PA	2024-11-04
Braddock Bay Light 5	2343.5	WATCHING PROPERLY	PA	2024-11-04
Braddock Bay Light 6	2343.6	WATCHING PROPERLY	PA	2024-11-04

Calumet

TITLE	CATEGOI	RY SUB BEGIN CATEGORYDATE	END DATE	DESCRIPTION	LOCATION
LAKE MICHIGAN - Calumet/Genera Construction (Excluding Bridges)/Facilitie Barriers, Manmade Reefs, Riprap, Jetties/Dikes	al/Marine	Marine Constructi 2 ∙024-	2024-	General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2024-10-01 To: 2025-03-30 Location: Thomas J. O' Brien Lock, South Gate, 41.65234° N / 87.56666° W Roen Salvage Company will be conducting scour stone placement from 0600 to 1800 7 days a week. Tug Stephan M. Asher can be contacted on VHF channels 7 and 16. The crane- barge Derrick 3 will also monitor channel 7. Work will be occurring in front of the TJ O'Brien lock. Commercial traffic will need to provide 30-60 minutes notice for passage. Recreational traffic will need to provide 30-60 minutes notice for passage. Recreational traffic shall stay clear and navigate around operations at a safe distance. When construction activities are paused, construction equipment will be mored east of the TJ O'Brien Lock outside of the channel.	POINT [Latitude: 41.65234, Longitude: -87.56666]

CALUMET AND INDIANA HARBORS

TITLE	CATEGORY SUB BEGIN	I END DATE	DESCRIPTION	LOCATION
LAKE MICHIGAN - CALUMET ANI INDIANA HARBORS/Ger		· 2025- 08-31		
LAKE MICHIGAN - CALUMET AND INDIANA HARBORS/Ger	D General Bridges 2024 02-20 neral/Bridges/Maintenance	2025- 11-01	*****REVISED***** IL - LAKE MICHIGAN	POINT [Latitude: 41.66151, Longitude: -87.74982]

Canoe Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Canoe Channel Daybeacon 8	17210	STRUCT DEST/TRUB	FD

Cheboygan River

ATON Changes

NAME	ACTION TYPE	DESCRIPTION
Cheboygan River Buoy 1	CHANGE	ATON/ATON Changes From: 2024-11-04 To: 2025- 05-03 Location: 45.63572° N / 84.48055° W Aid Name: Cheboygan River Daybeacon 1 LLNR: 11806 Action: CHANGE Action Type Change Aid Subtype FL to FX

TITLE CATEGO	RY SUB BEGII CATEGORYDATE	N END DATE	DESCRIPTION	LOCATION
Cheboygan - Cheboygan River/ATON/ATON Changes	ATON 2024	- 2024-	ATON/ATON Changes From: 2024-11-04 To: 2025-05-03 Location: 45.63572° N / 84.48055° W Aid Name: Cheboygan River Daybeacon 1 LLNR: 11806 Action: CHANGE Action Type Change Aid Subtype FL to FX	POINT [Latitude: 45.63572, Longitude: -84.48055]

Chicago Harbor

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Chicago Harbor Municipal Pier No. 1 Light	20005	LT EXT	PA

CHICAGO LAKE FRONT

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Filtration Plant Breakwater South End Light	19860	LT EXT	PA
Filtration Plant Breakwater North End Light	19865	LT EXT	PA

Chicago North Side

TITLE	CATEGORY SUB CATEGOR	BEGIN RYDATE	END DATE	DESCRIPTION	LOCATION
LAKE MICHIGAN - Chicago North Side/General/E	General Bridges	2024-	2024- 12-06	IL - LAKE MICHIGAN - Chicago Harbor - Chart 14927 From October 14 through December 6, 2024, between the hours of 0700 and 1600, Monday through Friday, a 50-foot by 25-foot barge will be working under the Grand Avenue Bridge at Mile 2.00 (CORPS MILE 325.9) over the North Branch of the Chicago River. The barge will monitor VHF-FM Marine Channel 16 and will move with a 1-hour advance notice. [40/24]	POINT [Latitude: 41.89138889, Longitude: -87.6411111]

Chippawa Channel

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Big Six Mile Creek Light	3335	DBD DMGD	PA

TITLE CATEGO	RY SUB BEGIN END CATEGORYDATE DAT	DESCRIPTION	LOCATION
Niagara River - Chippawa ATON Channel/ATON/PATON Discrepancies	PATON 2024- 2025 Discrepan cl£ 07 04-0	Name: Rid Siv Mile	POINT [Latitude: 43.02722, Longitude: -79.01208]

Cleveland Harbor

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Cleveland Harbor East Basin Channel Lighted Buoy 8	4155	LT EXT	FD

TITLE (CATEGORY	, SUB CATEGOR	BEGIN YDATE	END DATE	DESCRIPTION	LOCATION
Cleveland Harbor/General/l To Navigation/Haza	General N	Hazards To Javigation	2024- 1 ⁰⁹⁻²⁰	2025- 03-19	General/Hazards To Navigation/Hazards From: 2024-09-20 To: 2025-03-19 Location: 41.52373° N / 81.68413° W A fixed 10ft log sticking approximately 20 yards outside of the Cleveland Harbour breakwall.	POINT [Latitude: 41.52373, Longitude: -81.68413]


TITLE	CATEGORY SUB BEGIN END CATEGORYDATE DATE	DESCRIPTION	LOCATION
		General/Hazards To	

From: 2024-10-01 To: 2025-03-30 Location: 41.48967° N/ 81.69843° W Submerged obstructions were reported and confirmed in location 41° 29.380' N, 081° 41.906' W (NAD83) on the Cuyahoga river's left descending bank just east of the Columbus Road Bridge. The USACE completed a hydrological survey on 07 December 2023, which identified four obstructions on the river's bottom believed to be sections of steel corrugated bulkhead POINT originating from a [Latitude: 41.48967, nearby retaining wall. The failed Longitude: -81.69843] sections settled at the bottom of the river approximately 20 feet into the navigational channel and were measured to be between 18-21 feet from the water's surface. Marines may contact the Sector Eastern **Great Lakes** Command Center with any questions by phone at 716-843-9596. The most current **USACE** Hydrographic Survey data can be found on their website here: **Buffalo District** Maps and Charts (army.mil). All mariners are requested to transit the area with extreme

caution.

Lake Erie -Cleveland Harbor/General/HGazraedasl To Navigation/Obstructions

Hazards 2024- 2025-Navigation 10-01 03-30 To



Duluth Harbor

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Duluth Harbor Breakwater Isolated Danger Buoy	15840	MISSING	FD

East Outer Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
East Outer Channel Lighted Buoy 2	6900	OFF STATION	FD
East Outer Channel Lighted Buoy 3	6905	OFF STATION	FD

TITLE CATEGO	RY SUB BEGIN CATEGORYDATE	END DATE	DESCRIPTION	LOCATION
WEST END OF LAKE ERIE - East Outer ATON Channel/ATON/Federal Discrepancies	Federal 2024- Discrepancl & 10	2025- 04-08	ATON/Federal Discrepancies From: 2024-10-10 To: 2025-04-08 Location: 41.92044° N / 83.10907° W Aid Name: East Outer Channel Lighted Buoy 3 LLNR: 6905 Discrepancy Information: Initial Report DTG: 101300Z OCT 2024 Summary: OFF STATION	POINT [Latitude: 41.92044, Longitude: -83.10907]
WEST END OF LAKE ERIE - East Outer Channel/ATON/Federal Discrepancies Corrected	Federal 2024- Discrepancies 04 Corrected	2024- 11-18	ATON/Federal Discrepancies Corrected From: 2024-11-04 To: 2024-11-18 Location: 41.92134° N / 83.10519° W Aid Name: East Outer Channel Lighted Buoy 2 LLNR: 6900 Discrepancy Information: Initial Report DTG: 101258Z OCT 2024 Summary: LT IMCH Correction DTG: 041250Z NOV 2024 Cause: PERSONNEL ERROR Cause Comments: TECHNICIAN ERROR Correction Status: WATCHING PROPERLY	POINT [Latitude: 41.92134, Longitude: -83.10519]
WEST END OF LAKE ERIE - East Outer ATON Channel/ATON/Federal Discrepancies	Federal 2024- Discrepancl ds 04	2025- 05-03	ATON/Federal Discrepancies From: 2024-11-04 To: 2025-05-03 Location: 41.92134° N / 83.10519° W Aid	POINT [Latitude: 41.92134, Longitude: -83.10519]

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
East Outer Channel Lighted Buoy 2	6900	WATCHING PROPERLY	FD	2024-11-04

Fleming Channel

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
William Livingstone Memorial Light	8240	Reduced Intensity	FD

TITLE	CALEGORY	ND ATE DESCRIPTION	LOCATION
Above Fightin Island - Fleming Channel/ATON Changes	ATON Temporary 2024- 20		POINT [Latitude: 42.34699, Longitude: -82.9544]

GRAND MARAIS TO BIG BAY POINT

TITLE	CATEGORY SUB BEGIN CATEGORYDATE	END DATE	DESCRIPTION	LOCATION
Lake Superior - GRAND MARAIS TO BIG BAY POINT/General	General Miscellaneo10-28 /Miscellaneous	2024- 11-08	General/Miscellaneous From: 2024-10-28 To: 2024-11-08 Location: 46.62592° N / 86.29864° W Beaver Hump Fall lake trout gill net survey aboard the Research Vessel Lake Char. Sampling stations are generally less than 120 deep and within a few miles from shore. Nets are marked with black and orange flagged staff buoys. Cell: 906- 458-6925.	POINT [Latitude: 46.62592, Longitude: -86.29864]
Lake Superior - GRAND MARAIS TO BIG BAY POINT/General	General Miscellaneo110-28 /Miscellaneous	2024- 11-08	General/Miscellaneous From: 2024-10-28 To: 2024-11-08 Location: 46.46667° N / 86.88333° W Brownstone Reef Fall lake trout gill net survey aboard the Research Vessel Lake Char. Sampling stations are generally less than 120 deep and within a few miles from shore. Nets are marked with black and orange flagged staff buoys. Cell: 906- 458-6925.	POINT [Latitude: 46.46667, Longitude: -86.88333]

TITLE	CATEGORY SUB BEGIN CATEGORYDATE	END DATE	DESCRIPTION	LOCATION
Lake Superior - GRAND MARAIS TO BIG BAY POINT/General	General Miscellaneous 2024-	2024- 11-08	are generally less than 120 deep and within a few miles from shore. Nets are marked with black and orange flagged staff buoys. Cell: 906- 458-6925.	POINT [Latitude: 46.47713, Longitude: -86.71587]
Lake Superior - GRAND MARAIS TO BIG BAY POINT/General	General Miscellaneous 2024- 10-28	2024- 11-08	General/Miscellaneous From: 2024-10-28 To: 2024-11-08 Location: 46.51671° N / 86.73887° W Wood Island Reef Fall lake trout gill net survey aboard the Research Vessel Lake Char. Sampling stations are generally less than 120 deep and within a few miles from shore. Nets are marked with black and orange flagged staff buoys. Cell: 906- 458-6925.	POINT [Latitude: 46.51671, Longitude: -86.73887]
Lake Superior - GRAND MARAIS TO BIG BAY POINT/General	General Miscellane 10-28	2024- 11-08	General/Miscellaneous From: 2024-10-28 To: 2024-11-08 Location: 46.49864° N / 86.61184° W Trout Point Reef Fall lake trout gill net survey aboard the Research Vessel Lake Char. Sampling stations are generally less than 120 deep and within a few miles from shore. Nets are marked with black and orange flagged staff buoys. Cell: 906- 458-6925.	POINT [Latitude: 46.49864, Longitude: -86.61184]

TITLE	CATEGORY SUB BEGIN CATEGORYDATE	END DATE	DESCRIPTION	LOCATION
Lake Superior - GRAND MARAIS TO BIG BAY POINT/Genera		2024- 11-08	General/Miscellaneou From: 2024-10-28 To: 2024-11-08 Location: 46.55458° N / 86.46548° W Grand Portal Point Fall lake trout gill net survey aboard the Research Vessel Lake Char. Sampling stations are generally less than 120 deep and within a few miles from shore. Nets are marked with black and orange flagged staff buoys. Cell: 906-458-6925.	POINT [Latitude: 46.55458, Longitude: -86.46548]
Lake Superior - GRAND MARAIS TO BIG BAY POINT/Genera		2024- 11-08		POINT [Latitude: 46.5, Longitude: -86.91666]
Lake Superior - GRAND MARAIS TO BIG BAY POINT/Genera	r General Miscellaneo 10-28 I/Miscellaneous	2024- 11-08	General/Miscellaneou From: 2024-10-15 To: 2025-04-13 Location: 46.53608° N / 86.76067° W Wood Island Shoal Fall lake trout gill net survey aboard the Research Vessel Lake Char. Sampling stations are generally less than 120 deep and within a few miles from shore. Nets are marked with black and orange flagged staff buoys. Cell: 906-458-6925.	POINT [Latitude: 46.53608, Longitude: -86.76067]

Great Lakes

TITLE	CATEGOR	SUB CATEGO	BEGIN RYDATE	END DATE	DESCRIPTION	LOCATION
General/Miscella				2035- 03-01	CORRECTIONS of the Local Notice to Mariner or by visiting the link below:	POINT [Latitude: 43.59721, Longitude: -84.76638] army.mil/Missions/Great-
General/Miscella	an Geenneeral	Miscellan	2024- e09-18	2035- 03-01	General/Miscellaneous USACE NOTICE TO NAVIGATION INTERESTS Current Federal Channel conditions, shoaling, and the most recent channel surveys are available at the following Army Corps of Engineers web sites: Buffalo: http://www.lrb.usace.ar Detroit: http://www.lre.usace.ar Chicago: http://www.lrc.usace.ar Rock Island: http://www.mvr.usace.ar St. Paul: https://www.mvp.usace.ar	Longitude: -85.00972] [Latitude: 43.74978, rLongitude: -84.53456] rmy.mil/ army.mil/

_		

Holland Harbor

TITLE	CATEGORY SUB BEGIN CATEGORYDATE	END DATE	DESCRIPTION	LOCATION
LAKE HURON LAKE MICHIGAN/Ge Construction (Excluding Bridges)/Drec	I - Marine eneral/MarineConstructian024- n (Excluding10-01 Bridges)	2024-	General/Marine Construction (Excluding Bridges)/Dredging From: 2024-10-01 To: 2024-11-30 Location: Dredging Holland Inner, MI Federal Channel. Our submerged dredge pipe will lie on the lake floor, marked by orange round buoys every 500 feet. (2) white buoys will be seen North and South of the dredge. The white buoys indicate winch anchor locations. The disposal is in the city's CDF upriver from the federal channel. The primary contact will be the Superintendent Joseph Martin. His cell number is listed below. During rough seas, our pipe pontoon will be floating outside of the channel. It is bright yellow, 25'x8'x6' and has (2) flashing lights on each end that come on at night. From N. River Ave. Bridge to the west, a floating pipe will be utilized to make it upriver to the placement area. This pipe will also be marked every 500' with orange buoys.	POINT [Latitude: 42.77297, Longitude: -86.21384]

Indiana Harbor

TITLE	CATEGO	RY SUB BEGIN CATEGORYDATE	END DATE	DESCRIPTION	LOCATION
LAKE MICHIGAN - Indiana Harbor/Gener Constructior (Excluding Bridges)/Drec	al/M Gasmirese al ì	Marine Constructiඇ024- (Excluding09-03 Bridges)	2024-	General/Marine Construction (Excluding Bridges)/Dredging From: 2024-09-03 To: 2024-12-15 Location: 41.68783° N / 87.44418° W 41.68052° N / 87.44092° W 41.67257° N / 87.43852° W 41.66782° N / 87.43845° W 41.6677° N / 87.43826° W 41.6677° N / 87.44298° W 41.6727° N / 87.44298° W 41.6727° N / 87.44298° W 41.68712° N / 87.44744° W 41.68783° N / 87.44744° W 41.68783° N / 87.44418° W Roen Salvage will be conducting dredging. Hours of operation are 24 hours a day 7 days a week. Tug David R. Schanock can be contacted on Vhf channels 7 and	POINT [Latitude: 41.67754, Longitude: -87.44114]
General/Haza To Navigation/Ob	General	10 10 01	2025- 03-30	General/Hazards To Navigation/Obstructions From: 2024-10-01 To: 2025-03-30 There is an obstruction on the south side of the	POINT [Latitude: 41.64864, Longitude: -87.46836]

Isle Royale

TITLE CATEO	ORY SUB BEGIN		DESCRIPTION	LOCATION
General/Hazards To Gene Navigation/Hazards	ral la = :	- 2025- . 03-30	cubmorged coor	POINT [Latitude: 48.09694, Longitude: -88.73666]

Keweenaw Upper Entrance

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Keweenaw Upper Entrance West Breakwater Light	15115	STRUCT DEST	FD

Keweenaw Waterway

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Keweenaw Waterway Light 25	14880	STRUCT DEST/TRLB	FD

Lake Huron Cut

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Lake Huron Cut Lighted Buoy 1	10035	OFF STA	FD

LAKE MICHIGAN

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Black Creek Buoy 3	8950	MISSING	PA
Thirty-First Street Jetty Danger Lighted Buoy A	19931	MISSING	PA
Thirty-First Street Jetty Danger Lighted Buoy B	19932	MISSING	PA
Thirty-First Street Jetty Danger Lighted Buoy C	19933	MISSING	PA
Thirty-First Street Inner Jetty Light	19934	LT EXT	PA
Northerly Island Danger Lighted Buoy C	19956.2	Status Unreported	PA
Shipyard Island Marina North Dock Light	21405	LT IMCH	PA

TITLE	CATEGORY SUB BEGIN CATEGORYDATE	END DATE	DESCRIPTION	LOCATION
LAKE HURON LAKE MICHIGAN/Ge To Navigation/SI Reported	eneral/Hazards Hazards 2024- General To 09-18	2025- 03-17	General/Hazards To Navigation/Shoaling Reported From: 2024-09-18 To: 2025-03-17 Location: 45.88833° N / 85.84083° W Report of soundings less then charted depth 3.5NM east/southeast of Seul Choix Point. The area of reduced depth was reported on the east/west Manistique to Lansing Shoal recommended shipping route.	POINT [Latitude: 45.88833, Longitude: -85.84083]
LAKE HURON LAKE MICHIGAN/Ge To Navigation/SI Reported	eneral/Hazards Hazards 2024- General To 10-01	2025- 03-30	General/Hazards To Navigation/Shoaling Reported From: 2024-10-01 To: 2025-03-30 Location: Port Sheldon entrance. Shoaling has been reported near Pigeon Lake at the Port Sheldon entrance. The actual water depth is currently significantly below the charted depth.	

TITLE	CATEGORY SUB BEGIN CATEGORYDATE	END DATE	DESCRIPTION	LOCATION
LAKE HURON - LAKE MICHIGAN/Gen Construction (Excluding Bridges)/Dredg	Marine eral/MarineConstructi@024- General (Excluding11-01 Bridges)	2024-12-15	General/Marine Construction (Excluding Bridges)/Dredge Material Placement Area From: 2024- 11-01 To: 2024-12- 15 Location: 41.63306° N / 87.18216° W 41.63172° N / 87.18156° W 41.63034° N / 87.18955° W 41.63306° N / 87.19002° W Dredging Burns Small Boat Harbor Channel. Our submerged dredge pipe will lie on the lake floor, marked by orange round buoys every 500 feet. (2) white buoys will be seen North and South of the dredge. The white buoys indicate winch anchor locations. The disposal is to the south of the channel mouth and at minimum 300' from the beach. (2) bright bright yellow pontoon will mark the placement area and dredging area. They are 25'x8'x6' and have (2) flashing lights on each end that come on at night. The primary contact will be the Superintendent Robert Lister. His cell number is listed below. During rough seas, our yellow pontoons will be floating just outside of the channel.	POLYGON [Latitude: 41.63306, Longitude: -87.18216] [Latitude: 41.63172, Longitude: -87.18156] [Latitude: 41.63034, Longitude: -87.18955] [Latitude: 41.63165, Longitude: -87.19002] [Latitude: 41.63306, Longitude: -87.18216]
LAKE HURON - LAKE MICHIGAN/Gen Construction (Excluding Bridges)/Dredo	Constructidn1-01 eral/Marine(Excluding Bridges)	-	General/Marine Construction (Excluding Bridges)/Dredging From: 2024-11-01 To: 2024-12-15 Location: 41.63411° N /	POLYGON [Latitude: 41.63411, Longitude: -87.17973] [Latitude: 41.63405, Longitude: -87.17715] [Latitude: 41.63293, Longitude: -87.17672] [Latitude: 41.63177,

TITLE	CATEGORY SUB BEGIN E	ND ATE	DESCRIPTION	LOCATION
	CAIEGORIDAIE DI	AIE	87.17973° W	Longitude: -87.17664]
			41.63405° N /	[Latitude: 41.62991,
			87.17715° W	Longitude: -87.17604]
			41.63293° N/	[Latitude: 41.6212,
			87.17672° W	Longitude: -87.17616]
			41.63177° N /	[Latitude: 41.62124,
			87.17664° W	Longitude: -87.17648]
			41.62991° N / 87.17604° W	[Latitude: 41.62978, Longitude: -87.17652]
			41.6212° N /	[Latitude: 41.63177,
			87.17616° W	Longitude: -87.17708]
			41.62124° N/	[Latitude: 41.63194,
			87.17648° W	Longitude: -87.1783]
			41.62978° N /	[Latitude: 41.63364,
			87.17652° W 41.63177° N /	Longitude: -87.17736]
			87.17708° W	[Latitude: 41.63366, Longitude: -87.17974]
			41.63194° N /	[Latitude: 41.63411,
			87.1783° W	Longitude: -87.17973]
			41.63364° N/	
			87.17736° W	
			41.63366° N / 87.17974° W	
			41.63411° N /	
			87.17973° W	
			Dredging Burns	
		:	Small Boat Harbor	
			Channel. Our	
			submerged dredge	
			pipe will lie on the lake floor, marked	
		,	by orange round	
			buoys every 500	
			feet. (2) white	
			buoys will be seen	
		ľ	North and South of the dredge. The	
			white buoys	
			indicate winch	
			anchor locations.	
			The disposal is to	
			the south of the	
		_	hannel mouth and at minimum 300'	
			rom the beach. (2)	
			right bright yellow	
			pontoon will mark	
			he placement area	
			and dredging area.	
			They are 25'x8'x6' and have (2)	
			flashing lights on	
			each end that	
			come on at night.	
			The primary	
		(contact will be the Superintendent	
			Robert Lister. His	
			cell number is	
		li	sted below. During	
			rough seas, our	
			yellow pontoons	
		٧	will be floating just	
			outside of the channel.	
			CHAIIIEI.	

Lake Nicolet

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Upper Nicolet Range Front Light	13955	DAYMK MISSING	FD
Upper Nicolet Range Rear Light	13960	DAYMK MISSING	FD

LAKE ONTARIO

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Eagle Creek Marina Entrance Light 3	2362	STRUCT MISSING	PA
Eagle Creek Marina Entrance Light 4	2363	STRUCT MISSING	PA

TITLE CATEGORY SUB BEGIN	END DATE	DESCRIPTION	LOCATION
St. Lawrence Seaway - LAKE Hazards ONTARIO/General/Magnaths To 2024-	2025- 03-16		POINT [Latitude: 43.46515, Longitude: -76.51913]
St. Lawrence Seaway - LAKE ATON PATON 2024- ONTARIO/ATON/PATON Discrepancles Discrepancies		ATON/PATON Discrepancies From: 2024-10-07 To: 2025-04-05 Location: 43.36792° N / 78.02917° W Aid Name: Eagle Creek Marina Entrance Light 3 LLNR: 2362 Discrepancy Information: Initial Report DTG: 072100Z OCT 2024 Summary: STRUCT MISSING	POINT [Latitude: 43.36792, Longitude: -78.02917]
St. Lawrence Seaway - LAKE ATON PATON 2024- ONTARIO/ATON/PATON Discrepancles Discrepancies		ATON/PATON Discrepancies From: 2024-10-07 To: 2025-04-05 Location: 43.36792° N / 78.03° W Aid Name: Eagle Creek	POINT [Latitude: 43.36792, Longitude: -78.03]

Lake St. Clair

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Lake St. Clair Lighted Buoy 30	8570	LT EXT	FD

TITLE CATE	GORY SUB BEGIN E CATEGORYDATE D	1)+	SCRIPTION	LOCATION
Detroit River - Lake St. Clair/ATON/Federal Discrepancies	ON Federal 2024- 20 Discrepancle 10 0	Di From To: 42 82.6 025- Na 4-08 Clair 30 D Infor R	TON/Federal screpancies at 2024-10-10 2025-04-08 Location: .50854° N / 69847° W Aid me: Lake St. Lighted Buoy LLNR: 8570 iscrepancy mation: Initial eport DTG: 1259Z OCT Summary: LT EXT	POINT [Latitude: 42.50854, Longitude: -82.69847]

Little Bay De Noc

Light List Corrections

NAME	LLNR	AID TYPE	ACTION TYPE	ACTION DATE
Saunders Point Light	21735	FD	U	2024-11-01

LITTLE GIRLS POINT TO SILVER BAY

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
UMinn Research 2	16494.5	OFF STA	PA

Little Rapids Cut

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Six Mile Point Range Rear Light	14050	DAYMK MISSING	FD

Little Sturgeon

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Oconto Harbor North Pierhead Light 2	22015	LT EXT	PA

TITLE	CATEGORY SUB BEGIN CATEGORYDATE	END DATE	DESCRIPTION	LOCATION
LOWER GREEN BAY - Little Sturgeon/ATO Discrepancies	N PATON PATON 2024- N/PATON Discrepanc@ S 26	2025- 03-25	ATON/PATON Discrepancies From: 2024-09-26 To: 2025-03-25 Location: 44.89906° N / 88.82161° W Aid Name: Oconto Harbor North Pierhead Light 2 LLNR: 22015 Discrepancy Information: Initial Report DTG: 260729Z SEP 2024 Summary: LT EXT	POINT [Latitude: 44.89906, Longitude: -88.82161]
LOWER GREEN BAY - Little Sturgeon/Gen- Construction (Excluding Bridges)/Borin and Core Samples	Constructi dn 1-05 eral/Marine (Excluding Bridges)	2024-12-08	General/Marine Construction (Excluding Bridges)/Boring and Core Samples From: 2024-11-08 To: 2024-12-08 Location: 44.82385° N / 87.90816° W 44.82377° N / 87.906° W 44.8232° N / 87.90368° W 44.82081° N / 87.89589° W 44.82036° N / 87.89589° W 44.82245° N / 87.90243° W 44.82257° N / 87.90243° W 44.82336° N / 87.9075° W 44.82336° N / 87.9075° W 44.82338° N / 87.90911° W 44.82385° N / 87.90911° W 44.82385° N / 87.90911° W 44.82385° N / 87.90911° W Ad.82385° N / 87.90911° W Ad.82386° N / 87.90924° W Ad.82257° N / 87.90924° W Ad.82225° N / 87.90924° W	POLYGON [Latitude: 44.82385, Longitude: -87.90816] [Latitude: 44.8237, Longitude: -87.90368] [Latitude: 44.8232, Longitude: -87.90368] [Latitude: 44.82081, Longitude: -87.89589] [Latitude: 44.82036, Longitude: -87.89617] [Latitude: 44.82245, Longitude: -87.90243] [Latitude: 44.82257, Longitude: -87.90355] [Latitude: 44.82336, Longitude: -87.9075] [Latitude: 44.82338, Longitude: -87.90911] [Latitude: 44.82367, Longitude: -87.90924] [Latitude: 44.82385, Longitude: -87.90816]

TITLE	CATEGORY SUB BEGIN CATEGORYDATE	END DATE	DESCRIPTION	LOCATION
•			be conducted from	
			the OSI vessel, R/V	
			CanDu by a two-	
			person field crew	
			equipped with a	
			vibratory coring	
			apparatus and	
			grab sampler. The	
			vessel will be	
			operating out of	
			Oconto Breakwater	
			Park. During	
			operations with	
			geotechnical	
			equipment, the	
			vessel will be	
			anchored and slow	
			to move if	
			requested to allow	
			passage of marine	
			traffic. Before	
			starting to sample,	
			the crew will	
			visually ensure	
			traffic is clear and	
			conduct security	
			calls over VHF	
			radio.	

LOWER GREEN BAY

TITLE		RY SUB BEGIN CATEGORYDATE	DATE	DESCRIPTION	LOCATION
LAKE	General			General/Marine	POLYGON
MICHIGAN - LOWER GREEN	ı	Constructidn1-05 (Excluding	17-08	Construction (Excluding	[Latitude: 44.89879, Longitude: -87.8215]
BAY/General/M		Bridges)		Bridges)/Boring	[Latitude: 44.89812,
Construction		21.0903/		and Core Samples	Longitude: -87.82119]
(Excluding					[Latitude: 44.898, Longitude:
Bridges)/Borin	g			To: 2024-12-08	-87.82257]
and Core				Location:	[Latitude: 44.89484,
Samples				44.89879° N / 87.8215° W	Longitude: -87.82892] [Latitude: 44.89335,
				44.89812° N /	Longitude: -87.83055]
				87.82119° W	[Latitude: 44.89411,
				44.898° N /	Longitude: -87.83072]
				87.82257° W	[Latitude: 44.89563,
				44.89484° N /	Longitude: -87.82978]
				87.82892° W 44.89335° N /	[Latitude: 44.89754, Longitude: -87.8263]
				87.83055° W	[Latitude: 44.89845,
				44.89411° N /	Longitude: -87.82441]
				87.83072° W	[Latitude: 44.89879,
				44.89563° N /	Longitude: -87.8215]
				87.82978° W 44.89754° N /	
				87.8263° W	
				44.89845° N /	
				87.82441° W	
				44.89879° N /	
				87.8215° W Marine	
				Geotechnical Sampling Survey to	
				be completed by	
				Ocean Surveys,	
				Inc. (OSI) in Green	
				Bay at the mouths of the Oconto and	
				Pensaukee Rivers.	
				The investigation,	
				weather	
				dependent, is	
				planned during the period of 8	
				November - 8	
				December, 2024	
				from 0600 to 1800	
				daily. Sampling will	
				be conducted from the OSI vessel. R/V	
				CanDu by a two-	
				person field crew	
				equipped with a	
				vibratory coring	
				apparatus and grab sampler. The	
				vessel will be	
				operating out of	
				Oconto Breakwater	
				Park. During	
				operations with	
				geotechnical equipment, the	
				equipinent, the	

TITLE	CATEGORY SUB BEGIN END CATEGORYDATE DATE	DESCRIPTION	LOCATION
•		vessel will be	
		anchored and slow	
		to move if	
		requested to allow	
		passage of marine	
		traffic. Before	
		starting to sample,	
		the crew will	
		visually ensure	
		traffic is clear and	
		conduct security	
		calls over VHF	
		radio.	

Manistee Lake

TITLE	CATEGORY SUB	BEGIN NDATE	END DATE	DESCRIPTION	LOCATION
Manistee - Manistee Lake/General/I To Navigation/Sh Reported	Hazards General To Navigation	2024-	2025-	General/Hazards To Navigation/Shoaling Reported From: 2024-10-01 To: 2025-03-30 Location: 44.25683° N / 86.31267° W Shoaling has been reported in Lake Manistee.	POINT [Latitude: 44.25683, Longitude: -86.31267]

Marine City

TITLE	CATEGO	RY SUB BEGII	N END DATE	DESCRIPTION	LOCATION
PORT HURON TO PTE AUX BARQUES - Marine City/ATON/Fed Discrepancies Corrected		Federal 2024 Discrepances 20 Corrected	- 2024-) 11-12	ATON/Federal Discrepancies Corrected From: 2024-10-29 To: 2024-11-12 Location: 42.70104° N / 82.49581° W Aid Name: Marine City Shoal Lighted Buoy 40 LLNR: 9790 Discrepancy Information: Initial Report DTG: 281121Z OCT 2024 Summary: LT EXT Correction DTG: 291140Z OCT 2024 Cause: PERSONNEL ERROR Cause Comments: TECHNICIAN ERROR Correction Status: WATCHING PROPERLY	POINT [Latitude: 42.70104, Longitude: -82.49581]

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Marine City Shoal Lighted Buoy 40	9790	WATCHING PROPERLY	FD	2024-10-29

MARQUETTE AND PRESQUE ISLE HARBORS

TITLE	CATEGORY	SUB BEG ATEGORYDAT		DESCRIPTION	LOCATION
GRAND MARAIS TO BIG BAY POIN - MARQUETTE AND PRESQUI ISLE HARBORS/Ger To Navigation/Sh Reported	E E General neral/Hazards	10	4- 2025- 11 03-30		

Maumee Bay

Light List Corrections

NAME	LLNR	AID TYPE	ACTION TYPE	ACTION DATE
Maumee Bay Lighted Buoy 30	6195	FD	U	2024-10-25
Maumee Bay Lighted Buoy 30	6195	FD	U	2024-10-25

Maumee River

TITLE	CATEGORY SUB	BEGIN YDATE	END DATE	DESCRIPTION	LOCATION
Maumee Bay Maumee River/General,	Conoral Bridges	2024- 08-14	2025- 11-30	General/Bridges/Main From: 2024-08-14 To: 2025-11-30	POINT [Latitude: 41.65222222, Longitude: -83.5275]

TITLE CATEGORY SUB BEGIN	END DATE	DESCRIPTION	LOCATION
Maumee Bay - 2024-	2025- 03-31	9	POINT [Latitude: 41.65222222, Longitude: -83.5275]
	2025- 04-19	OH - LAKE ERIE - Cleveland Harbor - Chart 14839 From January 20 through March 15, 2025, the Eagle Avenue Bridge at Mile 2.80 over the Cuyahoga River will be secured to masted navigation and a 180-foot by 52-foot barge will be positioned under the drawspan to facilitate the removal of the bridge. Vessels able to pass under the bridge without an opening and around the barge may do so at any time. [36/24]	POINT [Latitude: 41.49333, Longitude: -81.69222]
Maumee Bay - General Marine 2024- Maumee Constructidn -05	2024- 11-20		POLYGON [Latitude: 41.69625,

SUB **BEGIN END** CATEGORY SUB-DECINE DATE **TITLE DESCRIPTION LOCATION** River/General/Marine (Excluding Longitude: -83.469611 (Excluding Construction Bridges) Bridges)/Boring [Latitude: 41.69362, Longitude: -83.46429] (Excluding and Core Samples Bridges)/Boring From: 2024-11-05 [Latitude: 41.68195, and Core To: 2024-11-20 EA Longitude: -83.48111] Samples Engineering, [Latitude: 41.67458, Longitude: -83.48893] Science and Technology PBC will [Latitude: 41.65887, be conducting Longitude: -83.51219] Geotechnical [Latitude: 41.6522, drilling and Longitude: -83.52557] sediment [Latitude: 41.6479, chemistry sampling Longitude: -83.53072] on the Maumee [Latitude: 41.64091, River between the Longitude: -83.5321] Toledo Yacht Club [Latitude: 41.63174, and Riverside Park. Longitude: -83.53012] Nearly all of the [Latitude: 41.6268, Longitude: -83.53175] activities except for traversing up and [Latitude: 41.62449. down river will Longitude: -83.53459] occur outside the [Latitude: 41.61814, navigation channel. Longitude: -83.5642] [Latitude: 41.61512. Longitude: -83.57046] [Latitude: 41.60896, Longitude: -83.57682] [Latitude: 41.59439. Longitude: -83.58806] [Latitude: 41.5786, Longitude: -83.60651] [Latitude: 41.57173, Longitude: -83.60866] [Latitude: 41.56923, Longitude: -83.61389] [Latitude: 41.5689, Longitude: -83.62497] [Latitude: 41.56139, Longitude: -83.63158] [Latitude: 41.56364, Longitude: -83.63415] [Latitude: 41.57192, Longitude: -83.6266] [Latitude: 41.57167, Longitude: -83.61724] [Latitude: 41.57494, Longitude: -83.61063] [Latitude: 41.57802, Longitude: -83.61063] [Latitude: 41.58361, Longitude: -83.6061 [Latitude: 41.59536, Longitude: -83.59372] [Latitude: 41.6173, Longitude: -83.5745] [Latitude: 41.62443, Longitude: -83.55836] [Latitude: 41.62821, Longitude: -83.53467] [Latitude: 41.62994, Longitude: -83.53218] [Latitude: 41.63302, Longitude: -83.5327] [Latitude: 41.64143, Longitude: -83.53502] [Latitude: 41.64739, Longitude: -83.53364]

TITLE	CATEGORY SUB BEGIN END CATEGORYDATE DATE	DESCRIPTION	LOCATION
			[Latitude: 41.65438,
			Longitude: -83.52721]
			[Latitude: 41.66272,
			Longitude: -83.5109]
			[Latitude: 41.67772,
			Longitude: -83.49133]
			[Latitude: 41.68708,
			Longitude: -83.48026]
			[Latitude: 41.69625,
			Longitude: -83.46961]

Light List Corrections

NAME	LLNR	AID TYPE	ACTION TYPE	ACTION DATE
Maumee River Buoy 54	6337	FD	U	2024-10-30
Maumee River Turning Basin Lighted Buoy 62	6355	FD	U	2024-10-30

Menominee

TITLE	CATEGOI	RY SUB BEGIN CATEGORYDATE	END DATE	DESCRIPTION	LOCATION
UPPER GREEN BAY - Menominee/Ger Construction (Excluding Bridges)/Boring and Core Samples	neral/Mari General		2024-	General/Marine Construction (Excluding Bridges)/Boring and Core Samples From: 2024-10-22 To: 2024-11-30 Location: 45.10156° N / 87.62426° W 45.10122° N / 87.61876° W 45.10022° N / 87.6538° N / 87.59336° W 45.09565° N / 87.59044° W 45.10138° N / 87.5737° W 45.10138° N / 87.57254° W 45.09426° N / 87.57254° W 45.09426° N / 87.60894° W 45.09759° N / 87.61211° W 45.09886° N / 87.61211° W 45.09886° N / 87.62426° W 45.10156° N / 87.62426° W 45.10156° N / 87.62426° W 0600-1800 7 days a week. Soil drilling and sampling will be occurring from a barge throughout the Menominee River, from the outer harbor entrance to the upstream limits of the federal channel. Stay clear of equipment and do not throw wakes.	POLYGON [Latitude: 45.10156, Longitude: -87.62426] [Latitude: 45.10122, Longitude: -87.61876] [Latitude: 45.10022, Longitude: -87.61512] [Latitude: 45.09538, Longitude: -87.59336] [Latitude: 45.09565, Longitude: -87.59044] [Latitude: 45.10138, Longitude: -87.5737] [Latitude: 45.10007, Longitude: -87.57254] [Latitude: 45.09426, Longitude: -87.69203] [Latitude: 45.09819, Longitude: -87.60894] [Latitude: 45.09759, Longitude: -87.61211] [Latitude: 45.09886, Longitude: -87.61207] [Latitude: 45.10122, Longitude: -87.62426] [Latitude: -87.62426] [Latitude: -87.62426]

MICHIGAN INLAND ROUTE

Burt Lake - General Marine 2024 - 2025- MICHIGAN INLAND (Excluding Bridges) Bridges)/Facilities, Barriers, Manmade (Excluding Bridges)/Barriers, Manmade							
Burt Lake - General Marine 2024 - 2025- Construction (Excluding Bridges) Br	TITLE	CATEGO	RY SUB CATEGOR	BEGIN YDATE	END DATE	DESCRIPTION	LOCATION
INLAND (Excluding ROUTE/General/Marine Bridges) Construction (Excluding Reefs, Riprap, Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Bridges)/Facilities, Barriers,			Marine	2024-	2025-		
ROUTE/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Barriers, Barriers, Barriers, Barriers, Barriers, Manmade 2025-03-23 Reefs, Riprap, Jetties/Dikes From: 2024-09-24 To: Manmade Noute Various aids to navigation in the Michigan Inland Route Various aids to navigation in the Michigan Inland Route by marine contractors during the advertised period. The aids will be worked from north to south and will be periodically disestablished while servicing vessels are on site. The impacted aids include: - Cheboygan River Buoy 1 (LLNR 11806) - will be replaced with a fixed pile daymark Mullett Lake Lighted Buoy 24 (LLNR 11900) - will be replaced with a lighted pile Mullett Lake Lighted Buoy 24AA (LLNR 11915) will be replaced with a lighted pile Indian River Buoy 25 (LLNR 11920) - will be replaced with a fixed pile daymark Indian River Daybeacon 28 (LLNR 11935) - Indian River					03-23		
Construction (Excluding Bridges)/Facilities, Barriers, Barriers, Barriers, Barners, Berners, Barners, Berners Barners, Barners, Berners Barners, Barners, Berners Barners, Bar		al/Marine		l			
(Excluding Reefs, Riprap, Bridges)/Facilities, Jetties/Dikes From: Barriers. 2024-09-24 To: 2025-03-23 Reefs, Riprap, Jetties/Dikes Various aids to navigation in the Michigan Inland Route Various aids to navigation in the Michigan Inland Route Warious aids to navigation in the Michigan Inland Route Warious aids to navigation in the Michigan Inland Route will be repaired and replaced by marine contractors during the advertised period. The aids will be worked from north to south and will be periodically disestablished while servicing vessels are on site. The impacted aids include: - Cheboygan River Buoy 1 (LLNR 11806) - will be replaced with a fixed pile daymark Mullett Lake Lighted Buoy 24 (LLNR 11900) - will be replaced with a lighted pile Mullett Lake Lighted Buoy 24A (LLNR 11915) will be replaced with a lighted pile Indian River Buoy 25 (LLNR 11915) will be replaced with a lighted pile Indian River Buoy 25 (LLNR 11920) - will be replaced with a lighted pile Indian River Buoy 25 (LLNR 11935) Indian River Daybeacon 28 (LLNR 11935) Indian River Daybeacon 28 (LLNR 11935) Indian River Daybeacon 28 (LLNR 11935) Indian River Buoy 25 - Indian River Buoy 26 - Indian River Buoy 26 - Indian River Buoy 27 - Indian River Buoy 28 - Indian River Buoy 29 - Indian River Buoy 20		ai, i-iai ii ic	Dilages)				
Bridges)/Facilities, Barriers, Barriers, Barriers, Barriers, Reefs, Riprap, Jetties/Dikes Sammade Reefs, Riprap, Jetties/Dikes Inland Route Various aids to navigation in the Michigan Inland Route will be repaired and replaced by marine contractors during the advertised period. The aids will be worked from north to south and will be periodically disestablished while servicing vessels are on site. The impacted aids include: - Cheboygan River Buoy 1 (LLNR 11806) - will be replaced with a fixed pile daymark Mullett Lake Lighted Buoy 24 (LLNR 11900) - will be replaced with a lighted pile Mullett Lake Lighted Buoy 24A (LLNR 11915) will be replaced with a lighted pile Mullett Lake Lighted Buoy 24A (LLNR 11915) will be replaced with a lighted pile Indian River Buoy 25 (LLNR 11920) - will be replaced with a fixed pile daymark Indian River Daybeacon 28 (LLNR 11935) - Indian River							
Manmade Reefs, Riprap, Jetties/Dikes Reefs, Riprap, Jetties/Dikes Inland Route Various aids to navigation in the Michigan Inland Route will be repaired and replaced by marine contractors during the advertised period. The aids will be worked from north to south and will be periodically disestablished while servicing vessels are on site. The impacted aids include: - Cheboygan River Buoy 1 (LLNR 11806) - will be replaced with a fixed pile daymark Mullett Lake Lighted Buoy 24 (LLNR 11900) - will be replaced with a lighted pile Mullett Lake Lighted Buoy 24A (LLNR 11915) will be replaced with a lighted pile Indian River Buoy 25 (LLNR 11920) - will be replaced with a fixed pile daymark Indian River Daybeacon 28 (LLNR 11935) Indian River		ties,					
Reefs, Riprap, Jetties/Dikes Inland Route Various aids to navigation in the Michigan Inland Route will be repaired and replaced by marine contractors during the advertised period. The aids will be worked from north to south and will be periodically disestablished while servicing vessels are on site. The impacted aids include: - Cheboygan River Buoy 1 (LLNR 11806) - will be replaced with a fixed pile daymark Mullett Lake Lighted Buoy 24 (LLNR 11900) - will be replaced with a lighted pile Mullett Lake Lighted Buoy 24A (LLNR 11915) will be replaced with a lighted pile Indian River Buoy 25 (LLNR 11920) - will be replaced with a fixed pile daymark Indian River Buoy 25 (LLNR 11920) - will be replaced with a fixed pile daymark Indian River Daybeacon 28 (LLNR 11935) Indian River	•						
Jetties/Dikes Inland Route Various aids to navigation in the Michigan Inland Route will be repaired and replaced by marine contractors during the advertised period. The aids will be worked from north to south and will be periodically disestablished while servicing vessels are on site. The impacted aids include: - Cheboygan River Buoy 1 (LLNR 11806) - will be replaced with a fixed pile daymark Mullett Lake Lighted Buoy 24 (LLNR 11900) - will be replaced with a lighted pile Mullett Lake Lighted Buoy 24A (LLNR 11915) will be replaced with a lighted pile Indian River Buoy 25 (LLNR 11920) - will be replaced with a fixed pile daymark Indian River Daybeacon 28 (LLNR 11935) Indian River							
Various aids to navigation in the Michigan Inland Route will be repaired and replaced by marine contractors during the advertised period. The aids will be worked from north to south and will be periodically disestablished while servicing vessels are on site. The impacted aids include: - Cheboygan River Buoy 1 (LLNR 11806) - will be replaced with a fixed pile daymark Mullett Lake Lighted Buoy 24 (LLNR 11900) - will be replaced with a lighted pile Mullett Lake Lighted Buoy 24A (LLNR 11915) will be replaced with a lighted pile Mullett Lake Lighted Buoy 24A (LLNR 11915) will be replaced with a lighted pile Indian River Buoy 25 (LLNR 11920) - will be replaced with a lighted pile Indian River Buoy 25 (LLNR 11920) - will be replaced with a River Buoy 25 (LLNR 11920) - will be replaced with a River Buoy 25 (LLNR 11920) - will be replaced with a River Buoy 25 (LLNR 11920) - will be replaced with a River Daybeacon 28 (LLNR 11935) Indian River							
navigation in the Michigan Inland Route will be repaired and replaced by marine contractors during the advertised period. The aids will be worked from north to south and will be periodically disestablished while servicing vessels are on site. The impacted aids include: - Cheboygan River Buoy 1 (LLNR 11806) - will be replaced with a fixed pile daymark Mullett Lake Lighted Buoy 24 (LLNR 11900) - will be replaced with a lighted pile Mullett Lake Lighted Buoy 24A (LLNR 11915) will be replaced with a lighted pile Mullett Lake Lighted Buoy 24A (LLNR 11915) will be replaced with a lighted pile Indian River Buoy 25 (LLNR 11920) - will be replaced with a fixed pile daymark Indian River Daybeacon 28 (LLNR 11935) - Indian River	Jetties/Dikes						
Michigan Inland Route will be repaired and replaced by marine contractors during the advertised period. The aids will be worked from north to south and will be periodically disestablished while servicing vessels are on site. The impacted aids include: - Cheboygan River Buoy 1 (LLNR 11806) - will be replaced with a fixed pile daymark Mullett Lake Lighted Buoy 24 (LLNR 11900) - will be replaced with a lighted pile Mullett Lake Lighted Buoy 24A (LLNR 11915) will be replaced with a lighted pile Mullett Lake Lighted Buoy 24A (LLNR 11915) will be replaced with a lighted pile Indian River Buoy 25 (LLNR 11920) - will be replaced with a fixed pile daymark Indian River Daybeacon 28 (LLNR 11935) - Indian River							
Route will be repaired and replaced by marine contractors during the advertised period. The aids will be worked from north to south and will be periodically disestablished while servicing vessels are on site. The impacted aids include: - Cheboygan River Buoy 1 (LLNR 11806) - will be replaced with a fixed pile daymark Mullett Lake Lighted Buoy 24 (LLNR 11900) - will be replaced with a lighted pile Mullett Lake Lighted Buoy 24 (LLNR 11915) will be replaced with a lighted pile Mullett Lake Lighted Buoy 24A (LLNR 11915) will be replaced with a lighted pile Indian River Buoy 25 (LLNR 11920) - will be replaced with a lighted pile Indian River Buoy 25 (LLNR 11920) - will be replaced with a fixed pile daymark Indian River Buoybeacon 28 (LLNR 11935) Indian River							
replaced by marine contractors during the advertised period. The aids will be worked from north to south and will be periodically disestablished while servicing vessels are on site. The impacted aids include: - Cheboygan River Buoy 1 (LLNR 11806) - will be replaced with a fixed pile daymark Mullett Lake Lighted Buoy 24 (LLNR 11900) - will be replaced with a lighted pile Mullett Lake Lighted Buoy 24A (LLNR 11915) will be replaced with a lighted pile Indian River Buoy 25 (LLNR 11920) - will be replaced with a lighted pile Indian River Buoy 25 (LLNR 11920) - will be replaced with a lighted pile Indian River Buoy 25 (LLNR 11920) - will be replaced with a lighted pile Indian River Buoy 25 (LLNR 11935) Indian River Daybeacon 28 (LLNR 11935)						Route will be	
contractors during the advertised period. The aids will be worked from north to south and will be periodically disestablished while servicing vessels are on site. The impacted aids include: - Cheboygan River Buoy 1 (LLNR 11806) - will be replaced with a fixed pile daymark Mullett Lake Lighted Buoy 24 (LLNR 11900) - will be replaced with a lighted pile Mullett Lake Lighted Buoy 24A (LLNR 11915) will be replaced with a lighted pile Indian River Buoy 25 (LLNR 11920) - will be replaced with a lighted pile Indian River Buoy 25 (LLNR 11920) - will be replaced						•	
the advertised period. The aids will be worked from north to south and will be periodically disestablished while servicing vessels are on site. The impacted aids include: - Cheboygan River Buoy 1 (LLNR 11806) - will be replaced with a fixed pile daymark Mullett Lake Lighted Buoy 24 (LLNR 11900) - will be replaced with a lighted pile Mullett Lake Lighted Buoy 24 (LLNR 11915) will be replaced with a lighted pile Mullett Lake Lighted Buoy 24A (LLNR 11915) will be replaced with a lighted pile Indian River Buoy 25 (LLNR 11920) - will be replaced with a lighted pile Indian River Buoy 25 (LLNR 11920) - will be replaced with a lighted pile Indian River Buoy 25 (LLNR 11935) - Indian River Daybeacon 28 (LLNR 11935) Indian River							
period. The aids will be worked from north to south and will be periodically disestablished while servicing vessels are on site. The impacted aids include: - Cheboygan River Buoy 1 (LLNR 11806) - will be replaced with a fixed pile daymark Mullett Lake Lighted Buoy 24 (LLNR 11900) - will be replaced with a lighted pile Mullett Lake Lighted Buoy 24A (LLNR 11915) will be replaced with a lighted pile Indian River Buoy 25 (LLNR 11920) - will be replaced with a fixed pile daymark Indian River Daybeacon 28 (LLNR 11935) Indian River							
be worked from north to south and will be periodically disestablished while servicing vessels are on site. The impacted aids include: - Cheboygan River Buoy 1 (LLNR 11806) - will be replaced with a fixed pile daymark Mullett Lake Lighted Buoy 24 (LLNR 11900) - will be replaced with a lighted pile Mullett Lake Lighted Buoy 24A (LLNR 11915) will be replaced with a lighted pile; - Indian River Buoy 25 (LLNR 11920) - will be replaced with a fixed pile daymark Indian River Daybeacon 28 (LLNR 11935) Indian River							
north to south and will be periodically disestablished while servicing vessels are on site. The impacted aids include: - Cheboygan River Buoy 1 (LLNR 11806) - will be replaced with a fixed pile daymark Mullett Lake Lighted Buoy 24 (LLNR 11900) - will be replaced with a lighted pile Mullett Lake Lighted Buoy 24A (LLNR 11915) will be replaced with a lighted pile Indian River Buoy 25 (LLNR 11920) - will be replaced with a fixed pile daymark Indian River Daybeacon 28 (LLNR 11935) - Indian River							
disestablished while servicing vessels are on site. The impacted aids include: - Cheboygan River Buoy 1 (LLNR 11806) - will be replaced with a fixed pile daymark Mullett Lake Lighted Buoy 24 (LLNR 11900) - will be replaced with a lighted pile Mullett Lake Lighted Buoy 24A (LLNR 11915) will be replaced with a lighted pile Indian River Buoy 25 (LLNR 11920) - will be replaced with a fixed pile daymark Indian River Daybeacon 28 (LLNR 11935) Indian River							
while servicing vessels are on site. The impacted aids include: - Cheboygan River Buoy 1 (LLNR 11806) - will be replaced with a fixed pile daymark Mullett Lake Lighted Buoy 24 (LLNR 11900) - will be replaced with a lighted pile Mullett Lake Lighted Buoy 24A (LLNR 11915) will be replaced with a lighted pile Indian River Buoy 25 (LLNR 11920) - will be replaced with a fixed pile daymark Indian River Daybeacon 28 (LLNR 11935) Indian River							
vessels are on site. The impacted aids include: - Cheboygan River Buoy 1 (LLNR 11806) - will be replaced with a fixed pile daymark Mullett Lake Lighted Buoy 24 (LLNR 11900) - will be replaced with a lighted pile Mullett Lake Lighted Buoy 24A (LLNR 11915) will be replaced with a lighted pile Indian River Buoy 25 (LLNR 11920) - will be replaced with a fixed pile daymark Indian River Daybeacon 28 (LLNR 11935) Indian River							
The impacted aids include: - Cheboygan River Buoy 1 (LLNR 11806) - will be replaced with a fixed pile daymark Mullett Lake Lighted Buoy 24 (LLNR 11900) - will be replaced with a lighted pile Mullett Lake Lighted Buoy 24A (LLNR 11915) will be replaced with a lighted pile Indian River Buoy 25 (LLNR 11920) - will be replaced with a fixed pile daymark Indian River Daybeacon 28 (LLNR 11935) Indian River							
include: - Cheboygan River Buoy 1 (LLNR 11806) - will be replaced with a fixed pile daymark Mullett Lake Lighted Buoy 24 (LLNR 11900) - will be replaced with a lighted pile Mullett Lake Lighted Buoy 24A (LLNR 11915) will be replaced with a lighted pile Indian River Buoy 25 (LLNR 11920) - will be replaced with a fixed pile daymark Indian River Daybeacon 28 (LLNR 11935) Indian River							
Cheboygan River Buoy 1 (LLNR 11806) - will be replaced with a fixed pile daymark Mullett Lake Lighted Buoy 24 (LLNR 11900) - will be replaced with a lighted pile Mullett Lake Lighted Buoy 24A (LLNR 11915) will be replaced with a lighted pile Indian River Buoy 25 (LLNR 11920) - will be replaced with a fixed pile daymark Indian River Daybeacon 28 (LLNR 11935) Indian River							
Buoy 1 (LLNR 11806) - will be replaced with a fixed pile daymark Mullett Lake Lighted Buoy 24 (LLNR 11900) - will be replaced with a lighted pile Mullett Lake Lighted Buoy 24A (LLNR 11915) will be replaced with a lighted pile Indian River Buoy 25 (LLNR 11920) - will be replaced with a fixed pile daymark Indian River Daybeacon 28 (LLNR 11935) Indian River							
replaced with a fixed pile daymark. - Mullett Lake Lighted Buoy 24 (LLNR 11900) - will be replaced with a lighted pile Mullett Lake Lighted Buoy 24A (LLNR 11915) will be replaced with a lighted pile Indian River Buoy 25 (LLNR 11920) - will be replaced with a fixed pile daymark Indian River Daybeacon 28 (LLNR 11935) Indian River							
fixed pile daymark. - Mullett Lake Lighted Buoy 24 (LLNR 11900) - will be replaced with a lighted pile Mullett Lake Lighted Buoy 24A (LLNR 11915) will be replaced with a lighted pile Indian River Buoy 25 (LLNR 11920) - will be replaced with a fixed pile daymark Indian River Daybeacon 28 (LLNR 11935) Indian River							
- Mullett Lake Lighted Buoy 24 (LLNR 11900) - will be replaced with a lighted pile Mullett Lake Lighted Buoy 24A (LLNR 11915) will be replaced with a lighted pile Indian River Buoy 25 (LLNR 11920) - will be replaced with a fixed pile daymark Indian River Daybeacon 28 (LLNR 11935) Indian River							
Lighted Buoy 24 (LLNR 11900) - will be replaced with a lighted pile Mullett Lake Lighted Buoy 24A (LLNR 11915) will be replaced with a lighted pile Indian River Buoy 25 (LLNR 11920) - will be replaced with a fixed pile daymark Indian River Daybeacon 28 (LLNR 11935) Indian River							
(LLNR 11900) - will be replaced with a lighted pile Mullett Lake Lighted Buoy 24A (LLNR 11915) will be replaced with a lighted pile Indian River Buoy 25 (LLNR 11920) - will be replaced with a fixed pile daymark Indian River Daybeacon 28 (LLNR 11935) Indian River							
be replaced with a lighted pile Mullett Lake Lighted Buoy 24A (LLNR 11915) will be replaced with a lighted pile Indian River Buoy 25 (LLNR 11920) - will be replaced with a fixed pile daymark Indian River Daybeacon 28 (LLNR 11935) Indian River							
lighted pile Mullett Lake Lighted Buoy 24A (LLNR 11915) will be replaced with a lighted pile Indian River Buoy 25 (LLNR 11920) - will be replaced with a fixed pile daymark Indian River Daybeacon 28 (LLNR 11935) Indian River							
Mullett Lake Lighted Buoy 24A (LLNR 11915) will be replaced with a lighted pile Indian River Buoy 25 (LLNR 11920) - will be replaced with a fixed pile daymark Indian River Daybeacon 28 (LLNR 11935) Indian River						•	
(LLNR 11915) will be replaced with a lighted pile Indian River Buoy 25 (LLNR 11920) - will be replaced with a fixed pile daymark Indian River Daybeacon 28 (LLNR 11935) Indian River						Mullett Lake	
be replaced with a lighted pile Indian River Buoy 25 (LLNR 11920) - will be replaced with a fixed pile daymark Indian River Daybeacon 28 (LLNR 11935) Indian River							
lighted pile Indian River Buoy 25 (LLNR 11920) - will be replaced with a fixed pile daymark Indian River Daybeacon 28 (LLNR 11935) Indian River							
Indian River Buoy 25 (LLNR 11920) - will be replaced with a fixed pile daymark Indian River Daybeacon 28 (LLNR 11935) Indian River							
25 (LLNR 11920) - will be replaced with a fixed pile daymark Indian River Daybeacon 28 (LLNR 11935) Indian River							
will be replaced with a fixed pile daymark Indian River Daybeacon 28 (LLNR 11935) Indian River							
daymark Indian River Daybeacon 28 (LLNR 11935) Indian River							
River Daybeacon 28 (LLNR 11935) Indian River							
28 (LLNR 11935) Indian River						-	
Indian River							
Davoeacon 40						Daybeacon 40	
(LLNR 11980)							
Indian River							
Daybeacon 45						-	
(LLNR 12005)							
Indian River							
Daybeacon 62							
(LLNR 12070) Crooked Lake							

TITLE	CATEGORY SUB BEGIN CATEGORYDATE	END DATE	DESCRIPTION	LOCATION
			Temporary Buoy 81	
			(LLNR 12140) - will	
			be replaced with a	
			fixed pile daymark.	
			 Crooked Lake 	
			Buoy 82 (LLNR	
			12145) – will be	
			replaced with a	
			fixed pile daymark.	
			- Crooked Lake	
			Daybeacon 83	
			(LLŃR 12150)	
			Crooked Lake	
			Daybeacon 84	
			(LLŃR 12155)	
			Crooked Lake	
			Daybeacon 86	
			(LLNR 12165)	
			Crooked Lake	
			Daybeacon 87	
			(LLNR 12170).	

<u>Milwaukee</u>

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Lakeshore State Park Entrance Lt 1	20681	LT EXT	PA
Milwaukee City South Pier No. 2 South Light	20700	LT EXT	PA
South Shore Park Entrance Lighted Buoy 1	20729	MISSING	PA
South Shore Park Entrance Lighted Buoy 2	20730	MISSING	PA

TITLE	CATEGOI	SUB BEGIN CATEGORYDATE	END DATE	DESCRIPTION	LOCATION
LAKE MICHIGAN - Milwaukee/Ge Construction (Excluding Bridges)/Facill Barriers, Manmade Reefs, Riprap Jetties/Dikes	neral/Marin General ities,	e Marine Constructi 2∕10 24-	2024-	General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2024-08-01 To: 2024-12-31 Great Lakes Dock and Material will be conducting South Shore breakwater repair. Hours of operation are 24 hours a day 7 days a week. Barge Justin Avery, Tug George F. Bailey and Tug Fischer Hayden can be contacted on VHF channels 16 and 18. Mariners should use extreme caution when transiting the area and maintain 25ft from equipment and work area. (4) danger buoys will outline the work area on the landside of the existing breakwater. Do Not Enter Work Area. Please have positive contact with equipment, marine equipment will be located near the south shore breakwater - North Section in Lake Michigan. The work areas are directly east of South Shore Yacht Club. Equipment includes crane barge, excavators, material barges and tug boats	

TITLE	CATEGORY SUB BEGIN CATEGORYDATE	END DATE	DESCRIPTION	LOCATION
LAKE MICHIGAN - Milwaukee/Ge			*****REVISED***** WI - LAKE MICHIGAN - Milwaukee Harbor - Chart 14924 From July 22, 2024, through October 31, 2024, one bridge leaf of the Cherry Street Bridge at Mile 2.29 over the Milwaukee River will be secured to masted navigation while the other bridge leaf operates normally for the passage of vessels. From November 1, 2024, through April 1, 2025, both leaves will be secured to masted navigation. Vessels able to pass under the bridge without an opening may do so at any time. Between the hours of 0600 and 1700, Monday through Saturday, three barges, 60-foot by 80-foot or smaller will be working at the bridge, the barges will monitor VHF-FM Marine Channel 16 and move if a 3-hour advance notice is provided. Mariners may also provide advance notice by radio or by calling 312-735-1639. [24/24] [29/24]	POINT [Latitude: 43.048624, Longitude: -87.911573]

MOSS POINT TO VERMILLION

TITLE	CATEGORY SUB BEGIN CATEGORYDATE	END DATE	DESCRIPTION	LOCATION
Lake Erie - MOSS POINT TO VERMILLION/O To Navigation/Sh Reported	Hazards 2024- Ger Geal#Ha lzardsTo 10-01 Navigation		General/Hazards To Navigation/Shoaling Reported From: 2024-10-01 To: 2025-03-30 Shoaling has been reported at the mouth of the Rocky River and throughout its entirety, exceeding 5 feet above low water datum inside the main channel. Of major note, the turning basin located at the mouth of the river on the west bank measures in areas at less than one foot. The latest U.S. Army Corps of Engineers hydrological survey can be found online via links above. All mariners are requested to transit the area with caution.	

Munuscong Channel Upbound

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Munuscong Channel (Upbound) Junction Light ML	13030	AIS INOP	FD
Munuscong Channel (Upbound) Lighted Buoy 9	13070	AIS INOP	FD

<u>MuskegonLake</u>

TITLE	CATEGORY	END DATE	DESCRIPTION	LOCATION
LAKE MICHIGAN - MuskegonLak To Navigation/Sh Reported	e/General/Hazards 2024- General Io 10-01 Ioaling Navigation	2025- 03-30	General/Hazards To Navigation/Shoaling Reported From: 2024-10-01 To: 2025-03-30 Location: The Coast Guard has received reports that the depths at the entrance to Muskegon Lake are less than the charted depths.	

New Buffalo

TITLE C	ATEGORY SUB	BEGIN RYDATE	END DATE	DESCRIPTION	LOCATION
LAKE MICHIGAN - New Buffalo/General/K To Navigation/Shoal Reported	Navigatio	10 01		General/Hazards To Navigation/Shoaling Reported From: 2024-10-01 To: 2025-03-30 Location: Immediately inside the break wall Shoaling has been reported near the middle of the channel immediately inside the break wall in New Buffalo Harbor, MI. The actual water depth is currently significantly below the charted depth.	

Niagara River

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Beaver Island State Park West Bulkhead Light	3070	LT IMCH	PA
Niagara Falls Intake Crib Light	3292	LT EXT	PA
Niagara Falls Transmission Line Light B	3295	LT EXT	PA
Buckhorn Island Dike Light 2	3310	LT IMCH	PA
Buckhorn Island Dike Light 3	3315	LT IMCH	PA

TITLE	CATEGORY SUB BEGIN CATEGORYDATE	END DATE	DESCRIPTION	LOCATION
Niagara River/General/l		2026-	NY - LAKE ERIE - Niagara River - Chart 14833 From August 28, 2023, through July 26, 2026, scaffolding that extends approximately 3- feet below low steel will be installed under the South Grand Island Bridge at Mile 3.40 and the North Grand Island Bridge at Mile 18, both over the Niagara River. A 16- foot by 32-foot materials barge and a 4-foot by 40- foot temporary dock will be used under the bridges.	POINT [Latitude: 42.99869, Longitude: -78.936707]
LOWER NIAGARA RIVER - Niagara River/ATON/PAT Discrepancies	ON Discrepancles 07	2025- 04-05	ATON/PATON Discrepancies From: 2024-10-07 To: 2025-04-05 Location: 43.06722° N / 79.005° W Aid Name: Buckhorn Island Dike Light 3 LLNR: 3315 Discrepancy Information: Initial Report DTG: 072044Z OCT 2024 Summary: LT IMCH	POINT [Latitude: 43.06722, Longitude: -79.005]
LOWER NIAGARA RIVER - Niagara River/ATON/PAT Discrepancies	ON Discrepancles 07	2025- 04-05	ATON/PATON Discrepancies From: 2024-10-07 To: 2025-04-05 Location: 43.0675° N / 79.00583° W Aid Name: Buckhorn Island Dike Light 2 LLNR: 3310 Discrepancy Information: Initial Report DTG: 072043Z OCT 2024 Summary: LT IMCH	POINT [Latitude: 43.0675, Longitude: -79.00583]

TITLE C	CATEGORY SUB BEGING CATEGORYDAT	N END E DATE	DESCRIPTION	LOCATION
LOWER NIAGARA RIVER - Niagara River/ATON/PATO Discrepancies	ATON PATON 2024	l- 2025-	ATON/PATON Discrepancies From: 2024-10-07 To: 2025-04-05 Location: 43.07055° N / 78.99997° W Aid Name: Niagara Falls Intake Crib Light LLNR: 3292 Discrepancy Information: Initial Report DTG: 072039Z OCT 2024 Summary: LT EXT	POINT [Latitude: 43.07055, Longitude: -78.99997]
LOWER NIAGARA RIVER - Niagara River/ATON/PATO Discrepancies	Discrepanc169-0	l- 2025- 7 04-05		POINT [Latitude: 43.07, Longitude: -79.00333]
LOWER NIAGARA RIVER - Niagara River/ATON/PATO Discrepancies	Discrepancles 0	l- 2025- 7 04-05	ATON/PATON Discrepancies From: 2024-10-07 To: 2025-04-05 Location: 42.95008° N / 78.96167° W Aid Name: Beaver Island State Park West Bulkhead Light LLNR: 3070 Discrepancy Information: Initial Report DTG: 072036Z OCT 2024 Summary: LT IMCH	POINT [Latitude: 42.95008, Longitude: -78.96167]

<u>Oswego Harbor</u>

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Oswego Harbor West Channel Light 2	2105	TRLB	FD

TITLE	CATEGO	RY SUB CATEGOI	BEGIN RYDATE	END DATE	DESCRIPTION	LOCATION
LAKE ONTARIO - Oswego Harbor/ATON/ Changes	o O	Tomporor	y 2024-	2025-	ATON/Temporary Changes From: 2024-10-16 To: 2025-04-14 Location: 43.4662° N / 76.52011° W Aid Name: Oswego Harbor West Channel Light 2 LLNR: 2105 Temporary Aid Change Information: Status: TRLB	POINT [Latitude: 43.4662, Longitude: -76.52011]

Point Iroquois

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Gros Cap Reefs Light (C)	14495	LT IMCH	FD

TITLE CATEGO	RY SUB BEGIN ENI CATEGORYDATE DAT	DESCRIPTION	LOCATION
Point Iroquois/ATON/FedATON Discrepancies	Federal 2024- 202 Discrepandles-25 03-2	Namo (-roc (an	POINT [Latitude: 46.51168, Longitude: -84.61501]

PORT WASHINGTON TO WAUKEGAN

TITLE	CATEGO	SUB CATEGO	BEGIN RYDATE	END DATE	DESCRIPTION	LOCATION
LAKE MICHIGAN - PORT WASHINGTON TO WAUKEGAN/A Discrepancies Corrected	ATON TON/PATON	PATON Discrepa Corrected	2024- nc15-04 d	2024- 11-18	ATON/PATON Discrepancies Corrected From: 2024-11-04 To: 2024-11-18 Location: 43.32325° N / 87.88847° W Aid Name: Kevich Light LLNR: 20765 Discrepancy Information: Initial Report DTG: 011148Z NOV 2024 Summary: LT EXT Correction DTG: 041249Z NOV 2024 Cause: OTHER CAUSES Cause Comments: OTHER-DOC IN FID Correction Status: WATCHING PROPERLY	POINT [Latitude: 43.32325, Longitude: -87.88847]

Private Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Kevich Light	20765	WATCHING PROPERLY	PA	2024-11-04

Racine

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Racine Launch Basin Entrance Light	20470	LT EXT	PA
Racine East Harbor Entrance Light 2	20490	LT EXT	PA
Racine Harbor Light 13	20545	LT EXT	PA

REDRIDGE TO SAXON HARBOR

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Ontonagon Harbor East Breakwater Light	15220	DISCONTINUED	FD

TITLE	CATEGORY	SUB BEGIN ATEGORYDATE	DESCRIPTION	LOCATION
Lake Superior - REDRIDGE TO SAXON HARBOR/ATON Changes	ATON Te	mporary 2024- hanges 10-16	ATON/Temporary Changes From: 2024-10-16 To: 2025-04-14 Location: 46.87974° N / 89.32995° W Aid Name: Ontonagon Harbor East Breakwater Light LLNR: 15220 Temporary Aid Change Information: Status: DISCONTINUED	POINT [Latitude: 46.87974, Longitude: -89.32995]

Rochester Harbor

TITLE	CATEGOR	SUB CATEGOR	BEGIN RYDATE	END DATE	DESCRIPTION	LOCATION
LAKE ONTARIO - Rochester Harbor/Genera Events/Other	General I/Marine	Marine Events	2024- 09-18	2024-	General/Marine Events/Other From: 2024-09-18 To: 2024-11-10 Location: No coordinates available	
LAKE ONTARIO - Rochester Harbor/Genera Events/Regatta (Race)	l/ MGerrinee al	Marine Events			Rochetser Frostbite Racing 1300-1500	POINT [Latitude: 43.25522, Longitude: -77.6058]
LAKE ONTARIO - Rochester Harbor/Genera Deviation		Bridges	2024-03-01		NY - NEW YORK STATE CANAL SYSTEM - Erie Canal - Chart 14786 The U. S. Coast Guard is requesting mariner and public input regarding the proposed construction of the Verona Water District Waterline Bridge, across the Erie Canal, Mile 122.10, in the Town of Verona, Oneida County, New York. The proposed bridge, which would be a new construction at this location, would consist of two steel truss support towers placed upon concrete foundations constructed on both banks of the Erie Canal. There would be no in- water components of the proposed bridge. It would provide a minimum vertical clearance of 29.60-feet throughout the entire width of the navigation channel and a horizontal clearance of 184.00-feet bank- to-bank with the center 104.00-feet	POINT [Latitude: 43.2075, Longitude: -75.5875]

TITLE	CATEGORY SUB BEGIN CATEGORYDATE	END DATE	DESCRIPTION	LOCATION
_			designated as the	
			navigation channel.	
			All elevations are	
			based upon Low Water Datum	
			(LWD), elevation	
			420.00-feet, Barge	
			Canal Datum	
			(BCD). The	
			complete Public	
			Notice including a	
			map of the	
			location, and plans for the proposed	
			bridge can be	
			viewed and printed	
			from the U.S. Coast	
			Guard Navigation	
			Center's web site	
			at	uses sov/public
			https://www.navcen.unotices-for-bridges-	ascy.gov/public-
			active-by-district?	
			district=9&subdistric	t=n
			or by calling,	
			emailing or mailing	
			a request to the	
			Coast Guard	
			project manager, Mr. Michael Walker,	
			Commander (dpb),	
			Ninth Coast Guard	
			District, 1240 E.	
			9th St., Room	
			2047, Cleveland,	
			OH 44199, (216) 902- 6087, or	
			michael.o.walker2@u	sca.mil.
			Comments	
			received will be	
			made part of the	
			case record until	
			November 18, 2024 [43/24]	
_			From June 10,	
			through November	
			8, 2024, between	
			the hours of 0600	
			and 2100, daily, a	
			30-foot Harcon will	
			be inspecting all	
			bridges from E101	
			Leach Road Bridge at Mile 221.01 to	
LAKE ONTARI	0		E211 County Road	POINT
- Rochester	General Bridges 2024-		5 Bridge at Mile	[Latitude: 43.06233,
	ral/Bridges/Maintenance	11-08	304.13 over the	Longitude: -76.99635]
			Erie Canal. The	-
			Harcon will monitor	
			VHF-FM marine	
			Channel 16 and will	
			move to	
			accommodate	
			accommodate vessels if a 30-	
			accommodate	

TITLE CATEGORY SUB BEGIN CATEGORYDATE	END DATE	DESCRIPTION	LOCATION
LAKE ONTARIO	2026- 01-31	NY - NEW YORK STATE CANAL SYSTEM - Erie Canal - Chart 14786 From March 15, 2024, through January 31, 2025, daily, contractors will utilize scaffolding and man lifts above low steel of the E144C I-390 Bridge at mile 258.65 and the E144D I-390 Bridge at mile 258.68 over the Erie Canal. [42/23]	POINT [Latitude: 43.108715, Longitude: -77.610575]
LAKE ONTARIO - Rochester General Bridges 07-10 Harbor/General/Bridges/Maintenance	2025- 11-10	NY - NEW YORK STATE CANAL SYSTEM - Erie Canal - Chart 14786 From July 8, 2024, through November 30, 2024, scaffolding will be installed under the E-234 Transit Road Bridge at Mile 320.97 over the Erie Canal that hangs approximately 3- feet below low steel. [24/24]	POINT [Latitude: 43.16779, Longitude: -78.69701]
- ROCHESTER (Jeneral Bridges	2025- 05-02	NY - NEW YORK STATE CANAL SYSTEM - Erie Canal - From November 18, 2024, through May 2, 2025, between the hours of 0700 and 1700 daily, a 75-foot by 25-foot barge with a JLG lift will be working at the E205 Presbyterian Road Bridge at Mile 297.65 over the Erie Canal. The barge will monitor VHF-FM Marine Channel 16 and spotters will warn of approaching vessels and move the man lift to allow vessels to pass.	POINT [Latitude: 43.2486, Longitude: -78.2767]

Marine Events (Approved)

CATEGORY	BEGIN DATE	END DATE	DESCRIPTION	LOCATION
Dogatta (Dasa)	ette (Base) 2024 11 02 2025 05 04 Rochetser Frost		Rochetser Frostbite	
Regatta (Race)	2024-11-03	2025-05-04	Racing 1300-1500	
			RYC 2024 High	
Other	2024-09-16	2024-11-10	School Sailing	
			Program	

Saginaw Bay Channel

TITLE CATEGO	SUB BEGIN	END DATE	DESCRIPTION	LOCATION
SAGINAW BAY - Saginaw Bay Channel/ATON/FedATGN Discrepancies Corrected	Federal 2024- Discrepandes 25 Corrected	2024- 11-08	ATON/Federal Discrepancies Corrected From: 2024-10-25 To: 2024-11-08 Location: 43.80643° N / 83.72028° W Aid Name: Saginaw Bay Channel Lighted Buoy 2 LLNR: 10575 Discrepancy Information: Initial Report DTG: 041049Z OCT 2024 Summary: LT EXT Correction DTG: 251228Z OCT 2024 Cause: POWER,SOLAR/BATT Cause Comments: BATTERY MALF Correction Status: RELIGHTED	POINT [Latitude: 43.80643, Longitude: -83.72028]

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Saginaw Bay Channel Lighted Buoy 2	10575	RELIGHTED	FD	2024-10-25

Saginaw River

TITLE	CATEGORY SUB	BEGIN YDATE	END DATE	DESCRIPTION	LOCATION
Saginaw Bay Channel - Saginaw River/General/l	General Bridges Bridges/Rehabilitation	2024- 04-19	2025- 11-30	have two barges 80-foot by 40-foot or smaller working under the bridge. If needed the barges will move with a 2-hour advance notice. Mariners should provide advance notice for the barges by calling 608-425-0171.	POINT [Latitude: 43.61305556, Longitude: -83.87277778]
Saginaw Bay Channel - Saginaw River/General/I (Scheduled On Emergency)		12-01	03-31	General/Bridges/Clos (Scheduled Or Emergency) From: 2024-12-01 To: 2025-03-31 Location: 43.61305556° N / 83.87277778° W Bridge Name: Independence Bridge Vessels able to pass under the bridge without an opening may do so at any time. Two 80x40-foot barges will be working under the bridge, and they will move if a 2-hour advance notice is provided by calling 608-425- 0171. During the winter the ice will be degraded due to the movement of barges and the ice under the bridge should be considered unsafe for pedestrians or vehicles.	POINT [Latitude: 43.61305556, Longitude: -83.87277778]

BEGIN END **SUB** CATEGORYDATE DATE **TITLE DESCRIPTION LOCATION** [Latitude: 43.57972, Channel -12-01 03-31 From: 2024-12-01 Saginaw To: 2025-03-31 Longitude: -83.89972] River/General/Bridges/Construction Location: 43.57972° N/ 83.89972° W Bridge Name: Lafayette Avenue **Bridge From** December 1, 2024, through March 31, 2025, the Lafayette Street Bridge at Mile 6.78, over the Saginaw River will be secured to masted navigation. Vessels able to pass under the bridge without an opening may do so at any time. Additionally, starting on October 1, 2024, six barges 80x100-foot or smaller, will be working under the bridge, and they will move if a 2hour advance notice is provided by calling 608-425-0171. From December 15, 2024, through November 30, 2025, a cofferdam will be installed that measures approximately 60feet by 95-feet, that reduces the navigation channel by 2-feet on either side leaving approximately 146foot channel available for vessels. The red pier lights will be moved to the cofferdam sides to show the temporary reduction in horizontal clearance. From November 4, 2024, through November 15, 2028, trestles will be installed extending outward from shore approximately 50feet. Flashing yellow lights will warn mariners of

TITLE	CATEGO	RY SUB CATEGOR	BEGIN YDATE	END DATE	DESCRIPTION	LOCATION
					the trestle's location. From During the winter, the ice will be degraded due to the movement of barges and the ice under the bridge should be considered unsafe for pedestrians or vehicles.	
Saginaw Bay Channel - Saginaw River/General, Construction (Excluding Bridges)/Dred	/M aGiere eral I	Marine Constructi (Excluding Bridges)			General/Marine Construction (Excluding Bridges)/Dredging From: 2024-09-05 To: 2024-11-15 Location: Saginaw River Ryba Marine will be conducting maintenance dredging. Hours of operation are 24 hours a day 7 days a week. Tug Kathy Lynn can be contacted on VHF channels 13 and 16.	
Saginaw Bay Channel - Saginaw River/General,	General	Briages		2025- 11-30	******REVISED***** MI - LAKE HURON - Saginaw River - Chart 14867 From April 19, through November 30, 2024, the Independence Street Bridge at Mile 3.88, over the Saginaw River will have two barges 80-foot by 40-foot or smaller working under the bridge. If needed the barges will move with a 2- hour advance notice. Mariners should provide advance notice for the barges by calling 608-425- 0171. [17/23] [47/23] [17/24]	POINT [Latitude: 43.61305556, Longitude: -83.87277778]

Sailors Encampment Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Sailors Encampment Channel Lighted Buoy 21	13125	AIS INOP	FD

<u>Sheboygan</u>

TITLE	CATEGORY SUB	BEGIN RYDATE	END DATE	DESCRIPTION	LOCATION
LAKE MICHIGAN - Sheboygan/G To Navigation/Sh Reported	eneral/Hazards General To	2024- on ¹⁰⁻⁰¹	2025- 03-30	entrance of the	POINT [Latitude: 43.74893, Longitude: -87.70183]

Sodus Bay

TITLE CATEGO	SUB BEGIN CATEGORYDATE		DESCRIPTION	LOCATION
LAKE ONTARIO - Sodus Bay/General/Haz@ehseral To Navigation/Obstructions	Navigation 10-01	2025- 03-30	host ramp of Wort	

TITLE	CATEGO	RY SUB BEGIN CATEGORYDATE	END DATE	DESCRIPTION	LOCATION
LAKE ONTARION - Sodus Bay/General/N Construction (Excluding Bridges)/Facili Barriers, Manmade Reefs, Riprap Jetties/Dikes	O Marine General ities,	Marine	2024-	General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2024-10-01 To: 2024-11-30 Location: 43.27614° N / 76.94776° W 43.27258° N / 76.9463° W 43.27064° N / 76.9614° W 43.27389° N / 76.96192° W 43.27614° N / 76.94776° W A series of breakwater barriers are being constructed in Lake Ontario near Crescent Beach, to the east of Sodus Point, NY. Work will be conducted between the hours of 0500 to 2000. Hours are dependent on weather conditions. Construction vessels can be hailed on VHF Channel 16. Inquiries related to the project can be directed to Mr. Glenn Roet at (315) 575-6091. All mariners are advised to stay clear of workboats, barges, floating or submerged equipment in the operational work area between floating navigation buoys detailed below and the shoreline.	POLYGON [Latitude: 43.27614, Longitude: -76.94776] [Latitude: 43.27258, Longitude: -76.9463] [Latitude: 43.27064, Longitude: -76.9614] [Latitude: 43.27389, Longitude: -76.96192] [Latitude: 43.27614, Longitude: -76.94776]

ST MARYS RIVER TO AU SABLE POINT

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Little Lake Harbor Light 2	14540	DISCONTINUED FOR DREDGING	FD

TITLE	CATEGO	RY SUB BEO	_	END DATE	DESCRIPTION	LOCATION
Lake Superior - ST MARYS RIVER TO AU SABLE POINT/ATON/To Changes	ATON	Temporary 20 Changes 10			ATON/Temporary Changes From: 2024-10-16 To: 2025-04-14 Location: 46.7179° N / 85.36449° W Aid Name: Little Lake Harbor Light 2 LLNR: 14540 Temporary Aid Change Information: Status: DISCONTINUED FOR DREDGING	POINT [Latitude: 46.7179, Longitude: -85.36449]

St. Clair Cut-Off Channel

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
St. Clair Cut-Off Channel Preferred Channel Lighted Buoy CO	8590	TRLB	FD

TITLE	CATEGORY	SUB BEGIN ATEGORYDATE	END DATE	DESCRIPTION	LOCATION
Lake St. Clair St. Clair Cut- Off Channel/ATON Changes	ATON (emporary 2024- Changes 09-18		ATON/Temporary Changes From: 2024-09-18 To: 2025-03-17 Location: 42.51628° N / 82.68952° W Aid Name: St. Clair Cut- Off Channel Preferred Channel Lighted Buoy CO LLNR: 8590 Temporary Aid Change Information: Status: TRLB The visual and operational radar range of the buoy will be reduced. The lighted signal range will remain unchanged.	POINT [Latitude: 42.51628, Longitude: -82.68952]

St. Clair Flats Canal

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
St. Clair Flats Lighted Danger Buoy C	9578	STRUCT MISSING	FD

TITLE CATEGO	ORY SUB BEGIN EN	DESCRIPTION	LOCATION
Lake St. Clair - St. Clair Flats ATON Canal/ATON/Federal Discrepancies	Federal 2024- 202 Discrepancles 30 03-2		POINT [Latitude: 42.52197, Longitude: -82.6827]

St. Clair Municipal Park Entrance

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
St. Clair Municipal Park Entrance Buoy 1	8905	MISSING	PA
St. Clair Municipal Park Entrance Buoy 2	8910	OFF STA	PA
St. Clair Municipal Park Entrance Buoy 3	8915	OFF STA	PA
St. Clair Municipal Park Entrance Buoy 4	8920	OFF STA	PA

St. Clair River

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Grande Pointe Light 23	9690	TRLT	FD

TITLE	CATEGO	RY SUB CATEGOR	BEGIN YDATE	END DATE	DESCRIPTION	LOCATION
PORT HURON TO PTE AUX BARQUES - St. Clair River/General/E	General	Bridges	2024-	2025- 04-19	MI - SAINT CLAIR RIVER - Chart 14852 From June 14, 2024, through December 20, 2025, scaffolding that hangs approximately 4- feet below low steel will be installed under the Blue Water Bridge at Mile 39.1 over the St. Clair River. Steady burning yellow lights will warn mariners of the temporary reduction in clearances. [22/24]	POINT [Latitude: 42.9986, Longitude: -82.42349]
PORT HURON TO PTE AUX BARQUES - St. Clair River/ATON/Ten Changes	ATON	Temporary Changes			ATON/Temporary Changes From: 2024-10-16 To: 2025-04-14 Location: 42.58532° N / 82.55655° W Aid Name: Grande Pointe Light 23 LLNR: 9690 Temporary Aid Change Information: Status: TRLT	POINT [Latitude: 42.58532, Longitude: -82.55655]

St. Joseph

TITLE	CATEGORY SUB BEG	SIN END	DESCRIPTION	LOCATION
LAKE MICHIGAN - S Joseph/Genera	t General Bridges ²⁰	24- 202 <u>'</u> 16 04-0	7075 Inrough	POINT [Latitude: 42.11166667, Longitude: -86.4711111]

St. Lawrence Seaway

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
St. Lawrence Seaway Lighted Buoy 238	1650	REDUCED INT	FD
St. Lawrence Seaway Lighted Buoy 240	1675	REDUCED INT	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Aluminum Foundry Water Intake Buoy	90	MISSING	PA
Lake St. Lawrence Yacht Club Channel Buoy 1	336.1	DAYMK IMCH	PA
Lake St. Lawrence Yacht Club Channel Buoy 2	336.15	DAYMK IMCH	PA
Lake St. Lawrence Yacht Club Channel Buoy 3	336.2	DAYMK IMCH	PA
Lake St. Lawrence Yacht Club Channel Buoy 4	336.25	DAYMK IMCH	PA
Lake St. Lawrence Yacht Club Channel Buoy 5	336.3	DAYMK IMCH	PA
Lake St. Lawrence Yacht Club Channel Buoy 6	336.35	DAYMK IMCH	PA
Lake St. Lawrence Yacht Club Channel Buoy 7	336.4	DAYMK IMCH	PA
Lake St. Lawrence Yacht Club Channel Buoy 10	336.55	DAYMK IMCH	PA
Lake St. Lawrence Yacht Club Channel Buoy 11	336.6	DAYMK IMCH	PA
Lake St. Lawrence Yacht Club Channel Buoy 12	336.65	DAYMK IMCH	PA

TITLE CATEGO	ORY SUB BEGIN CATEGORYDATE	END DATE	DESCRIPTION	LOCATION
St. Lawrence Seaway/ATON/PATANON Discrepancies	PATON 2024- Discrepancl e s-07	2025- 04-05	ATON/PATON Discrepancies From: 2024-10-07 To: 2025-04-05 Location: 44.98917° N / 74.73389° W Aid Name: Aluminum Foundry Water Intake Buoy LLNR: 90 Discrepancy Information: Initial Report DTG: 072047Z OCT 2024 Summary: MISSING	POINT [Latitude: 44.98917, Longitude: -74.73389]
St. Lawrence Seaway/ATON/Fed &F ฌีN Discrepancies	Federal 2024- Discrepanc 1d s-04		ATON/Federal Discrepancies From: 2024-11-04 To: 2025-05-03 Location: 44.15131° N / 76.33037° W Aid Name: St. Lawrence Seaway Lighted Buoy 240 LLNR: 1675 Discrepancy Information: Initial Report DTG: 041238Z NOV 2024 Summary: REDUCED INT	POINT [Latitude: 44.15131, Longitude: -76.33037]
St. Lawrence Seaway/ATON/Fed &Fឦ N Discrepancies	Federal 2024- Discrepanc le s-04		ATON/Federal Discrepancies From: 2024-11-04 To: 2025-05-03 Location: 44.16809° N / 76.3242° W Aid Name: St. Lawrence Seaway Lighted Buoy 238 LLNR: 1650 Discrepancy Information: Initial Report DTG: 041239Z NOV 2024 Summary: REDUCED INT	POINT [Latitude: 44.16809, Longitude: -76.3242]

TITLE CATEGO	RY SUB BEGIN CATEGORYDATE	END DATE	DESCRIPTION	LOCATION
St. Lawrence Seaway/ATON/PAT ØN ON Discrepancies	PATON 2024-	2025- 04-08	ATON/PATON Discrepancies From: 2024-10-10 To: 2025-04-08 Location: 44.9389° N / 74.99918° W Aid Name: Lake St. Lawrence Yacht Club Channel Buoy 7 LLNR: 336.4 Discrepancy Information: Initial Report DTG: 101348Z OCT 2024 Summary: DAYMK IMCH	POINT [Latitude: 44.9389, Longitude: -74.99918]
St. Lawrence Seaway/ATON/PATON Discrepancies	PATON 2024- Discrepancl e 6-10		ATON/PATON Discrepancies From: 2024-10-10 To: 2025-04-08 Location: 44.94224° N / 74.99946° W Aid Name: Lake St. Lawrence Yacht Club Channel Buoy 2 LLNR: 336.15 Discrepancy Information: Initial Report DTG: 101342Z OCT 2024 Summary: DAYMK IMCH	POINT [Latitude: 44.94224, Longitude: -74.99946]
St. Lawrence Seaway/ATON/PAT ØN ON Discrepancies	PATON 2024- Discrepanc l⊕ 10		ATON/PATON Discrepancies From: 2024-10-10 To: 2025-04-08 Location: 44.94056° N / 74.99892° W Aid Name: Lake St. Lawrence Yacht Club Channel Buoy 3 LLNR: 336.2 Discrepancy Information: Initial Report DTG: 101343Z OCT 2024 Summary: DAYMK IMCH	POINT [Latitude: 44.94056, Longitude: -74.99892]

TITLE CATEGO	ORY SUB BEGIN CATEGORYDATE	END DATE	DESCRIPTION	LOCATION
St. Lawrence Seaway/ATON/PAT ©N ON Discrepancies	PATON 2024- Discrepancl & :10	2025- 04-08	ATON/PATON Discrepancies From: 2024-10-10 To: 2025-04-08 Location: 44.93896° N / 74.99802° W Aid Name: Lake St. Lawrence Yacht Club Channel Buoy 11 LLNR: 336.6 Discrepancy Information: Initial Report DTG: 101350Z OCT 2024 Summary: DAYMK IMCH	POINT [Latitude: 44.93896, Longitude: -74.99802]
ATON/PATON Discrepancies ATON	PATON 2024- Discrepancl e 6-10	2025- 04-08	ATON/PATON Discrepancies From: 2024-10-10 To: 2025-04-08 Location: 44.93917° N / 74.99843° W Aid Name: Lake St. Lawrence Yacht Club Channel Buoy 12 LLNR: 336.65 Discrepancy Information: Initial Report DTG: 101351Z OCT 2024 Summary: DAYMK IMCH	POINT [Latitude: 44.93917, Longitude: -74.99843]
St. Lawrence Seaway/ATON/PAT ©N ON Discrepancies	PATON 2024- Discrepancl & -10	2025- 04-08	ATON/PATON Discrepancies From: 2024-10-10 To: 2025-04-08 Location: 44.93917° N / 74.99973° W Aid Name: Lake St. Lawrence Yacht Club Channel Buoy 5 LLNR: 336.3 Discrepancy Information: Initial Report DTG: 101346Z OCT 2024 Summary: DAYMK IMCH	POINT [Latitude: 44.93917, Longitude: -74.99973]

TITLE CATEGO	RY SUB BEGIN CATEGORYDATE	END DATE	DESCRIPTION	LOCATION
ATON/PATON Discrepancies ATON		2025- 04-08	ATON/PATON Discrepancies From: 2024-10-10 To: 2025-04-08 Location: 44.94194° N / 74.99919° W Aid Name: Lake St. Lawrence Yacht Club Channel Buoy 1 LLNR: 336.1 Discrepancy Information: Initial Report DTG: 101341Z OCT 2024 Summary: DAYMK IMCH	POINT [Latitude: 44.94194, Longitude: -74.99919]
St. Lawrence Seaway/ATON/PAT ØN ON Discrepancies	PATON 2024- Discrepancl e 6-10	2025- 04-08	ATON/PATON Discrepancies From: 2024-10-10 To: 2025-04-08 Location: 44.94002° N / 74.9989° W Aid Name: Lake St. Lawrence Yacht Club Channel Buoy 4 LLNR: 336.25 Discrepancy Information: Initial Report DTG: 101345Z OCT 2024 Summary: DAYMK IMCH	POINT [Latitude: 44.94002, Longitude: -74.9989]
St. Lawrence Seaway/ATON/PAT ØN ON Discrepancies	PATON 2024- Discrepancl & s10	2025- 04-08	ATON/PATON Discrepancies From: 2024-10-10 To: 2025-04-08 Location: 44.93909° N / 75.00001° W Aid Name: Lake St. Lawrence Yacht Club Channel Buoy 6 LLNR: 336.35 Discrepancy Information: Initial Report DTG: 101347Z OCT 2024 Summary: DAYMK IMCH	POINT [Latitude: 44.93909, Longitude: -75.00001]

TITLE CATEGO	RY SUB BEGIN EN CATEGORYDATE DA	DESCRIPTION	LOCATION
St. Lawrence Seaway/ATON/PAT ØN ON Discrepancies	PATON 2024- 202 Discrepancl e 6-10 04-0	I awronco Yacht	POINT [Latitude: 44.93917, Longitude: -74.99891]

Strawberry Island Cut

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Erie County Water Authority Lighted Intake Buoy ECWA	3105	LT IMCH	PA

TITLE	CATEGO	RY SUB CATEGO	BEGIN RYDATE	END DATE	DESCRIPTION	LOCATION
Tonawanda Channel - Strawberry Island Cut/ATON/PATON Discrepancies	ATON N	PATON Discrepai	2024- പ ി ക-07		ATON/PATON Discrepancies From: 2024-10-07 To: 2025-04-05 Location: 42.96472° N / 78.93139° W Aid Name: Erie County Water Authority Lighted Intake Buoy ECWA LLNR: 3105 Discrepancy Information: Initial Report DTG: 072036Z OCT 2024 Summary: LT IMCH	POINT [Latitude: 42.96472, Longitude: -78.93139]

Sturgeon Bay Ship Canal

TITLE	CATEGO	RY SUB CATEGOR	BEGIN YDATE	END DATE	DESCRIPTION	LOCATION
LAKE MICHIGAN - Sturgeon Bay Ship Canal/ATON/Fe Discrepancies	deral	Federal Discrepand	-		ATON/Federal Discrepancies From: 2024-09-20 To: 2025-03-19 Location: 44.79502° N / 87.31335° W Aid Name: Sturgeon Bay Ship Canal Light LLNR: 20995 Discrepancy Information: Initial Report DTG: 200930Z SEP 2024 Summary: LT EXT SEC LM BNM 0329-24	POINT [Latitude: 44.79502, Longitude: -87.31335]

Sturgeon Bay Ship Channel

TITLE	CATEGORY SUB BEC	GIN END	DESCRIPTION	LOCATION
Sturgeon Bay Ship Canal - Sturgeon Bay Ship Channel/Gene	, General Bridges 201	24- 2025- 21 04-19	mile 1 1 / Over the	POINT [Latitude: 44.50861111, Longitude: -88.02138889]
Sturgeon Bay Ship Canal - Sturgeon Bay Ship Channel/Gene	Conoral Pridges 202	24- 2025- 27 02-21	WI - LAKE MICHIGAN - Fox River - Chart 14916 From January 27 through February 21, 2025, the Ray Nitschke Bridge at mile 1.58, over the Fox River will be secured to masted navigation for maintenance. Vessels able to pass under the bridge without an opening may do so at any time. [41/24] +	POINT [Latitude: 44.51833333, Longitude: -88.01527778]

Tonawanda Channel

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Tonawanda Intake Crib Light	3165	DBD DMGD	PA
North Tonawanda Intake Crib Light	3185	LT IMCH	PA

TITLE CATEGO	DA	END DATE	DESCRIPTION	LOCATION
Niagara River - Tonawanda ATON Channel/ATON/PATON Discrepancies	PATON 2024- 2 Discrepancl e 0-07 0		ATON/PATON Discrepancies From: 2024-10-07 To: 2025-04-05 Location: 43.02556° N / 78.89125° W Aid Name: North Tonawanda Intake Crib Light LLNR: 3185 Discrepancy Information: Initial Report DTG: 072038Z OCT 2024 Summary: LT IMCH	POINT [Latitude: 43.02556, Longitude: -78.89125]
Niagara River - Tonawanda ATON Channel/ATON/PATON Discrepancies	PATON 2024- 2 Discrepancl € 507 0		ATON/PATON Discrepancies From: 2024-10-07 To: 2025-04-05 Location: 43.01667° N / 78.89333° W Aid Name: Tonawanda Intake Crib Light LLNR: 3165 Discrepancy Information: Initial Report DTG: 072037Z OCT 2024 Summary: DBD DMGD	POINT [Latitude: 43.01667, Longitude: -78.89333]

Trenton Channel

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
ACOE LKSTC Water Sensor Buoy 1	8892	MISSING	PA

UPPER GREEN BAY

Advanced Notice of Changes

NAME	ACTION TYPE	DESCRIPTION
Cedar River Pierhead Light	RENAME	ATON/Advanced Notice of Change From: 2024-09-13 To: 2025-03-12 Location: 45.40736° N / 87.35104° W Aid Name: Cedar River Pierhead Light LLNR: 21785 Action: RENAME Cedar River Pierhead Light will be renamed Cedar River West Pierhead Light. The operation of the light and daymarks will remain unchanged. For any comments or questions on these changes please contact: The Ninth District Aids to Navigation manager at Brian.D.Hawkins2@uscg.mil or call (206) 815-0913.
Cedar River Light 2	RENAME	ATON/Advanced Notice of Change From: 2024-09-13 To: 2025-03-12 Location: No coordinates available Action: RENAME Cedar River Light 2 will be renamed Cedar River East Pierhead Light. The operation of the light and daymarks will remain unchanged. For any comments or questions on these changes please contact: The Ninth District Aids to Navigation manager at Brian.D.Hawkins2@uscg.mil or call (206) 815-0913.
Cedar River Buoy 4	CHANGE	ATON/Advanced Notice of Change From: 2024-09- 13 To: 2025-03-12 Location: 45.40328° N / 87.34894° W Aid Name: Cedar River Buoy 4 LLNR: 21793.5 Action: CHANGE Action Type Change Light Characteristic Action Type Change Aid Subtype Cedar River Buoy 4 will be renamed Cedar River Lighted Buoy 2, and the previously unlighted buoy will be lit with a flashing red light. For any comments or questions on these changes please contact: The Ninth District Aids to Navigation manager at Brian.D.Hawkins2@uscg.mil or call (206) 815- 0913.

NAME	ACTION TYPE	DESCRIPTION
Cedar River Buoy 5	DISCONTINUE	ATON/Advanced Notice of Change From: 2024-09- 13 To: 2025-03-12 Location: 45.40435° N / 87.3503° W Aid Name: Cedar River Buoy 5 LLNR: 21794 Action: DISCONTINUE For any comments or questions on these changes please contact: The Ninth District Aids to Navigation manager at Brian.D.Hawkins2@uscg.mil or call (206) 815- 0913.
Cedar River Buoy 6	DISCONTINUE	ATON/Advanced Notice of Change From: 2024-09- 13 To: 2025-03-12 Location: 45.40481° N / 87.34947° W Aid Name: Cedar River Buoy 6 LLNR: 21794.1 Action: DISCONTINUE For any comments or questions on these changes please contact: The Ninth District Aids to Navigation manager at Brian.D.Hawkins2@uscg.mil or call (206) 815-0913.
Cedar River Buoy 9	RENAME	ATON/Advanced Notice of Change From: 2024-09- 13 To: 2025-03-12 Location: 45.40559° N / 87.35061° W Aid Name: Cedar River Buoy 9 LLNR: 21794.2 Action: RENAME Cedar River Buoy 9 will be renamed Cedar River Buoy 5. For any comments or questions on these changes please contact: The Ninth District Aids to Navigation manager at Brian.D.Hawkins2@uscg.mil or call (206) 815-0913.
Cedar River Buoy 10	RENAME	ATON/Advanced Notice of Change From: 2024-09- 13 To: 2025-03-12 Location: 45.40609° N / 87.34988° W Aid Name: Cedar River Buoy 10 LLNR: 21794.3 Action: RENAME Cedar River Buoy 10 will be renamed Cedar River Buoy 4 For any comments or questions on these changes please contact: The Ninth District Aids to Navigation manager at Brian.D.Hawkins2@uscg.mil or call (206) 815-0913.
Cedar River Buoy 11	DISCONTINUE	ATON/Advanced Notice of Change From: 2024-09- 13 To: 2025-03-12 Location: 45.4064° N / 87.3508° W Aid Name: Cedar River Buoy 11 LLNR: 21794.4 Action: DISCONTINUE For any comments or questions on these changes please contact: The Ninth District Aids to Navigation manager at Brian.D.Hawkins2@uscg.mil or call (206) 815-0913.
Cedar River Buoy 12	DISCONTINUE	ATON/Advanced Notice of Change From: 2024-09- 13 To: 2025-03-12 Location: 45.40674° N / 87.35006° W Aid Name: Cedar River Buoy 12 LLNR: 21794.5 Action: DISCONTINUE For any comments or questions on these changes please contact: The Ninth District Aids to Navigation manager at Brian.D.Hawkins2@uscg.mil or call (206) 815-0913.

Vermilion

TITLE	CATEGO	RY SUB BEGIN	END DATE	DESCRIPTION	LOCATION
WEST END OF LAKE ERIE - Vermilion/Gend Construction (Excluding Bridges)/Facilit Barriers, Manmade Reefs, Riprap, Jetties/Dikes	eral/Marine General ties,	Marine	-	General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2024-11-04 To: 2024-12-13 Michels Construction ongoing Diving and Sheet Pile wall construction in the Vermilion River between Erie Lagoon and Vermilion Municipal docks, along the shores of Wakefield MetroPark will be continuing until 12.13.2024. Operations will be 10 hours a day, 6 days a week.	POLYGON [Latitude: 41.42847, Longitude: -82.35471] [Latitude: 41.42226, Longitude: -82.35441] [Latitude: 41.42232, Longitude: -82.36471] [Latitude: 41.4284, Longitude: -82.36484] [Latitude: 41.42847, Longitude: -82.35471]

WEST END OF LAKE ERIE

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Battery Park Marina South Entrance Light	4950	LT EXT	PA
Sandusky Yacht Club Light 2	4965	LT EXT	PA
Cooley Canal Front Range Light	6015	STRUCT DEST	PA
Toledo Water Works Intake Crib Lights	6025	LT EXT	PA

TITLE CATEGO	RA	END DATE	DESCRIPTION	LOCATION
Lake Erie - WEST END OF LAKE General ERIE/General/Hazards To Navigation/Wrecks	Hazards 2024- 2 To 10-14 0 Navigation		General/Hazards To Navigation/Wrecks From: 2024-10-14 To: 2025-04-12 Location: 41.58717° N / 82.90217° W A 24' vessel, white in color with a blue top that has sunk in the vicinity Catawba Island.	POINT [Latitude: 41.58717, Longitude: -82.90217]
WEST END OF LAKE ERIE/ATON/PATON Discrepancies	PATON 2024- 2 Discrepanc@s-30 0		ATON/PATON Discrepancies From: 2024-09-30 To: 2025-03-29 Location: 41.46389° N / 82.70067° W Aid Name: Battery Park Marina South Entrance Light LLNR: 4950 Discrepancy Information: Initial Report DTG: 301323Z SEP 2024 Summary: LT EXT	POINT [Latitude: 41.46389, Longitude: -82.70067]

West Neebish Channel Downbound

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
West Neebish Channel (Downbound) Upper Range Rear Light	13475	DAYMK MISSING	FD
Sawmill Point Lighted Buoy 22	13645	AIS INOP	FD
Moon Island Lighted Buoy 13	13695	AIS INOP	FD

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
West Neebish Channel (Downbound) Lighted Buoy 10	13710	DISCONTINUED FOR DREDGING	FD

TITLE	CATEGORYDATE	DATE	DESCRIPTION	LOCATION
Munuscong Lake - West Neebish Channel	General Miscellane@@24- 10-31 General/Miscellaneous	DATE	The Coast Guard	POLYGON [Latitude: 46.38082, Longitude: -84.22742] [Latitude: 46.35283, Longitude: -84.21236] [Latitude: 46.29332, Longitude: -84.21489] [Latitude: 46.28917, Longitude: -84.21317] [Latitude: 46.28837, Longitude: -84.21631] [Latitude: 46.34554, Longitude: -84.21373] [Latitude: 46.3595, Longitude: -84.21742] [Latitude: 46.38034, Longitude: -84.22862] [Latitude: 46.38082, Longitude: -84.22742]
			(Downbound) Lighted Buoy 42 (LLNR 13545) West Neebish Channel	

TITLE	CATEGORY SUB BEGIN END CATEGORYDATE DATE	DESCRIPTION	LOCATION
		Channel	
		(Downbound)	
		Lighted Buoy 40	
		(LLNR 13555)	
		West Neebish	
		Channel (Days a land)	
		(Downbound)	
		Lighted Buoy 39	
		(LLNR 13560) West Neebish	
		Channel	
		(Downbound)	
		Lighted Buoy 38	
		(LLNR 13565)	
		West Neebish	
		Channel	
		(Downbound)	
		Lighted Buoy 37	
		(LLNR 13570)	
		West Neebish	
		Channel	
		(Downbound)	
		Lighted Buoy 35	
		(LLNR 13580).	
		Changes are	
		anticipated to take	
		place during the	
		2024 seasonal	
		decommissioning	
		season.	

LNM Footer Editable in USAIMS Online