

Local Notice to Mariners for District 13

04/22/2025

Admiralty Inlet

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
StraitofJuanDeFuca - Admiralty Inlet/General/Marine Events/Regatta (Race)	Marine Events	26-27 APR 2025, 1000-2000. Start in Shilshole Bay, proceed to Protection Island and Double Bluff Buoy and return. Transit primarily east of VTS. Boats rounding Protection Island may still be finishing in Shilshole Bay on Sunday.	
StraitofJuanDeFuca - Admiralty Inlet/General/Marine Events/Regatta (Race)	Marine Events	03-04 MAY 2025, 0900-1830 each day. Sailing race from Shilshole Bay to Port Townsend and return the following day.	
StraitofJuanDeFuca - Admiralty Inlet/General/Marine Events/Regatta (Race)	Marine Events	17 MAY 2025, 1000-1600. Sailing race from Port Townsend to Bush Point and return.	

Anacortes Harbor

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Shell Oil Company Wharf Warning Range Rear Light	19069	LT EXT	PA

Baker Bay West Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Baker Bay West Channel Entrance Jetty Light 1	14415	STRUCT DMGD/REDUCED INT	FD

Bonneville Pool

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Bonneville Pool Light 22	11855	LT EXT	FD

Boundary Pass

Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Boundary Pass Shoal Isolated Danger Lighted Bell Buoy DB	19815	RESET ON STATION	FD	2025-04-15

Camas Slough

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Camas Slough Range Front Light	11455	LT EXT/STRUCT DMGD	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Vancouver To Bonneville - Camas Slough/ATON/Advanced Notice of Change	Advanced Notice of Change	The U.S. Coast Guard is disestablishing Camas Slough Range Front Light (LLNR 11455) and Camas Slough Range Rear Light (LLNR 11460) as this navigational range no longer marks the approach into Camas Slough and does not facilitate the safe navigation of the channel. The entrance to the slough will continue to be marked by Camas Light 4 (LLNR 11450). Mariners are encouraged to share comments on this and the performance and operation of these aids to navigation. All comments should be sent to the email address D13-SMB-D13-LNM@uscg.mil. Any discrepancy for these or other Aids to Navigation should continue to be reported to US Coast Guard Sector Columbia River.	Lat: 45° 34' 27" Lon: -122° 26' 10"
Vancouver To Bonneville - Camas Slough/ATON/Advanced Notice of Change	Advanced Notice of Change	The U.S. Coast Guard is disestablishing Camas Slough Range Front Light (LLNR 11455) and Camas Slough Range Rear Light (LLNR 11460) as this navigational range no longer marks the approach into Camas Slough and does not facilitate the safe navigation of the channel. The entrance to the slough will continue to be marked by Camas Light 4 (LLNR 11450). Mariners are encouraged to share comments on this and the performance and operation of these aids to navigation. All comments should be sent to the email address D13-SMB-D13-LNM@uscg.mil. Any discrepancy for these or other Aids to Navigation should continue to be reported to US Coast Guard Sector Columbia River.	Lat: 45° 34' 26" Lon: -122° 26' 05"

Cap Sante Waterway

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Cap Sante Waterway Daybeacon 4	19005	STRUCT DMGD/TRUB	FD

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
------	------	--------	----------

Cape Horn

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Cape Horn Range Front Light	11615	DBD DMGD	FD

Columbia

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Columbia River, Submerged Land Act (SLA) - Columbia/General/Bridges/Repairs, Painting, Or Fender Replacement	Bridges	WSDOT will be painting and making repairs on the I-82 Highway Bridge (LLNR 12752) across the Columbia River at river mile 290.5. Construction will occur from 25 Sep 23 to 31 Oct 25, with working hours 24 hours a day, 7 days a week, Monday through Sunday. A containment system will be attached to the bridge 24-hours a day, 7 days per week. The containment structure for painting the existing steel portion below the deck will be installed and will reduce the vertical clearance by 10 feet, however, only half the bridge span will have containment at any given time. The I-82 Highway Bridge provides 85.0 feet of clearance at midspan. The containment system will prevent any falling debris once it is constructed. The traveler support system repairs will be above the bridge deck and all paint work will be underneath the bridge deck. Mariners are advised to use caution while transiting the area. For additional information, please contact Alex Sanguino at (509) 222-2403, email sanguia@wsdot.wa.gov, or Andres Mendoza at (509) 222-2440, email mendoza@wsdot.wa.gov.	Lat: 45° 55' 54" Lon: -119° 19' 43"
Sector Columbia River, Submerged Land Act (SLA) - Columbia/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	Bergerson Construction, Inc. will commence under pier repair operations on the Columbia River in the vicinity of River Mile 13.5, approx. location 46-11-26.07 N, 123-51-11.81 W at the Cannery Pier Hotel from 02 – 30 April 2025, Monday through Friday, from 0700 to 1800 daily. Onsite personnel will be working under the pier on floating platforms and scaffolding and will be monitoring VHF-FM channel 17. Mariners are requested to use caution and reduce wake when transiting the area. For additional information, contact Greg Morrill with Bergerson Construction, Inc. at (503) 325-7130	Lat: 46° 11' 28" Lon: -123° 51' 12"
Sector Columbia River, Submerged Land Act (SLA) - Columbia/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	Advanced American Construction will be performing dock & wharf repairs at Port of Vancouver Berth 1, 2, 3, and 8 & 9 from 06 Jan – 30 Apr 2025. AAC crane barge DB 4100 will be performing pile driving and crane support activities. AAC crew will be working for boom lifts mounted on barges. Mariners are requested to reduce their wake when transiting the work area. Construction operations will occur Monday through Friday, 0700 – 1730. Barges in the work area will have steady white lights on all corners for night identification. During working hours, the derrick barge will monitor VHF-FM channel 13. For more information, please contact John Winstead at (541) 350-2979.	

Columbia River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Columbia River Entrance Lighted Buoy 3	9911	OFF STATION	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Columbia River, Submerged Land Act (SLA) - Columbia River/General/Bridges/Repairs, Painting, Or Fender Replacement	Bridges	WSDOT and Garco Construction will be replacing the decking and repairing piers and crossbeams of the I-90 Highway Bridge across the Columbia River at RM 420 at Vantage WA. Work will start on 4 Mar 2024 and is anticipated to be complete in Nov of 2027. Typical work schedule will be Monday – Friday, 0700 – 1730 with occasional night work. A containment system will be installed on the east span reducing the vertical navigation clearance by 10ft. With all construction projects there is a hazard of falling debris, the containment system is designed to prevent any debris from falling into the water. However, mariners are advised to use caution while transiting the area. For the initial phase the main navigation channel will not have containment installed and provides 73.5 feet of vertical navigation clearance at High Pool Elevation of 571.5 feet. Subsequent phases will have containment installed over the main navigation channel, and updates will be posted in future editions of the LNM. For additional information, contact Justin Ludwig at (208) 704-0122 and email JustinL@garco.com.	Lat: 46° 56' 32" Lon: -119° 58' 23"
Sector Columbia River, Submerged Land Act (SLA) - Columbia River/General/Marine Events/Regatta (Race)	Marine Events	Rusty Iron Outrigger Canoe Race 26-Apr-25 8:00am 3:00pm Columbia River, Vancouver, WA	
Sector Columbia River, Submerged Land Act (SLA) - Columbia River/General/Marine Events/Regatta (Race)	Marine Events	Gorge Downwind Champs Kayak/Outrigger Canoe Race 14-Jul-25 to 19-Jul-25 9:00am-5:00pm Columbia River, Stevenson, WA	
Sector Columbia River, Submerged Land Act (SLA) - Columbia River/General/Marine Events/Boat Parade	Marine Events	EVENT DATE 3-May-24 TIME 1100-1500 EVENT NAME Opening Day Parade Columbia River Yachting Association EVENT LOCATION Columbia River, Vancouver, WA / between the Vancouver Railroad Bridge and the I-5 Bridge	
Sector Columbia River, Submerged Land Act (SLA) - Columbia River/General/Marine Events/Boat Parade	Marine Events	Richland Regatta Boat Parade 14-Jun-25 to 15-Jun-25 8:00am-6:00pm Columbia River, Pasco , WA	
Sector Columbia River, Submerged Land Act (SLA) - Columbia River/General/Marine Events/Other	Marine Events	Fishing Event B10 superbowl salmon tournament 23-Aug-25 6:00am-4:00pm Columbia River, Astoria, OR between Buoy 10 and Tounge Point	

Colvos Passage

Private Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Ruston Way Outfall Lighted Buoy	17121	RESET ON STATION	PA	2025-04-21

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Puget Sound - Colvos Passage/General/Marine Events/Regatta (Race)	Marine Events	26-27 APR 2025, 0700-1700 each day. Two-day human powered watercraft festival and races in the waters of Gig Harbor.	
Puget Sound - Colvos Passage/General/Marine Events/Regatta (Race)	Marine Events	26-27 APR 2025, 0700-1700 each day. Two-day human powered watercraft festival and races in the waters of Gig Harbor.	

Coos River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Marshfield Channel Range Rear Light	9095	DBD DMGD	FD
Coos River Channel Buoy 1A	9103	OFF STATION	FD

East Passage

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Puget Sound - East Passage/General/Marine Events/Regatta (Race)	Marine Events	03 APR - 29 MAY 2025, 1800-2100 Thursday evenings. A recurring series of Thursday evening racing conducted in the vicinity of Des Moines Marina.	
Puget Sound - East Passage/General/Marine Events/Regatta (Race)	Marine Events	26 APR 2025, 0900-1630. A one-day multi race event conducted in East Passage adjacent to Des Moines Marina.	
Puget Sound - East Passage/General/Marine Events/Regatta (Race)	Marine Events	03 APR - 29 MAY 2025, 1800-2100 Thursday evenings. A recurring series of Thursday evening racing conducted in the vicinity of Des Moines Marina.	
Puget Sound - East Passage/General/Marine Events/Regatta (Race)	Marine Events	26 APR 2025, 0900-1630. A one-day multi race event conducted in East Passage adjacent to Des Moines Marina.	

Ediz Hook

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Ediz Hook Light	16280	LT EXT	FD

Elliott Bay

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Puget Sound - Elliott Bay/General/Bridges/Temp Deviation	Bridges	The Coast Guard is canceling an approved temporary deviation to the operating schedule that governs the Spokane Street Bridge (LLNR 16870.1) across the Duwamish Waterway, mile 0.3, in Seattle, WA. The service dates needed changed to facilitate the span mechanical part replacement. This deviation authorizes the west span to remain in the closed-to-navigation position to mariners from 0700 on 21 April 2025 to 2200 on 22 April 2025. The east span will remain in the open to navigation position. The subject bridge provides 55 feet center span and 44 feet side spans of vertical clearance in the closed-to-navigation position above high water. Vessels which do not require a bridge opening may continue to transit beneath the bridge during this closure period. No alternate route is available on the Duwamish Waterway. In accordance with 33 CFR 117.35(e), the drawbridge must return to its regular operating schedule immediately at the end of the effective period of this temporary deviation. Please submit comments or objections to d13-smb-d13-bridges@uscg.mil by 19 March 2025. For more information on this event contact Wes Ducey at Wes.Ducey@seattle.gov or (206) 684-7033.	Lat: 47° 34' 17" Lon: -122° 21' 13"
Puget Sound - Elliott Bay/General/Bridges/Temp Deviation	Bridges	The Coast Guard has approved a temporary deviation that governs the operating schedule for the Spokane Street Bridge across the Duwamish Waterway, mile 0.3, in Seattle, WA. This deviation allows the east span to open to mariners from 0700 on 21 April 2025 to 2200 on 22 April 2025. The west span will be authorized to remain in the closed-to-navigation position. The subject bridge provides 55 feet center span and 44 feet side spans of vertical clearance in the closed-to-navigation position above high water. Vessels which do not require a bridge opening may continue to transit beneath the bridge during this closure period. No alternate route is available on the Duwamish Waterway. In accordance with 33 CFR 117.35(e), the drawbridge must return to its regular operating schedule immediately at the end of the effective period of this temporary deviation. The bridge shall operate in accordance with 33 CFR §117.5 at all other times. For more information on this event contact Wes Ducey at Wes.Ducey@seattle.gov or (206) 684-7033.	Lat: 47° 34' 17" Lon: -122° 21' 13"

Empire Range

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Empire Range A Front Light	8855	DAYMK MISSING	FD
Empire Range A Rear Light	8860	DAYMK MISSING	FD
Empire Range A Rear Light	8860	DAYMK MISSING	FD

Friday Harbor

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Friday Harbor/General/Marine Events/Boat Parade	Marine Events	04 MAY 2025, 1400-1500. Participants will gather at Shipyard Cove at 2pm; boats will form a single line with about 100' spacing and proceed slowly at 2-4 knots past the docks on the Friday Harbor waterfront towards the Friday Harbor marina, past the viewing area on Spring Street Landing dock, on to port's breakwater "D" and "C" before dispersing.	

Garibaldi Channel

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Tillamook Bay - Garibaldi Channel/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	Trade West Construction is moving jetty material to a material offloading facility for use on the Tillamook Bay South Jetty repairs. Jetty stone will be transported from the Port of Garibaldi, approximate location 45-33-14 N, 123-54-54 W, to Kincheloe Point on the Bay Ocean Peninsula in approximate location 45-33-07 N, 123-56-09 W. The tugboat and support vessel involved in this operation will monitor VHF-FM channels 8 and 10. In addition, at various times stone material will be transported and placed on the jetty. Mariners are strongly advised to keep a safe distance from the tug and barge operations and the repair work on the jetty. This project is expected to continue into the Fall of 2025. For more information, contact Keyanee Fought at (435) 669-7976 or email keyaneef@gmail.com.	

Grays Harbor

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Grays Harbor Entrance Lighted Buoy 9	15575	OFF STATION	FD
Grays Harbor South Reach Light 16	15635	DAYMK MISSING/STRUCT DMGD	FD
Grays Harbor North Channel Lighted Buoy 35	15765	OFF STATION	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Columbia River, Submerged Land Act (SLA) - Grays Harbor/ATON/Advanced Notice of Change	Advanced Notice of Change	The U.S. Coast Guard will be testing a reduced sound intensity of Grays Harbor South Jetty Sound Signal (LLNR 15591) when the seasonal aid is commissioned on or about 01 Jun 2025. Mariners are encouraged to share comments on the impact of this change and the effectiveness of this aid to navigation once it is commissioned. All comments should be sent to the email address D13-SMB-D13-LNM@uscg.mil.	Lat: 46° 54' 21" Lon: -124° 08' 47"
Sector Columbia River, Submerged Land Act (SLA) - Grays Harbor/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	The M/V YAQUINA will be conducting dredging activities in the Point Chehalis channel, South Reach and Crossover channel from 08 – 30 Apr 2025. USACE requests mariners transit at their slowest safe speed to minimize wake when in the vicinity of a dredge and proceed with caution after passing arrangements have been made on VHF-FM channel 13. Vessel(s) and/or equipment may encroach into the channel. Mariners are advised that the start and ending dates for dredging activities may vary due to unforeseen on-site conditions, such as gill net fishing, weather and other factors.	

Grays Harbor North Bay

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Damon Point Light	15940	DAYMK MISSING/STRUCT DMGD	FD

Hale Passage

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Inati Bay Reef Buoy	19290	MISSING	FD

HaroStrait

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Sherman Dock Light	19743	LT IMCH	PA

Hood Canal

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
General/Naval Activity/Military Operations	Naval Activity	The US military will be conducting airborne water drop exercises in Hood Canal on 15 – 16 May 2025. These exercises will take place in the Great Bend portion of Hood Canal near Anna's Bay in approximate position 47-22-19 N, 123-07-59 W, from 1300 – 1500 on 15 May and 1700 – 2300 on 16 May. The exercises will consist of aircraft, jumpers, and a support vessel that will monitor VHF-FM channel 16. Due to the complexity of these exercises, mariners are advised to stay well clear of this area and follow any instructions from military personnel involved in the operations. For more information contact SSGT Jim Saechao at 210-485-8225 or Jim.Saechoa@us.af.mil.	Lat: 47° 22' 19" Lon: -123° 07' 59"

Admiralty Inlet - Hood Canal/General/Naval Activity/Military Operations	Naval Activity	Naval Base Kitsap will be conducting Force Protection exercises on 28 April through 01 May 2025 from 0800 - 1600, on the waterfront adjacent to Naval Base Kitsap-Bangor in the Hood Canal, and will occur in an area bound by the following positions: 1) 47-43-40.2 N, 122-44-43.2 W 2) 47-43-45.0 N, 122-45-06.6 W 3) 47-44-10.2 N, 122-45-20.4 W 4) 47-44-36.6 N, 122-44-52.8 W 5) 47-44-54.0 N, 122-44-34.8 W 6) 47-44-51.6 N, 122-44-21.6 W 7) 47-44-50.4 N, 122-44-10.8 W Mariners are requested to remain at least 500 yards away from the area outlined, as well as the grey-hull Navy Security vessels conducting the exercises. Navy Security vessels will be operating at high speeds and utilizing blank ammunition during firing exercises. The Navy Security vessels can be reached on VHF-FM 72, 88A, and 16. For more information, on the exercise, please contact Mark Durben, Antiterrorism Officer, Naval Base Kitsap at (360)396-9275, or mark.e.durben.civ@us.navy.mil.	
---	----------------	---	--

Hoquiam River

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Grays Harbor - Hoquiam River/General/Hazards To Navigation/Obstructions	Hazards To Navigation	Near the Hoquiam River Obstruction Buoy (LLNR 16071.25) is an old, white buoy partially submerged, yet visible at low tide. Mariners should use extra caution navigating near the submerged hazards in this section of the river.	Lat: 46° 58' 41" Lon: -123° 52' 57"

Lake Celilo

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Lake Celilo Daybeacon 27	12230	STRUCT DMGD	FD
Miller Island South Channel Range C Front Light	12275	LT EXT	FD

Lake Union

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Shilshole Bay - Lake Union/General/Marine Events/Regatta (Race)	Marine Events	06 MAY - 02 SEP 2025, 1900-2200 each Tuesday. Sailing event using temporary marks at the northwest and northeast mouths of Lake union and the permanent mark in the vicinity of AGC. Boats round these in clockwise or counterclockwise fashion and join a raft up with an anchored committee boat after completing the laps.	

Lake Washington

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Union Bay Reach - Lake Washington/General/Bridges/Construction	Bridges	Orion Marine will commence trestle installation on the southern portion of Portage Bay near the western section of the SR 520 Evergreen Point Highway Bridge (LLNR 18430) from 28 Oct 2024 to 01 Jul 2025. Work will be conducted Monday through Saturday, in approximate location 47-38-35.6 N, 122-18-44.8 W, and will include Pile Driving, Steel Trestle Framing and Timber Decking. Pile Driving will be conducted from 0700 to 2200 daily, other trestle installation activities are scheduled 24 hours a day for the duration of the work. Vessels onsite include the DB ST Helens, a Crane Barge, GC 28 Material Barge, GC 40 Material Barge, GC 41 Material Barge, Tug Carolyn H, and 6 work skiffs. Crews will be monitoring VHF-FM channels 13 and 14. Three anchor cables will be deployed on the south side of the bridge. Mariners are requested to use caution and reduce wake when transiting the area, and remain at least 200 feet from any work zone. For more information, contact Orion Marine at (206) 818-5387.	Lat: 47° 38' 35" Lon: -122° 18' 41"
Union Bay Reach - Lake Washington/General/Bridges/Maintenance	Bridges	WSDOT is beginning a multi-year project of maintenance on the Interstate 5 Highway Bridge (LLNR 18230) across the Lake Washington Ship Canal in Seattle, WA, at mile 4.2. The project will start with the Contractor installing suspended scaffolding below the upper deck of the I-5 Highway Bridge. This scaffolding may reduce the overhead clearance by ~3 feet. The installation will take place between 1900 – 0430 starting 14 Oct 2024, using Under Bridge Inspection Trucks (UBIT) and work crews overhead. Mariners are advised to use caution while transiting the area. For additional information, or to discuss the reduction of clearance, contact Kevin Murray at (206) 316-7237 or kevin.murray@atkn.com.	Lat: 47° 39' 11" Lon: -122° 19' 21"
Union Bay Reach - Lake Washington/General/Bridges/Construction	Bridges	Work on the I-405 Brickyard to 527 Improvement project will continue along the shore of the Sammamish River, directly east of the I-405/SR522 Interchange. Activities will include excavation near the water edge, pile removal, and large-scale bridge construction activities that will reduce overhead clearance in select areas. Work will continue the first new bridge beginning on March 17th, 2025, and will last through October 31st, 2025. Beginning in April 2025, overhead clearance will be temporarily reduced to 25', extending 7' from the North Bank of the Sammamish and 36' extending 7' from the South Bank of the Sammamish for a length of 85'. Beginning in May 2025, overhead clearance across the Sammamish will be permanently reduced to a minimum of 34.75' across the full width of the river. This work will be to set new precast girder elements across the Sammamish for the first of three new bridges. The typical work schedule is M-F, from 0700 to 1700. Work may occur on Saturdays, Sundays, and nights depending on the construction schedule. No work is to be performed in the water. For more information, contact The Construction Hotline at 425-354-3232 or email info@405Brickyard.com.	Lat: 47° 45' 24" Lon: -122° 11' 06"
Union Bay Reach - Lake Washington/General/Bridges/Construction	Bridges	Construction will begin on the I-90 Highway Bridge (East Channel) (BRDG UID 31114) across Lake Washington on 9 July 2025. The work schedule will be two shifts on Monday-Saturday (0700-1600 and 2000-0700). The construction dates are from 9 July 2025 through 19 Aug 2025, but unforeseen delays could extend the completion date. Containment will be installed to protect for fall hazards to mariners, and the containment will not reduce the bridge's vertical clearance. For more information contact Nathan Walker at (253) 355-4403 or nathan@ceccantiinc.com.	Lat: 47° 34' 44" Lon: -122° 11' 59"
Union Bay Reach - Lake Washington/General/Marine Events/Regatta (Race)	Marine Events	04 MAY 2025, 1100-1800. Single race with several fleets starting and finishing north of the Evergreen Pt. floating bridge between Webster Pt., Hunts Pt., and Sand Point on Lake Washington.	

Union Bay Reach - Lake Washington/General/Miscellaneous	Miscellaneous	Orion Marine will be mooring a derrick barge in northern Lake Washington near Kenmore channel, within 400 ft of approximate location 47-44-57.2N, 122-16-17.1W. The barge will be moored in this location for up to a year, as Orion is supporting the upcoming construction on the westernmost portion of the SR 520 Bridge over Portage Bay. For more information, contact Orion Marine, Joel Garcia, at (509) 240-2400 or email joelgarcia@orionmarinegroup.com.	Lat: 47° 44' 57" Lon: -122° 16' 16"
Union Bay Reach - Lake Washington/General/Miscellaneous	Miscellaneous	The Hiram Chittenden (Ballard) small navigation lock chamber will be closed to all marine traffic from February 18, 2025 to June 18, 2025 for maintenance. The large lock will be open to marine traffic throughout the small lock's closure period. For all the information on the locks operations and maintenance, visit <a href="https://www.nws.usace.army.mil/Missions/Civil-Works/Locks-and-Dams/Chittenden-Locks/Closures/">https://www.nws.usace.army.mil/Missions/Civil-Works/Locks-and-Dams/Chittenden-Locks/Closures/</a>	Lat: 47° 39' 56" Lon: -122° 23' 50"
Union Bay Reach - Lake Washington/General/Miscellaneous	Miscellaneous	Orion Marine will commence material loadout from Kenmore Channel to material barges for transit to the Portage Bay trestle bridge construction project. The loadout will commence 28 Oct and continue to approximately 01 Jul 2025, Monday through Saturday, in location 47-45-24.49 N, 122-15-21.66 W. Work is scheduled 24 hours a day and vessels onsite include Tug Carolyn H, GC 28 Material Barge, GC 40 Material Barge, GC 41 Material Barge. Crews will be monitoring VHF-FM channels 13 and 14. Barges will be moored along the existing pier. Mariners are requested to use caution and reduce wake when transiting near barges. For more information, contact Orion Marine at (206) 818-5387.	

Lopez Sound

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Cypress Reef Junction Daybeacon C	19480	DAYMK MISSING	FD

Miller Sands

Private Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
CMOP Elliot Point Research Lighted Buoy	10252	RESET ON STATION	PA	2025-04-18

North Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Sand Island Lower Dike Light 1	14610	DAYMK MISSING/STRUCT DMGD	FD

Olympia Harbor

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Dana Passage - Olympia Harbor/ATON/Advanced Notice of Change	Advanced Notice of Change	The US Coast Guard is changing the lighting equipment for Olympia Inner Range Front Light (LLNR 17480). The current lighting is becoming obsolete and subject to failure. To facilitate the replacement of this light, the replacement equipment will reduce the arc of visibility from 14° each side of the range line to 9°. The overall intensity of the light will increase to match the characteristic of Olympia Inner 4 Range Rear Light (LLNR 17485). This reduction in the spread of the light will prevent it from being seen when transiting towards the shoal water to the west of the channel. When implemented, this change will be announced via a Broadcast Notice to Mariners. Mariners are encouraged to share comments on the performance and operation of these lights as aids to navigation. All comments should be sent to the email address D13-SMB-D13-LNM@uscg.mil. Any discrepancy for Aids to Navigation should continue to be reported to US Coast Guard Sector Puget Sound.	Lat: 47° 04' 04" Lon: -122° 54' 31"

Port Madison And Port Orchard

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Puget Sound - Port Madison And Port Orchard/General/Naval Activity/Naval Testing (Surface/Underwater)	Naval Activity	The Naval Undersea Warfare Center (NUWC) at Keyport, WA is continuing operations in vicinity of NUWC between University Point, the Brownsville Marina and Keyport through 23 Dec 2025. Operations will normally be conducted Monday through Friday during daylight hours. Operations will involve semisubmersible and submersible vehicles escorted by a small naval craft with a flashing red light. The small craft will monitor VHF-FM channels 12 and 16. The call sign for the small craft will be "Keyport Range Control". All craft transiting the area are requested to exercise caution and maintain a sharp lookout for possible semi-submerged vehicles while the range is in operation. Questions can be directed to Keyport Range Control on VHF-FM channels 12 and 16 or by contacting the Pacific Northwest Range Management and Ops Division, Range Control Branch, at (360) 396-2313.	

PortTownsend

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Admiralty Inlet - PortTownsend/General/Marine Events/Regatta (Race)	Marine Events	04 APR – 29 AUG 2025, 1800-2000. Sailing series around Port Townsend Bay.	
Admiralty Inlet - PortTownsend/General/Marine Events/Regatta (Race)	Marine Events	07 APR - 25 AUG 2025, 1800-2000 each Monday. Weekly sailing series in Port Townsend Bay.	

Admiralty Inlet - PortTownsend/General/Marine Events/Regatta (Race)	Marine Events	02 APR - 27 AUG 2025. 1800-2000 each Wednesday. Weekly sailing series around Port Townsend Bay.	
Admiralty Inlet - PortTownsend/General/Naval Activity/Military Operations	Naval Activity	The Navy will conduct tactical boat operations on 02 May 2025 on the water along the western side of US Naval Magazine Indian Island, during the hours of 0800-1600. The exercise area is located from the southern portion of Crane Point at 48-02-55.352N, 122-44-31.121W extending westward to 48-02-55.352N, 122-44-52.674W, extending NNW to 48-04-19.272N, 122-45-36.436W, and extending to the N and NE encompassing 500 meters standoff from the Portable Security Barrier (PSB) system to Walan Point. Potential hazards will include three 33-foot Police boats, grey in color with blue lights flashing conducting high-speed maneuvers intercepting surface vessels performing simulated attacks on the waterfront of Indian Island. Military Police personnel will be using machine guns with blank fire to repel simulated hostile forces. This training area is restricted to U.S. Navy, Coast Guard and Jefferson County Sheriff vessels during the above-mentioned times. It is required that all vessels maintain a safe distance in all directions from the northern edge of the Ammunition Pier extending from Walan Point extending westward to the identified coordinates and south of Crane Point area as well as 500 yards from the vessels engaged in exercises. Vessels involved in the exercise can be contacted on VHF-FM channels 69, 71 and 16. For more information, contact Naval Magazine Indian Island, Charles Pietzman at (912) 227-8633, Email: charles.d.pietzman.mil@us.navy.mil	

Possession Sound

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Puget Sound - Possession Sound/General/Marine Events/Regatta (Race)	Marine Events	23-25 MAY, 1230-1830 each day. Series of sailing races around Possession Sound.	

Puget Sound

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Edmonds Fishing Reef Buoys (2)	16720	MISSING	PA
Kingston Small Boat Harbor Daybeacon 3	16733	STRUCT MISSING	PA
Kingston Small Boat Harbor Daybeacon 3	16733	STRUCT MISSING	PA

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Admiralty Inlet - Puget Sound/General/Marine Events/Regatta (Race)	Marine Events	09 FEB - 27 APR 2025, 1200-1500. Sunday biweekly. Sailing race between Shilshole Bay and Scatchet Head	
Admiralty Inlet - Puget Sound/General/Marine Events/Regatta (Race)	Marine Events	10-11 MAY 2025, 1100-0600. Start Shilshole Bay, circumnavigate Vashon Island (long course) and return to Shilshole Bay. Boats may still be finishing early on 11 MAY 2025	
Admiralty Inlet - Puget Sound/General/Marine Events/Regatta (Race)	Marine Events	07 MAY - 30 JUL 2025, 1800-2000 each Wednesday. Weekly sailing races between Edwards Point and Richmond Beach, East of commercial traffic lanes.	
Admiralty Inlet - Puget Sound/General/Miscellaneous	Miscellaneous	The Washington Department of Ecology would like to inform you that The Puget Sound Ecosystem Monitoring Program (PSEMP) Sediment Monitoring Component, a Washington Department of Ecology program, will conduct its annual sediment and benthic invertebrate sampling from 31 Mar – 09 May 2025, at up to 50 locations throughout Puget Sound aboard the R/V Salish SeaCat. Salish SeaCat is a gray and blue catamaran, which can be hailed on VHF-FM channel 13 or 16. The sampling effort involves the collection of surface sediments and benthic invertebrates from Puget Sound. More details on the sampling effort can be found on the program website: <a href="https://ecology.wa.gov/Water-Shorelines/Puget-Sound/Sound-science/Marine-sediments">https://ecology.wa.gov/Water-Shorelines/Puget-Sound/Sound-science/Marine-sediments</a> If you have any questions or concerns about this work, please contact Sandra Weakland at 360-688-6420 or <a href="mailto:sgei461@ecy.wa.gov">sgei461@ecy.wa.gov</a> .	Lat: 47° 51' 26" Lon: -122° 25' 34"
Admiralty Inlet - Puget Sound/General/Miscellaneous	Miscellaneous	From 21 Apr through 09 May 2025, the Washington Department of Fish and Wildlife (WDFW) Marine Fish Science (MFS) Unit and the Toxics-focused Biological Observation System (TbIOS) Team will conduct a bottom trawl survey to assess marine fish living in the waters of Puget Sound, including the Strait of Georgia, Hood Canal, Central Sound, and South Sound regions. The vessel chartered by WDFW for the survey is the F/V Chasina, a 58-foot seiner/trawler (call sign WYQ-6987), with red hull and red and white superstructure, which will carry WDFW RESEARCH placards posted on both sides of the upper deck. The survey will visit the following science locations throughout the region: Strait of Georgia; 48.86262 N, 122.96239 W Port Gardner; 47.98529 N, 122.24391 W Hood Canal; 47.83437 N, 122.64420 W Eagle Harbor; 47.62117 N, 122.50701 W Elliott Bay; 47.60541 N, 122.34414 W Duwamish; 47.55740 N, 122.34402 W Sinclair; 47.54814 N, 122.64353 W Carr Inlet; 47.28321 N, 122.71174 W Commencement Bay; 47.25767 N, 122.43543 W Nisqually; 47.15453 N, 122.66850 W For more information on this project visit <a href="https://wdfw.wa.gov/species-habitats/science/marine-toxics/tbios">https://wdfw.wa.gov/species-habitats/science/marine-toxics/tbios</a> or contact Dwight Causey at 564-669-8921 or <a href="mailto:Dwight.Causey@dfw.wa.gov">Dwight.Causey@dfw.wa.gov</a> , or Robert Fisk at 360-688-4841 or <a href="mailto:Robert.Fisk@dfw.wa.gov">Robert.Fisk@dfw.wa.gov</a> .	Lat: 47° 43' 04" Lon: -122° 27' 00"

San Juan Channel

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Richardson Daybeacon	19545	DAYMK DMGD	FD
Twin Rocks Daybeacon	19550	STRUCT MISSING	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
San Juan Channel/General/Miscellaneous	Miscellaneous	Point Caution Research Lighted Buoy B (LLNR 19633) has been established in location 48-33-47.746N, 123-01-32.315W. This is a privately maintained, yellow, can buoy with a light characteristic Fl (5) Y 20s.	Lat: 48° 33' 49" Lon: -123° 01' 32"

Saratoga Passage

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Possession Sound - Saratoga Passage/General/Marine Events/Regatta (Race)	Marine Events	10 MAY 2025, 1200-1700. Rowing races in Penn Cove near Coupeville.	

Sector Columbia River, Exclusive Economic Zone (EEZ)

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
NOAA Environmental Lighted Buoy 46002	765.1	MISSING	FD
NOAA Environmental Lighted Buoy 46002	765.1	Status Unreported	FD
DART Tsunami Warning Lighted Buoy 46407	765.2	MISSING	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
District 13, Oceanic boundary to EEZ - Sector Columbia River, Exclusive Economic Zone (EEZ)/ATON/ATON Changes	ATON Changes	The U.S. Coast Guard has permanently reduced the intensity of North Head Light (LLNR 700) from 19 NM to 14 NM. The light characteristic has changed to two white flashes every 15 seconds (Fl W (2) 15s.	Lat: 46° 17' 56" Lon: -124° 04' 41"

Sector Columbia River, Submerged Land Act (SLA)

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Siuslaw River Approach Lighted Whistle Buoy S	630	OFF STATION	FD

Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Pacwave North Spotter Lighted Buoy B	654.2	OFF STATION	PA

Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Coos Bay Approach Lighted Whistle Buoy K	615	DISCONTINUED	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Columbia River, Territorial Sea - Sector Columbia River, Submerged Land Act (SLA)/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	The M/V ESSAYONS will be conducting dredging activities in the Grays Harbor Bar, Entrance and Point Chehalis channels from approximately 08 Apr – 10 May 2025. USACE requests mariners transit at their slowest safe speed to minimize wake when in the vicinity of a dredge and proceed with caution after passing arrangements have been made on VHF-FM channel 13. Vessel(s) and/or equipment may encroach into the channel. Mariners are advised that the start and ending dates for dredging activities may vary due to unforeseen on-site conditions, such as gill net fishing, weather and other factors.	
Sector Columbia River, Territorial Sea - Sector Columbia River, Submerged Land Act (SLA)/General/Miscellaneous	Miscellaneous	Oregon State University – PacWave has deployed the Ocean Sentinel Research Buoy (MMSI: 33813021) at the PacWave North Test Site approximate 2.5 nautical miles WNW of Yaquina Head in approximate position 44.68975 N, 124.13535 W. The buoy is moored with a multi-point anchor spread, with anchors located to the North, East, Southeast, Southwest and West of the Ocean Sentinel surface buoy. The anchor spread occupies approximately 400 yard diameter from the centrally located Ocean Sentinel. The Ocean Sentinel buoy is yellow, 21ft long by 10ft wide with solar panels and is lighted with a yellow flashing light every 2.5 seconds. A 40-inch diameter secondary steel float is attached to the stern of the Ocean Sentinel with a 50yd sub-surface mooring line suspended ~6ft below the surface. The buoy will remain onsite from Oct 2024 through summer of 2025. Mariners are requested to maintain a 500yd separation from the buoy at all times and use caution when operating in the area. Do not transit between the Ocean Sentinel and 40-inch steel float. The Ocean Sentinel broadcasts AIS as “Special Mark 6NB00090”. For additional information contact brett.hembrough@oregonstate.edu or 541-737-9023	Lat: 44° 41' 23" Lon: -124° 08' 07"

Sector Columbia River, Territorial Sea

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Columbia River, Exclusive Economic Zone (EEZ) - Sector Columbia River, Territorial Sea/General/Miscellaneous	Miscellaneous	Oregon State University – PacWave has deployed a network of site monitoring equipment throughout the PacWave South wave energy test site, approximate 7 NM WSW of Yaquina Bay Entrance. The equipment will be in place from Dec 2024 through Jun 2025. The study consists of up to 12 surface buoys and 2 seafloor mounted instruments. Some of the buoys are low profile and may be difficult to see in elevated sea states. All buoys have a yellow hull and are lighted with flashing amber lights. Mariners are requested to avoid the test site if possible and/or use caution when navigating or operating in the vicinity. For additional information contact brett.hembrough@oregonstate.edu or (541) 737-9023	

Sector Pudget Sound, Submerged Land Act (SLA)

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION

Sector Pudget Sound, Submerged Land Act (SLA)/General/Miscellaneous	Miscellaneous	Olympic Coast National Marine Sanctuary will be conducting oceanographic research in Makah Bay and Teawhit Head from Oct 2024 until May 2025. The R/V Storm Petrel has deployed two moorings at the locations listed below, one near Cape Flattery and another near La Push: MB042 48-19-26.280N 124-44-7.380W TH042 47-52-34.140N 124-44-0.300W The surface gear on these moorings consists of a 12-inch low-drag surface float (Polyform LD-2) attached to sub-surface gear. Sub-surface gear consists of additional line segments, a 14-inch trawl float two meters below mean lower low water, oceanographic instruments, hardware, and an anchor weighing approximately 300 pounds. The anchor consists of five 2.75-inch chain links. For additional information, please contact the Vessel Operations Coordinator at (360) 406-2085.	Lat: 48° 19' 26" Lon: -124° 44' 07"
Sector Pudget Sound, Submerged Land Act (SLA)/General/Miscellaneous	Miscellaneous	Olympic Coast National Marine Sanctuary will be conducting oceanographic research in Makah Bay and Teawhit Head from Oct 2024 until May 2025. The R/V Storm Petrel has deployed two moorings at the locations listed below, one near Cape Flattery and another near La Push: MB042 48-19-26.280N 124-44-7.380W TH042 47-52-34.140N 124-44-0.300W The surface gear on these moorings consists of a 12-inch low-drag surface float (Polyform LD-2) attached to sub-surface gear. Sub-surface gear consists of additional line segments, a 14-inch trawl float two meters below mean lower low water, oceanographic instruments, hardware, and an anchor weighing approximately 300 pounds. The anchor consists of five 2.75-inch chain links. For additional information, please contact the Vessel Operations Coordinator at (360) 406-2085.	Lat: 47° 52' 35" Lon: -124° 44' 01"

Sequim Bay

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
StraitofJuanDeFuca - Sequim Bay/General/Marine Events/Boat Parade	Marine Events	04 MAY 2025, 1000-1700. Yacht Club Open house, Sail and Power boat rides and rowing demonstrations followed by boat parade.	
StraitofJuanDeFuca - Sequim Bay/General/Miscellaneous	Miscellaneous	The Pacific Northwest National Laboratory (PNNL), with support from Marine Floats and Carlson Construction, will deploy a research platform in Sequim Bay, Washington in approximate position 48.078521, -123.044694, from 21 April through 10 June 2025. Dive flag(s) will be displayed over divers during dive operations. The PNNL R/V Desdemona, Carlson Construction tug and barge, and divers will be on scene during the in-water deployment and retrieval. The research platform will be marked with a flashing yellow light every 2.5 seconds (Fl 2.5s). Mariners are requested to use caution and reduce wake when transiting near operations in Sequim Bay inlet during deployment and retrieval operations. The vessel(s) may be hailed on VHF-FM channel 16. For additional information, contact PNNL Marine Sciences Laboratory, Erin Walters, at (206) 528-3129or email erin.walters@pnnl.gov .	Lat: 48° 04' 43" Lon: -123° 02' 41"

Shilshole Bay

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Puget Sound - Shilshole Bay/General/Marine Events/Regatta (Race)	Marine Events	26 APR 2025, 1930-2030. The event features a parade and a race around the buoys in the vicinity of Shilshole Bay.	
Puget Sound - Shilshole Bay/General/Marine Events/Regatta (Race)	Marine Events	14 APR - 19 MAY 2025, 1800-2030 each Monday. Casual sailing races in Shilshole Bay.	
Puget Sound - Shilshole Bay/General/Marine Events/Regatta (Race)	Marine Events	09 APR - 24 SEP 2025, 1730-2030 each Wednesday. Sailing Races in Shilshole Bay between West Point and Richmond Beach.	
Puget Sound - Shilshole Bay/General/Marine Events/Regatta (Race)	Marine Events	10 APR - 25 SEP 2025, 1730-2100 each Thursday. Sailing Race in Shilshole Bay	

SinclairInlet

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Rich Passage - SinclairInlet/General/Marine Events/Regatta (Race)	Marine Events	17 MAY 2025, 1100-1700. Sailing race from Port Orchard to Battle Point.	
Rich Passage - SinclairInlet/General/Marine Events/Regatta (Race)	Marine Events	18 APR - 16 MAY 2025, 1800-2000 each Friday. Sailing regatta in Sinclair Inlet.	
Rich Passage - SinclairInlet/General/Marine Events/Regatta (Race)	Marine Events	23 MAY - 27 JUN 2025, 1800-2100 each Friday. Weekly sailing races in Sinclair Inlet.	

Siuslaw River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Siuslaw River Channel Buoy 4	9453	MISSING	FD

Snake River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Snake River Mile 4 Range Rear Light	13125	NIGHT LT BURNING DAY	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Lake Wallula - Snake River/General/Bridges/Inspection	Bridges	WSDOT personnel will be inspecting the SR 12 Highway Bridges that span the Snake River between Pasco and Burbank, WA, from 0700 – 1330 on 01 May 2025. The bridge will be inspected using one Under-Bridge Inspection Truck (UBIT) that occupies a portion of the roadway. Mariners are advised to use caution while transiting the area and to be advised that the UBIT may reduce the vertical clearance up to 10 feet. For additional information, contact Amir Saleh at (818) 689-9425 or Saleha@wsdot.wa.gov.	Lat: 46° 12' 58" Lon: -119° 01' 23"

**Strait Of Georgia**

**Additional MSI Categories**

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Strait Of Georgia/General/Miscellaneous	Miscellaneous	Cherry Point Research Lighted Buoy A (LLNR 19897) has been established in location 48-51-17.279N, 122-43-52.129W. This is a privately maintained, yellow, can buoy with a light characteristic of Fl (5) Y 20s.	Lat: 48° 51' 17" Lon: -122° 43' 52"

**StraitofJuanDeFuca**

**Federal Discrepancies Corrected**

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Salmon Bank Lighted Gong Buoy 3	16365	RELIGHTED	FD	2025-04-14

**Additional MSI Categories**

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Pudget Sound, Submerged Land Act (SLA) - StraitofJuanDeFuca/General/Marine Events/Regatta (Race)	Marine Events	15-18 MAY 2025, 1000-1000. Multi-day sailing race from Ilwaco, WA to Victoria, BC.	
Sector Pudget Sound, Submerged Land Act (SLA) - StraitofJuanDeFuca/General/Naval Activity/Naval Gunnery Exercises	Naval Activity	The NAS Whidbey Island Small Arms Safety Range located off the western shore of Whidbey Island will be active on the following schedule: 23APR25 0800T to 1500T 24APR25 0800T to 1500T 25APR25 0800T to 1500T 28APR25 0800T to 1500T 30APR25 0800T to 2300T 01MAY25 0800T to 1500T Red flashing lights (at nighttime) mark the onshore Northern and southern firing boundaries out to 2000 yards from the shoreline during live fire operations. For more information contact the Safety Officer at 360-257-3825 or VHF-FM channel 82A (1082).	

**Swinomish Channel North Entrance**

**Federal Discrepancies Corrected**

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Swinomish Channel North Entrance Buoy 35	19160	RESET ON STATION	FD	2025-04-14

**Swinomish Channel South Entrance**

**Federal Discrepancies**

NAME	LLNR	STATUS	AID TYPE
Swinomish Channel South Entrance Buoy 5	18802	MISSING	FD

**Tacoma Harbor**

**Federal Discrepancies**

NAME	LLNR	STATUS	AID TYPE
Commencement Bay Shoal Lighted Buoy A	17131	MISSING	FD

**Additional MSI Categories**

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Puget Sound - Tacoma Harbor/General/Bridges/Maintenance	Bridges	The City of Tacoma, WA, will be conducting cleaning and inspections on the Fishing Wars Memorial Bridge (BRDG UID 33874) at Puyallup River mile 2.1 from July 1st, 2025, through September 30th, 2025. The cleaning and inspections will be conducted across the full river channel during daylight hours generally 0800 to 1700 Monday through Friday. 5 feet of containment will be installed and left in place overnight and during the weekends that will reduce the bridge's vertical clearance from 23 feet to 18 feet above high water. Personnel will be working from a deck suspended beneath the bridge. For more information contact Chris Storey at (253) 573-2484 or cstorey@cityoftacoma.org.	Lat: 47° 14' 36" Lon: -122° 24' 18"
Puget Sound - Tacoma Harbor/General/Marine Events/Regatta (Race)	Marine Events	09 APR - 07 MAY, 1830-2030 each Wednesday. Short distance (under 6 NM) sailboat race on Commencement Bay for the date duration stated. Each race has 90-minute time limit.	
Puget Sound - Tacoma Harbor/General/Marine Events/Regatta (Race)	Marine Events	10 MAY 2025, 1000-1300. The course is from Lobster Shop Park (Tacoma's Ruston Way waterfront) to the Puyallup River buoy and back.	
Puget Sound - Tacoma Harbor/General/Marine Events/Regatta (Race)	Marine Events	14 MAY - 11 JUN 2025, 1830-2100 each Wednesday. Short Distance (under 8 miles) sailboat race on Commencement Bay for the date duration stated.	

**Tillamook Bay**

**Federal Discrepancies**

NAME	LLNR	STATUS	AID TYPE
Tillamook Bay Entrance Lighted Buoy TS	9815	MISSING	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Columbia River, Submerged Land Act (SLA) - Tillamook Bay/ATON/Advanced Notice of Change	Advanced Notice of Change	The U.S. Coast Guard is changing the aids to navigation that mark the entrance into Tillamook Bay: Tillamook Bay Approach Lighted Whistle Buoy T (LLNR 680-9810) will be disestablished, and a virtual AIS signal will be broadcast in approximate position 45-34-08.600N 123-59-16.900W. Tillamook Bay Entrance Lighted Buoy TN (LLNR 9813) a synthetic AIS signal will broadcast at this position in the future. Tillamook Bay Entrance Lighted Buoy TS (LLNR 9815) a synthetic AIS signal will broadcast at this position in the future. Mariners are encouraged to share comments on this proposed change and the performance and operation of these aids to navigation. All comments should be sent to the email address D13-SMB-D13-LNM@uscg.mil. Any discrepancy for these or other Aids to Navigation should continue to be reported to US Coast Guard Sector Columbia River.	Lat: 45° 34' 16" Lon: -123° 58' 23"
ATON/Advanced Notice of Change	Advanced Notice of Change	The U.S. Coast Guard is changing the aids to navigation that mark the entrance into Tillamook Bay: Tillamook Bay Approach Lighted Whistle Buoy T (LLNR 680-9810) will be disestablished, and a virtual AIS signal will be broadcast in approximate position 45-34-08.600N 123-59-16.900W. Mariners are encouraged to share comments on this proposed change and the performance and operation of these aids to navigation. All comments should be sent to the email address D13-SMB-D13-LNM@uscg.mil. Any discrepancy for these or other Aids to Navigation should continue to be reported to US Coast Guard Sector Columbia River.	Lat: 45° 35' 35" Lon: -123° 58' 52"
Sector Columbia River, Submerged Land Act (SLA) - Tillamook Bay/General/Bridges/Repairs, Painting, Or Fender Replacement	Bridges	ODOT will be conducting needed repairs and construction on the OR-131 Tillamook River Bridge across the Tillamook River at mile 1.4. Construction will begin on 02 Jun 2025 and continue through 15 Aug 2025. The work schedule is in three stages and mariners may notice some non-work time. Containment will be installed below the subject bridge and the vertical clearance will be reduced from 15 feet to 9 feet above high water and the horizontal channel will be reduced from 70 feet to 15/22 feet. The containment will be installed on half of the span, however, since the navigation channel transiting under the bridge is not perpendicular to the bridge, mariners will have 15 feet of horizontal clearance transiting upriver and 22 feet of horizontal clearance transiting down river. For more information contact Anita Eaton at (971) 403-8522 or Anita.C.Eaton@odot.oregon.gov.	Lat: 45° 27' 25" Lon: -123° 52' 36"
Sector Columbia River, Submerged Land Act (SLA) - Tillamook Bay/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes	Marine Construction (Excluding Bridges)	Trade West Construction is moving jetty material to a material offloading facility for use on the Tillamook Bay South Jetty repairs. Jetty stone will be transported from the Port of Garibaldi, approximate location 45-33-14 N, 123-54-54 W, to Kincheloe Point on the Bay Ocean Peninsula in approximate location 45-33-07 N, 123-56-09 W. The tugboat and support vessel involved in this operation will monitor VHF-FM channels 8 and 10. In addition, at various times stone material will be transported and placed on the jetty. Mariners are strongly advised to keep a safe distance from the tug and barge operations and the repair work on the jetty. This project is expected to continue into the Fall of 2025. For more information, contact Keyanee Faught at (435) 669-7976 or email keyanee@gmail.com.	

Umpqua River

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Leeds Island Range Front Light	9346	LT EXT	FD

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Columbia River, Submerged Land Act (SLA) - Umpqua River/ATON/Advanced Notice of Change	Advanced Notice of Change	The U.S. Coast Guard will not be commissioning the seasonal Sound Signal at Umpqua River South Jetty Sound Signal (LLNR 9247) in May of 2025 and will be permanently disestablishing it. This signal is no longer considered necessary for safe navigation of the waterway and the US Coast Guard is discontinuing its use commencing with the 2025 spring installation. Mariners are encouraged to share comments on this proposed change and the performance and operation of this aids to navigation. All comments should be sent to the email address D13-SMB-D13-LNM@uscg.mil. Any discrepancy for these or other Aids to Navigation should continue to be reported to US Coast Guard Sector Columbia River.	Lat: 43° 39' 59" Lon: -124° 13' 10"
Sector Columbia River, Submerged Land Act (SLA) - Umpqua River/ATON/Proposed Notice of Change	Proposed Notice of Change	The U.S. Coast Guard may not be able to maintain the Leeds Island Range structures in the future and is proposing to discontinue both the Leeds Island Range Front Light (LLNR 9346) and the Leeds Island Range Rear Light (LLNR 9347) and establish Leeds Island Direction Light (LLNR 9348). The Direction Light will display a red light flashing every 2.5 seconds (FI R 2.5s) with a nominal range of 4 NM and a high intensity beam visible 3° each side of the channel centerline. Mariners are encouraged to share comments on this change and the performance and operation of these aids to navigation. All comments should be sent to the email address D13-SMB-D13-LNM@uscg.mil. Any discrepancy for these or other Aids to Navigation should continue to be reported to US Coast Guard Sector Columbia River.	Lat: 43° 43' 20" Lon: -124° 07' 37"
Sector Columbia River, Submerged Land Act (SLA) - Umpqua River/ATON/Proposed Notice of Change	Proposed Notice of Change	The U.S. Coast Guard may not be able to maintain the Leeds Island Range structures in the future and is proposing to discontinue both the Leeds Island Range Front Light (LLNR 9346) and the Leeds Island Range Rear Light (LLNR 9347) and establish Leeds Island Direction Light (LLNR 9348). The Direction Light will display a red light flashing every 2.5 seconds (FI R 2.5s) with a nominal range of 4 NM and a high intensity beam visible 3° each side of the channel centerline. Mariners are encouraged to share comments on this change and the performance and operation of these aids to navigation. All comments should be sent to the email address D13-SMB-D13-LNM@uscg.mil. Any discrepancy for these or other Aids to Navigation should continue to be reported to US Coast Guard Sector Columbia River.	Lat: 43° 43' 09" Lon: -124° 07' 35"

Union Bay Reach

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Lake Union - Union Bay Reach/General/Bridges/Temp Deviation	Bridges	The Coast Guard has approved a temporary deviation from the operating schedule that governs the University Street Bridge, mile 4.3, across the Lake Washington Ship Canal at Seattle, Washington, and the Montlake Bridge, mile 5.2, across the Lake Washington Ship Canal at Seattle, Washington. The University Bridge need not open to mariners from 0830 to 1000 on 10 May 2025, and the Montlake bridge need not open to mariners from 0830 to 0930 on 10 May 2025. These deviations allow the draw spans to remain in the closed-to-navigation position for the Beat-the-Bridge foot race. Vessels which do not require bridge openings may continue to transit beneath the bridge during the closure period. The subject bridges will be able to open for emergencies, and there is no immediate alternate route for vessels to pass. In accordance with 33 CFR 117.35(e), the drawbridges must return to their regular operating schedule immediately at the end of the designated date/time. For information contact Kit Loo at (206) 684-3669 or kit.loo@seattle.gov.	Lat: 47° 39' 10" Lon: -122° 19' 13"

Lake Union - Union Bay Reach/General/Bridges/Temp Deviation	Bridges	The Coast Guard has approved a temporary deviation from the operating schedule that governs the University Street Bridge, mile 4.3, across the Lake Washington Ship Canal at Seattle, Washington, and the Montlake Bridge, mile 5.2, across the Lake Washington Ship Canal at Seattle, Washington. The University Bridge need not open to mariners from 0830 to 1000 on 10 May 2025, and the Montlake bridge need not open to mariners from 0830 to 0930 on 10 May 2025. These deviations allow the draw spans to remain in the closed-to-navigation position for the Beat-the-Bridge foot race. Vessels which do not require bridge openings may continue to transit beneath the bridge during the closure period. The subject bridges will be able to open for emergencies, and there is no immediate alternate route for vessels to pass. In accordance with 33 CFR 117.35(e), the drawbridges must return to their regular operating schedule immediately at the end of the designated date/time. For information contact Kit Loo at (206) 684-3669 or kit.loo@seattle.gov.	Lat: 47° 38' 50" Lon: -122° 17' 60"
Lake Union - Union Bay Reach/General/Marine Events/Regatta (Race)	Marine Events	26 APR 2025, 0700-1200. Rowing races between Webster Point and Portage Bay	
Lake Union - Union Bay Reach/General/Marine Events/Boat Parade	Marine Events	03 MAY 2025, 0700-1900. This parade groups boats by type and/or decoration. The boats proceed through the Montlake cut, west to east, in organized, single file fashion. The boats pass under the Montlake Bridge and in front of the parade judges. After clearing the Montlake Cut, boats remain in Lake Washington until all boats have completed the parade.	
Lake Union - Union Bay Reach/General/Marine Events/Regatta (Race)	Marine Events	02 MAY 2025, 1930-2030. Rowing races between Webster Point and Portage Bay.	
Lake Union - Union Bay Reach/General/Marine Events/Regatta (Race)	Marine Events	03 MAY 2025, 0800-1200. Rowing races between Webster Point and Portage Bay.	

Welch Island

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Miller Sands - Welch Island/ATON/Advanced Notice of Change	Advanced Notice of Change	The US Coast Guard is changing the lighting equipment for Skamokawa Range Rear Light (LLNR 10360). The current lighting is becoming obsolete and subject to failure. To facilitate the replacement of this light, the replacement equipment will reduce the arc of visibility from 14° each side of the range line to 9°. The overall intensity of the light will increase to match the characteristic of Skamokawa Range Front Light (LLNR 10355). This reduction in the spread of the light will prevent it from being seen when transiting towards the shoal water to the south of the channel. When implemented, this change will be announced via a Broadcast Notice to Mariners. Mariners are encouraged to share comments on the performance and operation of these lights as aids to navigation. All comments should be sent to the email address D13-SMB-D13-LNM@uscg.mil. Any discrepancy for Aids to Navigation should continue to be reported to US Coast Guard Sector Columbia River.	Lat: 46° 13' 55" Lon: -123° 25' 15"

Westhaven

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Westhaven Light 7	null	LT EXT/DAYMK MISSING	FD

Westport

Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Westport Dike Light 58	10475	LT EXT/STRUCT DMGD	FD

Willamette River

Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Columbia River - Willamette River/General/Bridges/Temp Deviation	Bridges	The Coast Guard is canceling the previously approved temporary deviations for the Hawthorne Bridge scheduled for 31 March 31 to 13 April 2025, and the deviation scheduled for 21 April to 4 May 2025.	Lat: 45° 30' 47" Lon: -122° 40' 15"
Columbia River - Willamette River/General/Bridges/Temp Deviation	Bridges	The Coast Guard intends to approve a temporary deviation to the operating schedule that governs the Morrison Highway Bridge (LLNR 14955.5), mile 12.8, and Hawthorne Highway Bridge (LLNR 14955.6), mile 13.1, crossing the Willamette River at Portland, Oregon. This deviation will accommodate the Providence Bridge Pedal event. This deviation allows the bridges to remain in the closed-to-navigation position to allow safe and timely movement of event participants from 0630 until 1130 on 10 Aug 2025. The vertical clearances for theses bridges in the closed-to-navigation position are: 69 feet for the Morrison Highway Bridge and 49 feet for the Hawthorne Highway Bridge (all clearances are referenced to the vertical clearance above Columbia River Datum 0.0.) Vessels that do not require a bridge opening may continue to transit beneath the bridge during this closure period. The bridges will be able to open for emergencies, and there is no immediate alternate route for vessels to pass. In accordance with 33 CFR 117.35(e), the drawbridges must return to their regular operating schedule immediately at the end of the effective period of this temporary deviation. Please submit comments or objections if this event cannot be supported be any mariner by 9 May 2025. For additional information contact Matt Studer at matt.studer@multco.us.	Lat: 45° 31' 04" Lon: -122° 40' 11"

Columbia River - Willamette River/General/Bridges/Temp Deviation	Bridges	The Coast Guard intends to approve a temporary deviation to the operating schedule that governs the Morrison Highway Bridge (LLNR 14955.5), mile 12.8, and Hawthorne Highway Bridge (LLNR 14955.6), mile 13.1, crossing the Willamette River at Portland, Oregon. This deviation will accommodate the Providence Bridge Pedal event. This deviation allows the bridges to remain in the closed-to-navigation position to allow safe and timely movement of event participants from 0630 until 1130 on 10 Aug 2025. The vertical clearances for these bridges in the closed-to-navigation position are: 69 feet for the Morrison Highway Bridge and 49 feet for the Hawthorne Highway Bridge (all clearances are referenced to the vertical clearance above Columbia River Datum 0.0.) Vessels that do not require a bridge opening may continue to transit beneath the bridge during this closure period. The bridges will be able to open for emergencies, and there is no immediate alternate route for vessels to pass. In accordance with 33 CFR 117.35(e), the drawbridges must return to their regular operating schedule immediately at the end of the effective period of this temporary deviation. Please submit comments or objections if this event cannot be supported by any mariner by 9 May 2025. For additional information contact Matt Studer at matt.studer@multco.us.	Lat: 45° 30' 47" Lon: -122° 40' 15"
Columbia River - Willamette River/General/Marine Events/Swim	Marine Events	Portland Bridge Swim Swimming event 13-Jul-25 6:30am-3:00pm Willamette River, Portland Oregon	

**Willamette**

**Additional MSI Categories**

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Columbia - Willamette/General/Bridges/Construction	Bridges	Kiewit Construction will begin a seismic upgrade construction project on the I-205 Highway Bridge (LLNR 15078) AKA, Abernethy Bridge across the Willamette River at RM 25.6, from 20 Jun 22 to 01 Oct 25. The construction activity will take place across the entire river at the bridge. Construction personnel will be working 24 hours a day Monday through Saturday. Bridge construction work will include the installation of multiple temporary work platforms across sections of the river. All river traffic will be restricted to a temporary navigational channel with horizontal clearance of 150 feet wide and vertical clearance of 51.8 feet high at ordinary high water (OHW), or 76.0 feet high at Columbia River Datum (CRD). The temporary navigation channel will be marked with floating buoys with flashing lights to match buoy type ( red nun and green can navigational buoys and white can informational buoys, each with matching color lights flashing at 4-second intervals). Crews will be using floating cranes and barges, attended by tugs throughout the site. All vessels will monitor VHF channels 13 and 16. Barges will be marked on each corner with a white light flashing at 6-second intervals. Each corner of the multiple trestles will also be marked at each corner with a white light flashing at 6-second intervals. Signage on the trestles will communicate the safe distance from the work zone. For an overview of the work site and navigation channel, see Enclosure (5) of this LNM. For more information contact Kiewit Construction, Ritch Schubert, at (503) 710-2277 or email ritch.schubert@kiewit.com.	Lat: 45° 21' 53" Lon: -122° 36' 15"

**Yaquina Bay**

**Federal Discrepancies Corrected**

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Yaquina Bay Entrance Range Rear Light	9585	WATCHING PROPERLY	FD	2025-04-09
Yaquina Bay Inner Range Rear Light	9625	RELIGHTED	FD	2025-04-09
Yaquina Bay Channel Lighted Buoy 9	9644	RELIGHTED	FD	2025-04-09

**Additional MSI Categories**

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Columbia River, Submerged Land Act (SLA) - Yaquina Bay/ATON/Advanced Notice of Change	Advanced Notice of Change	The U.S. Coast Guard will not be commissioning the seasonal Sound Signals at Yaquina Bay South Jetty Sound Signal (LLNR 9607) in May of 2025 and will be permanently disestablishing it. This signal is no longer considered necessary for safe navigation of the waterway and the US Coast Guard is discontinuing it commencing with the 2025 spring installation. Mariners are encouraged to share comments on this proposed change and the performance and operation of this aids to navigation. All comments should be sent to the email address D13-SMB-D13-LNM@uscg.mil. Any discrepancy for these or other Aids to Navigation should continue to be reported to US Coast Guard Sector Columbia River.	Lat: 44° 36' 36" Lon: -124° 04' 42"
Sector Columbia River, Submerged Land Act (SLA) - Yaquina Bay/General/Bridges/Lighting and Other Signals	Bridges	The US Highway 101 Bridge (LLNR 9627) over the Yaquina Bay has significant damage to some of the protection piers.	Lat: 44° 37' 19" Lon: -124° 03' 22"