



U.S. Department of Homeland Security

United States Coast Guard

---

## LOCAL NOTICE TO MARINERS

District: 14

Week: 51/24

ISSUED BY:

Commander (dpw)  
Fourteenth Coast Guard District  
300 Ala Moana Boulevard, Room 9-220  
Honolulu, HI 96850-4982  
Telephone: (808) 535-3409  
Email: D14-DG-PJ-dpw@uscg.mil  
Website: <https://www.navcen.uscg.gov/>

Note:

Unless otherwise indicated, missing and destroyed structures are presumed to be in the immediate vicinity, possibly beneath the surface. Any life threatening or hazardous conditions including off station, missing, or inoperative aids to navigation should be reported immediately to U.S. Coast Guard Sector Honolulu at (808) 842-2600 and U.S. Coast Guard Sector Forces Micronesia/Sector Guam at (671) 355-4822. Mariners should proceed with caution.

References:

Light List, Volume VI, Pacific Coast and Pacific Islands, 2024 Edition (COMDTPUB P16502.6).  
U.S. Coast Pilot 10, Pacific Coast : Oregon, Washington, Hawaii, Pacific Islands 2023 (4th Edition). Coast Pilots, along with corrections, are ready for free download and weekly updates at [www.nauticalcharts.noaa.gov/publications/coast-pilot/index.html](http://www.nauticalcharts.noaa.gov/publications/coast-pilot/index.html).

Only Print-on-Demand (POD) bound copies are available for purchase; visit [nauticalcharts.noaa.gov/publications/print-agents.html#coast-pilot](http://nauticalcharts.noaa.gov/publications/print-agents.html#coast-pilot).

Navigation information having been of immediate concern to the mariner, and promulgated by the following broadcasts, have been incorporated in this notice when still significant:

COMCOGARD SECTOR HONOLULU HI BNMs: 0140-24 to 145-24  
COMCOGARD SECTOR FORCES MICRONESIA/SECTOR GUAM BNMs: 0365-24 to 0389-24

## Abbreviations

ADRIFT - Buoy Adrift	ICW - Intracoastal Waterway	R - Red
AICW - Atlantic Intracoastal Waterway	IMCH - Improper Characteristic	RACON - Radar Transponder Beacon
AI - Alternating	INL - Inlet	Ra ref - Radar reflector
B - Buoy	INOP - Not Operating	RBN - Radio Beacon
BKW - Breakwater	INT - Intensity	REBUILT - Aid Rebuilt
bl - Blast	ISL - Islet	RECOVERED - Aid Recovered
BNM - Broadcast Notice to Mariner	Iso - Isophase	RED - Red Buoy
bu - Blue	kHz - Kilohertz	REFL - Reflective
C - Canadian	LAT - Latitude	RRL - Range Rear Light
CHAN - Channel	LB - Lighted Buoy	RELIGHTED - Aid Relit
CGD - Coast Guard District	LBB - Lighted Bell Buoy	RELOC - Relocated
C/O - Cut Off	LHB - Lighted Horn Buoy	RESET ON STATION - Aid Reset on Station
CONT - Contour	LGB - Lighted Gong Buoy	RFL - Range Front Light
CRK - Creek	LONG - Longitude	RIV - River
CONST - Construction	LNM - Local Notice to Mariners	RRASS - Remote Radio Activated
DAYMK/Daymk - Daymark	LT - Light	Sound Signal
DBN/Dbn - Daybeacon	LT CONT - Light Continuous	s - seconds
DBD/DAYBD - Dayboard	LTR - Letter	SEC - Section
DEFAC - Defaced	LWB - Lighted Whistle Buoy	SHL - Shoaling
DEST - Destroyed	LWP - Left Watching Properly	si - silent
DISCON - Discontinued	MHz - Megahertz	SIG - Signal
DMGD/DAMGD - Damaged	MISS/MSNG - Missing	SND - Sound
ec - eclipse	Mo - Morse Code	SPM - Single Point Mooring Buoy
EST - Established Aid	MRASS - Marine Radio Activated Sound Signal	SS - Sound Signal
ev - every	MSLD - Misleading	STA - Station
EVAL - Evaluation	N/C - Not Charted	STRUCT - Structure
EXT - Extinguished	NGA - National Geospatial Intelligence Agency	St M - Statute Mile
F - Fixed	NO/NUM - Number	TEMP - Temporary Aid Change
fl - flash	NOS - National Ocean Service	TMK - Topmark
Fl - Flashing	NW - Notice Writer	TRLB - Temporarily Replaced by Lighted Buoy
G - Green	OBSCU - Obscured	TRLT - Temporarily Replaced by Light
GIWW - Gulf Intracoastal Waterway	OBST - Obstruction	
HAZ - Hazard to Navigation	OBSTR - Obstruction	

HBR - Harbor

I - Interrupted

PRIV - Private Aid

Q - Quick

TRUB - Temporarily Replaced by  
Unlighted Buoy

USACE - Army Corps of  
Engineers

# Local Notice to Mariners for District 14 12/18/2024

## Ala Wai Boat Harbor

### Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Ala Wai Boat Harbor Channel Range Front Light	29100	Status Unreported	PA
Ala Wai Boat Harbor Channel Range Rear Light	29105	LT EXT	PA
Ala Wai Boat Harbor Channel Buoy 4	29115	OFF STA/SINKING	PA
Ala Wai Boat Harbor Channel Daybeacon 6	29125	DAYMK DMGD	PA
Ala Wai Boat Harbor Channel Daybeacon 8	29135	DAYMK DMGD	PA

### Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Honolulu, Territorial Sea - Ala Wai Boat Harbor/General/Marine Events/Fireworks	Marine Events	Hawaii Explosives and Pyrotechnics, Inc. will be conducting a land fireworks display neighboring Duke Kahanamoku Beach on Fridays from 1915 - 2030 January 05, 2024 to December 28, 2024. Please require all vessels to observe the safety/fallout zone radius from the firing site. Vessels and spectators are advised to maintain a distance of at least 210 feet radius from the launch site. Contact (808) 968-0600 for further information.	Lat: 21° 16' 50" Lon: -157° 50' 19"
Sector Honolulu, Territorial Sea - Ala Wai Boat Harbor/General/Marine Events/Fireworks	Marine Events	Fireworks will be displayed at Waikiki Beach on December 31, 2024 from 2300-0130. There will be a 560 ft fallout zone from launch site located at 21-16'16"N, 157-49'60"W	Lat: 21° 17' 02" Lon: -157° 50' 31"

## Barbers Point

### Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Barbers Point Harbor Entrance Channel Lighted Buoy 3	29651.5	LT EXT	FD

### Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Barbers Point Anchorage Area Bravo Tank Terminal Lighted Buoy A	29600	LT EXT	PA
West Beach Marina Light 2	29656	LT EXT	PA

## Hickam Harbor

### Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Hickam Harbor Channel Buoy 1	29345	MISSING	FD
Hickam Harbor Channel Light 6	29365	BUOY DMGD	FD

## Hilo Harbor

### Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Island Of Hawaii - Hilo Harbor/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	HI ISLANDS - HAWAII – WAILOA BASIN SHOALING There has been a report of increased shoaling at the entrance to Wailoa River. The shoaling is most severe between Wailoa Basin Channel Lights 1 and 2 (Light List numbers 28120 and 28125) and at low tides. All mariners are advised to use caution when transiting the channel. Reported by: Wailoa River and Reeds Bay Boating and Users Association	Lat: 19° 43' 21" Lon: -155° 04' 13"

## Honolulu Harbor

### Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Honolulu Harbor Entrance Lighted Buoy H	29175	SINKING	FD

### Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Honolulu Harbor Buoy 10	29230	DISCONTINUED FOR DREDGING	FD

## Island Of Hawaii

### Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Ka Lae Light	28140	LT EXT	FD

### Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Honolulu, Territorial Sea - Island Of Hawaii/General/Marine Events/Fireworks	Marine Events	Fireworks will be displayed at Mauna Kea Beach Hotel on December 31, 2024 from 2300-0100. There will be a 560 ft fallout zone from launch site located at 20-0'17.8308"N, 155-49'40-0902"W	Lat: 20° 00' 18" Lon: -155° 49' 48"

## Kahului Harbor

### Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Kahului Harbor Entrance Range Front Light	28340	LT IMCH	FD
Kahului Harbor Entrance Range Front Light	28340	LT IMCH	FD

### Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Kahului Boat Ramp Buoy 1	28381.100000000002	MISSING	PA
Kahului Boat Ramp Buoy 2	28381.2	MISSING	PA
Kahului Boat Ramp Buoy 3	28381.3	MISSING	PA
Kahului Boat Ramp Buoy 4	28381.4	MISSING	PA
Kahului Boat Ramp Buoy 5	28381.5	MISSING	PA
Kahului Boat Ramp Buoy 6	28381.600000000002	MISSING	PA
Kahului Boat Ramp Buoy 8	28381.8	MISSING	PA
Kahului Boat Ramp Buoy 9	28381.9	MISSING	PA

## Kalihi Channel

### Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Keehi Lagoon Barge Turning Channel Range Front	29315	REDUCED INT	PA

## Kaneohe Bay.

### Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Kaneohe Bay Channel Daybeacon 5	28700	DAYMK IMCH	FD
Kaneohe Bay Channel Daybeacon 5	28700	DAYMK IMCH	FD

### Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Honolulu, Territorial Sea - Kaneohe Bay/General/Hazards To Navigation/Hazards	Hazards To Navigation	Oscilla Power will install the Triton-C Wave Energy Converter (WEC) at the WETS site, off of Marine Corps Base Hawaii. This installation consists of 3 subsurface buoys, and 1 surface buoy. All mariners should keep at least 500 feet away from position 21° 27.942'N 157° 45.039'W. The subsurface buoys are at water depths noted below. The AB subsurface float is at a depth of -2ft which poses a collision risk to vessels of all drafts. All subsurface floats are marked with an orange hard float and flasher. AB: 21-27.9167'N / 157-45.0475'W MC: 21-27.9586'N / 157-45.0593'W MK: 21-27.9489'N / 157-45.0081'W WEC: 21-27.9419'N / 157-45.0362'W	Lat: 21° 27' 55" Lon: -157° 45' 02"
Sector Honolulu, Territorial Sea - Kaneohe Bay/General/Naval Activity/Military Operations	Naval Activity	Military amphibious and search and rescue operations may be underway at any time, day or night, within Kaneohe Bay in the vicinity of 21-26-06.83N/157-46-11.00W and 21-26-45.00N/157-46-55.00W (approximately .5 NM south of Mokapu Peninsula). Support surface craft will be equipped with appropriate day/night signals and markings and can be reached on VHF-Ch 82. In the interest of safety, it is requested that all vessels that use Sonar contact Water Front Operations on VHF-Ch 82A or by phone at (808) 257-2941 to avoid injury to divers that may be in the area.	

## Kauai Island

### Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Kikiaola Boat Harbor Range Front Light	29900	DAYMK DMGD	PA
Kikiaola Boat Harbor Range Rear Light	29901	DAYMK DMGD	PA

### Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION

Sector Honolulu, Territorial Sea - Kauai Island/General/Naval Activity/Military Operations	Naval Activity	The following area is established as a safety zone during launch operations at PMRF, Kauai, Hawaii: The waters bounded by the following coordinates: (22°01.2' N, 159°47.3' W), (22°01.2' N, 159°50.7' W), (22°06.3' N, 159°50.7' W), (22°06.3' N, 159°44.8' W). (Datum: OHD) The above safety zone will be activated during launch operations at PMRF, Kauai, Hawaii. The Coast Guard will provide notice that the safety zone will be activated through published and broadcast local notice to mariners prior to scheduled launch dates. The area described of this section will be closed to all vessels and persons, except those vessels and persons authorized by the Commander, Fourteenth Coast Guard District, or the Captain of the Port (COTP) Honolulu, Hawaii, whenever Strategic Target System (STARS) vehicles are to be launched by the United States Government from the PMRF, Barking Sands, Kauai, Hawaii. The general regulations governing safety zones contained in 33 CFR 165.23 apply. Nomenclature changes to part 165 appear by USCG-2006-25556, 72 FR 36328, 36329 preview citation details, July 2, 2007 and by USCG-2018-1049, 84 FR 7813, Mar. 5, 2019.
Sector Honolulu, Territorial Sea - Kauai Island/General/Naval Activity/Naval Gunnery Exercises	Naval Activity	Intermittent missile firing operations are conducted by the Pacific Missile Range Facility (PMRF), Barking Sands, Kauai, in the Whiskey 188 (W-188) operating area. Operations are conducted periodically throughout each week in an area bound by the following coordinates: 22:00N/159:51W, 22:00N/160:00W, 22:04N/160:06W, 21:59.5N/160:21W, 22:05N/161:35W, 22:45N/161:25W, 22:56N/161:49W, 23:34N/161:18.6W, 23:57N/160:41W, 25:41N/161:36W, 26:00N/159:58W, 25:47N/158:15W, 23:54N/158:15W, 22:20N/159:09W, 22:21N/159:30W, 22:13N/159:42W, 22:00N/159:51W Intermittent high power radar operations are conducted by PMRF at the following position: 22:03N/159:47W Request all mariners remain at least one mile off the coastline between Kokole Point and Nohili Point. Vessels may be requested to alter course due to firing operations and are requested to contact "Pacific Missile Range Facility" on VHF-Ch 16 prior to entering the above boundaries. If unable to contact the PMRF prior to entering or while in the warning area, relay messages through U.S. Coast Guard Honolulu. Vessels inbound and outbound for Hawaiian ports will create the least interference to firing operations as well as enhance vessel's safety by passing South of the Islands of Kauai and Niihau during the specified times. Federal law provides for civil penalties of \$40,000 and/or criminal penalties of 6 years in prison for each violation of the PMRF safety zone during the schedule of designated activity (33CFR 165.1406). The following are hazardous operations to mariners for December 18, 2024 through December 25, 2024: 18 DEC NO HAZARDOUS OPERATIONS SCHEDULED. 19 DEC NO HAZARDOUS OPERATIONS SCHEDULED. 20 DEC NO HAZARDOUS OPERATIONS SCHEDULED. 21 DEC NO HAZARDOUS OPERATIONS SCHEDULED. 22 DEC NO HAZARDOUS OPERATIONS SCHEDULED. 23 DEC NO HAZARDOUS OPERATIONS SCHEDULED. 24 DEC NO HAZARDOUS OPERATIONS SCHEDULED. 25 DEC NO HAZARDOUS OPERATIONS SCHEDULED.

## Kaunakakai Harbor

### Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Kaunakakai Harbor Lighted Buoy 2	28600	OFF STATION	FD

## Kaunakakai Small Boat Harbor

### Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Kaunakakai Small Boat Harbor Buoy 1	28630	SINKING	PA

## Kawaihae Harbor

### Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Kawaihae Harbor Channel South Breakwater Light 6	28310	LT EXT	FD

## Kawaihae Light Draft Harbor

### Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Kawaihae LT Draft Harbor Buoy 2	28271	MISSING	PA
Kawaihae LT Draft Harbor Buoy 3	28271.100000000002	MISSING	PA
Kawaihae LT Draft Harbor Buoy 6	28271.3	MISSING	PA

## Lahaina Boat Basin

### Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Lahaina Boat Basin Range Front Light	28470	STRUCT DEST	FD
Lahaina Boat Basin Range Front Light	28470	STRUCT DEST	FD
Lahaina Boat Basin Range Rear Light	28475	STRUCT DMGD	FD
Lahaina Boat Basin Range Rear Light	28475	STRUCT DMGD	FD

### Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Lahaina Boat Basin Lighted Buoy 3	28480	MISSING	PA
Lahaina Boat Basin Lighted Buoy 6	28495	OFF STA	PA
Lahaina Boat Basin Lighted Buoy 7	28500	MISSING	PA
Lahaina Boat Basin Lighted Buoy 8	28505	OFF STA	PA

## Lanai Island

### Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Pohakuloa Point Light	28520	LT EXT	FD
Pohakuloa Point Light	28520	LT EXT	FD

## Maalaea Basin

### Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Maalaea Basin Channel Lighted Buoy 1	28427	ADRIFT/LT EXT	PA
Maalaea Basin Channel Lighted Buoy 2	28430	LT EXT	PA

### Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Maui Island - Maalaea Basin/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	HI ISLANDS - MAUI - MAALAEA HARBOR SHOALING Report of shoaling within Maalaea Harbor, Maui. The shoaling berm, which runs parallel to the Southern seawall may pose a significant impact to the charted draft. All vessels transiting in and out of the harbor are advised to do so with caution.	Lat: 20° 47' 27" Lon: -156° 30' 37"

## Makai Channel

### Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Makai Channel Daybeacon 3	28895	DAYMK MISSING	PA
Makai Channel Daybeacon 4	28900	MISSING	PA

## Maui Island

### Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Hawea Point Light	28510	DAYMK MISSING	FD
Hawea Point Light	28510	DAYMK MISSING	FD

### Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Hana Bay Daybeacon	28395	DAYMK DMGD/STRUCT DMGD	PA
Mala Channel Light 5	28507.5	LT EXT	PA
Mala Channel Light 6	28507.600000000002	LT EXT	PA

### Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Honolulu, Territorial Sea - Maui Island/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	HI ISLANDS - MAUI - LAHAINA AND MALA WHARF SHOALING There have been numerous reports of shoaling around Lahaina Harbor including increased shoaling around Mala Wharf. At low tide, the Mala Wharf Boat Ramp also becomes dangerously shallow with waters less than 03 feet. All mariners are requested to use caution while loading and unloading at Mala Wharf Boat Ramp and when transiting the channel. Report any observed changes in shoaling conditions to DLNR DOBOR at (808) 243-5824 and Marine Safety Team Maui at MSTMaui@uscg.mil	Lat: 20° 53' 08" Lon: -156° 41' 11"
Sector Honolulu, Territorial Sea - Maui Island/General/Marine Events/Fireworks	Marine Events	Fireworks will be displayed at Grand Wailea Resort on December 31, 2024 from 2300-0100. There will be a 700 ft fallout zone from launch site located at 20-41°2.13" N; 156-26°44.11" W	Lat: 20° 41' 10" Lon: -156° 27' 14"
Sector Honolulu, Territorial Sea - Maui Island/General/Miscellaneous	Miscellaneous	Notice to Trollers: The dates below mark the Permitted Trolling Schedule in Zone B for January -- December 2024. Hawaii Administrative Rules (H.A.R) 13-261 requires that all vessels must register with the Kaho'olawe Island Reserve Commission (KIRC) before entering the Reserve to troll during designated Permitted Trolling dates. To register please contact Dean Tokishi at dean.tokishi@hawaii.gov 808-243-5022, visit Kahoolawe.hawaii.gov or pick up registration packet at the Division of Boating and Recreation. 12:01 a.m Saturdays to 11:59 p.m. Sundays as follows: January 20 – 21 ; 27 – 28 February 03 – 04 ; 24 – 25 March 02 – 03 ; 30 – 31 April 13 – 14 ; 27 – 28 May 11 – 12 ; 18 – 19 June 08 – 09 ; 29 – 30 July 13 – 14 ; 27 – 28 August 03 – 04 ; 10 – 11 September 07 – 08 ; 28 – 29 October 12 – 13 ; 26 – 27 November 02 – 03 ; 16 – 17 December 14 – 15 ; 28 – 29 The Kaho'olawe Island Reserve (defined as the submerged lands and waters within two nautical miles of the island) is divided into two zones; Zones A and B. These zones are defined as: Zone A: Includes the island of Kaho'olawe and all the submerged lands and waters between the shoreline of Kaho'olawe and the 30-fathom (180 ft.) depth which surrounds Kaho'olawe (HAR 13-261). Unauthorized entry into Zone A is prohibited at all times except in case of emergency. Zone B: All waters and submerged lands between the 30-fathom (180 ft.) depth surrounding Kaho'olawe and two nautical miles from the shoreline of the island. Unauthorized entry into Zone B is prohibited at all times except for trolling as authorized by KIRC on the days stipulated by the Permitted Trolling Schedule as listed above or in case of emergency. Trollers must remain underway, making way at all times while in Zone B. ALL OTHER FISHING, OCEAN RECREATION, AND ANY OTHER ACTIVITIES ARE STRICTLY PROHIBITED. WARNING! Kaho'olawe and its surrounding submerged lands and waters contain unknown quantities of unexploded ordnance which are hazardous to public health and safety. (Authority: (H.R.S. §6K, H.A.R. §13-261) See enclosure 2	

## Maunaloa Bay

### Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Maunalua Bay Daybeacon 16	29010	HAZ NAV/DAYMK DMGD	PA

### Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Honolulu, Territorial Sea - Maunalua Bay/General/Hazards To Navigation/Shoaling Reported	Hazards To Navigation	HI ISLANDS - OAHU - MAUNALUA BAY SHOALING There has been a report of increased shoaling in Maunalua Bay, between Maunalua Bay Daybeacon 1A (LLNR 28935) and Maunalua Bay Daybeacon 2 (LLNR 28940) when transiting to and from Hawaii Kai. At mean low tide, the Maunalua Bay Boat Ramp also becomes dangerously shallow. All mariners are requested to use caution while loading and unloading at Maunalua Bay Boat Ramp and when transiting the channel. POC: DLRN DOBOR at (808) 587-1966 / (808) 832-3520 or website listing: <a href="https://dlnr.hawaii.gov/dobor/contact/">https://dlnr.hawaii.gov/dobor/contact/</a>	Lat: 21° 17' 01" Lon: -157° 43' 07"

## Mokapu Peninsula

### Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
WETS 4	28674.04	MISSING	PA
WETS 5	28674.05	MISSING	PA

## Molokai Island

### Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Molokai Light	28575	LT EXT	FD

## Nawiliwili Harbor

### Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Nawiliwili Harbor Breakwater Light	29770	LT EXT/DAYMK MISSING	FD

### Federal Discrepancies Corrected

NAME	LLNR	STATUS	AID TYPE	CORRECTION DATE
Nawiliwili Harbor Breakwater Light	29770	WATCHING PROPERLY	FD	2024-12-16

## Pearl Harbor

### Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Pearl Harbor Light 6	29405	BUOY DMGD	FD

### Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
PacIOOS Wave Lighted Buoy Pearl Harbor	29368	MISSING	PA

### Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Pearl Harbor Light 17	29445	DISCONTINUED FOR DREDGING	FD

### Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Honolulu, Territorial Sea - Pearl Harbor/General/Marine Construction (Excluding Bridges)/Dredging	Marine Construction (Excluding Bridges)	HI ISLANDS - OAHU - PEARL HARBOR DREDGE PROJECT Dredging operations will commence on or about April 22, 2024, in Pearl Harbor around Light 17. Our Operations Manager Mr. Tas Bangash can be reached at (808) 979-6751. Mariners are advised to use extreme caution while transiting the dredge area. Request mariners to transit at their slowest safe speed to minimize wake when in the vicinity of a dredge and proceed with caution after passing arrangements have been made. The following Aid to Navigation will be affected as temporary disestablished: Pearl Harbor Light 17 (29445)	Lat: 21° 21' 02" Lon: -157° 58' 17"
Sector Honolulu, Territorial Sea - Pearl Harbor/General/Naval Activity/Naval Gunnery Exercises	Naval Activity	The Puuloa Danger Zone is located in ocean waters as described by the below coordinates and is closed at all times to surface craft, swimmers, and divers, with the exception of authorized personnel. Mark B.J. Edmonson at mark.bj.edmonson@usmc.mil. The Danger Zone is bound by the following coordinates from Keahi Point to: 21.2622N / -157.9832W 21.2727N / -157.9526W The following are hazardous operations to mariners for December 18, 2024 through December 24, 2024: 18 Dec N/A 19 Dec 0700 - 1700 20 Dec N/A 21 Dec N/A 22 Dec N/A 23 Dec N/A 24 Dec N/A	

## Sampan Channel

### Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION



Kaneohe Bay - Sampan Channel/General/Naval Activity/Naval Gunnery Exercises	Naval Activity	The Pyramid Rock / Fort Hase / Kaneohe Bay Danger Zone is located in ocean waters as described by the below coordinates and is closed at all times to surface craft, swimmers, and divers, with the exception of authorized personnel. Mark B.J. Edmonson at mark.bj.edmonson@usmc.mil. The Danger Zone surrounding Mokapu Peninsula at various coordinates: KBay: 21.4398 / -157.7844 to 21.4354 / -157.7730 Hale Koa / Pyramid Rock: 21.4459 / -157.7824 to 21.4664 / -157.7689 to 21.46229 / -157.7569 Fort Hase: 21.4402 / -157.7332 to 21.4396 / -157.7332 The following are hazardous operations to mariners for December 18, 2024 through December 24, 2024: 18 Dec 1500 - 2130 KBay 19 Dec N/A 20 Dec N/A 21 Dec N/A 22 Dec N/A 23 Dec N/A 24 Dec N/A	
---	----------------	---	--

## Sector Forces Micronesia/Guam Exclusive Economic Zone (EEZ)

### Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Piti Channel Entrance Light 1	30751	STRUCT DEST/HAZ NAV	FD
Piti Channel Entrance Light 1	30751	STRUCT DEST/HAZ NAV	FD
Piti Channel Entrance Light 2	30752	STRUCT DEST	FD
Piti Channel Entrance Light 2	30752	STRUCT DEST	FD
Apra Outer Harbor Lighted Buoy 7	30765	LT EXT	FD
Managaha Island Light	30865	LT IMCH	FD

### Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
PacIOOS Wave Lighted Buoy Ipan	30602	MISSING	PA
FAD Site "Cocos" - Guam	30603	LT EXT	PA
FAD Site "FACPI 2" - Guam	30612	MISSING	PA
FAD Site "Number 3"	30631	MISSING	PA
FAD Site "Number 4"	30634	MISSING	PA
FAD Site GF1	30637.100000000002	MISSING	PA
FAD Site "Number 5"	30640	LT EXT	PA
Agat Small Boat Harbor Light 3	30811.3	LT EXT	PA
Agat Small Boat Harbor Daybeacon 9	30811.9	DAYMK IMCH	PA
FAD Site EE - Rota	30851.100000000002	MISSING	PA
FAD Site DD - Rota	30851.2	MISSING	PA
FAD Site DE - Rota	30851.3	MISSING	PA

### Temporary Changes

NAME	LLNR	STATUS	AID TYPE
Piti Channel Entrance Light 2	30752	TRLB	FD

## Sector Honolulu, Exclusive Economic Zone (EEZ)

### Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Honolulu, Exclusive Economic Zone (EEZ) /General/Hazards To Navigation/Obstructions	Hazards To Navigation	HI ISLANDS - OAHU - HAZARD TO NAVIGATION Aerial target last known position 22-24N 160-13W on 14 July at 2220Z. This target is orange, 16 feet long, weighing approximately 1000 pounds, and may be floating on the surface. Mariners are requested to use caution when operating in this area. If this target is found, please contact the Pacific Missile Range Facility at (808) 335-4301. Do not attempt to recover this device due to risk of injury or property damage because of its size and weight.	Lat: 22° 24' 00" Lon: -160° 13' 00"
Sector Honolulu, Exclusive Economic Zone (EEZ) /General/Naval Activity/Naval Gunnery Exercises	Naval Activity	FACSFAC Pearl Harbor established Special Operating Areas Four (SOA-4) as a permanent "HOT AREA" named "KAPU" on April 15, 1995. FACSFAC effective hours are 0700W to 2300W (Monday - Saturday from 1700Z - 0900Z) Monday - Friday, and on weekend's 0800W - 1600W (Weekends from 1800Z - 0200Z) or by request. Activities include intermittent naval gunnery exercises and airborne ordnance drops. "KAPU" is also designated as the emergency jettison area for aircraft with hung stores, etc. Hot area "KAPU" is bounded by the following coordinates 20-46N/158-16W, 20-42 N/158-04W, 20-13N/158-36W and 20-04N/158-11W. Scheduling authority is FACSFAC Pearl Harbor call-sign "HULA DANCER". "HULA DANCER" can be reached on primary 266.4/127.0 MHz, or secondary 336.8/132.4 MHz or telephone (808) 472-7333/7337 and may authorize transits through these areas on a case by-case basis.	

## Sector Honolulu, Territorial Sea

### Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
FAD Site G - Pepeekeo, Hawaii	28007.010000000002	MISSING	PA
FAD Site WH1	28007.22	MISSING	PA
FAD Site F - Kailua Kona, Hawaii	28007.25	OFF STA	PA
FAD Site XX - Puako, Hawaii	28007.29	MISSING	PA
FAD Site DD - Opana Point, Maui	28007.33	MISSING	PA
FAD SITE MTBC 1	28007.4	MISSING	PA
FAD SITE MTBC 2	28007.420000000002	MISSING	PA
FAD Site M - Hana Bay, Maui	28008.010000000002	MISSING	PA
FAD Site NL - Nuu Landing, Maui	28008.03	MISSING	PA

FAD Site GG - Nakaohu Point, Maui	28008.05	MISSING	PA
FAD Site SO - Kahoolawe	28008.11	MISSING	PA
FAD Site CC - Kaena Point, Lanai	28008.190000000000	MISSING	PA
FAD site LL Hauula - Oahu	28008.25	Status Unreported	PA
FAD Site P - Penguin Bank, Oahu	28008.33	MISSING	PA
FAD Site HH - Pearl Harbor, Oahu	28008.350000000000	MISSING	PA
FAD Site BO - Barbers Point, Oahu	28008.37	MISSING	PA
FAD Site R - Makaha, Oahu	28009.010000000000	MISSING	PA
FAD Site CO - Kaena Point, Oahu	28009.05	MISSING	PA
FAD Site J - Wailalee, Oahu	28009.09	MISSING	PA
FAD Site BB - Moloaa, Kauai	28009.13	MISSING	PA
FAD Site DK - Anahola, Kauai	28009.15	OFF STA	PA
FAD Site WK - Wailua, Kauai	28009.170000000000	MISSING	PA
FAD Site PP - Koloa, Kauai	28009.23	MISSING	PA

### Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Honolulu, Exclusive Economic Zone (EEZ) - Sector Honolulu, Territorial Sea/General/Naval Activity/Naval Gunnery Exercises	Naval Activity	All vessels/watercraft operating within the Mokapu Peninsula near the Ulupau Crater located on Marine Corps Base Hawaii shall vacate the danger zone at the best speed and by the most direct route. Danger zone will include areas from (Zone 1 NE) 21°30'59.66"N /157°44'05.97"W to 21°29'16.58"N /157°40'30.19"W to (Zone 2 SE) 21°25'01.79"N/157°40'33.70"W to 21°27'11.84"N/157°43'53.83"W, forming a triangular figure. The following are hazardous operations to mariners for December 18, 2024 through December 24, 2024: Zone 1: 18 Dec N/A 19 Dec N/A 20 Dec 0600 - 2300 21 Dec N/A 22 Dec N/A 23 Dec 0900 - 1300 24 Dec N/A Zone 2: 18 Dec 0800 - 1700 19 Dec 0800 - 1700 20 Dec 0600 - 2300 21 Dec N/A 22 Dec N/A 23 Dec N/A 24 Dec N/A	

### South Coast Of Oahu

#### Additional MSI Categories

TITLE	SUBCATEGORY	DESCRIPTION	LOCATION
Sector Honolulu, Territorial Sea - South Coast Of Oahu/General/Marine Events/Fireworks	Marine Events	Fireworks will be displayed at Ko Olina Beach Resort on December 31, 2024 from 2300-0100. There will be a 560 ft fallout zone from launch site located at 21-20'6.651"N, 158-07'36.1128"W	Lat: 21° 20' 35" Lon: -158° 08' 00"

### Tutuila Island

#### Federal Discrepancies

NAME	LLNR	STATUS	AID TYPE
Breakers Point Light	30185	LT EXT	FD
Breakers Point Light	30185	LT EXT	FD

### Unknown

#### Private Discrepancies

NAME	LLNR	STATUS	AID TYPE
Drydock Point West Entrance Daybeacon 1	30787	DAYMK MISSING	PA
Mamaon Channel Lighted Buoy 1	30815	OFF STA	PA
Mamaon Channel Lighted Buoy 2	30820	OFF STA	PA
Fad Site FF - Saipan	30852.16	MISSING	PA
FAD Site GG - Saipan	30852.170000000000	MISSING	PA
Fad Site HH - Saipan	30852.18	MISSING	PA
FAD Site II - Saipan	30852.190000000000	MISSING	PA
Fad Site LL - Saipan	30852.22	MISSING	PA
Smiling Cove Lighted Buoy 1	30913	MISSING	PA